

Redmond Paired Watershed Study

Water Year 2022 Data Summary Report

Prepared for
City of Redmond

Prepared by
Herrera Environmental Consultants, Inc.

Note:

Some pages in this document have been purposely skipped or blank pages inserted so that this document will print correctly when duplexed.

Redmond Paired Watershed Study

Water Year 2022 Data Summary Report

Prepared for
City of Redmond
15670 Northeast 85th Street
Redmond, Washington 98052

Prepared by
Herrera Environmental Consultants, Inc.
2200 Sixth Avenue, Suite 1100
Seattle, Washington 98121
Telephone: 206-441-9080

October 26, 2023

This page intentionally left blank

Contents

- Introduction..... 1
- Background 3
- Experimental Design 5
 - Status and Trends Monitoring 9
 - Hydrologic Monitoring 11
 - Water Quality Monitoring..... 18
 - Physical Habitat Monitoring 27
 - Sediment Quality Monitoring..... 29
 - Biological Monitoring..... 30
 - Effectiveness Monitoring..... 31
- Rehabilitation Effort Summary 33
- Monitoring Procedures..... 37
- Monitoring Results Summary 39
 - Hydrologic Monitoring 39
 - Water Quality Monitoring..... 42
 - Biological Monitoring 47
- References..... 51



Appendices

- Appendix A CMAC System Design Details for Stormwater Detention Ponds in the Monticello Creek Watershed
- Appendix B Line Plots Showing Continuous Flow Data by Watershed
- Appendix C Data Quality Assurance Review Memorandum for Hydrologic Monitoring
- Appendix D Summary Statistics for Individual Storm Events by Monitoring Station
- Appendix E Line Plots Showing Sampling Times Relative to the Storm Event Hydrograph
- Appendix F Laboratory Reports, Field Forms, and Data Quality Assurance Audit Forms for Water Quality Monitoring
- Appendix G Data Validation Memorandum for Water Quality Monitoring
- Appendix H Summary Statistics for Pollutant Concentrations Measured in Storm Event and Base Flow Samples
- Appendix I Box and Whisker Plots Showing Pollutant Concentrations Measured in Storm Event and Base Flow Samples
- Appendix J Line Plots Showing Continuous Temperature Data
- Appendix K Laboratory Report for Biological Monitoring

Tables

Table 1. Application, Reference, and Control Watersheds for the Redmond Paired Watershed Study.....	6
Table 2. Indicators of Stream Health for the Redmond Paired Watershed Study.....	9
Table 3. Summary of Street Sweeping in the Monticello Creek Watershed.....	35
Table 4. Gaps in Continuous Flow Data. ^a	41
Table 5. Summary Statistics for Storm Events by Monitoring Station.	42
Table 6. Sampling Dates and Comparison to Criteria for Storm Event and Base Flow Sampling.....	45
Table 7. Qualified Results from Discrete Water Quality Sampling.....	47
Table 8. Computed Biological Indicators for Evaluating Stream Health.	49

Figures

Figure 1. Application, Reference, and Control Watersheds.....	7
Figure 2. Evans Trib. 108 Paired Watershed Study Monitoring Locations.	12
Figure 3. Monticello Creek Paired Watershed Study Monitoring Locations.....	13
Figure 4. Tosh Creek Paired Watershed Study Monitoring Locations.....	15
Figure 5. Colin Creek Paired Watershed Study Monitoring Locations.	19
Figure 6. Seidel Creek Paired Watershed Study Monitoring Locations.	21
Figure 7. Country Creek Paired Watershed Study Monitoring Locations.	23
Figure 8. Tyler’s Creek Paired Watershed Study Monitoring Locations.....	25
Figure 9. Redmond Paired Watershed Study Precipitation Monitoring Locations.....	40

This page intentionally left blank

INTRODUCTION

The Redmond Paired Watershed Study (RPWS) is one of several effectiveness monitoring studies that was selected for implementation starting in 2014 for the Stormwater Action Monitoring (SAM) program for Puget Sound. The goal of effectiveness monitoring under the SAM program is to provide widely applicable information for improving stormwater management in the region. Phase I and Phase II Municipal Stormwater Permittees in the Puget Sound Region contribute to a Pooled Stormwater Resources Fund that supports the SAM program and associated effectiveness monitoring studies. Selection of the RPWS for implementation under the SAM program was made based on a monitoring proposal that was presented to permittee representatives at workshops that were held on March 20, 2014, and May 6, 2014. The specific study question to be addressed through the RPWS is as follows:

How effective are watershed rehabilitation efforts at improving receiving water conditions at the watershed scale?

To address this study question, a conceptual experimental design for the RPWS was subsequently developed and summarized in the *Redmond Paired Watershed Study Experimental Design Report* (Herrera 2015a). This conceptual experimental design was informed by a literature review (Herrera 2015b) that was conducted to identify lessons learned from past studies that have been implemented to achieve similar objectives. The conceptual experimental design was also developed based on input from a technical advisory committee (TAC) that was formed for the study. This TAC currently includes representation from the following jurisdictions and agencies:

City of Redmond

City of Kirkland

City of Seattle

King County

US Geological Survey

Washington State Department of Ecology (Ecology)

Building on this previous work, a Quality Assurance Project Plan (QAPP) was developed to guide the implementation of all subsequent phases of the RPWS (Herrera 2015c). This QAPP documents the experimental design and procedures that will be used during data collection, processing, and analysis to ensure all results obtained for the RPWS are scientifically defensible.

Monitoring pursuant to this QAPP initiated in 2016 and is anticipated to continue for a 10-year time frame. Data summary reports will be prepared on an annual basis over this period to summarize compiled monitoring data collected through each of the major components of the RPWS. These reports

will also document any quality assurance issues associated with these data and resultant limitations (if any) on their use or interpretation. Finally, these reports will document all rehabilitation efforts that have been implemented by the City of Redmond (City) or King County (County) over the previous year. Included will be detailed information on the design and operational status of structural stormwater controls and the frequency and geographic extent of nonstructural stormwater control implementation. Each annual data summary report will document this information based on monitoring that was conducted over the previous water year (i.e., October through September). Data summary reports (Herrera 2017, 2018, 2019, 2020a, 2021a, 2023a) were prepared previously for data collected over water year (WY) 2016 through WY2021.

In years 4, 8, and 10 of the RPWS' implementation, trend analyses reports will also be prepared as companion documents to the data summary reports described above (note WY2022 represents year 7 of the RPWS' implementation). These reports will summarize the results of statistical analyses that will be performed on the compiled data from all previous years of monitoring to detect potential relationships between rehabilitation efforts and improved receiving water conditions. Each report will also present major conclusions from these analyses. A trend analysis report (Herrera 2020b) was prepared following year 4 of the RPWS' implementation.

This document represents the data summary report for monitoring that occurred over WY2022 for the RPWS. It is organized to include the following sections:

- **Background:** An explanation of why the project is needed
- **Experimental Design:** The sampling process design for the study, including sample types, monitoring locations, and sampling frequency
- **Monitoring Procedures:** A description of any major deviations from the monitoring procedures that were identified in the QAPP for the study (Herrera 2015c).
- **Rehabilitation Effort Summary:** A description of all watershed rehabilitation efforts that were implemented by the City or County over WY2022 and previous water years.
- **Monitoring Results Summary:** A summary of compiled monitoring data collected through each of the major components of the study.

BACKGROUND

Municipal Stormwater Permits are issued by Ecology to regulate discharges from separated storm sewers owned or operated by Phase I and Phase II cities and counties. The Municipal Stormwater Permits establish the minimum requirements for permittees to address existing and future impacts to receiving waters from urbanization. Municipal Stormwater Permits require cities and counties to execute programmatic (nonstructural) activities and establish design standards for stormwater structural controls triggered by development and redevelopment (onsite stormwater management, runoff treatment, and flow control facilities). Ideally, if all developed land in a watershed is equipped with nonstructural and structural stormwater controls, the receiving water would be protected from hydrologic and water quality impacts caused by urbanization. However, while the effectiveness of nonstructural and structural controls has been well documented at the site and parcel scale, limited data exists on the effectiveness of these controls in aggregate for improving conditions in receiving waters at the watershed scale (Herrera 2015b).

In February 2014, Ecology approved a Citywide Watershed Management Plan (WMP) (Herrera 2013) for the City that coordinates stormwater management efforts from the Municipal Stormwater Permit, Section 303(d) of the Clean Water Act, and salmon recovery to allow use of a watershed approach for improving receiving water conditions. Through the implementation of this WMP, the City will focus stormwater best management practices (BMPs) in a subset of priority watersheds that are moderately impacted by urbanization and therefore expected to respond more quickly to rehabilitation efforts. This provides a unique opportunity to study the effectiveness of stormwater BMPs for improving receiving water conditions on an accelerated time frame and at a watershed scale. Recognizing this opportunity, the City is implementing the RPWS to quantify improvements in receiving water conditions with support from the SAM program.

This page intentionally left blank

EXPERIMENTAL DESIGN

As described in the [Introduction](#) to this report, the specific study question to be addressed through the RPWS is as follows:

How effective are watershed rehabilitation efforts at improving receiving water conditions at the watershed scale?

In this context, rehabilitation efforts could include any of the following practices:

- Stormwater management retrofits in upland areas that could include facilities for onsite stormwater management (e.g., low impact development [LID] practices, runoff treatment, and flow control)
- Onsite stormwater management facilities required due to Municipal Stormwater Permit requirements for development and redevelopment
- Riparian and in-stream habitat improvements
- Programmatic practices for stormwater management

To answer the study question identified above, the experimental design for the RPWS has two primary components:

- **Status and Trends Monitoring:** Routine and continuous measurements of various hydrologic, chemical, physical habitat, and biological indicators of stream health over an extended time frame to quantify improvements in receiving water conditions in response to watershed rehabilitation efforts.
- **Effectiveness Monitoring:** Measurements of hydrologic and chemical parameters over a relatively short time frame to document the effectiveness of specific structural stormwater controls that have been constructed to improve receiving water conditions.

The Status and Trends Monitoring utilizes a “paired watershed” experimental design that involves collecting these measurements in seven watersheds categorized as follows:

- Three “Application” watersheds with wadeable lowland streams that are moderately impacted by urbanization and prioritized for rehabilitation efforts.
- Two “Reference” watersheds with relatively pristine wadeable lowland streams that do not require rehabilitation.
- Two “Control” watersheds with wadeable lowland streams that are significantly impacted by urbanization and not currently prioritized for rehabilitation.

Table 1 identifies the name, predominant land use/cover, and size of each watershed; the location of all the watersheds is shown in Figure 1. A detailed summary of conditions within each watershed is also provided in the QAPP that was prepared for the study (Herrera 2015c) with information on planned rehabilitation efforts in the Application watersheds as applicable.

Table 1. Application, Reference, and Control Watersheds for the Redmond Paired Watershed Study.

Watershed Name	Watershed Type	Dominant Land Use/Cover	Watershed Total Area (acres)	Watershed Area Inside Redmond (acres)
Evans Creek Tributary 108	Application	Residential	397	0 ^a
Monticello Creek	Application	Residential/Commercial	345	264
Tosh Creek	Application	Residential/Commercial	299	276
Colin Creek ^a	Reference	Forest	1,990	90
Seidel Creek ^a	Reference	Forest	1,188	615
Country Creek	Control	Residential/Commercial	212	212
Tyler's Creek	Control	Residential/Commercial	168	167

^a Watershed is in unincorporated King County.

Fixed monitoring stations were established in each watershed for monitoring various indicators of stream health. Due to the scale of the RPWS and the anticipated lag between applying stormwater controls and resultant improvements in receiving water conditions, quantifying a cause and effect relationship between these events may take many years. Therefore, monitoring at the fixed monitoring stations will occur over an anticipated 10-year time frame. Furthermore, because the effectiveness of watershed rehabilitation practices (e.g., stormwater retrofits, in-stream habitat improvements, and programmatic practices) may vary for different types of receiving water impairments, a broad suite of indicators for assessing potential improvements are being monitored within the following categories: hydrologic, water quality, physical habitat, sediment quality, and biological. The pattern of interest will be evidence that receiving water conditions are improving based on one or more of these indicators in the Application watersheds while conditions in the Reference and Control watersheds remain relatively static.

The following subsections provide more detailed information on the Status and Trends Monitoring and Effectiveness Monitoring, respectively, including the monitoring stations, measurement frequency, indicators, and data analysis methods where applicable.





Figure 1. Application, Reference, and Control Watersheds.

City of Redmond, Washington
06/18/2015



Legend

- Class I Stream
- Class II Stream
- Class III Stream
- Class IV Stream
- City Limits
- Reference Watersheds
- Application Watersheds
- Control Watersheds

This figure shows Evans Creek watershed within Redmond. Evans 108 is east of Redmond and illustrated in Figure 2.

Disclaimer: This map is created and maintained by the Natural Resources Division of the City of Redmond, Washington, for reference purposes only. The City makes no guarantee as to the accuracy or completeness of the features shown on this map.

This page intentionally left blank

Status and Trends Monitoring

This section describes the monitoring stations, measurement frequency, indicators, and data analysis methods that will be used for the Status and Trends Monitoring component of the RPWS. This information is organized under separate subsections for the following monitoring categories: hydrologic, water quality, physical habitat, sediment quality, and biological. The specific indicators of stream health that will be evaluated in these categories are also summarized in Table 2 with their associated measurement frequency. Note significant changes to the experimental design for the Status and Trends Monitoring were made in WY 2022 relative to the original QAPP. These changes are described in detail in the [Monitoring Procedures](#) section (page 37).

Table 2. Indicators of Stream Health for the Redmond Paired Watershed Study.	
Indicator	Measurement Frequency
Hydrology Monitoring	
Flow	Continuous
High pulse count	Post-processed from continuous flow measurements
High pulse duration	
High pulse range	
Low pulse count	
Low pulse duration	
Low pulse range	
Flow reversal	
Richards-Baker (RB) flashiness index	
Flashiness ($T_{Q, Mean}$)	
Storm flow volume	
Base flow volume	
Total flow volume	
Water Quality Monitoring	
Total suspended solids	Twelve grab samples collected annually during storm events (three each quarter)
Turbidity	
Conductivity	
Hardness	
Dissolved organic carbon	
Fecal coliform bacteria	
Total phosphorus	
Total nitrogen	
Copper, total and dissolved	
Zinc, total and dissolved	
Temperature	Continuous
Conductivity	



Table 2 (continued). Indicators of Stream Health for the Redmond Paired Watershed Study.

Indicator	Measurement Frequency
Physical Habitat Monitoring	
Bed stability Channel dimensions Fish cover Habitat dimensions Habitat unit extents Large woody debris Riparian cover Riparian Disturbance Riparian vegetation structure Sinuosity Substrate	Annually through WY 2021; every other year thereafter
Sediment Quality Monitoring	
Total organic carbon; sieved, 2 mm Copper; sieved, 63 µm Zinc; sieved, 63 µm Polycyclic aromatic hydrocarbons; sieved, 2 mm Phthalates; sieved, 2 mm	Annually through WY 2021; every other year thereafter
Biological Monitoring	
Benthic macroinvertebrates	Annually
Benthic Index of Biotic Integrity Taxa Richness Ephemeroptera Richness Plecoptera Richness Trichoptera Richness Clinger Percent Long-Lived Richness Intolerant Richness Percent Dominant Predator Percent Tolerant Percent	Post-processed from benthic macroinvertebrate data

Hydrologic Monitoring

A total of 14 fixed monitoring stations were established at the onset of the study to facilitate hydrologic monitoring in each of the study watersheds. Starting in WY 2022, monitoring has occurred at 12 fixed monitoring stations; see further explanation in the [Monitoring Procedures](#) section (page 37). As noted in the literature review (Herrera 2015b) that was performed to inform the experimental design for the RPWS, numerous studies have been conducted with similar goals, but they have generally been conducted at the subbasin scale. In these studies, a hydrologic monitoring station was typically located at the outlet of the study subbasin. Therefore, efforts were made to establish hydrologic monitoring stations at the outlet of each of the study watersheds. However, because the watersheds are relatively large and because much of the rehabilitation will occur in the upper reaches of the Application watersheds, efforts were made to establish hydrologic monitoring stations at a mid-point location in each of the study watersheds as well. This goal could not be achieved for all study watersheds due to issues relating to their size and drainage patterns. The following deviations are specifically noted:

- Monticello Creek has two major tributaries that will be the target of rehabilitation efforts; therefore, three hydrologic monitoring stations were established in the watershed at the outlet and on each of the tributaries.
- The relatively pristine reach of Colin Creek that was identified for monitoring is confined to the Redmond Watershed Preserve Park. Because the watershed area within this park is relatively small, only one hydrologic monitoring station was established in this watershed.
- The relatively pristine reach of Seidel Creek that was identified for monitoring is confined to the Redmond Watershed Preserve Park. Within this area, two major tributaries of the creek flow into a large wetland complex near the border of the park. To avoid confounding hydrologic and water quality influences from this wetland, hydrologic monitoring stations were established on each tributary; and no outlet station was identified.

In addition to these considerations, the specific location of each monitoring station was also influenced by safety and property access issues. The monitoring stations established in each of the study watersheds are as follows:

Application Watersheds

- Evans Creek Tributary 108: Two stations designated Lower Stream Station (EVALSS) and Midstream Station (EVAMS), respectively (see locations in Figure 2). Evans Creek was dropped from the study in WY 2022; see further explanation in the [Monitoring Procedures](#) section (page 37).
- Monticello Creek: One station at the mouth designated Mont-Mouth (MONM); one station at the approximate midpoint of the watershed on the north tributary designated Mont-Mid-N (MONMN); and one station at the approximate midpoint of the watershed on the south tributary designated Mont-Mid-S (MONMS) (see locations in Figure 3).
- Tosh Creek: One station at the mouth designated Tosh-Mouth (TOSMO); and one station at the approximate midpoint of the watershed designated Tosh-Mid (TOSMI) (see locations in Figure 4).






Figure 2. Evans Trib. 108 Paired Watershed Study Monitoring Locations.

King County, Washington

Dec. 17, 2015



Department of Natural Resources and Parks
Water and Land Resources Division

- Flow and WQ Monitoring
- Habitat, Biological, and Sediment Monitoring
- ~ Streams and Rivers
- King County Parcels
- Basin Boundary

klinkat \dlnrp1\projects\WLRD\15076\Trib108_8x11.mxd




Figure 3. Monticello Creek Paired Watershed Study Monitoring Locations.

City of Redmond, Washington
6/25/2015

0 0.0375 0.075 0.15 Miles

Disclaimer: This map is created and maintained by the Natural Resources Division of the City of Redmond, Washington, for reference purposes only. The City makes no guarantee as to the accuracy or completeness of the features shown on this map.

Legend

- Class I Stream
- Class II Stream
- Class III Stream
- Class IV Stream
- Ponds
- City Limits
- Watershed Boundary
- Commercial
- Industrial
- Multifamily
- Park / Undeveloped
- Public ROW
- Single Family High Density
- Single Family Low Density
- Single Family Medium Density
- Single Family Rural Density
- Flow & WQ Monitoring
- Habitat, Sediment & Biological Monitoring

This page intentionally left blank




Figure 4. Tosh Creek Paired Watershed Study Monitoring Locations.

City of Redmond, Washington
11/22/2013



0 0.0375 0.075 0.15 Miles



Disclaimer: This map is created and maintained by the Natural Resources Division of the City of Redmond, Washington, for reference purposes only. The City makes no guarantee as to the accuracy or completeness of the features shown on this map.

Legend

- | | | | |
|--------------------|--------------------|------------------------------|---|
| Class I Stream | Commercial | Single Family High Density | Hydrology & WQ Monitoring |
| Class II Stream | Industrial | Single Family Low Density | Physical Habitat, sediment & B-IBI Monitoring |
| Class III Stream | Multifamily | Single Family Medium Density | |
| Class IV Stream | Park / Undeveloped | Single Family Rural Density | |
| Ponds | Public ROW | | |
| City Limits | | | |
| Watershed Boundary | | | |

This page intentionally left blank

Reference Watersheds

- Colin Creek: One station at the approximate midpoint of the watershed designated Colin-Mid (COLM) (see locations in Figure 5).
- Seidel Creek: One station at the approximate midpoint of the watershed on the north tributary designated Seidel-Mid-N (SEIMN); one station at the approximate midpoint of the watershed on the south tributary designated Seidel-Mid-S (SEIMS) (see locations in Figure 6).

Control Watersheds

- Country Creek: One station at the mouth designated Country-Mouth (COUMO); and one station at the approximate midpoint of the watershed designated Country-Mid (COUMI) (see locations in Figure 7).
- Tyler's Creek: One station at the mouth designated Tylers-Mouth (TYLMO); and one station at the approximate midpoint of the watershed designated Tylers-Mid (TYLMI) (see locations in Figure 8).

Continuous flow monitoring was originally planned to occur at all 14 monitoring stations for the duration of the RPWS; however, monitoring at the stations located in the Evans Creek watershed was suspended after WY2011 (see more detailed discussion in the [Monitoring Procedures](#) section). Data from the continuous flow monitoring will be processed to calculate the following indicators for evaluating hydrologic impacts from urban development as described in DeGasperi et al. (2009):

- **High flow pulse:** Occurrence of daily average flows that are equal to or greater than a threshold set at twice (two times) the long-term daily average flow rate.
 - *High pulse count:* Number of days each water year that discrete high flow pulses occur.
 - *High pulse duration:* Annual average duration (in days) of high flow pulses during a water year.
 - *High pulse range:* Range in days between the start of the first high flow pulse and the end of the last high flow pulse during a water year.
- **Low flow pulse:** Occurrence of daily average flows that are equal to or less than a threshold set at 50 percent of the long-term daily average flow rate.
 - *Low pulse count:* Number of times each calendar year that discrete low flow pulses occurred.
 - *Low pulse duration:* Annual average duration (in days) of low flow pulses during a calendar year.
 - *Low pulse range:* Range in days between the start of the first low flow pulse and the end of the last low flow pulse during a calendar year.
- **Flow Reversal:** The number of times that the flow rate changed from an increase to a decrease or vice versa during a water year. Flow changes of less than 2 percent are not considered.
- **Richards-Baker (RB) flashiness index:** A dimensionless index of flow oscillations relative to total flow based on daily average discharge measured during a water year.
- **Flashiness ($T_{Q\text{ Mean}}$):** The fraction of a year that mean daily discharge exceeds annual mean discharge.

- **Storm flow volume:** Total discharge volume during storm events over a water year.
- **Base flow volume:** Total discharge volume during base flow over a water year.
- **Total flow volume:** Total discharge volume over a water year.

Trends over time at each monitoring station will be evaluated using parametric (Pearson’s *r*) and nonparametric (Kendall’s tau or Spearman’s rho) tests of correlation between these indicators and time. Statistical significance of the correlation coefficients will be evaluated based on an α -level of 0.05 for a one-tailed test. The pattern of interest will be evidence that receiving water conditions are improving based on the detection of statistically significant trends in the data for one or more of these indicators in the Application watersheds while these same trends are not detected in the data for the same indicators in the Reference and Control watersheds.

Water Quality Monitoring

A total of 14 fixed monitoring stations were established at the onset of the study to facilitate water quality monitoring in each of the study watersheds. Starting in WY 2022, monitoring has occurred at 12 fixed monitoring stations; see further explanation in the [Monitoring Procedures](#) section (page 37). These stations were co-located with the monitoring stations described above for hydrologic monitoring (see Figures 2 through 8). Twelve grab samples will be collected annually during storm events (three each quarter) at each of the 14 monitoring stations for the duration of the RPWS. In addition, four grab samples will also be collected annually during base flow (one each quarter) at these stations. Each sample will be analyzed for the following indicators for evaluating water quality impacts from urban development:

- Total suspended solids
- Turbidity
- Conductivity
- Hardness
- Dissolved organic carbon
- Fecal coliform bacteria
- Total phosphorus
- Total nitrogen
- Copper, total and dissolved
- Zinc, total and dissolved

In addition, *in situ* probes will be used to continuously measure temperature at each station and conductivity at the following subset of stations: EVALSS, EVAMS, MONM, MONMS, TOSMO, SEIMN, SEIMS, COUMO, and TYLMO.




Figure 5. Colin Creek Paired Watershed Study Monitoring Locations.

City of Redmond, Washington
6/25/2015



0 0.0325 0.065 0.13 Miles



Disclaimer: This map is created and maintained by the Natural Resources Division of the City of Redmond, Washington, for reference purposes only. The City makes no guarantee as to the accuracy or completeness of the features shown on this map.

Legend

- | | | | |
|--------------------|--------------------|------------------------------|---|
| Class I Stream | Commercial | Single Family High Density | Flow & WQ Monitoring |
| Class II Stream | Industrial | Single Family Low Density | Habitat, sediment & Biological Monitoring |
| Class III Stream | Multifamily | Single Family Medium Density | |
| Class IV Stream | Park / Undeveloped | Single Family Rural Density | |
| Ponds | Public ROW | | |
| City Limits | | | |
| Watershed Boundary | | | |

This page intentionally left blank




Figure 6. Seidel Creek Paired Watershed Study Monitoring Locations.

City of Redmond, Washington
11/22/2013



0 0.05 0.1 0.2 Miles

Disclaimer: This map is created and maintained by the Natural Resources Division of the City of Redmond, Washington, for reference purposes only. The City makes no guarantee as to the accuracy or completeness of the features shown on this map.

Legend

- | | | | |
|--------------------|--------------------|------------------------------|---|
| Class I Stream | Commercial | Single Family High Density | Flow & WQ Monitoring |
| Class II Stream | Industrial | Single Family Low Density | Habitat, Sediment & Biological Monitoring |
| Class III Stream | Multifamily | Single Family Medium Density | |
| Class IV Stream | Park / Undeveloped | Single Family Rural Density | |
| Ponds | Public ROW | | |
| City Limits | | | |
| Watershed Boundary | | | |

This page intentionally left blank




Figure 7. Country Creek Paired Watershed Study Monitoring Locations.

City of Redmond, Washington
6/25/2015



0 0.0325 0.065 0.13 Miles

Disclaimer: This map is created and maintained by the Natural Resources Division of the City of Redmond, Washington, for reference purposes only. The City makes no guarantee as to the accuracy or completeness of the features shown on this map.

Legend

- | | | | |
|--------------------|--------------------|------------------------------|--|
| Class I Stream | Commercial | Single Family High Density | Flow & WQ Monitoring |
| Class II Stream | Industrial | Single Family Low Density | Habitat, Sediment, & Biological Monitoring |
| Class III Stream | Multifamily | Single Family Medium Density | |
| Class IV Stream | Park / Undeveloped | Single Family Rural Density | |
| Ponds | Public ROW | | |
| City Limits | | | |
| Watershed Boundary | | | |

This page intentionally left blank




Figure 8. Tyler's Creek Paired Watershed Study Monitoring Locations.

City of Redmond, Washington
6/25/2015



0 0.0375 0.075 0.15 Miles



Disclaimer: This map is created and maintained by the Natural Resources Division of the City of Redmond, Washington, for reference purposes only. The City makes no guarantee as to the accuracy or completeness of the features shown on this map.

Legend

- | | | | |
|--------------------|--------------------|------------------------------|---|
| Class I Stream | Commercial | Single Family High Density | Flow & WQ Monitoring |
| Class II Stream | Industrial | Single Family Low Density | Habitat, Sediment & Biological Monitoring |
| Class III Stream | Multifamily | Single Family Medium Density | |
| Class IV Stream | Park / Undeveloped | Single Family Rural Density | |
| Ponds | Public ROW | | |
| City Limits | | | |
| Watershed Boundary | | | |

This page intentionally left blank

Trends over time at each monitoring station will be evaluated using parametric (Pearson's r) and nonparametric (Kendall's tau or Spearman's rho) tests of correlation between these indicators and time. Where possible, variation in the indicator data related to changes in stream flow will be removed prior to performing the correlation analyses using methods described in Helsel and Hirsch (2002). Use of these methods is generally applicable for indicators that tend to increase (or decrease) as a function of flow (e.g., total suspended solids). By removing this variation, trends in the indicator data can be more readily detected in the correlation analyses. In all cases, statistical significance of the correlation coefficients will be evaluated based on an α -level of 0.05 for a one-tailed test.

The sample frequency identified above for water quality monitoring was evaluated using power tests that were performed for totals suspended solids and total zinc. Power tests are used to determine the probability of detecting a trend given: 1) sample size, 2) the desired α -level, 3) magnitude of the trend, and 4) amount of variation within the data. With 16 samples collected annually (12 samples during storm events and 4 samples during base flow) over a 10-year period and a desired α -level of 0.05, results from these tests showed there was a 66 to 100 percent probability of detecting a 4 milligram per liter (mg/L) decrease in total suspended solids concentrations depending on the variability that is assumed for the data and characteristics of the trend over time (i.e., linear or non-linear). These same tests showed there is a 38 to 100 percent probability of detecting a 2 microgram per liter ($\mu\text{g/L}$) decrease in total zinc concentrations. Results from these tests are documented in the QAPP that was prepared for the study (Herrera 2015c).

Annual mass load estimates will also be derived for the following subset of indicators using the nonparametric "smearing" approach described in Helsel and Hirsch (2002): total suspended solids, total phosphorus, total nitrogen, total copper, and total zinc. Trends over time at each monitoring station will again be evaluated using parametric (Pearson's r) and nonparametric (Kendall's tau or Spearman's rho) tests of correlation between these mass load estimates and time. Statistical significance of the correlation coefficients will be evaluated based on an α -level of 0.05 for a one-tailed test. These analyses will be used to detect potential improvements in receiving water conditions from the combined effects of improved water quality and reduced stormwater runoff.

In all cases, the pattern of interest will be evidence that receiving water conditions are improving based on the detection of statistically significant trends in the data for one or more of these indicators in the Application watersheds while the same trends are not detected in the data for the same indicators in the Reference and Control watersheds.

Physical Habitat Monitoring

A total of 19 fixed monitoring stations were established to facilitate physical habitat monitoring in each of the study watersheds. Starting in WY 2022, monitoring has occurred at 17 fixed monitoring station; see further explanation in the [Monitoring Procedures](#) section (page 37). As described in the literature review (Herrera 2015b) that was performed to inform the experimental design for the RPWS, most past studies that have been performed to assess physical habitat response to watershed rehabilitation were conducted in reaches where channel rehabilitation measures were directly applied. Consequently, they were designed to only assess the localized effects of these efforts. The RPWS involves both localized channel rehabilitation and watershed scale rehabilitation through the application of structural and

programmatic practices for stormwater management. Therefore, a synoptic approach was applied for establishing monitoring stations for physical habitat monitoring where stations were established in the Application watersheds in reaches that will be restored and in reaches where no physical alterations to the channel are planned. In this way, the RPWS can assess physical habitat response to both localized and basin-wide rehabilitation efforts. In addition to these considerations, the specific location of each monitoring station was also influenced by safety and property access issues. The monitoring stations established in each of the study watersheds are as follows:

Application Watersheds

- Evans Creek Tributary 108: Two stations designated Lower Stream Station (EVALSS) and Midstream Station (EVAMS), respectively (see locations in Figure 2).
- Monticello Creek: Five stations designated MONT-1, MONT-2, MONT-3, MONT-4, and MONT-5, respectively (see locations in Figure 3).
- Tosh Creek: Four stations designated TOSH-1, TOSH-2, TOSH-3, and TOSH-4, respectively (see locations in Figure 4).

Reference Watersheds

- Colin Creek: One designated COLIN-1 (see locations in Figure 5).
- Seidel Creek: Three stations designated Seidel-1, Seidel-2, and Seidel-3, respectively (see locations in Figure 6).

Control Watersheds

- Country Creek: Two stations designated Country-1 and Country-2, respectively (see locations in Figure 7).
- Tyler's Creek: Two stations designated Tylers-1 and Tylers-2, respectively (see locations in Figure 8).

The following monitoring stations were specifically selected to measure the localized physical habitat response in reaches that have either been recently restored or are likely to be restored in the future:

- MONT-3
- MONT-4
- MONT-5
- TOSH-1
- TOSH-3
- TOSH-4

Physical habitat monitoring will be conducted annually at each monitoring station for the duration of the RPWS. The characteristic bed-form type will be recorded at each monitoring station, and physical habitat

quality indicators will be measured at 11 cross-sections (transects) and thalweg (line of steepest descent along the streambed) profile for each habitat monitoring station.

The following indicators will be measured in connection with this monitoring:

- Bed stability
- Channel dimensions
- Fish cover
- Habitat dimensions
- Habitat unit extents
- Large woody debris
- Riparian cover
- Riparian disturbance
- Riparian vegetation structure
- Sinuosity
- Substrate

The pattern of interest will be evidence that receiving water conditions are improving based on the detection of trends in the data for one or more of these indicators in the Application watersheds while the same trends are not detected in the data for the same indicators in the Reference and Control watersheds.

Sediment Quality Monitoring

A total of 19 fixed monitoring stations were established at the onset of the study to facilitate sediment quality monitoring in each of the study watersheds. Starting in WY 2022, monitoring has occurred at 17 fixed monitoring stations; see further explanation in the [Monitoring Procedures](#) section (page 37). These stations were co-located with the monitoring stations described above for physical habitat monitoring (see Figures 2 through 8). Sediment samples will be collected annually at all 19 monitoring stations for the duration of the RPWS. Each sample will be analyzed for the following indicators for evaluating sediment quality impacts from urban development:

- Total organic carbon
- Copper
- Zinc
- Polycyclic aromatic hydrocarbons
- Phthalates

Trends over time at each monitoring station will be evaluated using parametric (Pearson's r) and nonparametric (Kendall's tau or Spearman's rho) tests of correlation between these indicators and time. Statistical significance of the correlation coefficients will be evaluated based on an α -level of 0.05 for a one-tailed test. The pattern of interest will be evidence that receiving water conditions are improving based on the detection of statistically significant trends in the data for one or more of these indicators in the Application watersheds while the same trends are not detected in the data for the same indicators in the Reference and Control watersheds.

Biological Monitoring

A total of 19 fixed monitoring stations were established at the onset of the study to facilitate biological monitoring in each of the study watersheds. Starting in WY 2022, monitoring has occurred at 17 fixed monitoring stations; see further explanation in the [Monitoring Procedures](#) section (page 37). These stations were co-located with the monitoring stations described above for physical habitat monitoring (see Figures 2 through 8). Benthic macroinvertebrate samples will be collected annually at each monitoring station for the duration of the RPWS. Each sample will be processed to calculate the following indicators for use in evaluating stream health:

- Benthic Index of Biotic Integrity (B-IBI)
- Taxa Richness
- Ephemeroptera Richness
- Plecoptera Richness
- Trichoptera Richness
- Clinger Percent
- Long-Lived Richness
- Intolerant Richness
- Percent Dominant
- Predator Percent
- Tolerant Percent

Trends over time at each monitoring station will be evaluated using parametric (Pearson's r) and nonparametric (Kendall's tau or Spearman's rho) tests of correlation between these indicators and time. Statistical significance of the correlation coefficients will be evaluated based on an α -level of 0.1 for a one-tailed test. The pattern of interest will be evidence that receiving water conditions are improving based on the detection of statistically significant trends in the data for one or more of these indicators in the Application watersheds while the same trends are not detected in the data for the same indicators in the Reference and Control watersheds.

The sampling frequency identified above for biological monitoring was evaluated using the power tests described above in the [Water Quality Monitoring](#) subsection. With samples collected annually over a 10-year period and a desired α -level of 0.05, results from these tests showed there was a 63 to 96 percent probability of detecting a 9-unit increase in B-IBI scores (equivalent to a change from “fair” to “good” in biological condition) depending on the variability that is assumed for the data and characteristics of the trend over time (i.e., linear or non-linear). Results from these tests are documented in the QAPP that was prepared for the study (Herrera 2015c).

Effectiveness Monitoring

Roving stations will be established for the Effectiveness Monitoring component of the RPWS to verify specific structural or programmatic stormwater controls are constructed properly, performing as designed, or providing meaningful benefit. The roving stations will be moved from one year to the next once a facility’s effectiveness has been verified and new facilities come online. The specific types of monitoring to be performed at each roving station will depend on the type of structural stormwater control that is being evaluated. For example, it is anticipated that only hydrologic monitoring would be performed at roving stations for facilities that are only designed for flow control (e.g., vaults). In these cases, a facility’s performance would be verified based on comparisons of measured flow from the roving station to the facility’s predicted flow from models used in its design. For facilities that are designed for runoff treatment, monitoring will follow guidelines from Ecology’s Technology Assessment Protocol-Ecology (TAPE) (Ecology 2018) and include both hydrologic (e.g., influent and effluent flow) and water quality monitoring. In these cases, a facility’s performance would be verified based on comparisons of its measured pollutant removal efficiency relative to targets that are identified in TAPE for specific treatment categories.

Effectiveness Monitoring is currently planned or ongoing for two watershed rehabilitation projects that are being implemented by the City as described in the following subsections.

Pond Retrofit Effectiveness Monitoring

In April 2021, the City retrofitted two existing stormwater detention ponds in the Monticello Creek watershed with a continuous monitoring and adaptive control (CMAC) system to improve their performance for managing peak flows during storm events. The CMAC system is designed to optimize the performance of existing stormwater detention facilities by leveraging forecast information with onsite sensors, allowing adaptive use of the full storage volume available to more closely approximate flow patterns that existed prior to land development. A proposal (Herrera 2021b) to conduct Effectiveness Monitoring on these ponds using funding from the SAM program was approved by Ecology on December 30, 2021. This monitoring was scheduled to initiate at the start of WY2022; however, the CMAC systems were not fully operational through much of WY2022 due to technical issues. These technical issues are being addressed and appear to be largely resolved; therefore, it is anticipated that the effectiveness monitoring will initiate in WY2023.

As noted in the [Introduction](#) section, one of the purposes of the data summary reports is to document all rehabilitation efforts that have been implemented over the previous year. This would include detailed information on the design and operational status of structural stormwater controls. To that end,

Appendix A of this report includes the following information related to the design and operation of the CMAC systems:

- Redmond Continuous Monitoring and Adaptive Control Pilot Study
- Curry East and Whistler Ridge Pond As-built Drawings
- Curry East Pond Drainage Report
- Opti Continuous Monitoring and Adaptive Control Technical Documentation
- Opti Continuous Monitoring and Adaptive Control Functional Equivalency Documentation.

Street Sweeping Effectiveness Monitoring

The trend analysis conducted by Herrera (2020b, 2020c) documented a significant decrease in total suspended solids and total copper concentrations in Monticello Creek that appeared related to a City project that progressively increased street sweeping frequency in the associated watershed. These results were consistent with another study that was implemented by the City of Seattle (SPU 2018).

To validate the effectiveness of sweeping for improving water quality, the City has obtained grant funding from King County Wastewater Treatment Division to progressively increase street sweeping in the Tosh Creek watershed. The specific goal will be to confirm street sweeping is effective at reducing total suspended solids and total copper concentrations in receiving waters. The City also intends to evaluate whether street sweeping can be effective at removing other pollutants of concern that are associated with roadway runoff. Specifically, the City will collect samples for evaluating concentrations of 6PPD-quinone (6PPD-Q) and polycyclic aromatic hydrocarbons (PAHs) during the routine water quality monitoring that is conducted for the RPWS. A widely used antioxidant in rubber tires, 6PPD-Q is an emerging contaminant in stormwater that was recently linked to acute mortality of coho salmon. PAHs are a common type of organic pollutant found in stormwater runoff that are known or probable human carcinogens and toxic to aquatic life.

This Effectiveness Monitoring specifically involved supplemental sampling and analysis for 6PPD-Q and PAHs beginning October 1, 2022, and ending September 30, 2023, in the Tosh Creek watershed (an Application watershed) and the Country Creek watershed (a Control watershed). More detailed information on this monitoring is provided in an addendum (Herrera 2022) to the QAPP for the RPWS. The first three quarters of additional sampling for 6PPD-Q and PAHs will be performed using Ecology funding designated for 6PPD-Q research. Results from this monitoring will be summarized in data summary report for WY2023 and through supplemental reporting.

REHABILITATION EFFORT SUMMARY

As noted in the previous section, the pattern of interest for this study will be evidence that receiving water conditions are improving based on one or more indicators in the Application watersheds while conditions in the Reference and Control watersheds remain relatively static. To increase the likelihood of detecting this trend, conditions in the Application watersheds were characterized over a “baseline” period prior to the implementation of any rehabilitation efforts that generally spanned WY2016. Rehabilitation efforts that have subsequently been implemented by the City or County in each of the Application watersheds are described below under the following categories: structural retrofits, programmatic controls, and habitat enhancements.

Evans Creek Tributary 108:

- Structural Retrofits
 - In WY2017, the County constructed two stormwater detention vaults within the Evans Creek Tributary 108 watershed; one was in front of addresses 20620 and 20626 NE 76th Place, and the other was in front of address 20508 NE 78th Street. Design details for these vaults are documented in Herrera (2023).

Monticello Creek:

- Structural Retrofits
 - In April 2021, the City retrofitted two existing stormwater detention ponds in the Monticello Creek watershed with a CMAC system to improve their performance for managing peak flows during storm events (see description in previous section and Appendix A). However, the CMAC systems were not fully operational through much of WY2021 and WY2022 due to technical issues. Therefore, the potential benefits of these system may not be realized until WY2023.
- Programmatic Controls
 - Using funding from a King County WaterWorks grant, the City implemented a street sweeping project in the Monticello Creek watershed:
 - Street sweeping increased from quarterly to monthly in August of WY2017 and continued throughout WY2018. The street sweeping occurred on all public roads in the watershed.
 - Beginning in October of WY2019, the frequency of street sweeping increased from once per month to twice per month. This street sweeping was implemented to meet the specific goal of improving water quality in the creek and conducted in addition to street sweeping that occurs in the watershed for other operational reasons, such as collecting leaves in fall. A more detailed summary of the street sweeping is provided in Table 3.

Note: Trend analyses performed by Herrera (2020b, 2020c) documented a consistent and statistically significant decrease in total suspended solids and total copper concentrations in Monticello Creek that appeared to be related to the increase in street sweeping frequency. These

results are also consistent with a street sweeping study that was implemented by the City of Seattle (SPU 2018).

- Habitat Enhancements
 - In WY2017, large woody debris was installed on an approximately 400-foot-long reach of Monticello Creek that extends downstream from Northeast 122nd Street. Approximately 400 feet of additional large woody debris was installed in July of WY2018 on the downstream end of the installation from WY2017.
 - In WY2019, invasive species removal and supplemental planting was completed in an approximately 2,000-square-foot project area located at the Fischer Village Native Growth Protection Easement downstream of 178th Avenue Northeast. Fifty-five trees and 15 shrubs were planted. Himalayan blackberry (*Rubus armeniacus*) was removed from the project area.
 - In WY2021, three separate plantings within the riparian zone of Monticello Creek were completed by the City:
 - Approximately 0.5 acre within the Fischer Village Native Growth Protective Easement (Monticello main stem, downstream of Northeast 122nd Street) was cleared of Himalayan blackberry. Two hundred trees and 200 shrubs were planted within the project area in March 2021.
 - Approximately 0.75 acre within the Ray Meadows Native Growth Protective Easement (Monticello main stem, downstream of the Fischer Village Native Growth Protective Easement) was cleared of Himalayan blackberry in March 2021. Six hundred trees were planted in the project area in October 2021.
 - Approximately 0.68 acre within the Cameron Place Native Growth Protective Easement and City-owned land (Monticello Creek—west fork, south of Northeast 116th Street) was cleared of Himalayan blackberry and reed canarygrass in January 2021. Three hundred trees and 600 shrubs were planted in the project area during March 2021.
 - In WY2022, a restoration project was completed at Smith Woods as part of a fish passage and stream enhancement project north of Northeast 122nd Street. The planting area covered 11,369 square feet and included 304 trees, 281 shrubs, 1,516 groundcover plants, and 1,060 emergents.

Tosh Creek:

- Structural Controls
 - The high flow bypass pipe weir for the Tosh Creek watershed was adjusted in July of WY2017 to divert more high flow stormwater from Tosh Creek.
- Habitat Enhancements
 - Large woody debris was installed on an approximately 300-foot-long reach of Tosh Creek in WY2017, downstream of West Lake Sammamish Parkway. In July of WY2018, adjustments were made to this large woody debris and minor slash was added to the reach.

- In WY2019, a planting was conducted in an approximately 40,000-square-foot project area located in the lower section of Tosh Creek, between West Lake Sammamish Parkway and the Sammamish River. Sixty-five shrubs and 627 trees were planted. Normal maintenance was performed at the site, including removal of the invasive species Himalayan blackberries and bittersweet nightshade (*Solanum dulcamara*).
- In WY2021 ongoing maintenance of the planting that occurred in WY2019 was conducted. This included planting 15 spruce trees, mulching plants, spot treating knotweed and grubbing Himalayan blackberries. In WY2022 the City performed ongoing maintenance of the planting area.

Table 3. Summary of Street Sweeping in the Monticello Creek Watershed.

Type of Sweeper	Regenerative
Percent of road cover within the basin: 83%	83% (the City did not sweep the 1.24 miles of private roads within watershed due to access issues)
Type of public roads and percent of each:	<ul style="list-style-type: none"> ● Principal Arterial: 4% ● Collector Arterial: 9% ● Connector Streets: 4% ● Local Access: 83%
Miles swept per year:	<ul style="list-style-type: none"> ● Monthly: July 2017–August 2018. A total of 83.44 miles were swept during these 14 months. ● Twice Monthly: September 2018–August 2019. A total of 143.04 miles were swept during these 12 months.
Average passes per year:	<ul style="list-style-type: none"> ● Monthly: July 2017–August 2018. The watershed was swept 14 times during this time period. The biweekly sweeping was supposed to start in July 2018; however, due to an error, the contractor continued monthly sweeping until August 2018. This was addressed by adding 2 months of sweeping twice per month to the end of the contract. ● Twice Monthly: September 2018–August 2019. The watershed was swept 24 times during this time period. No months were missed.

This page intentionally left blank

MONITORING PROCEDURES

The QAPP that was prepared for the RPWS (Herrera 2015c) provides detailed information on the monitoring procedures that are being used for each of the following categories: hydrologic, water quality, physical habitat, sediment quality, and biological. The following deviations from these monitoring procedures are noted for monitoring that took place in WY2022:

- The YSI Pro Model 2030 that was used to make discrete *in situ* measurements of water temperature and conductivity was calibrated using a 1,000 μS standard instead of a 100 μS standard as specified in the QAPP. This change was made based on manufacturer recommendations for meter calibration. Given this change, the calibration of the meter was subsequently checked before and after each sampling event using both the 100 and 1,000 μS standards to confirm the method quality objective identified in the QAPP for meter accuracy (± 5 percent) was met. Results from these calibration checks were documented on standardized field forms.
- Guidelines in the QAPP indicate that storm sampling may only occur if the following criterion for antecedent conditions is met: a period of at least 24 hours preceding the event with less than 0.04 inch of precipitation. However, this guideline was deemed too restrictive following monitoring that occurred over WY2016. Hence, this criterion was changed to allow storm event sampling after a period of at least 12 hours preceding the event with less than 0.04 inch of precipitation.

In addition, the following deviations are noted for monitoring that will occur in subsequent water years:

- The QAPP for the RPWS indicates trend analyses reports should be prepared following 4, 6, 8, and 10 years of study implementation. These reports summarize the results of statistical analyses that are described in the QAPP to identify relationships between rehabilitation efforts and improving receiving water conditions. A trend analysis report (Herrera 2020b) was prepared following year 4 of the RPWS's implementation. To reduce the overall budget for the study while allowing for a longer period of data collection before conducting analyses to identify relationships between rehabilitation efforts and improving receiving water conditions, a trend analysis report following 6 years of study implementation will not be prepared. It is anticipated that trend analysis reports would still be prepared following 8 and 10 years of study implementation.
- The Evans Creek watershed is identified as an Application Watershed in the QAPP for the RPWS because it was prioritized by the County for rehabilitation efforts at the onset of the study; specifically, the County constructed two stormwater detention ponds within the watershed in WY2017. Monitoring has subsequently occurred at individual stations within this watershed over the period extending from WY2016 through WY2021. The performance of these ponds for improving receiving water conditions was analyzed in the trend analysis report that was prepared after 4 years of study implementation. Results from this analysis indicated the ponds are generally providing no measurable benefit to the creek. Because the County is not planning to implement any additional rehabilitation efforts within the Evans Creek watershed in the short-term, monitoring at all stations within this watershed has been suspended.

- The QAPP for the RPWS indicates physical habitat and sediment quality monitoring should occur every year through the anticipated 10-year time frame for study implementation. To reduce the overall budget, a decision was made to implement this monitoring every other year after WY2021. This change was deemed to be acceptable because large, year-to-year changes are not anticipated for these categories of monitoring.
- The QAPP for the RPWS indicates *in situ* probes will be used to continuously measure conductivity at the following subset of stations: EVALSS, EVAMS, MONM, MONMS, TOSMO, SEIMN, SEIMS, COUMO, and TYLMO. To reduce the overall budget, a decision was made to suspend this monitoring after WY2021. This change was deemed to be acceptable given *in situ* measurements for conductivity are still made at all stations in connection with base flow and storm event sampling.

The deviations identified above were made with concurrence from the SAM program coordinator and the TAC for the RPWS.

MONITORING RESULTS SUMMARY


This section summarizes results for the Status and Trends Monitoring component of the RPWS from monitoring that was conducted over WY2022; as noted previously, no monitoring for the Effectiveness Monitoring component of the study occurred over this period. The presentation of these results is organized under separate subsections for the following monitoring categories: hydrologic, water quality, physical habitat, sediment quality, and biological. As noted in the [Introduction](#) section of this document, trend analyses reports will be prepared to summarize the results of statistical analyses that will be performed on the compiled data from all previous years of monitoring to detect potential relationships between rehabilitation efforts and improved receiving water conditions. Therefore, this data summary report does not provide detailed analyses of the monitoring results from WY2022. A trend analysis report (Herrera 2020b) was prepared following year 4 of the RPWS's implementation. It is anticipated that additional trend analysis reports will be prepared following years 8 and 10 of the RPWS' implementation.

Hydrologic Monitoring

Hydrologic monitoring for WY2022 initiated on October 1, 2021, at the 12 fixed monitoring stations that are identified in the [Experimental Design](#) section of this document (excludes the stations in the Evans Creek watershed) and continued through September 30, 2022. In addition, continuous precipitation monitoring occurred over the same period at three separate precipitation monitoring stations: two stations were established for the RPWS – Tosh and Monticello; and one station is maintained by the County for other purposes – Trilogy (Figure 9). Each station is used for measuring precipitation in the watershed for a specific creek as follows:

- Tosh station: Tosh Creek and Country Creek
- Monticello station: Tyler Creek and Monticello Creek
- Trilogy station: Seidel Creek and Colin Creek

Line plots showing the continuous flow and precipitation data collected at each station are provided in Appendix B. The quality assurance review memorandum for these data is provided in Appendix C. The quality assurance review memorandum summarizes the results of the quality assurance review of hydrologic data collected for the WY2022 and through the end of the 2022 calendar year (December 31, 2022). As documented in the quality assurance review memorandum, the continuous flow data at each station was rated as either "fair" or "good."



Legend

- Precipitation Monitoring Stations
- Water body
- Park



Figure 9.
Redmond Paired Watershed Study
Precipitation Monitoring Locations.



0 1,825 3,650 7,300
Feet



King County Aerial (2019)

Two stations had significant gaps in the continuous flow data record (Table 4). The COLM station had a gap extending approximately 3 months during a period of no flow when the creek was dry. To fill this gap, missing values were replaced with 0 cubic feet per second (cfs). The MONMS station had a gap of approximately 8 hours due to a probe malfunction. This gap was filled using interpolation since the gap was relatively small.

Table 4. Gaps in Continuous Flow Data.^a

Station	Gap Start Date, Time ^b	Gap Stop Date, Time ^b	Gap Duration in Hours	Flow Estimation Method
COLM ^a	10/1/2021 0:00	10/9/2021 0:00	240	No flow estimation method applicable. Period of no flow.
COLM ^a	8/15/2022 0:00	10/26/2022 0:00	1,728	No flow estimation method applicable. Period of no flow.
MONMS	1/7/2022 9:20	1/8/2022 5:35	8 hours	Flow estimated using interpolation due to short gap period.

^a Gaps in data reported for the water year (October 1, 2021, through September 30, 2022).

^b All times are reported as Pacific Standard Time.

Once a complete data record was available for all the stations using either estimated or measured flow, the continuous flow data from each station and the applicable precipitation data were post-processed using a custom program written in Visual Basic that delineates the start and stop time of individual storm events based on user selectable storm criteria (e.g., antecedent dry period, minimum rainfall, interevent dry period, etc.). The program then computes the following suite of summary statistics for each storm event:

- Precipitation start and stop times
- Precipitation duration
- Precipitation depth
- Precipitation average intensity
- Precipitation maximum intensity
- Precipitation antecedent dry period
- Flow start and stop times
- Flow duration
- Average flow rate
- Maximum flow rate
- Flow volume

Appendix D provides these summary statistics for the individual storm events that were delineated based on the continuous flow data from each station. Summary statistics computed across all the events for each station are provided in Table 5 to facilitate comparisons of flows across both stations and watersheds. The data from Appendix D are also used to evaluate criteria from the QAPP that serve as guidelines for defining the acceptability of specific storm events for sampling (see description section below).

Table 5. Summary Statistics for Storm Events by Monitoring Station.

Station	Watershed Type	Median Average Flow Rate (cfs)	Maximum Flow Rate (cfs)	Median Flow Volume (cf)	Maximum Flow Volume (cf)
MONM	A	1.37	16.22	84,099	2,066,836
MONMN	A	0.49	12.61	30,507	1,171,804
MONMS	A	0.20	2.68	12,534	256,085
TOSMO	A	0.784	15.67	50,192	1,283,866
TOSMI	A	0.34	10.43	20,976	739,511
COLM	R	0.66	20.00	55,356	2,753,166
SEIMN	R	0.57	8.52	34,986	1,050,724
SEIMS	R	0.44	5.15	26,517	658,941
COUMO	C	0.66	20.18	36,637	972,574
COUMI	C	0.12	7.93	7,223	607,446
TYLMO	C	0.61	11.19	38,634	1,272,539
TYLMI	C	0.16	2.31	9,240	258,198

cfs = cubic feet per second; cf = cubic feet
A = Application; R = Reference; C = Control

As described in the *Experimental Design* section of this document, data from the continuous flow monitoring will be processed to calculate a suite of 12 indicators for evaluating hydrologic impacts from urban development (see Table 2). Because many of the indicators are derived using the long-term daily average flow rate, these calculations will be performed in conjunction with the preparation of the trend analyses reports that are described in the *Introduction* section of this document.

Water Quality Monitoring

Water quality monitoring for WY2022 was initiated on October 1, 2021, at the 12 fixed monitoring stations that are identified in the *Experimental Design* section of this document (excludes the stations in the Evans Creek watershed) and continued through September 30, 2022. Pursuant to the QAPP that was prepared for the study (Herrera 2015c), 12 grab samples are to be collected during storm events (three each quarter). In the case of events missed due to extended dry periods, the SAM program coordinator and the TAC approved making up storms in future years. In addition, four grab samples are to be collected during base flow (one each quarter) at these same stations.

The dates when samples were collected during storm events are identified in Table 6. Three events were sampled in the first and second quarters of WY2022; two events were sampled in the third quarter; and no storm events were sampled in the fourth quarter due to dry conditions. To the extent possible, additional storm events will be sampled in subsequent water years to make up for these missed events.

The following modified criteria from the QAPP (see the [Monitoring Procedures](#) section) serve as guidelines for defining the acceptability of specific storm events for sampling:

- **Target precipitation depth:** A minimum of 0.25 inch of precipitation over a 24-hour period
- **Antecedent conditions:** A period of at least 12 hours preceding the event with less than 0.04 inch of precipitation

Table 6 compares these criteria to data collected in WY2022 during each sampled storm event from the precipitation monitoring stations described in the previous section (Tosh, Monticello, and Trilogy). As shown, these criteria were met for all storm events sampled over WY2022 with the following exceptions:

- March 14, 2022, event; antecedent dry period ranged from 10.8 to 12.0 hours across all stations. Though below the target of 12 hours for some of the stations, this range was deemed close enough to include the data from this event in the final dataset. As documented in Appendix D, the preceding storm event produced approximately 0.24 inch of precipitation over a 3-hour period.
- April 18, 2022, event; precipitation depth ranged from 0.23 to 0.26 inch across all stations. Though below the target of 0.25 inch for some stations, this range was deemed close enough to include the data from this event in the final dataset.

To provide additional information for assessing the acceptability of sampled storm events, line plots showing the actual time samples were collected at each station relative to the storm event hydrograph are provided in Appendix E. These plots show that approximately 71 percent of the samples were collected on the rising limb of the hydrograph; 25 percent were collected at the peak; and 4 percent were collected on the falling limb.

As described in the QAPP for the RPWS (Herrera 2015c), base flow samples should be collected following a period of at least 48 hours without rain. Table 6 shows the dates when samples were collected during base flow with a comparison to this criterion using data from the precipitation monitoring stations described in the previous section. This comparison shows the criterion was met during all base flow sampling with the following exceptions:

- December 29, 2021, event; the antecedent dry period ranged from 46.6 to 93.9 hours across all stations. Though below the target of 48 hours for some stations, this range was deemed close enough to include the data from this event in the final dataset. As documented in Appendix D, the preceding storm event produced approximately 0.07 inch of precipitation over a 1-hour period.
- February 17, 2022, event; the antecedent dry period ranged from 27.4 to 68.4 hours across all stations. Though below the target of 48 hours for some stations, this range was deemed close enough to include the data from this event in the final dataset. As documented in Appendix D, the preceding storm event produced approximately 0.05 inch of precipitation over a 1-hour period.

Field data collection forms, chain-of-custody records, laboratory reports, and data quality audit forms from the storm event and base flow sampling during WY2022 are provided in Appendix F. The memorandum documenting results from the quality assurance review that was performed on these data is provided in Appendix G. Based on this review, 48 values were qualified as estimates as documented in Table 7, and no values were rejected. The majority of the qualified values (36) were related to filtration holding times that exceeded the criteria established in the QAPP (Herrera 2015a) from the sampling events on November 11, 2021. Estimated values will be used with caution in subsequent trend analyses that will be performed for the study.

Appendix H presents tables with the following summary statistics for pollutant concentrations measured in storm event and base flow samples over WY2022:

- N (sample size)
- Minimum
- 25th Percentile
- Median
- 75th Percentile
- Maximum
- Interquartile range
- Percent detected
- Percent exceeding the water quality standard for surface waters of the state of Washington (Ecology 2022), where applicable

In addition, Appendix I presents box and whisker plots that were developed from these same data that show the minimum and maximum values (lower and upper whiskers, respectively), 25th and 75th percentile values (lower and upper box edges, respectively), and median value (line in box). When nondetect values were present in the data, a value of one-half the detection limit was used in the computation of summary statistics.

In addition to the collection of grab samples during storm events and base flow, continuous monitoring of temperature was performed at 12 of the fixed monitoring stations that are identified in the [Experimental Design](#) section of this document for water quality monitoring (excludes the stations in the Evans Creek watershed). Line plots showing the continuous temperature at each of these stations are provided in Appendix J. These plots also show the 7-day average of the daily maximum temperatures (7-DAYMAX) relative to the applicable aquatic life temperature criterion for surface waters of the state of Washington (Ecology 2022).

Table 6. Sampling Dates and Comparison to Criteria for Storm Event and Base Flow Sampling.

Water Year Quarter 2022	Event Type	Event Date	Tosh Station ^a			Monticello Station ^b			Trilogy Station ^c		
			Precipitation Duration (hour)	Precipitation Depth ^d (inch)	Antecedent Dry Period ^e (hour)	Precipitation Duration (hour)	Precipitation Depth ^d (inch)	Antecedent Dry Period ^e (hour)	Precipitation Duration (hour)	Precipitation Depth ^d (inch)	Antecedent Dry Period ^e (hour)
1	Storm	10/21/2021–10/22/2021	6.6	0.49	34.8	6.4	0.55	34.9	8.8	0.51	35.1
1	Storm	10/28/2021	40.8	2.71	25.0	37.5	2.93	28.2	40.4	2.73	24.9
1	Storm	11/11/2021	42.3	1.79	26.0	42.1	1.83	26.9	42.2	1.92	26.3
1	Base	12/29/2021	–	–	93.9	–	–	46.6	–	–	47.4
2	Storm	1/6/2022	52.3	3.36	12.0	46.9	2.79	17.8	51.3	3.17	12.9
2	Base	2/17/2022	–	–	27.4	–	–	28.5	–	–	68.4
2	Storm	2/28/2022	65.3	3.60	101.9	61.8	3.14	141.1	62.8	3.56	139.8
2	Storm	3/14/2022	28.2	0.80	12.0	18.8	0.76	11.9	18.8	0.85	10.8
3	Storm	4/18/2022	6.7	0.23	38.8	6.9	0.25	141.9	7.3	0.26	94.1
3	Storm	5/5/2022	17.0	0.48	65.5	18.5	0.43	65.7	18.0	0.51	64.5
3	Base	5/24/2022	–	–	61.1	–	–	125.5	–	–	118.9
4	Base	7/11/2022	–	–	181.5	–	–	182.5	–	–	165

^a Station is used for measuring precipitation in the watersheds for Tosh Creek and Country Creek.

^b Station is used for measuring precipitation in the watersheds for Tyler Creek and Monticello Creek.

^c Station is used for measuring precipitation in the watersheds for Seidel Creek and Colin Creek.

^d Criteria for precipitation total is ≥ 0.25 inch in 12 hours for storm event sampling.

^e Criteria for antecedent dry period is ≥ 12 hours with < 0.04 inch of rain for storm event sampling and ≥ 48 hours with no rain for base flow sampling.

NA = not applicable

Bold values indicate events that did not meet criteria for storm event or base flow sampling.

This page intentionally left blank

Table 7. Qualified Results from Discrete Water Quality Sampling.

Event Date	Station	Water Quality Indicator	Reason for Qualification	Data Flag
11/11/2021	All locations	Dissolved Organic Carbon Dissolved copper Dissolved zinc	Filtration holding time exceeded	J
5/5/2022	CUOMO	Turbidity	Laboratory duplicate exceedance	J
10/28/2022	COUMI	TSS	Laboratory duplicate exceedance	J
10/28/2022	COUMI	Fecal coliform bacteria	Field duplicate exceedance	J
10/28/2022	COUMI	Turbidity	Field duplicate exceedance	J
11/11/2022	EVALSS	Fecal coliform bacteria	Field duplicate exceedance	J
12/29/2022	TOSMO	TSS	Field duplicate exceedance	J
12/29/2022	TOSMO	Turbidity	Field duplicate exceedance	J
2/17/2022	TYLMI	Turbidity	Field duplicate exceedance	J
4/18/2022	COUMO	Fecal coliform bacteria	Field duplicate exceedance	J
4/18/2022	COUMO	TSS	Field duplicate exceedance	J
5/5/2022	TOSMO	Fecal coliform bacteria	Field duplicate exceedance	J
9/30/21	TOSMO	Turbidity	Field duplicate exceedance	J

J = Value qualified as an estimate based on quality assurance review.

TSS = total suspended solids

As documented in the quality assurance review memorandum (Appendix C), the continuous temperature data at all stations were rated “good.” Additionally, no substantial data gaps were reported except during the following two periods when the channel at the COLM station went dry:

- October 1, 2021, to October 9, 2021
- August 15, 2022, to October 26, 2022

Biological Monitoring

Biological monitoring for WY2022 was completed at 17 of the fixed monitoring stations that are identified in the [Experimental Design](#) section of this document (excludes the stations in the Evans Creek watershed) on the following dates:

- MONT-1 9/6/2022
- MONT-2 7/28/2022
- MONT-3 9/6/2022
- MONT-4 8/4/2022
- MONT-5 7/14/2022
- TOSH-1 8/3/2022

- TOSH-2 8/24/2022
- TOSH-3 8/11/2022
- TOSH-4 8/11/2022
- COLIN-1 7/14/2022
- SIDL-1 9/1/2022
- SIDL-2 7/21/2022
- SIDL-3 8/3/2022
- CTRY-1 8/2/2022
- CTRY-2 8/24/2022
- TYLR-1 8/19/2022
- TYLR-2 9/1/2022

The laboratory report for biological monitoring in WY2022 is provided in Appendix K. The indicators computed from these data for use in evaluating stream health are summarized in Table 8.

Table 8. Computed Biological Indicators for Evaluating Stream Health.

Station	Watershed Type	Overall Condition	Benthic Index of Biotic Integrity ^a	Total Taxa Richness	Ephemeroptera Richness	Plecoptera Richness	Trichoptera Richness	Clinger Taxa Richness	Long-Lived Taxa Richness	Intolerant Taxa Richness	Percent Dominant (top 3)	Percent Predator Individuals	Percent Tolerant Individuals
MONT-1	A	Poor	39.6	40	3	3	5	13	5	0	42.8%	3.5%	5.1%
MONT-2	A	Poor	32.3	28	1	3	2	8	6	0	37.9%	16.7%	17.2%
MONT-3	A	Poor	20.4	8	0	0	2	1	3	0	87.3%	61.8%	9.1%
MONT-4	A	Very Poor	19.4	28	0	3	2	5	4	1	55.0%	15.4%	45.6%
MONT-5	A	Very Poor	9.4	29	0	3	4	4	3	0	74.2%	2.0%	41.6%
TOSH-1	A	Poor	25.4	30	1	2	4	9	6	0	48.1%	6.1%	22.1%
TOSH-2	A	Poor	25.1	28	2	2	4	9	5	0	39.3%	9.4%	38.6%
TOSH-3	A	Very Poor	13.0	25	2	2	3	8	3	0	59.9%	5.6%	38.6%
TOSH-4	A	Very Poor	14.8	24	2	2	3	6	4	0	56.8%	6.8%	39.8%
COLIN-1	R	Poor	23.8	33	3	5	6	9	4	0	66.8%	6.2%	43.8%
SIDL-1	R	Poor	26.0	25	3	3	3	9	3	2	60.6%	2.9%	2.9%
SIDL-2	R	Poor	39.6	24	4	3	1	7	3	3	42.7%	22.9%	0.8%
SIDL-3	R	Poor	37.4	15	2	3	3	8	5	2	41.2%	52.9%	17.6%
CTRY-1	C	Very Poor	10.0	1	0	0	0	0	0	0	100.0%	0.0%	0.0%
CTRY-2	C	Poor	23.3	20	0	1	2	4	6	0	55.8%	37.2%	27.9%
TYL-1	C	Very Poor	18.8	31	2	2	4	6	2	0	42.1%	5.9%	38.2%
TYL-2	C	Very Poor	5.1	22	1	1	0	4	1	0	82.0%	0.4%	21.0%

^a Benthic Index of Biotic Integrity scores are on a scale of 0 to 100.

A = Application

R = Reference

C = Control

This page intentionally left blank

REFERENCES

- DeGasperi, C.L., H.B. Berge, K.R. Whiting, J.J. Burkey, J.L. Cassin, and R.R. Fuerstenberg. 2009. Linking Hydrologic Alteration to Biological Impairment in Urbanizing Streams of the Puget Lowland, Washington, USA. *Journal of the American Water Resources Association* 45(2):512–533.
- Ecology. 2018. Technical Guidance Manual for Evaluating Emerging Stormwater Treatment Technologies: Technology Assessment Protocol – Ecology (TAPE). Washington State Department of Ecology. Accessed July 13, 2015. <<https://fortress.wa.gov/ecy/publications/summarypages/1110061.html>>.
- Ecology 2022. Water Quality Standards for Surface Waters of the State of Washington. Chapter 173-201A WAC. Adopted January 2019. Washington State Department of Ecology. Water Quality Program. Olympia, Washington. Updated March 22. <<https://apps.leg.wa.gov/WAC/default.aspx?cite=173-201A&full=true&pdf=true>>.
- Helsel, D.R. and R.M. Hirsch, 2002. Statistical Methods in Water Resources Techniques of Water Resources Investigations, Book 4, chapter A3. US Geological Survey.
- Herrera. 2013. City of Redmond, Washington Citywide Watershed Management Plan. Prepared for the City of Redmond by Herrera Environmental Consultants, Inc., Seattle, Washington. November 25.
- Herrera. 2015a. Redmond Paired Watershed Study Experimental Design Report. Prepared for the City of Redmond by Herrera Environmental Consultants, Inc., Seattle, Washington. July 14.
- Herrera. 2015b. Redmond Paired Watershed Study: Monitoring Literature Review Summary Report. Prepared for the City of Redmond by Herrera Environmental Consultants, Inc., Seattle, Washington. April 23.
- Herrera. 2015c. Quality Assurance Project Plan: Redmond Paired Watershed Study. Prepared for the City of Redmond by Herrera Environmental Consultants, Inc., Seattle, Washington. December 31.
- Herrera. 2017. Redmond Paired Watershed Study: Water Year 2016 Data Summary Report. Prepared for the City of Redmond by Herrera Environmental Consultants, Inc., Seattle, Washington. August 31.
- Herrera. 2018. Redmond Paired Watershed Study: Water Year 2017 Data Summary Report. Prepared for the City of Redmond by Herrera Environmental Consultants, Inc., Seattle, Washington. July 18.
- Herrera. 2019. Redmond Paired Watershed Study: Water Year 2018 Data Summary Report. Prepared for the City of Redmond by Herrera Environmental Consultants, Inc., Seattle, Washington. September 9.
- Herrera. 2020a. Redmond Paired Watershed Study: Water Year 2019 Data Summary Report. Prepared for the City of Redmond by Herrera Environmental Consultants, Inc., Seattle, Washington. June 30.

Herrera. 2020b. Redmond Paired Watershed Study: Water Years 2016–2019 Trend Analysis Report. Prepared for the City of Redmond by Herrera Environmental Consultants, Inc., Seattle, Washington. July 22.

Herrera. 2020c. Monticello Basin Street Sweeping Water Quality Trend Analysis. Prepared for the City of Redmond by Herrera Environmental Consultants, Inc., Seattle, Washington. March 23.

Herrera. 2021a. Redmond Paired Watershed Study: Water Year 2020 Data Summary Report. Prepared for the City of Redmond by Herrera Environmental Consultants, Inc., Seattle, Washington. December 13.

Herrera. 2021b. Redmond Paired Watershed Study Pond Retrofit Effectiveness Monitoring Proposal. Prepared for the City of Redmond by Herrera Environmental Consultants, Inc., Seattle, Washington. February 1.

Herrera. 2022. Addendum 1 to the Quality Assurance Project Plan for the Redmond Paired Watershed Study. Draft. Prepared for the City of Redmond by Herrera Environmental Consultants, Inc., Seattle, Washington. June 8.


Herrera. 2023a. Redmond Paired Watershed Study: Water Year 2021 Data Summary Report. Prepared for the City of Redmond by Herrera Environmental Consultants, Inc., Seattle, Washington. February 13.

Herrera. 2023b. Redmond Paired Watershed Study – Water Year 2017 Data Summary Report Addendum. Prepared for the City of Redmond by Herrera Environmental Consultants, Inc., Seattle, Washington. February 14.

SPU. 2018. NPDES Phase I Municipal Stormwater Permit: Street Sweeping Water Quality Effectiveness Study Final Report. Seattle Public Utilities, Seattle, Washington.

APPENDIX A

CMAC System Design Details for Stormwater Detention Ponds in the Monticello Creek Watershed



This page intentionally left blank

DATE JULY 21, 2020

TO PETER HOLTE, AARON MOLDVER; CITY OF REDMOND

AUTHOR(S) JOSH VAN WIE, PE, SARA LUCERO, EIT; OSBORN CONSULTING, INC.; KAITLIN VACCA, PE, OPTIRTC, INC.; SETH BRYANT, OPTIRTC

CMAC PILOT STUDY FEASIBILITY AND COST/BENEFIT ANALYSIS

OVERVIEW

The purpose of this memo is to summarize the feasibility and cost/benefit analysis for retrofitting two stormwater ponds in the City of Redmond with continuous monitoring and adaptive control (CMAC) systems. The analysis consisted of assessing the planning level cost and improvement in flow durations at potential pond locations after installing a CMAC retrofit. Flow durations were brought as close as possible to pre-developed durations by adjusting the active orifice sizes and CMAC control parameters.

The analysis will be used to finalize the selection of two stormwater ponds for retrofit pilot projects and verify initial hydraulic parameters for the selected ponds so equipment can be ordered to allow installation during fall 2020. The equipment order has been identified as a critical path item and will consist of an order for the CMAC actuator assemblies that are estimated to have a 16-week lead time.

The City has identified four ponds as possible retrofit locations, with two preferred options that would allow management of the largest basin area. Each pond is located in the Monticello Creek watershed. Monticello Creek was selected as a priority watershed for restoration after completion of the City's 2013 Watershed Management Plan. The four ponds are shown in **Figure 1** and include the following:

- Whistler Ridge (preferred location)
- Curry East (preferred location)
- Taloor Aye
- Fisher Village Pond #1

Each pond was investigated to determine the benefits, feasibility, and planning-level costs of retrofitting with a CMAC system that operates using software developed by OptiRTC, Inc. (Opti).




Figure 1 | Project Area Map

EXISTING CONDITIONS

The four stormwater ponds are located in north Redmond in residential subdivisions on the north side of NE 116th Street. All ponds are within approximately a quarter mile of each other. The ponds discharge to Monticello Creek either directly or through a storm drain system that conveys flow from west to east along NE 116th Street. According to record drawings, the ponds were constructed between 2001 and 2005. The ponds were intended to manage runoff from the residential developments also constructed at that time.

According to drainage reports, the ponds and control structures were designed to provide flow control using the Santa Barbara Urban Hydrograph (SBUH) method and sized to match pre-developed (forested) flows for 50 percent of the 2-year peak flow and the full peak flows for the 10-year and 100-year events.

This methodology aligned with the 1992 Ecology Stormwater Management Manual for the Puget Sound Basin, which was adopted by the City of Redmond at the time.

FEASIBILITY

Feasibility for retrofitting the ponds was determined by completing site visits to verify record drawings and determine whether adequate conditions exist for installing a CMAC retrofit. Site visits to each pond were completed by OCI on July 2, 2020. Each pond was inspected for the following elements:

- Accessibility for construction equipment
- Verification that outlet structures matched record drawings
- Adequate space for installation of CMAC system, including space for an actuator installed above the outlet structure and an electrical panel installed nearby
- Adequate space for a solar panel that would not be inhibited by excessive tree cover

Based on the criteria above, all four locations were determined to be feasible for installation of a CMAC system. The Whistler Ridge and Curry East ponds were noted to be enclosed in fenced areas, while the Talooro Aye and Fischer Village ponds were not fenced.

WWHM AND CMAC MODELING

Potential improvements from CMAC retrofits were investigated using the Western Washington Hydrology Model (WWHM) Version 4.2.17 and a spreadsheet tool provided by Opti that calculates the change in flow durations based on CMAC software logic expected to be employed at each site. For each pond, a model was first run in WWHM and then imported into the Opti spreadsheet. Modeling was completed according to guidelines in the Redmond Stormwater Technical Notebook.

WWHM hydrology parameters were taken from drainage reports that were available for each pond. Land cover in pre-developed conditions was assumed to be forest. For existing conditions, pervious areas were generally assumed to be lawn, except for several park areas and natural areas that were assumed to be forest based on heavy tree cover shown in aerial images. According to data from the USDA web soil survey, soils in the area consist of Alderwood gravelly sandy loam. This soil was modeled as Type C in WWHM. Slopes were determined using GIS contours and modeled using the flat slope category for all basins. Basin parameters are summarized in **Table 1**.

TABLE 1 WWHM MODEL PARAMETERS						
Pond	Basin Area (AC)	Impervious Area (AC)	Forest Area (AC)	Lawn Area (AC)	Percent Impervious	Slope Category
Whistler Ridge	16.91	9.97	0	6.94	59%	Flat
Curry East	17.03	9.12	1.97	5.93	53%	Flat
Talooro Aye	15.78	7.73	2.36	5.70	49%	Flat
Fischer Village	7.02	4.30	0	2.72	61%	Flat

For the existing conditions WWHM models, pond parameters were taken from record drawings and included pond dimensions, live storage volumes, and the sizes and depths of orifices and risers. To simplify the modeling, the dead storage volume below the pond outlet elevations was not modeled.

CMAC model parameters consisted of WWHM output data and parameters for guiding CMAC logic during the model simulation. WWHM parameters were taken from WWHM model output and included pre-

developed and existing conditions runoff timeseries, precipitation timeseries, and stage-storage curves for the ponds. The primary CMAC logic parameters were the depth and size of the proposed active orifices, target maximum stage during active control, and minimum desired flow to be released during the simulation. Orifices depth was set equal to the pond outlet to allow active control at all flow rates. The target maximum stage was set to the top of the overflow riser in the control structure. Minimum desired flow was set equal to or less than 50 percent of the 2-year peak flow based on the WWHM model, which was roughly half the minimum flow that the ponds were designed to release under the 1992 standards. This is the flow rate that will be targeted during times when the pond is releasing water after filing up during a storm event. The spreadsheet includes multiple other CMAC parameters related to logic decisions based on weather forecasting and were generally left at the default settings for this preliminary stage of design. These parameters will be fine-tuned during final design and the post-construction software optimization period, which will be performed by Opti.

TABLE 2 | OPTI SPREADSHEET PARAMETERS

Pond	Existing Control Structure and Inverts (ft NAVD88)	Active CMAC Orifice		Target Maximum Stage (ft)	Minimum Desired Flow (cfs)
		Diameter (in)	Proposed Valve Inverts (ft NAVD88)		
Whistler Ridge	1.70-in Orifice, 213.89 5.94-in Orifice, 220.46 8-in Orifice, 221.35	12	217.37	3.8	0.25
Curry East	2.94-in Orifice, 264.50 1.25-ft Notched Weir, 269.43	10	267.00	5.5	0.25
Taloor Aye	2.09-in Orifice, 182.93 1.48-ft Notched Weir, 188.93	12	184.38	5.0	0.10
Fischer Village	1.90-in Orifice, 203.51 2.20-ft Notched Weir, 206.45	10	203.71	6.0	0.23

COST/BENEFIT ANALYSIS

Costs for the retrofit projects were compared using hardware cost estimates provided by Opti. Because each retrofit location would have similar hardware components, the costs did not vary significantly between the pond locations. Costs were primarily estimated using equipment quotes provided by Opti. A 10 percent contingency was added for equipment costs, and a 30 percent contingency was added for construction costs. Planning level cost estimates are summarized in **Table 3** and attached included in Appendix A.

Benefits were assessed by comparing basin area managed, change in flow durations, and advantages and disadvantages of each site location. The basin area managed was greatest for the Whistler Ridge pond (16.91 acres) and the Curry East pond (17.03 acres). The Taloor Aye pond (15.78 acres) manages slightly less area, while the Fischer Village pond (7.02 acres) manages the smallest area.

Flow duration plots are included in Appendix B and indicate that flow durations improved in each pond with the CMAC retrofit. Current flow control in the Redmond Technical Notebook require flow control facilities for new or redevelopment projects to match pre-developed flow durations for 50 percent of the 2-year peak flow through the full 50-year peak flow (flow control standard) along with matching pre-developed durations for 8 percent of the 2-year flow through 50 percent of the 2-year flow (LID standard) if LID facilities are not used to the maximum extent feasible. Because the existing ponds were designed

under older standards and the volume of the ponds is not proposed to be increased with this retrofit, it was not possible to meet the current flow control standards. Flow durations were brought as close as possible to pre-developed durations by adjusting the active orifice sizes and CMAC control parameters.

The Whistler Ridge and Curry East ponds have the site advantages of being enclosed in gated areas, which could be useful in providing extra security for a CMAC system that includes a control panel and solar panel installed above ground. The costs and benefits for each pond are summarized in **Table 3**.

TABLE 3 COST/BENEFIT SUMMARY			
Pond	Planning Level Construction Cost with Contingency	Basin Area Managed by Retrofit (ac)	Site Advantages/ Disadvantages
Whistler Ridge	\$103,422	16.91	Enclosed in gated area
Curry East	\$105,388	17.03	Enclosed in gated area
Talooria Aye	\$105,449	15.78	Not enclosed
Fischer Village	\$103,634	7.02	Not enclosed

Note: Annual software licensing costs are not included in the construction cost estimates. For two ponds, annual software licensing costs are \$27,600.

RECOMMENDATIONS

The Whistler Ridge pond and Curry East pond are recommended for moving forward with CMAC retrofits. These ponds have the advantages of managing the largest basin areas and being located in enclosed areas that will provide extra security.

Based on modeling results, both of these ponds are recommended to have a 12-inch orifice, which will require an IQT500 actuator assembly based on information provided by Opti. It is recommended that the City move forward with ordering the actuator assemblies so that construction can occur during fall 2020.

APPENDIX A: PLANNING LEVEL COST ESTIMATES

Whistler Ridge

City of Redmond
 CMAC Retrofit Pilot Project
 Planning Level Cost Estimate
 Whistler Ridge

Item	Unit	Unit Cost	Quantity	Cost
OPTI EQUIPMENT				
Rototork IQT 500 24 VDC Actuator	LS	\$12,000.00	1	\$12,000
12-Inch Butterfly Valve, 10-Foot Valve Stem, 24-in to 12-in Reducer on 18-in Metal Outlet	LS	\$9,950.00	1	\$9,950
24 VDC Solar Panels	LS	\$4,000.00	1	\$4,000
Opti Control Panel	LS	\$10,000.00	1	\$10,000
PMC Water Level Sensor and 80 ft Cable	LS	\$2,200.00	1	\$2,200
Davis Rain Gauge	LS	\$175.00	1	\$175
Camera	LS	\$1,500.00	1	\$1,500
Opti Equipment Subtotal				\$39,825
Shipping (10%)				\$3,983
Equipment Contingency (10%)				\$4,381
Opti Equipment Total				\$48,188
CONTRACTOR ITEMS				
Modified Control Structure Riser	LS	\$5,000.00	1	\$5,000
Mobilization and Construction	LS	\$35,000.00	1	\$35,000
Contractor Items Subtotal				\$40,000
Sales Tax (10%)				\$4,000
Construction Contingency (30%)				\$13,200
Contractor Items Total				\$57,200
Opti Equipment Plus Contractor Items Total				\$105,388

SOFTWARE LICENSE	
Ongoing Annual Costs for Software License (Total Price for Two Ponds)	\$27,600

Curry Pond

City of Redmond
 CMAC Retrofit Pilot Project
 Planning Level Cost Estimate
 Curry Pond

Item	Unit	Unit Cost	Quantity	Cost
OPTI EQUIPMENT				
Rototork IQT 500 24 VDC Actuator	LS	\$12,000.00	1	\$12,000
10-Inch Butterfly Valve, 7-Foot Valve Stem, Collar with Reducer on 18-Inch Metal Outlet	LS	\$8,325.00	1	\$8,325
24 VDC Solar Panels	LS	\$4,000.00	1	\$4,000
Opti Control Panel	LS	\$10,000.00	1	\$10,000
PMC Water Level Sensor and 80 ft Cable	LS	\$2,200.00	1	\$2,200
Davis Rain Gauge	LS	\$175.00	1	\$175
Camera	LS	\$1,500.00	1	\$1,500
Opti Equipment Subtotal				\$38,200
Shipping (10%)				\$3,820
Equipment Contingency (10%)				\$4,202
Opti Equipment Total				\$46,222
CONTRACTOR ITEMS				
Modified Control Structure Riser	LS	\$5,000.00	1	\$5,000
Mobilization and Construction	LS	\$35,000.00	1	\$35,000
Contractor Items Subtotal				\$40,000
Sales Tax (10%)				\$4,000
Construction Contingency (30%)				\$13,200
Contractor Items Total				\$57,200
Opti Equipment Plus Contractor Items Total				\$103,422

SOFTWARE LICENSE	
Ongoing Annual Costs for Software License (Total Price for Two Ponds)	\$27,600

Taloor Aye

City of Redmond
CMAC Retrofit Pilot Project
Planning Level Cost Estimate
Taloor Aye

Item	Unit	Unit Cost	Quantity	Cost
OPTI EQUIPMENT				
Rototork IQT 500 24 VDC Actuator	LS	\$12,000.00	1	\$12,000
12-Inch Butterfly Valve, Stem, and Reducer	LS	\$10,000.00	1	\$10,000
24 VDC Solar Panels	LS	\$4,000.00	1	\$4,000
Opti Control Panel	LS	\$10,000.00	1	\$10,000
PMC Water Level Sensor and 80 ft Cable	LS	\$2,200.00	1	\$2,200
Davis Rain Gauge	LS	\$175.00	1	\$175
Camera	LS	\$1,500.00	1	\$1,500
Opti Equipment Subtotal				\$39,875
Shipping (10%)				\$3,988
Equipment Contingency (10%)				\$4,386
Opti Equipment Total				\$48,249
CONTRACTOR ITEMS				
Modified Control Structure Riser	LS	\$5,000.00	1	\$5,000
Mobilization and Construction	LS	\$35,000.00	1	\$35,000
Contractor Items Subtotal				\$40,000
Sales Tax (10%)				\$4,000
Construction Contingency (30%)				\$13,200
Contractor Items Total				\$57,200
Opti Equipment Plus Contractor Items Total				\$105,449

SOFTWARE LICENSE	
Ongoing Annual Costs for Software License (Total Price for Two Ponds)	\$27,600

Fischer Village


City of Redmond
 CMAC Retrofit Pilot Project
 Planning Level Cost Estimate
 Fischer Village

Item	Unit	Unit Cost	Quantity	Cost
OPTI EQUIPMENT				
Rototork IQT 500 24 VDC Actuator	LS	\$12,000.00	1	\$12,000
12-Inch Butterfly Valve, Stem, and Reducer	LS	\$8,500.00	1	\$8,500
24 VDC Solar Panels	LS	\$4,000.00	1	\$4,000
Opti Control Panel	LS	\$10,000.00	1	\$10,000
PMC Water Level Sensor and 80 ft Cable	LS	\$2,200.00	1	\$2,200
Davis Rain Gauge	LS	\$175.00	1	\$175
Camera	LS	\$1,500.00	1	\$1,500
Opti Equipment Subtotal				\$38,375
Shipping (10%)				\$3,838
Equipment Contingency (10%)				\$4,221
Opti Equipment Total				\$46,434
CONTRACTOR ITEMS				
Modified Control Structure Riser	LS	\$5,000.00	1	\$5,000
Mobilization and Construction	LS	\$35,000.00	1	\$35,000
Contractor Items Subtotal				\$40,000
Sales Tax (10%)				\$4,000
Construction Contingency (30%)				\$13,200
Contractor Items Total				\$57,200
Opti Equipment Plus Contractor Items Total				\$103,634

SOFTWARE LICENSE	
Ongoing Annual Costs for Software License (Total Price for Two Ponds)	\$27,600

APPENDIX B: FLOW DURATION CURVES

City of Redmond
CMAC Retrofit Pilot Project
Flow Duration Plot
Whistler Ridge Pond



City of Redmond
 CMAC Retrofit Pilot Project
 Flow Duration Summary
 Whistler Ridge Pond


Note: Flow durations were brought as close as possible to pre-developed durations by adjusting the active orifice sizes and CMAC control parameters. Passing conditions could not be achieved for all flow durations because of the volume of the existing ponds.

Flow(cfs)	Duration Exceeding Flowrate, hours				Percentage (Mitigated/ Predeveloped)	Pass/Fail	Percent Reduction from Existing Conditions
	Predeveloped	Developed Unmitigated	Existing Conditions	CMAC Mitigated			
0.2486	4386	27811	9332	1955	45	Pass	79
0.2584	4036	26842	9057	1802	45	Pass	80
0.2682	3729	25853	8831	1655	44	Pass	81
0.2779	3458	25034	8586	1525	44	Pass	82
0.2877	3214	24291	8346	1398	43	Pass	83
0.2975	2955	23564	8142	1275	43	Pass	84
0.3073	2723	22791	7941	1161	43	Pass	85
0.3171	2527	22075	7752	1051	42	Pass	86
0.3269	2345	21345	7553	987	42	Pass	87
0.3366	2183	20697	7345	938	43	Pass	87
0.3464	2043	20048	7133	895	44	Pass	87
0.3562	1893	19427	6901	861	45	Pass	88
0.366	1768	18865	6690	822	46	Pass	88
0.3758	1644	18334	6493	784	48	Pass	88
0.3856	1539	17807	6288	761	49	Pass	88
0.3954	1442	17289	6087	729	51	Pass	88
0.4051	1361	16785	5925	693	51	Pass	88
0.4149	1273	16317	5766	672	53	Pass	88
0.4247	1202	15867	5595	643	53	Pass	89
0.4345	1129	15453	5466	609	54	Pass	89
0.4443	1056	15039	5317	592	56	Pass	89
0.4541	1003	14595	5181	563	56	Pass	89
0.4638	943	14189	5031	546	58	Pass	89
0.4736	887	13805	4879	530	60	Pass	89
0.4834	835	13401	4726	516	62	Pass	89
0.4932	787	12993	4553	494	63	Pass	89
0.503	740	12626	4382	478	65	Pass	89
0.5128	697	12276	4244	459	66	Pass	89
0.5226	648	11918	4074	441	68	Pass	89
0.5323	611	11612	3947	429	70	Pass	89
0.5421	577	11308	3807	424	73	Pass	89
0.5519	540	10998	3680	415	77	Pass	89
0.5617	503	10697	3546	404	80	Pass	89
0.5715	477	10415	3400	396	83	Pass	88
0.5813	446	10154	3271	385	86	Pass	88
0.591	421	9912	3150	375	89	Pass	88
0.6008	395	9643	3035	363	92	Pass	88
0.6106	370	9404	2919	350	95	Pass	88
0.6204	343	9158	2816	340	99	Pass	88

0.6302	325	8889	2705	329	101	Pass	88
0.64	306	8655	2603	324	106	Pass	88
0.6498	291	8414	2505	317	109	Pass	87
0.6595	275	8210	2419	308	112	Fail	87
0.6693	263	8004	2311	298	113	Fail	87
0.6791	245	7798	2204	286	117	Fail	87
0.6889	234	7605	2121	278	119	Fail	87
0.6987	221	7393	2044	265	120	Fail	87
0.7085	209	7197	1968	253	121	Fail	87
0.7182	196	6998	1888	236	120	Fail	88
0.728	181	6824	1822	225	124	Fail	88
0.7378	175	6651	1737	205	117	Fail	88
0.7476	168	6493	1659	194	115	Fail	88
0.7574	158	6337	1587	185	117	Fail	88
0.7672	149	6195	1517	179	120	Fail	88
0.777	141	6039	1461	170	121	Fail	88
0.7867	134	5868	1409	164	122	Fail	88
0.7965	124	5695	1359	161	130	Fail	88
0.8063	118	5568	1303	156	132	Fail	88
0.8161	109	5436	1243	152	139	Fail	88
0.8259	101	5306	1201	147	146	Fail	88
0.8357	93	5189	1147	142	153	Fail	88
0.8454	86	5071	1098	138	160	Fail	87
0.8552	81	4940	1048	136	168	Fail	87
0.865	74	4826	1009	135	182	Fail	87
0.8748	71	4720	975	129	182	Fail	87
0.8846	66	4594	933	127	192	Fail	86
0.8944	59	4470	893	116	197	Fail	87
0.9042	52	4356	868	113	217	Fail	87
0.9139	50	4260	831	112	224	Fail	87
0.9237	45	4146	795	110	244	Fail	86
0.9335	40	4044	769	107	268	Fail	86
0.9433	36	3948	729	105	292	Fail	86
0.9531	31	3851	692	101	326	Fail	85
0.9629	30	3754	655	97	323	Fail	85
0.9726	26	3664	628	94	362	Fail	85
0.9824	24	3583	591	92	383	Fail	84
0.9922	20	3502	568	91	455	Fail	84
1.002	20	3413	543	88	440	Fail	84
1.0118	17	3326	518	86	506	Fail	83
1.0216	15	3255	498	85	567	Fail	83
1.0314	15	3183	486	84	560	Fail	83
1.0411	12	3119	472	84	700	Fail	82
1.0509	10	3039	462	84	840	Fail	82
1.0607	9	2972	453	83	922	Fail	82
1.0705	7	2887	444	82	1171	Fail	82
1.0803	6	2805	437	79	1317	Fail	82
1.0901	5	2730	429	78	1560	Fail	82
1.0998	5	2676	419	76	1520	Fail	82
1.1096	5	2615	406	75	1500	Fail	82
1.1194	4	2564	401	74	1850	Fail	82
1.1292	4	2516	396	74	1850	Fail	81
1.139	3	2463	387	73	2433	Fail	81
1.1488	3	2401	378	71	2367	Fail	81

1.1586	3	2346	374	70	2333	Fail	81
1.1683	2	2309	372	70	3500	Fail	81
1.1781	1	2266	366	69	6900	Fail	81
1.1879	1	2217	363	69	6900	Fail	81
1.1977	0	2171	359	67	N/A	Fail	81
1.2075	0	2133	352	66	N/A	Fail	81
1.2173	0	2081	347	65	N/A	Fail	81

City of Redmond
CMAC Retrofit Pilot Project
Flow Duration Plot
Curry Pond



City of Redmond
 CMAC Retrofit Pilot Project
 Flow Duration Summary
 Curry Pond


Note: Flow durations were brought as close as possible to pre-developed durations by adjusting the active orifice sizes and CMAC control parameters. Passing conditions could not be achieved for all flow durations because of the volume of the existing ponds.

Flow(cfs)	Duration Exceeding Flowrate, hours				Percentage (Mitigated/ Predeveloped)	Pass/Fail Status for Current Flow Control Standard	Percent Reduction from Existing Conditions
	Predeveloped	Developed Unmitigated	Existing Conditions	CMAC Mitigated			
0.2503	4388	26019	20578	3420	78	Pass	83
0.2602	4038	25062	18272	3221	80	Pass	82
0.2701	3729	24241	16142	3030	81	Pass	81
0.2799	3456	23386	14157	2861	83	Pass	80
0.2898	3212	22569	12373	2696	84	Pass	78
0.2996	2955	21780	10877	2543	86	Pass	77
0.3095	2723	21047	9526	2408	88	Pass	75
0.3193	2527	20332	8245	2264	90	Pass	73
0.3292	2346	19635	7078	2144	91	Pass	70
0.339	2183	18993	6051	1998	92	Pass	67
0.3489	2043	18386	5080	1887	92	Pass	63
0.3587	1893	17819	4086	1805	95	Pass	56
0.3686	1768	17253	3202	1717	97	Pass	46
0.3785	1644	16696	2311	1635	99	Pass	29
0.3883	1539	16181	1988	1562	101	Pass	21
0.3982	1442	15723	1848	1489	103	Pass	19
0.408	1361	15261	1785	1424	105	Pass	20
0.4179	1273	14771	1714	1367	107	Pass	20
0.4277	1202	14310	1648	1320	110	Pass	20
0.4376	1129	13905	1588	1266	112	Fail	20
0.4474	1057	13423	1537	1216	115	Fail	21
0.4573	1003	12991	1483	1171	117	Fail	21
0.4671	942	12579	1441	1128	120	Fail	22
0.477	887	12198	1400	1091	123	Fail	22
0.4868	835	11844	1358	1054	126	Fail	22
0.4967	787	11514	1324	1026	130	Fail	23
0.5066	740	11175	1287	995	134	Fail	23
0.5164	697	10833	1255	968	139	Fail	23
0.5263	648	10496	1217	938	145	Fail	23
0.5361	611	10231	1194	904	148	Fail	24
0.546	577	9938	1157	878	152	Fail	24
0.5558	541	9658	1129	849	157	Fail	25
0.5657	503	9391	1101	818	163	Fail	26
0.5755	477	9112	1073	791	166	Fail	26
0.5854	446	8871	1057	761	171	Fail	28
0.5952	421	8598	1038	741	176	Fail	29
0.6051	395	8336	1018	723	183	Fail	29
0.6149	370	8085	991	703	190	Fail	29
0.6248	343	7873	963	680	198	Fail	29
0.6347	325	7657	947	648	199	Fail	32

0.6445	306	7449	926	627	205	Fail	32
0.6544	291	7221	908	611	210	Fail	33
0.6642	275	7012	894	590	215	Fail	34
0.6741	263	6827	874	574	218	Fail	34
0.6839	245	6640	850	561	229	Fail	34
0.6938	234	6461	820	549	235	Fail	33
0.7036	221	6297	804	525	238	Fail	35
0.7135	209	6129	794	509	244	Fail	36
0.7233	196	5942	772	492	251	Fail	36
0.7332	181	5768	763	480	265	Fail	37
0.743	175	5603	742	463	265	Fail	38
0.7529	168	5464	720	452	269	Fail	37
0.7628	158	5319	711	435	275	Fail	39
0.7726	149	5196	694	423	284	Fail	39
0.7825	141	5058	679	417	296	Fail	39
0.7923	134	4925	670	407	304	Fail	39
0.8022	124	4808	656	395	319	Fail	40
0.812	118	4669	642	383	325	Fail	40
0.8219	109	4541	626	374	343	Fail	40
0.8317	101	4406	616	366	362	Fail	41
0.8416	93	4284	602	360	387	Fail	40
0.8514	86	4175	592	349	406	Fail	41
0.8613	81	4063	584	342	422	Fail	41
0.8712	74	3962	568	334	451	Fail	41
0.881	71	3855	562	329	463	Fail	41
0.8909	66	3744	552	316	479	Fail	43
0.9007	59	3662	543	307	520	Fail	43
0.9106	52	3565	527	303	583	Fail	43
0.9204	50	3467	516	297	594	Fail	42
0.9303	45	3380	505	284	631	Fail	44
0.9401	40	3298	499	276	690	Fail	45
0.95	36	3208	492	268	744	Fail	46
0.9598	31	3123	481	264	852	Fail	45
0.9697	30	3047	478	254	847	Fail	47
0.9795	26	2958	468	247	950	Fail	47
0.9894	24	2878	460	239	996	Fail	48
0.9993	20	2801	456	230	1150	Fail	50
1.0091	20	2729	450	221	1105	Fail	51
1.019	17	2661	446	218	1282	Fail	51
1.0288	15	2597	438	213	1420	Fail	51
1.0387	15	2540	431	209	1393	Fail	52
1.0485	12	2484	427	204	1700	Fail	52
1.0584	10	2426	413	197	1970	Fail	52
1.0682	9	2365	408	196	2178	Fail	52
1.0781	7	2320	405	191	2729	Fail	53
1.0879	6	2265	396	185	3083	Fail	53
1.0978	5	2212	391	184	3680	Fail	53
1.1076	5	2162	379	178	3560	Fail	53
1.1175	5	2108	374	176	3520	Fail	53
1.1274	4	2064	367	172	4300	Fail	53
1.1372	4	2014	358	166	4150	Fail	54
1.1471	3	1978	350	164	5467	Fail	53
1.1569	3	1930	346	161	5367	Fail	53
1.1668	3	1889	339	160	5333	Fail	53

1.1766	2	1838	333	157	7850	Fail	53
1.1865	1	1796	331	151	15100	Fail	54
1.1963	1	1756	326	148	14800	Fail	55
1.2062	0	1714	322	144	N/A	Fail	55
1.216	0	1666	315	137	N/A	Fail	57
1.2259	0	1634	309	135	N/A	Fail	56

City of Redmond
CMAC Retrofit Pilot Project
Flow Duration Plot
Taloora Aye Pond



City of Redmond
 CMAC Retrofit Pilot Project
 Flow Duration Summary
 Talooro Aye Pond


Note: Flow durations were brought as close as possible to pre-developed durations by adjusting the active orifice sizes and CMAC control parameters. Passing conditions could not be achieved for all flow durations because of the volume of the existing ponds.

Flow(cfs)	Duration Exceeding Flowrate, hours				Percentage (Mitigated/Predeveloped)	Pass/Fail	Percent Reduction from Existing Conditions
	Predeveloped	Developed Unmitigated	Existing Conditions	CMAC Mitigated			
0.232	4385	24904	4005	5681	130	Fail	-42
0.241	4038	23986	3765	5329	132	Fail	-42
0.250	3730	23032	3551	4990	134	Fail	-41
0.259	3455	22179	3367	4682	136	Fail	-39
0.269	3214	21337	3179	4412	137	Fail	-39
0.278	2955	20530	3009	4137	140	Fail	-37
0.287	2723	19825	2892	3893	143	Fail	-35
0.296	2527	19098	2785	3665	145	Fail	-32
0.305	2348	18439	2671	3442	147	Fail	-29
0.314	2184	17800	2581	3238	148	Fail	-25
0.323	2043	17189	2487	3074	150	Fail	-24
0.332	1893	16605	2397	2897	153	Fail	-21
0.342	1768	16054	2324	2737	155	Fail	-18
0.351	1644	15502	2250	2584	157	Fail	-15
0.360	1539	14991	2178	2463	160	Fail	-13
0.369	1442	14509	2090	2333	162	Fail	-12
0.378	1360	14015	2014	2204	162	Fail	-9
0.387	1273	13502	1942	2100	165	Fail	-8
0.396	1202	13030	1878	1997	166	Fail	-6
0.406	1129	12583	1800	1905	169	Fail	-6
0.415	1056	12175	1747	1809	171	Fail	-4
0.424	1003	11798	1692	1739	173	Fail	-3
0.433	943	11428	1638	1669	177	Fail	-2
0.442	887	11084	1598	1589	179	Fail	1
0.451	835	10734	1548	1519	182	Fail	2
0.460	787	10389	1505	1459	185	Fail	3
0.469	740	10075	1460	1401	189	Fail	4
0.479	697	9781	1407	1352	194	Fail	4
0.488	648	9448	1374	1298	200	Fail	6
0.497	610	9161	1340	1249	205	Fail	7
0.506	577	8904	1308	1200	208	Fail	8
0.515	541	8613	1275	1144	211	Fail	10
0.524	503	8324	1226	1102	219	Fail	10
0.533	477	8066	1192	1072	225	Fail	10
0.542	446	7818	1169	1040	233	Fail	11
0.552	421	7591	1132	1001	238	Fail	12
0.561	395	7373	1102	967	245	Fail	12
0.570	370	7115	1075	918	248	Fail	15
0.579	343	6923	1043	885	258	Fail	15
0.588	325	6725	1024	852	262	Fail	17

0.597	306	6529	1005	823	269	Fail	18
0.606	291	6329	983	794	273	Fail	19
0.616	275	6134	960	760	276	Fail	21
0.625	263	5948	936	722	275	Fail	23
0.634	245	5776	904	698	285	Fail	23
0.643	234	5590	881	675	288	Fail	23
0.652	221	5444	855	650	294	Fail	24
0.661	209	5290	831	623	298	Fail	25
0.670	196	5135	797	601	307	Fail	25
0.679	181	5005	774	587	324	Fail	24
0.689	175	4849	757	571	326	Fail	25
0.698	169	4701	734	554	328	Fail	25
0.707	158	4566	713	532	337	Fail	25
0.716	149	4435	698	518	348	Fail	26
0.725	141	4308	679	501	355	Fail	26
0.734	134	4178	664	484	361	Fail	27
0.743	124	4065	652	471	380	Fail	28
0.752	118	3947	638	460	390	Fail	28
0.762	109	3844	623	442	406	Fail	29
0.771	101	3736	611	417	413	Fail	32
0.780	93	3633	597	400	430	Fail	33
0.789	86	3522	580	389	452	Fail	33
0.798	81	3423	565	377	465	Fail	33
0.807	74	3331	550	360	486	Fail	35
0.816	71	3225	540	350	493	Fail	35
0.826	66	3134	526	340	515	Fail	35
0.835	59	3050	514	330	559	Fail	36
0.844	52	2960	507	320	615	Fail	37
0.853	50	2873	497	309	618	Fail	38
0.862	45	2806	487	301	669	Fail	38
0.871	40	2731	478	295	738	Fail	38
0.880	36	2659	470	286	794	Fail	39
0.889	31	2584	464	275	887	Fail	41
0.899	30	2513	455	265	883	Fail	42
0.908	26	2455	447	256	985	Fail	43
0.917	24	2391	440	250	1042	Fail	43
0.926	20	2328	431	241	1205	Fail	44
0.935	20	2275	425	230	1150	Fail	46
0.944	17	2220	415	224	1318	Fail	46
0.953	15	2173	404	220	1467	Fail	46
0.962	15	2116	396	212	1413	Fail	46
0.972	12	2067	391	209	1742	Fail	47
0.981	10	2015	381	202	2020	Fail	47
0.990	9	1972	375	199	2211	Fail	47
0.999	7	1928	369	194	2771	Fail	47
1.008	6	1878	363	191	3183	Fail	47
1.017	5	1828	356	186	3720	Fail	48
1.026	5	1777	350	183	3660	Fail	48
1.036	5	1728	345	182	3640	Fail	47
1.045	4	1682	336	181	4525	Fail	46
1.054	4	1645	330	179	4475	Fail	46
1.063	3	1604	325	174	5800	Fail	46
1.072	3	1570	318	165	5500	Fail	48
1.081	3	1522	306	164	5467	Fail	46

1.090	2	1487	300	162	8100	Fail	46
1.099	1	1453	296	156	15600	Fail	47
1.109	1	1414	287	148	14800	Fail	48
1.118	0	1375	282	146	N/A	Fail	48
1.127	0	1335	277	143	N/A	Fail	48
1.136	0	1306	276	139	N/A	Fail	50

City of Redmond
CMAC Retrofit Pilot Project
Flow Duration Plot
Fischer Village Pond 1






City of Redmond
 CMAC Retrofit Pilot Project
 Flow Duration Summary
 Fischer Village Pond 1

Note: Flow Parameters were brought as close as possible to pre-developed durations by adjusting the active orifice sizes and CMAC control parameters. Passing conditions could not be achieved for all flow durations because of the volume of the existing ponds.

Flow(cfs)	Duration Exceeding Flowrate, hours				Percentage (Mitigated/ Predeveloped)	Pass/Fail	Percent Reduction from Existing Conditions
	Predeveloped	Developed Unmitigated	Existing Conditions	CMAC Mitigated			
0.1032	4386	28181	30056	4093	93	Pass	86
0.1073	4034	27196	27497	3861	96	Pass	86
0.1113	3731	26299	25202	3634	97	Pass	86
0.1154	3454	25403	23018	3436	99	Pass	85
0.1194	3216	24663	21038	3240	101	Pass	85
0.1235	2955	23947	19163	3067	104	Pass	84
0.1276	2722	23266	17362	2894	106	Fail	83
0.1316	2527	22542	15834	2755	109	Fail	83
0.1357	2346	21833	14264	2623	112	Fail	82
0.1398	2177	21132	12903	2500	115	Fail	81
0.1438	2043	20531	11688	2375	116	Fail	80
0.1479	1891	19882	10576	2278	120	Fail	78
0.1519	1768	19315	9584	2167	123	Fail	77
0.156	1644	18767	8671	2079	126	Fail	76
0.1601	1536	18267	7813	1995	130	Fail	74
0.1641	1442	17751	7056	1904	132	Fail	73
0.1682	1360	17245	6321	1809	133	Fail	71
0.1723	1273	16782	5669	1738	137	Fail	69
0.1763	1202	16319	5089	1669	139	Fail	67
0.1804	1129	15887	4567	1579	140	Fail	65
0.1844	1057	15508	4069	1515	143	Fail	63
0.1885	1003	15095	3585	1452	145	Fail	59
0.1926	942	14677	3135	1387	147	Fail	56
0.1966	887	14279	2764	1326	149	Fail	52
0.2007	835	13896	2418	1286	154	Fail	47
0.2047	787	13518	2132	1236	157	Fail	42
0.2088	740	13131	1875	1195	161	Fail	36
0.2129	697	12748	1657	1153	165	Fail	30
0.2169	648	12406	1433	1121	173	Fail	22
0.221	610	12081	1221	1084	178	Fail	11
0.2251	577	11743	1025	1046	181	Fail	-2
0.2291	541	11466	776	1001	185	Fail	-29
0.2332	503	11174	614	970	193	Fail	-58
0.2372	477	10870	584	942	197	Fail	-61
0.2413	446	10579	557	923	207	Fail	-66
0.2454	421	10299	534	898	213	Fail	-68
0.2494	395	10049	515	876	222	Fail	-70
0.2535	370	9817	494	852	230	Fail	-72
0.2576	343	9560	480	831	242	Fail	-73
0.2616	325	9327	470	805	248	Fail	-71

0.2657	306	9086	460	770	252	Fail	-67
0.2697	291	8848	451	752	258	Fail	-67
0.2738	275	8599	444	723	263	Fail	-63
0.2779	262	8380	432	704	269	Fail	-63
0.2819	245	8200	427	685	280	Fail	-60
0.286	234	7986	423	664	284	Fail	-57
0.29	221	7794	416	648	293	Fail	-56
0.2941	209	7595	411	637	305	Fail	-55
0.2982	196	7395	404	618	315	Fail	-53
0.3022	181	7205	393	595	329	Fail	-51
0.3063	175	7013	381	586	335	Fail	-54
0.3104	168	6837	378	569	339	Fail	-51
0.3144	158	6686	368	553	350	Fail	-50
0.3185	149	6513	360	539	362	Fail	-50
0.3225	141	6365	352	529	375	Fail	-50
0.3266	134	6221	344	520	388	Fail	-51
0.3307	124	6083	340	511	412	Fail	-50
0.3347	118	5938	335	500	424	Fail	-49
0.3388	109	5757	335	481	441	Fail	-44
0.3429	101	5610	331	470	465	Fail	-42
0.3469	93	5490	327	457	491	Fail	-40
0.351	86	5361	317	444	516	Fail	-40
0.355	81	5243	314	426	526	Fail	-36
0.3591	74	5131	311	415	561	Fail	-33
0.3632	71	5010	308	408	575	Fail	-32
0.3672	66	4891	305	393	595	Fail	-29
0.3713	59	4785	301	386	654	Fail	-28
0.3753	52	4679	300	382	735	Fail	-27
0.3794	50	4563	295	377	754	Fail	-28
0.3835	45	4447	291	371	824	Fail	-27
0.3875	40	4338	284	362	905	Fail	-27
0.3916	36	4221	281	354	983	Fail	-26
0.3957	31	4125	279	346	1116	Fail	-24
0.3997	30	4030	278	334	1113	Fail	-20
0.4038	26	3938	275	328	1262	Fail	-19
0.4078	24	3832	273	318	1325	Fail	-16
0.4119	20	3750	270	312	1560	Fail	-16
0.416	20	3669	266	306	1530	Fail	-15
0.42	17	3580	266	295	1735	Fail	-11
0.4241	15	3493	265	285	1900	Fail	-8
0.4282	15	3425	261	281	1873	Fail	-8
0.4322	12	3340	257	276	2300	Fail	-7
0.4363	10	3261	257	270	2700	Fail	-5
0.4403	9	3192	253	262	2911	Fail	-4
0.4444	7	3130	250	256	3657	Fail	-2
0.4485	6	3057	247	248	4133	Fail	0
0.4525	5	2986	244	243	4860	Fail	0
0.4566	5	2904	243	237	4740	Fail	2
0.4607	5	2834	242	233	4660	Fail	4
0.4647	4	2757	240	228	5700	Fail	5
0.4688	4	2692	239	221	5525	Fail	8
0.4728	3	2634	238	218	7267	Fail	8
0.4769	3	2584	237	213	7100	Fail	10
0.481	3	2535	233	209	6967	Fail	10

0.485	2	2488	230	205	10250	Fail	11
0.4891	1	2433	230	202	20200	Fail	12
0.4931	1	2381	230	194	19400	Fail	16
0.4972	0	2332	224	186	N/A	Fail	17
0.5013	0	2293	217	185	N/A	Fail	15
0.5053	0	2249	215	179	N/A	Fail	17





CLAY LINER SPECIFICATIONS

PROPERTY	TEST METHOD	UNIT	SPECIFICATION
PERMEABILITY	ASTM D-2434	CM/SEC	1x10 ⁻⁶
PLASTICITY INDEX OF CLAY	ASTM D-423 & D-424	PERCENT	NOT LESS THAN 15
LIQUID LIMIT OF CLAY	ASTM D-2216	PERCENT	NOT LESS THAN 30
CLAY PARTICLES PASSING	ASTM D-422	PERCENT	NOT LESS THAN 30
CLAY COMPACTION	ASTM D-2216	PERCENT	95% OF STANDARD PROCTOR DENSITY

GEOTEXTILE FABRIC SPECIFICATIONS

PROPERTY	TEST METHOD	UNIT	SPECIFICATION
MATERIAL			NONWOVEN GEOTEXTILE
UNIT WEIGHT		OZ./SQ. YD.	8 (MIN)
FILTRATION RATE		IN./SEC.	0.08 (MIN)
PUNCTURE STRENGTH	ASTM D-751 (MODIFIED)	LBS.	125 (MIN)
MULLEN BURST STRENGTH	ASTM D-751	PSI	400 (MIN)
TENSILE STRENGTH	ASTM D-1682	LBS.	300 (MIN)
EQUIVALENT OPENING SIZE	US STANDARD SEIVE	NO.	80 (MIN)



DATE: JANUARY 2003
DESIGNED: GINA R. BROOKS, P.E.
DRAWN: T.L. KENDALL
APPROVED: J.A.O.
PROJECT MANAGER: JAMES A. OLSEN, P.E.

CAMWEST REAL ESTATE DEVELOPMENT
9720 NE 120TH PL. #100
KIRKLAND, WASHINGTON 98034

AS-BUILT

CORE DESIGN
ENGINEERING · PLANNING · SURVEYING

14711 NE 29th Place Suite 101
Bellevue, Washington 98007
425.885.7877 Fax 425.885.7963


10-17-05

RECORD DRAWING
04-278

SHEET OF
C4.32 46
PROJECT NUMBER
00009A

A PORTION OF THE SE 1/4 OF SECTION 25, TOWNSHIP 26 N., RANGE 5 E., W.M.
CITY OF REDMOND, KING COUNTY, WASHINGTON

NOTE: THE DEVELOPMENT SHALL BE CONSTRUCTED WITH THE CITY OF REDMOND YEAR 2000 STANDARD SPECIFICATIONS AND DETAILS.



TRACT 'B' WETPOND/DETENTION DATA:

WETPOND
TOP OF POND EL=224.00
EMERGENCY OVERFLOW WATER SURFACE EL = 223.70
EMERGENCY OVERFLOW SPILLWAY EL = 223.00
DETENTION LIVE WATER SURFACE EL = 223.00
WATER QUALITY STATIC SURFACE ELEV = 218.00
BOTTOM OF WET/DETENTION POND ELEV = 213.00



WETPOND VOLUME REQUIRED = 49,624 C.F.
WETPOND VOLUME PROVIDED = 50,178 C.F. 50,279
LENGTH TO WIDTH RATIO = 3.1:1 > 3:1

ELEVATION	AREA (SF)	INCREMENTAL VOLUME	TOTAL VOLUME
213	6,442	4,222	0
214	6,604	6,617	7,796
216	12,144	9,900	20,648
217	17,656	14,848	34,214
218	19,652	17,390	50,178

DETENTION VOLUME REQUIRED = 101,948 C.F.
DETENTION VOLUME PROVIDED = 122,592 C.F. 114,662

ELEVATION	AREA (SF)	INCREMENTAL VOLUME	TOTAL VOLUME
218	16,832	17,390	0
220	23,624	21,821	23,624
222	27,298	26,282	49,906
223	28,443	28,748	78,654
224	28,443	28,748	107,402

- NOTES:**
- REFER TO LANDSCAPE PLANS SHTS L1-LB FOR SPECIFICATION OF AQUATIC PLANTINGS FOR WET POND PER DOE.
 - SEE SHEET 24 FOR POND LINER SPECIFICATIONS.
 - POND EXTERIOR BERM SHALL BE CONSTRUCTED ACCORDING TO SPECIFICATIONS BY EARTH CONSULTANTS INC. REPORT DATED SEPTEMBER 17, 2001



CB DATA

CB#38, TYPE 2-48" W/ SOLID LID
259.3251.18N: 259.3252.2379
132.7089.55E: 132.7089.7157
223.47 RIM=223.50
217.80 IE=217.66 (12" OUT E)
THE GRATE SHALL HAVE A HOLE CUT IN TO ACCOMMODATE 6" PRV RELIEF VALVE DISCHARGE PER COR STD. DWG. 710A

CB#39A TYPE 1
64+49.50, 17.29" STA. 64+56, 24-25" LT
225.91 RIM=226.00
PROVIDE 20 LF 30" DI 222.62 IE=221.50 (12" IN W) SLEEVE FOR SD UNDER 222.06 IE=221.50 (12" OUT NE) UNDER CRIBLOCK WALL


CB#53, TYPE 2-72" STA. 65+08.70, 17.29" STA. 65+08.62, 17-00" LT W/ROUND SOLID LOCKING LID
221.8 RIM=221.90
213.68 IE=213.55 (24" IN N)
213.10 IE=213.55 (24" IN W)
213.50 IE=213.55 (24" OUT E)

CB#53A, TYPE 2-72" STA. 65+40.08, 20.95" STA. 65+40, 24-25" LT W/VANED GRATE
219.58 RIM=219.77
211.93 IE=212.36 (24" IN N)
211.49 IE=212.36 (24" IN W)
211.78 IE=212.36 (24" OUT E)

CB#54, TYPE 2-54" STA. 65+40, 78-25" LT 65+40.46, 78.09"
EMERGENCY OVERFLOW W/ BIRDGAGE TOP
RIM=223.00 222.56
IE=214.58 (8" IN NE) 214.23
IE=215.03 (24" OUT S) 212.83

CB#54A, TYPE 2-60" W/ ROUND SOLID LOCKING LID
N: 259.3252.0074 259.351.84
E: 132.7089.7157 132.7088.17
RIM=223.50 223.16
IE=216.00 (24" IN NW) 216.63
IE=217.00 (12" IN W) 217.63
IE=216.00 (24" OUT S) 216.63

CB#55, TYPE 2-72" FLOW RESTRICTOR W/ ROUND, SOLID LOCKING LID
RIM=226.00 226.22
IE=217.66 (24" IN N) 217.37
IE=218.00 (24" OUT S) 217.47



ASBUILT PLANS

No.	Date	By	Appr.	Rev.
1	6-21-03	CAT	CAT	#3
2	4-15-02	RAA	RAA	#2
3	2-19-02	CAT	CAT	#1
4	1-2-02	CAT	CAT	#1

For: JOHN F. BUCHAN CONSTRUCTION, INC.
2821 NORTHWAY WAY, SUITE 100
BELLEVUE, WA 98004
CONTACT: MIKE DELILE (425) 417-5005

18215 72ND AVENUE SOUTH
KENT, WA 98032
(425) 251-6222
(425) 251-8782 FAX

CIVIL ENGINEERING, LAND PLANNING,
SURVEYING, ENVIRONMENTAL SERVICES
CONTACT: ROB ARMSTRONG

BAGHAUSEN & COMPANY
CONSULTING ENGINEERS, INC.

Job Number: 6918
Sheet: 23 of 58

02-1032

A PORTION OF THE SE 1/4 OF SECTION 25, TOWNSHIP 26 N., RANGE 5 E., W.M.
CITY OF REDMOND, KING COUNTY, WASHINGTON

NOTE: THE DEVELOPMENT SHALL BE CONSTRUCTED WITH THE CITY OF REDMOND YEAR 2000 STANDARD SPECIFICATIONS AND DETAILS.

COMPACTED TILL LINERS:

1. LINER THICKNESS SHALL BE 18 INCHES AFTER COMPACTION.
2. SOIL SHALL BE COMPACTED TO 95% MINIMUM DRY DENSITY, MODIFIED PROCTOR METHOD (ASTM-1557).
3. A DIFFERENT DEPTH AND DENSITY SUFFICIENT TO RETARD THE INFILTRATION RATE TO 2.4x10⁻⁵ INCHES PER MINUTE (1x10⁻⁵ cm/s) MAY ALSO BE USED IN LIEU OF CRITERIA 1 AND 2.
4. SOILS SHOULD BE PLACED IN 6 INCH LIFTS
5. SOILS MAY BE USED THAT MEET THE FOLLOWING GRADATION:

SIEVE SIZE	PERCENT PASSING
6 INCH	100
4 INCH	90
#4	70-100
#200	20-100

NOTE:


1. ALL EARTHWORK, GRADING AND RETAINING WALLS SHALL BE CONSTRUCTED IN ACCORDANCE WITH EARTH CONSULTANTS, INC. GEOTECHNICAL REPORT DATED SEPTEMBER 17, 2001 AND ANY SUBSEQUENT REPORTS AND FIELD DIRECTION. CONTRACTOR SHALL OBTAIN APPLICABLE REPORTS AND KEEP ON SITE WITH THE APPROVED PLANS.

GEOMEMBRANE LINERS:

1. GEOMEMBRANE LINERS SHALL BE UV RESISTANT AND HAVE A MINIMUM THICKNESS OF 30 MILS A THICKNESS OF 40 MILS SHALL BE USED IN AREAS OF MAINTENANCE ACCESS OR WHERE HEAVY MACHINERY MUST BE OPERATED OVER THE MEMBRANE.
2. GEOMEMBRANES SHALL BE BEDDED ACCORDING TO THE MANUFACTURER'S RECOMMENDATIONS.
3. LINERS SHALL BE INSTALLED SO THAT THEY CAN BE COVERED WITH 12 INCHES OF TOP DRESSING FORMING THE BOTTOM AND SIDES OF THE WATER QUALITY FACILITY. TOP DRESSING SHALL CONSIST OF 6 INCHES OF CRUSHED ROCK COVERED WITH 6 INCHES OF NATIVE SOIL. THE ROCK LAYER IS TO MARK THE LOCATION OF THE LINER FOR THE FUTURE MAINTENANCE OPERATIONS. AS AN ALTERNATIVE TO CRUSHED ROCK, 12 INCHES OF NATIVE SOIL MAY BE USED IF ORANGE PLASTIC "SAFETY FENCING" OR ANOTHER HIGHLY-VISIBLE, CONTINUOUS MARKER IS EMBEDDED 6 INCHES ABOVE THE MEMBRANE.
4. IF POSSIBLE, LINERS SHOULD BE OF A CONTRASTING COLOR SO THAT MAINTENANCE WORKERS ARE AWARE OF ANY AREAS WHERE A LINER MAY HAVE BECOME EXPOSED WHEN MAINTAINING THE FACILITY.
5. GEOMEMBRANE LINERS SHALL NOT BE USED ON SLOPES STEEPER THAN 6H:1V TO PREVENT THE TOP DRESSING MATERIAL FROM SLIPPING. TEXTURED LINERS MAY BE USED ON SLOPES UP TO 3H:1V UPON RECOMMENDATION BY A GEOTECHNICAL ENGINEER THAT THE TOP DRESSING WILL BE STABLE FOR ALL SITE CONDITIONS, INCLUDING MAINTENANCE.

TOPSOIL OVER LINER SPECIFICATION:


PER. KCSWDM (SECTION 6.2.4, PAGE 6-22)
WHERE GRASS MUST BE PLANTED OVER A LOW PERMEABILITY LINER PER THE FACILITY DESIGN, A MINIMUM OF 6 INCHES OF GOOD TOPSOIL OR COMPOST-AMENDED NATIVE SOIL (2 INCHES COMPOST TILLED INTO 6 INCHES OF NATIVE SOIL) MUST BE PLACED OVER THE LINER IN THE AREA TO BE PLANTED. TWELVE INCHES IS PREFERRED.



- NOTES:**
1. DIMENSIONS ARE FOR INSTALLATION ON 54" CB. FOR DIFFERENT DIA. CB'S ADJUST DIMENSIONS TO MAINTAIN 45° ANGLE ON "VERTICAL" BARS & 4" O.C. MAX. SPACING OF BARS AROUND LOWER STEEL BAND. WHEN VERTICAL BAR SPACING EXCEEDS 4" O.C., PROVIDE HORIZONTAL RINGS 4" O.C.
 2. METAL PARTS: CORROSION RESISTANT (STEEL PARTS GALVANIZED OR STAINLESS STEEL).
 3. THIS DEBRIS BARRIER IS ALSO RECOMMENDED FOR USE ON THE INLET TO ROADWAY CROSS-CULVERTS WITH HIGH POTENTIAL FOR DEBRIS COLLECTION (EXCEPT ON CLASS 2 STREAMS).

**BIRDCAGE OVERFLOW STRUCTURE
CB#54, TYPE 2-54'**

NOT TO SCALE



**CB#53
TYPE 2-72' CATCH BASIN - PLAN**

SCALE: 1"=2'




ROCK PROTECTION AT OUTFALLS

DISCHARGE VELOCITY AT DESIGN FLOWS (fps)		REQUIRED PROTECTION				
GREATER THAN	LESS THAN OR EQUAL TO	MINIMUM DIMENSIONS				
		TYPE	THICKNESS	WIDTH	LENGTH	HEIGHT
0	5	ROCK LINING*	1 ft.	DIAMETER + 6 ft.	8 ft.	CROWN + 1 ft.
6	10	RIP RAP**	2 ft.	DIAMETER + 6 ft. OR 3X dia., WHICHEVER IS GREATER	12 ft.	CROWN + 1 ft.
11	20	GABION OUTFALL	AS REQUIRED	AS REQUIRED	AS REQUIRED	CROWN + 1 ft.
20	N/A	ENGINEERED ENERGY DISSIPATOR REQUIRED				

- * ROCK LINING SHALL BE IN ACCORDANCE WITH SECTION 9-13.1 OF THE WSDOT/APWA STANDARD SPECIFICATIONS. RIP RAP TO BE REASONABLY WELL GRADED WITH ROCK GRADATION AS FOLLOWS:
PASSING 8" SQUARE SIEVE 100%
PASSING 3" SQUARE SIEVE 40-60%
PASSING 3/4" SQUARE SIEVE 0-10%
- ** RIP RAP TO BE REASONABLY WELL GRADED WITH ROCK GRADATION AS FOLLOWS:
MAXIMUM STONE SIZE 24" (NOMINAL DIAMETER)
MEDIUM STONE SIZE 16"
MINIMUM STONE SIZE 4"


NOTE: ALL WORK GOVERNED BY SPECIFICATIONS AND DETAILS ASSIGNED TO BE 3:1

INFORMATION PLATE:
A BRASS OR STAINLESS STEEL PLATE SHALL BE PERMANENTLY ATTACHED INSIDE EACH CONTROL STRUCTURE. ENGRAVED INFORMATION ON THE PLAT SHALL INCLUDE THE FOLLOWING:
NAME AND FILE NUMBER OF PROJECT
NAME AND COMPANY OF (1) DEVELOPER, (2) ENGINEER, AND (3) CONTRACTOR
DATE CONSTRUCTED
DAT OF MANUAL USED FOR DESIGN
OUTFLOW PERFORMANCE CRITERIA
RELEASE MECHANISM SIZE, TYPE, AND INVERT ELEVATION
LIST OF STAGE, DISCHARGE, AND VOLUME AT ONE-FOOT INCREMENTS
ELEVATION OF OVERFLOW
RECOMMENDED FREQUENCY OF MAINTENANCE



**CB#55, TYPE 2-72'
DETENTION SYSTEM CONTROL STRUCTURE (PLAN VIEW)**

SCALE: 1"=2' DESIGN PER C.O.R. STD. #610



**CB#55, TYPE 2-72'
DETENTION SYSTEM CONTROL STRUCTURE (SECTION VIEW)**

SCALE: 1"=2' DESIGN PER C.O.R. STD. #610

- CB NOTES:**
1. EXCEPT AS SHOWN OR NOTED, UNITS SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE REQUIREMENTS FOR CATCH BASIN TYPE 2-60" MIN. DIAMETER.
 2. OUTLET CAPACITY: 100 YEAR DEVELOPED PEAK FLOW
 3. METAL PARTS: CORROSION RESISTANT. NON-GALVANIZED PARTS PREFERRED. GALVANIZED PIPE PARTS TO HAVE ASPHALT TREATMENT 1.
 4. FRAME & LADDER OR STEPS OFFSET SO:
A) CLIMBDOWN SPACE IS CLEAR OF RISER AND CLEANOUT GATE.
B) FRAME IS CLEAR OF CURB
 5. IF METAL OUTLET PIPE CONNECTS TO CEMENT CONCRETE PIPE, OUTLET PIPE TO HAVE SMOOTH O.D. EQUAL TO CONCRETE PIPE I.D. LESS 1/4".
 6. THE RESTRICTOR/SEPARATOR SHALL BE FABRICATED FROM 0.060" ALUMINUM, OR 0.064" ALUMINIZED STEEL, OR 0.064" GALVANIZED STEEL PIPE; IN ACCORDANCE WITH AASHTO M 36, M 196, M 197 AND M 274. GALVANIZED STEEL SHALL HAVE ASPHALT TREATMENT 1.
 7. LOCATE ELBOW RESTRICTORS TO PROVIDE MINIMUM CLEARANCE AS SHOWN
 8. OUTLET SHALL BE CONNECTED TO CULVERT OR SEWER PIPE WITH A STANDARD COUPLING BAND FOR CORRUGATED METAL PIPE, OR GROUDED INTO THE BELL OF CONCRETE PIPE.
 9. THE VERTICAL RISER STEM OF THE RESTRICTOR/SEPARATOR SHALL BE THE SAME DIAMETER AS THE HORIZONTAL OUTLET PIPE.



Rev.	Date	By	Appr.
1	9-21-03	DMT	RAA
2	4-15-02	DMT	RAA
3	2-19-02	DMT	RAA
4	1-2-02	DMT	RAA

**TRACT B
DRAINAGE POND DETAILS
AS-BUILT
WHISTLER RIDGE PPL99-001**

**For: JOHN F. BUCHAN CONSTRUCTION, INC.
2821 NORTHUP WAY, SUITE 100
BELLEVUE, WA 98004
CONTACT: MIKE DELILE (425) 417-5005**

Scale:	Horizontal	Vertical
AS SHOWN	AS SHOWN	AS SHOWN

Designed	Drawn	Checked	Approved	Date
DMT	DMT	RAA	RAA	9/17/01

18215 72ND AVENUE SOUTH
KENT, WA 98032
(425)251-6222
(425)251-8782 FAX
CIVIL ENGINEERING, LAND PLANNING,
SURVEYING, ENVIRONMENTAL SERVICES
CONTACT: ROB ARMSTRONG

BARGHAUSEN & ASSOCIATES, INC.
CONSULTING ENGINEERS

Job Number: 6918
Sheet: 4 of 58

02-1033

CITY OF REDMOND

FINAL REPORT

PROJECT:
CURRY P.R.D.
PRD02-001

APRIL 8, 2004

ROTH HILL JOB NO.: 53-269-41

PREPARED BY: *LOS*
Lance Stevens, E.I.T.

REVIEWED BY:
Jay Hummel, P.E. *JH*

Roth Hill Engineering Partners, LLC
2600 116TH AVE NE, # 100, BELLEVUE, WA 9800
(425) 869-9448 800-835-0292 FAX (425) 869-1190

RothHill

CONTENTS

- Waived Conditions
- Review Summary
- Storm Water Checklist
- Roth Hill Drainage Calculations
- Roth Hill Conveyance System Calculations
- Appendix A – Approved Storm Drainage Report
- Appendix B – Conditions of Approval letter
- Appendix C – Geotechnical Report

WAIVED CONDITIONS

WAIVED CONDITIONS:

PROJECT: Curry PRD
JOB NO.: 53-269-41

The following issues discovered and/or resolved during our review that were waived or clarified by City staff:

Use Catch basin sediment trap such as Siltsack Layfield Sediment Trap or approved "equal". "Equal" shall have capacity to allow overflow if sediment clogs fabric. (Jeff Dendy)

REVIEW SUMMARY

REVIEW SUMMARY:

PROJECT: **Curry P.R.D.**
JOB NO.: 53-269-41

The following is a summary of the major items that were required to be addressed after each review submittal:

Submittal 1 (8/15/03)

General information

List site area in square feet and acres.
Correct typo's where noted.
Reference COR Standards.

TESC

Show trees to remain with designated dripline and protective fencing shown 5 ft outside of driplines.
Interceptor swale must be Min. 1 ft deep per COR #504.
Show inlet protection on existing CB's adjacent to the site. Do not show on proposed except for any specifically needed for the TESC plan.
Do not show proposed features on TESC plan.
Show construction access routes.
Show all existing utilities.
Add filter fencing where indicated.
Add note: "This TESC applies to the dry season only."
Make line types consistent between plans and legend.
Where does swale on C2.03 go? Not shown on C2.04.
Provide profile through TESC pond.
Galvanized materials are not allowed in storm ponds in Redmond.
Use updated TESC notes.

Grading

Provide a handrail on top of rockery since there is an 8 ft drop into pond.
Rockeries over 4 ft require geotech recommendation/structural design.

Road & Storm Drainage Plan/Profile

Reference COR # 607 for Type I and COR # 609 for Type II CB's.
All grates are required to be vaned unless solid.
Thru curb inlets are required on every 3rd inlet and on sag curves.
Include note that tracer wire will be included on roof drains.
Include all symbols in legend.
Include cleanouts where indicated.
Add Matchlines where indicated.

In the orientation shown, will the structural integrity of CB #24 be maintained with an 18", 15", 12", and 6" pipe into a 48" Type II?

Plans on C4.02 rotated 180° from the key map

Show matching crowns in profile.

Show pipes in correct locations in profile.

Maximum of 3 lot drains per collection pipe.

Rotate key map so that North is up, for clarity.

Pipe leading into CB 32 is skewed from center of MH.

Should have spot elevations on ¼ points for approach on curbs (Typ)

Curb radius for arterial streets is 25 ft.

5 ft horizontal clearance needed between utilities.

Correct scale on profile where indicated.

Provide trash rack on pipe on C4.08.

20' x 100' site triangle needed for arterials.

Details

Bollards should be called out per COR Std #890 and not shown in detail.

Rip Rap should be called out per COR Std. #620 and not shown in detail.

Specify aluminum for all CMP.

3:1 max slope above permanent water surface elevation. 2:1 only allowed in dead storage area

Specify wetlands planting mix per DOE requirements for plant benches.

18" thick layer of compacted topsoil above pond liner required.

List all design storms on pond profile or show in storm report.

Show all pipes entering and leaving pond profiles.

Weir length shown in storm report (1.15 ft) is what should be shown in detail

Drainage Report

Provide sub-basin areas on sub-basin map.

Provide 100-yr overflow map assuming CB's are plugged. Runoff must not impact buildings.

Preliminary plat plan included in report is not current.

Correct typo's where indicated.

Explain the bypass area in more detail.

Include SCS soils types chart with appropriate curve numbers added.

Explain composite curve # in text on previous page.

What does weir height refer to?

Include flow from Cogan-Allen to CB 42 in conveyance calcs.

Submittal 2 (12/30/03)

General information

Correct typo's where noted.

Reference COR Standards.

TESC

Show trees to remain with designated dripline and protective fencing shown 5 ft outside of driplines.

Galvanized materials are not allowed in control structures in Redmond.

Grading

Rockery detail must comply with COR Std. #909.

Road & Storm Drainage Plan/Profile

All roof drain stubs should cross sidewalks/ landscape strips as close to 90° as possible.

Show correct area for C4.08 on Key map.

Show box areas for C4.01-02 in Key map on C4.09.

Show 18" pipe to the south on CB 3.

Show matching crowns in profile.

5 ft horizontal clearance needed between utilities.

Details

Correct Storm and Grading Notes as indicated.

Galvanized materials not allowed in COR.

Show and label correct slope on pond. 3:1 and 2:1 shown for same slope.

Lower control structure inlet to provide slope in upstream pipe.

Drainage Report

Provide statement about downstream bypass line capacity to accommodate Curry.

Bypass areas are usually treated as a separate sub-basin. Please explain methodology more thoroughly.

Correct typo's where indicated.

Provide information to state that the 1.49 acres of Cogan-Allen will not be developed beyond one residential lot.

Waterworks printout and pond volume calcs sheet are not consistent.

The property draining to CB 37 should be based upon developed conditions to assure proper conveyance capacity.

Explore routing the swale for CB 35 between Lots 60 and 61. Need to provide assurance that swale will be maintained in working condition.

A map showing flow routes assuming all catch basins are plugged is required for all developments in the City of Redmond.

Conveyance pipes should not surcharge in the 10-yr condition.

Cogan-Allen flows should be added in at CB 42.

Submittal 3 (02/13/04)

General information

Correct typo's where noted.
Reference COR Standards.

TESC

Show trees to remain with designated dripline and protective fencing shown 5 ft outside of driplines.

Galvanized materials are not allowed in control structures in Redmond.

Use Catch basin sediment trap such as Siltsack Layfield Sediment Trap or approved equal. Equal will have capacity to allow overflow if sediment clogs fabric. (Jeff Dendy)

Grading

Rockery detail must comply with COR Std. #909.

Road & Storm Drainage Plan/Profile

All roof drain stubs should cross sidewalks/ landscape strips as close to 90° as possible.

Show correct area for C4.08 on Key map.

Show box areas for C4.01-02 in Key map on C4.09.

Show 18" pipe to the south on CB 3.

Show matching crowns in profile.

5 ft horizontal clearance needed between utilities.

Details

Correct Storm and Grading Notes as indicated.

Galvanized materials not allowed in COR.

Show and label correct slope on pond. 3:1 and 2:1 shown for same slope.

Lower control structure inlet to provide slope in upstream pipe.

Drainage Report

Correct typo's where indicated.

STORM WATER CHECKLIST

APPENDIX A-4

CITY OF REDMOND

CLEARING, GRADING AND STORMWATER MANAGEMENT PLAN REVIEW CHECKLISTS

Project Name: <u>Curry PRD</u>	Submittal Dates:	Review Dates/Initials:
Tax Parcel or Plat #: <u>252605-9015-00; 9099-01; 9058-08; 9124-08</u>		<u>1</u>
Engineer: <u>CORE DESIGN</u>	<u>08/01/03</u>	<u>08/15/03/ LOS</u>
Contact: <u>Gina Brooks</u>	<u>12/17/03</u>	<u>07/30/03 / LOS</u>
Phone: <u>(425) 885-7963</u>	<u>02/13/04</u>	<u>02/26/04/ LOS</u>

Review Notes: I = Incomplete/Incorrect/Must be Addressed, C = Complete/Correct, N = Non-Applicable, [] = Reference, / / = 1st/2nd/3rd Review

REDMOND COMMUNITY DEVELOPMENT GUIDE

Plans shall conform to Section 20E.90.10-080 of Redmond Community Development Guide. The general headings listed below must be addressed.

- / / Erosion and Sediment Control
- / / Drainage Facilities
- / / Water Quality Control
- / / Water Quantity Control
- / / Stabilization of Disturbed Areas
- / / Protection of Adjacent Properties
- / / Maintenance
- / / Identification of Sensitive Areas and Associated Buffers
- / / Identification of Easements
- / / Accurate Description of Work Area
- / / Control of Pollutants Other Than Sediment on Construction Sites
- / / Source Control of Pollution
- / / Controlling Off-Site Erosion
- / / Other BMPs
- / / Separate Public and Private Drainage
- / / Limited Topographic Change
- / / Tree Preservation Plan

DRAWING FORMAT AND CONTENT

Plans shall conform with the standards in this Stormwater Notebook.

C/1/ Construction Drawing Size - 22" x 34".

- NORTH ARROW AT TOP^{of} LEFT
EDGE OF DRAWING

Include Note: "This Development Shall Be Constructed with the City of Redmond Year 2000 Standard Specifications and Details"

- C11 Drawing Content - shall contain all information necessary to review the design and to construct the improvements.
- C11 Title Block/Drawing Title
 - C11 Issue or Revision Date
 - C11 Section, Township and Range.
 - C11 Project Name & Phase
 - C11 Tax Parcel/Plat Number
 - C11 Legal Description
 - C11 Engineer Information - name, address, phone and contact.
 - C11 Owner Information - name, address, phone and contact.
- C11 Vicinity Map - showing the general location of the project.
- C11 City Approval Block - must be on every sheet at lower right hand corner.
- C11 Horizontal Scale - 1"=20'.
- C11 Vertical Scale - 1"=5'.
- C11 Vertical Datum - minimum of two (2) C.O.R. datum must be shown.
- C11 Horizontal Datum - minimum of two (2) C.O.R. datum and NAD 83-91 coordinates on two (2) minimum points at exterior lot/boundary corners must be shown..
- C11 North Arrow & Scale Bar - shown in the upper left hand corner of the drawings
- C11 Drawing Layout - shall be laid out to afford the maximum understanding possible.
- C11 Profiles of Storm Drainage Systems - required for public drainage systems and may be required for private systems where conflicts with other utilities are possible.
- IIC Profile Information - include existing and proposed grade, all utility crossings and crossings clearances, pipe slope, pipe size, pipe length, pipe material, manhole depths, inverts, etc.
- C11 Plan View Information - shall indicate and identify all existing and proposed features, utilities, street improvements and paving, and other features that will affect the design and construction of the site grading and the drainage system.
- C11 Engineer Stamp and Signed and Dated Consistently with Issued or Revised Date - drawings shall be stamped before submittal and review by the City.
- IIC Legend - identify line types and symbols used.
- C11 Property Data - shall include property lines with bearings and distances, right-of-way lines, parcel numbers, lot numbers, plat names, and street names.
- 11 Phased Project Drawings - depict all construction necessary to complete the phase (each phase shall be independently approved).
- C11 Standard Notes (see Appendix A-3).
CITY GENERAL NOTES

MINIMUM DESIGN REQUIREMENTS, CLEARING, GRADING & TESC

Plans shall conform to the Minimum Design Requirements identified in the Stormwater Notebook.

NO LOW SPOTS

- FIC Fully Identify Work - clearing and grading limits shown, with stockpile/staging areas and sequence of construction.
- IIC Disturbed Area - in acres must be shown on the Clearing and Grading plans.
- C11 Limits of Clearing - fenced with 42" orange safety fence or approved filter fence.

- C 1 Trees to Remain - shall be shown with the dripline designated (must have protective fencing at five (5) feet beyond the dripline if adjacent to cleared areas) - no grading or filling permitted within the dripline. Show pertinent information within 50' of clearing.
- C 1 Buffer Strips of Sensitive Areas.
- ~~N/A~~ + Steep Slope Setback
- C 1 Grades - show existing and proposed contours. MAX 3:1. 2:1 MAY BE OKAY AT ROAD
- C 1 Cut/Fill - shall not exceed 8 ft.
- ~~N/A~~ + Stabilization of Disturbed Areas.
- I C Stockpile location and ground slopes.
- E I C Estimate of Earthwork Quantities.
- ~~N/A~~ + Timing and Stabilization of Sediment Trapping Measures.
- C 1 Silt Fence [COR Std 502] (no straw bale permitted - must use silt fence).
- C 1 Construction Entrance [COR Std 503]. 1 ONLY IF POSSIBLE
- ~~N/A~~ + Clean Water Diversion - areas onsite and offsite that are not disturbed must be diverted away from disturbed areas.
- ~~N/A~~ + Dewatering Construction Sites - show sediment traps.
- ~~N/A~~ + Stabilization of Temporary Conveyance Channels and Outlets - no erosion for 10 year, 24-hour storm.
- C 1 Storm Drain Inlet Protection - inlet protection must be provided for all storm drain inlets within the construction vicinity.
- I I C Temporary Swales and/or Trenches - show shape, dimensions, spot elevations every 50 feet, drainage area, channel stabilization treatment type and computations of flow and velocity (cannot exceed 4 fps without rip-rap lining) [COR Std 504].
- C 1 Check Dams - show detail, dimensions and quantity of rock protection. No straw bales allowed.
- C 1 Temporary Culverts - show drainage area, 1 ft minimum cover, type of pipe, length and diameter, and slope.
- C 1 Temporary Sediment Pond(s) - show size, bottom elevation, top elevation, cleanout elevation, outlet protection, drainage area, volume required, volume provided, cross-section through the dam, profile through the pond, spillway and consistent with calculations. Not allowed near future infiltration sites:
- C 1 Rip-rap Outlet Protection - show size of stone, quantity and stabilization fabric under stone [COR Std 620].
- 1 1 Maximum open trench length = 300'.
- 1 1 TESC performance bond posted.
- C 1 Construction Access Routes.
- C 1 Removal of Temporary BMPs.
- ~~N/A~~ + Preservation of Natural Drainage Systems.
- E I C Sequence of Construction - describe how construction will proceed in order to limit erosion, include phasing if appropriate
- E I C Standard Notes (see Appendix A-3).
- E K 1 Include Note "This T.E.S.C. Plan applies to the dry season."

only

SITE PLAN (All Proposed Information Must be Distinguished From Existing Information)

- C/1 Property Lines - including bearings and distances.
- C/1 Right of Way - including bearings and distances.
- C/1 Lot Numbers.
- C/1 Site Area - shown in square feet and acres.
- C/1 Streets - edge of pavement or curb and sidewalk, centerline, and name shown.
- C/1 Contours - (dashed lines for existing and solid lines for proposed) 1 or 2 foot interval (slopes 40% or greater may be shown with 5 foot contours).
- C/1 Onsite Features - easements, buffers, +40% slopes, etc.
- C/1 Offsite Information - all features within offsite areas that drain onsite, and all information within 20 feet of all property lines.
- C/1 Utilities (water, sewer, telephone, cable television, gas, power, etc.).
- C/1 All Utilities Easements Shown with Dimensions Labeled.
- 1/1 Setbacks
 - 1/1 Building
 - 1/1 Steep Slope (in accordance with geo-technical recommendations).
 - 1/1 Other _____

DRAINAGE BASIN MAP

- C/1/1 North Arrow
- C/1 Scale (larger engineering scale may be used as appropriate)
- C/1 Title Block
- C/1 Property Lines
- C/1 Proposed and Existing Contours
- C/1 Proposed Storm Drainage Inlets and Numbers
- C/1 Existing Storm Drainage
- I/C Drainage Area to Each Inlets
- C/1 Drainage Area to SWM Facility
- C/1 Offsite Areas Draining Onsite
- C/1 Flow Path for Time of Concentration Computations
- C/1 Legend of Symbols
- I/C Storm Drainage Table (include: inlet number, drainage area, rational method "C" factor and t_c)
- I/C Stormwater Management Data (include: facility number, drainage area and compensated area)
- N/A ~~+~~ Zoning
- C/1 Road and Stream Names

STORMWATER MANAGEMENT REPORT

DRAINAGE CALCULATIONS

~~C~~ / / Rainfall Intensity (KCSWM Manual Fig. 3.5.1C - 3.5.1I)

/ / 6 month - 24 hr _____
C / / 2 year - 24 hr 1.81
C / / 10 year - 24 hr 2.73
~~C~~ / / 25 year - 24 hr _____
C / / 100 year - 24 hr 3.69

~~I~~ / / C Pre-develop Condition

C / / Pervious Area _____
C / / Pervious Area Curve Number _____
C / / Impervious Area _____
C / / Impervious Area Curve Number _____
C / / Time of Concentration _____ (Show Calculation)
/ / Drainage Calculation Results _____

~~I~~ / / C Post-develop Condition

/ / Pervious Area _____
/ / Pervious Area Curve Number _____
/ / Impervious Area _____
/ / Impervious Area Curve Number _____
/ / Time of Concentration _____ (Show Calculation)
/ / Drainage Calculation Results _____

QUANTITY CONTROL

C / / Release Rate(s) [half of pre 2 yr. for post 2 yr., pre 10 yr. for post 10 yr. and pre 100 yr. for 100 yr.; riser rate of 0.2187 ft/min.; Tech. Ltr.]
C / / Storage Volume Required 72,392
C / / Storage Volume Provided 72,392
/ / Control Structure(s) _____
/ / Quantity Control Facilities _____

QUALITY CONTROL

C / / Water Quality Volume Required (6 month - 24 hr.) _____
/ / Treatment Volume Provided _____
/ / Control Structure(s) _____
/ / Quality Control Facilities _____

CONVEYANCE SYSTEM

~~I~~ / / C Storm Drain Computations - rational method (KCSWM Manual) for pipe sizing, include: "C" factor determination, time of concentration determination and flow calculations.

C / / Design Slope - 0.25% minimum and 20% maximum.

- ~~I/C~~ Hydraulic Grade Line Computations - hgl for 10 Year must be 1' below overflow condition (allowances may be made near detention system or large bodies of water surcharge).
- ~~I/I~~ Downstream Analysis - provide storm drain computations and hydraulic grade line computations for existing storm drainage systems which are being revised by changes to the drainage area or system expansion.
- ~~I/C~~ Safe 100 Year Flow Conveyance - the provision of the 100 year storm flow shall not impact any buildings.
- ~~I/K~~ Information presented in the calculations is consistent with plan.

STORMWATER MANAGEMENT PLAN

PLAN REVIEW

- ~~C~~ 1 Minimum Pipe Size - 8" minimum for public storm drain systems and 6" minimum for private systems.
- ~~C~~ 1 Pipe Data - pipe size, length, slope, and material labeled.
- ~~I/I/C~~ Horizontal Clearance - 5 feet from all other utilities and structures, and 8 feet from trees (street trees may be closer than 8' with root barrier).
- ~~I/C~~ Vertical Clearance - one foot from other utilities. 18" for sewer with storm above sewer.
- ~~C~~ 1 Rockeries/Retaining Walls - shall not cross or be near storm drain pipes. Exceptions shall only be approved where no alternatives exist. Any crossing of a wall shall be perpendicular to the wall and special construction techniques including steel casings may be required. No rockeries allowed over roof or footing drains
- ~~C~~ 1 Structure Data - structure number, structure type and/or size, type of cover, rim elevation, and all pipe inverts labeled.
- ~~C~~ 1 Structure Spacing - 350' preferred (400' may be allowed).
- ~~C~~ 1 Easements - shown with dimensions labeled. 20' minimum width. No obstructions allowed in easements.
- ~~C~~ 1 Drains Behind Sidewalk - required in all cut situations and at the base of slopes.
- ~~I/C~~ Cleanouts Spacing - to be at bends, end of lines and at 100 ft o.c. (required in all cut situations and at the base of slopes).
- ~~C~~ 1 Cleanouts Specifications - shall be specified with Carson boxes or equal with ungasketed caps in soft area and traffic bearing in paved areas [COR Std 621].
- ~~C~~ 1 Footing/Foundation Drains - including pipe size, material, and cleanouts shall be connected to the storm drain system (shown as stubbed to lots only for plats).
- ~~I/C~~ Roof Drains - including pipe size, material, and cleanouts shall be connected to the storm drain system (shown as stubbed to lots only for plats). 6" minimum.
- ~~I/C~~ Footing/Foundation Drains and Roof Drains - shall be connected at a structure only (private onsite structure or at the street).
- ~~C~~ 1 3 ft. Paved Area - around roof drain cleanout or catch basin Type 1A required.
- ~~I/C~~ Tracer Wire - must be shown on roof drains from the building to the property line.
- ~~I/C~~ CMP should be called out as corrugated aluminum pipe.
- ~~C~~ 1 Provide vehicular access to all CBS

C / 1 / Outfall Protection - sized for 10 year storm (unless otherwise specified by SWM Div.); provide: type, size dimensions and quantity of stone. Stone must be laid on approved filter fabric. Maximum allowable discharge velocity to rock outlet is 10 fps without special design [COR Std 620].

PROFILES (Required for Public System)

C / 1 / Profile - pipes and structures.

F / 1 / Other Utilities - labeled and designate size and type.

C / 1 / Profile grades - show and label existing and proposed grades.

C / 1 / Pipe Cover - 18 inches minimum. (OR USE D1)

C / 1 / Pipe Profile Information - show invert and top of pipe, pipe size, pipe material, and design slope.

N/A / 1 / Drop structures only allowed per approval of Stormwater Engineer.

C / 1 / Grates: - through-curb inlets at sag curves, possible bypass points and every third inlet; Vaned Grates on Slopes > 5%; Herringbone otherwise. *required unless solid or thru-curb.*

F / 1 / Utility Crossings - all crossings must be shown, label utility type, line size, invert of utility and storm lines and clearance between pipes (1 foot minimum vertical clearance and 30 degrees minimum crossing angle).

C / 1 / Structure Profile Information - label type of structure, structure number, size, and pipe inverts.

F / 1 / Berm Section - in accordance with geo-technical recommendation for open ponds.

C / 1 / Public Storm Structure - with four feet (4') or greater from the top to the invert must be Type II catch basin. 5' for private structure. See Standard detail 608

N / 1 / Type III catch basin required for structures with bottoms between 12' and 25'. See Standard Detail 615.

STORMWATER MANAGEMENT FACILITIES

UNDERGROUND DETENTION

N/A / 1 / Runoff Determination - per DOE Manual, for the design storms as established by the Technical Committee review.

1 / 1 / Area Draining to SWM System, Bypass and Compensation Areas.

1 / 1 / Offsite Areas Draining on Site - generally do not need to be controlled but, must be safely conveyed.

1 / 1 / Detention Volume Computation - show volume required and volume provided. Stage/storage curve must match proposed facility.

1 / 1 / Controlling Orifice Computation - plans and computation must match.

1 / 1 / Control Structure - designed and detailed (plan view and cross section required) shall conform to COR Std 610 or equivalent.

1 / 1 / Profile of Detention Pipe or Vault.

1 / 1 / Structural Details and Vault Calculations (separate building division review and permit required).

1 / 1 / Inverts - show for all pipes entering and leaving control structure or vault.

1 / 1 / Vent - minimum 2" diameter for pipe detention systems.

- NA Maintenance Vehicle Access - required to both ends of detention pipes and two accesses to vaults (one near control structure). THROUGH ROOF, NOT THROUGH 36" PIPE.
- / / Maximum Distance Between Detention System Access Points - 100 feet and ladder access must be provided at all ends.
- / / Easement - 5' minimum around all public detention systems (20 foot minimum width).
- / / Fire Hydrant - within 100 feet of detention pipe systems 4 feet in diameter or larger, and for all vault systems over 1000 cubic feet of total volume may be required.
- / / Detention Pipe Note - "Detention pipes may be air tested before final acceptance".

INFILTRATION

- NA Soil Permeability Tests or Gradation per D.O.E. - two tests minimum or one for every 5000 square feet of infiltration system bottom area. Test must end up being not more than 20 feet from the final location of the infiltration system. Note on plans - to be verified by field observation.
- / / Soil Test - must be taken at the proposed bottom of infiltration system.
- / / Excavation or Boring - is required in the trench area to a minimum depth of 4 feet below the proposed bottom of the trench. Infiltration not feasible if evidence of ground water or bedrock/hard pan.
- / / Infiltration Bed - all infiltration system should be a minimum of 3 feet above the seasonal high water mark, bedrock, hardpan and impermeable layer.
- / / Setbacks
 - / / Minimum 500 feet from drinking water wells and springs, septic tanks and drain fields.
 - / / Minimum 20 feet down slope and 100 feet up slope of building foundations.
 - / / Minimum 10 feet from and NGPE and property line.
- / / Down Spout Infiltration System - shall be designed with overall project for typical lot with individual homes.
- / / Maximum Drainage Area
 - / / Down Spout Infiltration Systems - 5000 sq. ft.
 - / / Infiltration Basin - 50 acres.
 - / / Infiltration Trench - 15 acres.
- / / Infiltration System Location - may not be located in an area previously used as a sediment trap.
- / / Inflow to an Infiltration System - must first pass through a pre-settling BMP or a biofilter. Disturbed areas shall not drain to the infiltration system.
- / / Add the following note to the plan "The contractor shall construct infiltration systems only after the entire area draining to it has been stabilized".
- / / Filter fabric is required on all sides, top and bottom of infiltration trenches.
- / / Maximum Trench Length - 100 feet.
- / / Observation Well - one is required per trench.
- / / Provisions for the 100 year overflow path required.
- / / Maximum Ponding - in an open infiltration basins is 3 feet for the maximum storm entering the basin (not to exceed the 100 year - this includes headwater to pass storm flow out any overflow) 1 foot of freeboard is required to the top of the structure.

~~NA~~ Basins Side Slopes - shall not exceed 3:1.

~~1/1~~ Infiltration Basin Berm - must use impervious material for berm and the berm must be 2 feet wide at the top for each foot in height as measured from the ponding area bottom.

BIOFILTRATION (See DOE Chapter III-6)

~~NA~~ Required Length - 200 feet minimum (may be reduced to 150 feet for redevelopment projects only).

~~1/1~~ Designed Storm - 6 month - 24 hour storm, high flow bypass required unless otherwise designated.

~~1/1~~ Maximum Velocity - 1.5 fps for the design storm.

~~1/1~~ Swale Slope - 6% maximum. For slope less than 2%, biofilter must be lined with underdrain. For slope greater than 4%, check dams must be provided.

~~1/1~~ Setbacks - no buildings or trees within 10 feet of the normal high water.

~~1/1~~ Vehicle Access - required for all biofilters for maintenance.

~~1/1~~ Easement - public systems shall be in tracts, or easements, unless approved during site review.

~~1/1~~ Cross Section - show dimensions, design flow depth and 1 foot minimum freeboard.

~~1/1~~ Vegetation Specifications - shall provide for water tolerant plants and shall address shading of vegetation. Biofilter planting shall be shown on the civil drawings and subject to approval from the Construction Division.

~~1/1~~ Swales/Trenches - including, grading, slope, spot elevations (a minimum of every 50 feet and at both ends), bottom width, side slopes, and lining.

~~1/1~~ No filter strips allowed.

WETPOND/DETENTION FACILITIES

~~1/1~~ Setbacks - 20 ft minimum away from structure and ROW, and 50 ft minimum away from steep slope (15% or greater).

~~1/1~~ Length/Width Ratio - minimum of 3.0. (Preferred)

~~1/1~~ Interior Slope - maximum of 3H:1V (Preferred) 2:1 Below water surface OK.

~~1/1~~ Permanent Pool - minimum of 6 months 24-hr release.

~~1/1~~ Live Storage - maximum of 100 years 24-hr release.

~~1/1~~ Berm Embankment - maximum of 6 ft. high. (Preferred)

~~1/1~~ Toe of Embankment - minimum of 55 ft. from ROW.

~~1/1~~ Factor-of-Safety - applied against overflow.

~~1/1~~ Multi-Celled - minimum of 2 cells. (Preferred)

~~1/1~~ Emergency Overflow - for open pond, shall be separated from pond outlet.

~~1/1~~ 5-Foot wide safety bench set at 1' depth around perimeter of pond. Plant bench with wetland planting.

~~1/1~~ Natural shape preferred.

~~1/1~~ Liner provided for detention ponds, covered w/ 18" thick layer of compacted topsoil.

ROTH HILL DRAINAGE CALCULATIONS

Cogan Dev Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
Cogan Dev	0.33	8.00	0.1296	1.49	SBUH/SCS	TYPE1A	2 yr
Cogan Dev	0.61	8.00	0.2286	1.49	SBUH/SCS	TYPE1A	10 yr
Cogan Dev	0.93	8.00	0.3380	1.49	SBUH/SCS	TYPE1A	100 yr

Drainage Area: Cogan Dev

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.9200 ac	86.00	0.17 hrs
Impervious	0.5700 ac	98.00	0.17 hrs
Total	1.4900 ac		

Supporting Data:

Pervious CN Data:

None Entered 86.00 0.9200 ac

Impervious CN Data:

None Entered 98.00 0.5700 ac

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	10.0000	10.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	10.0000	10.00 min

Curry Dev Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
Curry Dev	3.86	8.00	1.4121	12.87	SBUH/SCS	TYPE1A	2 yr
Curry Dev	6.42	8.00	2.3298	12.87	SBUH/SCS	TYPE1A	10 yr
Curry Dev	9.17	8.00	3.3152	12.87	SBUH/SCS	TYPE1A	100 yr

Drainage Area: Curry Dev

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	3.9500 ac	86.00	0.17 hrs
Impervious	8.9200 ac	98.00	0.17 hrs
Total	12.8700 ac		

Supporting Data:

Pervious CN Data:

None Entered 86.00 3.9500 ac

Impervious CN Data:

None Entered 98.00 8.9200 ac

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	10.0000	10.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	10.0000	10.00 min

Pre Dev- Cogan Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
Pre Dev- Cogan0.05		10.00	0.0605	1.49	SBUH/SCS	TYPE1A	2 yr
Pre Dev- Cogan0.14		9.00	0.1378	1.49	SBUH/SCS	TYPE1A	10 yr
Pre Dev- Cogan0.27		8.67	0.2314	1.49	SBUH/SCS	TYPE1A	100 yr

Drainage Area: Pre Dev- Cogan

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	1.4900 ac	81.00	1.46 hrs
Impervious	0.0000 ac	0.00	0.00 hrs
Total	1.4900 ac		

Supporting Data:

Pervious CN Data:

None Entered	81.00	1.4900 ac
--------------	-------	-----------

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Sheet	None Entered	300.00 ft	4.50%	0.8000	86.56 min
Channel	None Entered	42.00 ft	0.40%	17.0000	0.65 min
Channel	None Entered	24.00 ft	0.40%	42.0000	0.15 min
Channel	None Entered	11.00 ft	3.60%	17.0000	0.06 min

Pre Dev Upstrm Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
Pre Dev Upstrm0.17		9.17	0.1977	4.16	SBUH/SCS	TYPE1A	2 yr
Pre Dev Upstrm0.45		9.00	0.4235	4.16	SBUH/SCS	TYPE1A	10 yr
Pre Dev Upstrm0.81		8.67	0.6924	4.16	SBUH/SCS	TYPE1A	100 yr

Drainage Area: Pre Dev Upstrm

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	3.9500 ac	81.73	1.54 hrs
Impervious	0.2100 ac	98.00	1.54 hrs
Total	4.1600 ac		

Supporting Data:

Pervious CN Data:

None Entered	81.00	3.3700 ac
None Entered	86.00	0.5800 ac

Impervious CN Data:

None Entered	98.00	0.2100 ac
--------------	-------	-----------

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Sheet	None Entered	300.00 ft	4.50%	0.8000	86.56 min
Shallow	None Entered	184.00 ft	2.90%	3.0000	6.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Sheet	None Entered	300.00 ft	4.50%	0.8000	86.56 min
Shallow	None Entered	184.00 ft	2.90%	3.0000	6.00 min

Pre Developed Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
Pre Developed	0.39	12.00	0.5230	12.87	SBUH/SCS	TYPE1A	2 yr
Pre Developed	1.05	9.50	1.1900	12.87	SBUH/SCS	TYPE1A	10 yr
Pre Developed	1.97	9.17	1.9987	12.87	SBUH/SCS	TYPE1A	100 yr

Drainage Area: Pre Developed

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	12.8700 ac	81.00	2.11 hrs
Impervious	0.0000 ac	0.00	0.00 hrs
Total	12.8700 ac		

Supporting Data:

Pervious CN Data:

None Entered 81.00 12.8700 ac

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Sheet	None Entered	300.00 ft	3.30%	0.8000	97.99 min
Shallow	None Entered	922.00 ft	3.20%	3.0000	28.63 min

Control Structure ID: Combo - Combination Control Structure

Descrip:	Multiple Orifice		
Start EI	Max EI	Increment	
267.0000 ft	280.0000 ft	0.10	
ID List:	Notch Weir	Orifice	Riser

Control Structure ID: Orifice - Multiple Orifice Structure

Descrip:	Multiple Orifice		
Start EI	Max EI	Increment	
267.0000 ft	280.0000 ft	0.10	
Orif Coeff:	0.62	Bottom EI:	265.00 ft
		Lowest Diam:	2.9380 in

Control Structure ID: Notch Weir - Rectangular weir

Descrip:	Multiple Orifice		
Start EI	Max EI	Increment	
269.9300 ft	274.0000 ft	0.10	
Length:	1.2500 ft		

Control Structure ID: Riser - Overflow riser

Descrip:	Riser		
Start EI	Max EI	Increment	
270.7100 ft	280.0000 ft	0.10	
Riser Dia:	18.00 in	Orif Coeff:	3.78
		Weir Coeff:	9.74

Node ID: Pond

Desc: Manhole structure
Start El: 267.0000 ft Max El: 274.0000 ft
Contrib Basin: Contrib Hyd:
Stage Input Volume Volume
267.00 0.00 cf 0.00 cf 0.0000 acft
268.00 17166.00 cf 17166.00 cf 0.3941 acft
270.00 56514.00 cf 56514.00 cf 1.2974 acft
271.00 78798.00 cf 78798.00 cf 1.8090 acft
272.00 102578.00 cf 102578.00 cf 2.3549 acft
273.00 127458.00 cf 127458.00 cf 2.9260 acft
274.00 152338.00 cf 152338.00 cf 3.4972 acft

Node ID: Level Pool

Desc: Manhole structure
Start El: 267.0000 ft Max El: 274.0000 ft
Contrib Basin: Contrib Hyd:
Storage Id: Pond Discharge Id: Combo

RLPCOMPUTE [Level Pool] SUMMARY

2 yr Match Q: 0.3825 cfs Peak Out Q: 0.3917 cfs - Peak Stg: 269.80 ft - Active Vol: 1.2055 acft
10 yr Match Q: 1.6431 cfs Peak Out Q: 1.4606 cfs - Peak Stg: 270.34 ft - Active Vol: 1.4731 acft
100 yr Match Q: 3.0420 cfs Peak Out Q: 2.9277 cfs - Peak Stg: 270.70 ft - Active Vol: 1.6530 acft

ROTH HILL CONVEYANCE SYSTEM
CALCULATIONS

cb 4 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 4	0.28	8.00	0.0975	0.38	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 4

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.1200 ac	86.00	0.08 hrs
Impervious	0.2600 ac	98.00	0.08 hrs
Total	0.3800 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 5 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 5	0.26	8.00	0.0899	0.35	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 5

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.1100 ac	86.00	0.08 hrs
Impervious	0.2400 ac	98.00	0.08 hrs
Total	0.3500 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 6 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 6	0.26	8.00	0.0880	0.34	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 6

Hyd Method: SBUH Hyd
 Peak Factor: 484.00
 Storm Dur: 24.00 hrs
 Area CN
 Pervious 0.1000 ac 86.00
 Impervious 0.2400 ac 98.00
 Total 0.3400 ac

Loss Method: SCS CN Number
 SCS Abs: 0.20
 Intv: 10.00 min
 TC
 0.08 hrs
 0.08 hrs

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 7 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 7	0.08	8.00	0.0287	0.11	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 7

Hyd Method: SBUH Hyd
 Peak Factor: 484.00
 Storm Dur: 24.00 hrs
 Area CN
 Pervious 0.0300 ac 86.00
 Impervious 0.0800 ac 98.00
 Total 0.1100 ac

Loss Method: SCS CN Number
 SCS Abs: 0.20
 Intv: 10.00 min
 TC
 0.08 hrs
 0.08 hrs

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 8 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 8	0.83	8.00	0.2971	1.69	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 8

Hyd Method: SBUH Hyd
 Peak Factor: 484.00
 Storm Dur: 24.00 hrs
 Area CN
 Pervious 1.4500 ac 81.30
 Impervious 0.2400 ac 98.00
 Total 1.6900 ac

Loss Method: SCS CN Number
 SCS Abs: 0.20
 Intv: 10.00 min
 TC
 0.08 hrs
 0.08 hrs

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 9 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 9	0.35	8.00	0.1186	0.46	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 9

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.1400 ac	86.00	0.08 hrs
Impervious	0.3200 ac	98.00	0.08 hrs
Total	0.4600 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 10 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 10	0.25	8.00	0.0851	0.33	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 10

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.1000 ac	86.00	0.08 hrs
Impervious	0.2300 ac	98.00	0.08 hrs
Total	0.3300 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 11 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 11	0.14	8.00	0.0488	0.19	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 11

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.0600 ac	86.00	0.08 hrs
Impervious	0.1300 ac	98.00	0.08 hrs
Total	0.1900 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 12 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 12	0.33	8.00	0.1149	0.57	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 12

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.3900 ac	82.00	0.08 hrs
Impervious	0.1800 ac	98.00	0.08 hrs
Total	0.5700 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 13 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 13	0.53	8.00	0.1854	0.91	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 13

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.6100 ac	82.10	0.08 hrs
Impervious	0.3000 ac	98.00	0.08 hrs
Total	0.9100 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 14 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 14	0.20	8.00	0.0670	0.26	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 14

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.0800 ac	86.00	0.08 hrs
Impervious	0.1800 ac	98.00	0.08 hrs
Total	0.2600 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 15 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 15	0.02	8.00	0.0076	0.03	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 15

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.0100 ac	86.00	0.08 hrs
Impervious	0.0200 ac	98.00	0.08 hrs
Total	0.0300 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 17 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 17	0.27	8.00	0.0928	0.36	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 17

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.1100 ac	86.00	0.08 hrs
Impervious	0.2500 ac	98.00	0.08 hrs
Total	0.3600 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 18 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 18	0.35	8.00	0.1186	0.46	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 18

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.1400 ac	86.00	0.08 hrs
Impervious	0.3200 ac	98.00	0.08 hrs
Total	0.4600 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 19 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 19	0.12	8.00	0.0411	0.16	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 19

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.0500 ac	86.00	0.08 hrs
Impervious	0.1100 ac	98.00	0.08 hrs
Total	0.1600 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 20 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 20	0.16	8.00	0.0545	0.21	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 20

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.0600 ac	86.00	0.08 hrs
Impervious	0.1500 ac	98.00	0.08 hrs
Total	0.2100 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype to just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 21 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 21	0.63	8.00	0.2184	0.98	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 21

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.5300 ac	82.90	0.08 hrs
Impervious	0.4500 ac	98.00	0.08 hrs
Total	0.9800 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype to just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 22 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 22	0.39	8.00	0.1340	0.53	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 22

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.1800 ac	85.40	0.08 hrs
Impervious	0.3500 ac	98.00	0.08 hrs
Total	0.5300 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 23 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 23	0.52	8.00	0.1779	0.69	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 23

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.2100 ac	86.00	0.08 hrs
Impervious	0.4800 ac	98.00	0.08 hrs
Total	0.6900 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 24 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 24	0.07	8.00	0.0229	0.09	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 24

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.0300 ac	86.00	0.08 hrs
Impervious	0.0600 ac	98.00	0.08 hrs
Total	0.0900 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 25 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 25	0.28	8.00	0.0975	0.38	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 25

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.1200 ac	86.00	0.08 hrs
Impervious	0.2600 ac	98.00	0.08 hrs
Total	0.3800 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 26 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 26	0.16	8.00	0.0545	0.21	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 26

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.0600 ac	86.00	0.08 hrs
Impervious	0.1500 ac	98.00	0.08 hrs
Total	0.2100 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 27 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 27	0.40	8.00	0.1387	0.54	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 27

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.1700 ac	86.00	0.08 hrs
Impervious	0.3700 ac	98.00	0.08 hrs
Total	0.5400 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 28 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 28	0.40	8.00	0.1371	0.58	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 28

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.2600 ac	83.70	0.08 hrs
Impervious	0.3200 ac	98.00	0.08 hrs
Total	0.5800 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 29 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 29	0.32	8.00	0.1081	0.42	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 29

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.1300 ac	86.00	0.08 hrs
Impervious	0.2900 ac	98.00	0.08 hrs
Total	0.4200 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 30 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 30	0.07	8.00	0.0229	0.09	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 30

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.0300 ac	86.00	0.08 hrs
Impervious	0.0600 ac	98.00	0.08 hrs
Total	0.0900 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 31 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 31	0.29	8.00	0.1004	0.39	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 31

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.1200 ac	86.00	0.08 hrs
Impervious	0.2700 ac	98.00	0.08 hrs
Total	0.3900 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 32 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 32	0.35	8.00	0.1186	0.46	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 32

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.1400 ac	86.00	0.08 hrs
Impervious	0.3200 ac	98.00	0.08 hrs
Total	0.4600 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 33 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 33	0.03	8.00	0.0105	0.04	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 33

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.0100 ac	86.00	0.08 hrs
Impervious	0.0300 ac	98.00	0.08 hrs
Total	0.0400 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 35 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 35	0.48	8.00	0.1645	0.64	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 35

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.2000 ac	86.00	0.08 hrs
Impervious	0.4400 ac	98.00	0.08 hrs
Total	0.6400 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 36 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 36	0.32	8.00	0.1110	0.43	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 36

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.1300 ac	86.00	0.08 hrs
Impervious	0.3000 ac	98.00	0.08 hrs
Total	0.4300 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 37 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 37	0.43	8.00	0.1470	0.71	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 37

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.5800 ac	86.00	0.08 hrs
Impervious	0.1300 ac	98.00	0.08 hrs
Total	0.7100 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 38 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 38	0.26	8.00	0.0899	0.35	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 38

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.1100 ac	86.00	0.08 hrs
Impervious	0.2400 ac	98.00	0.08 hrs
Total	0.3500 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 39 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 39	0.16	8.00	0.0545	0.21	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 39

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.0600 ac	86.00	0.08 hrs
Impervious	0.1500 ac	98.00	0.08 hrs
Total	0.2100 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 41 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 41	0.14	8.00	0.0488	0.19	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 41

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	CN	TC
Pervious	0.0600 ac	86.00	0.08 hrs
Impervious	0.1300 ac	98.00	0.08 hrs
Total	0.1900 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 42 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 42	0.11	8.00	0.0382	0.15	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 42

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	TC	
Pervious	0.0500 ac	86.00	0.08 hrs
Impervious	0.1000 ac	98.00	0.08 hrs
Total	0.1500 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 43 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 43	0.05	8.00	0.0182	0.07	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 43

Hyd Method:	SBUH Hyd	Loss Method:	SCS CN Number
Peak Factor:	484.00	SCS Abs:	0.20
Storm Dur:	24.00 hrs	Intv:	10.00 min
	Area	TC	
Pervious	0.0200 ac	86.00	0.08 hrs
Impervious	0.0500 ac	98.00	0.08 hrs
Total	0.0700 ac		

Pervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	Prototype tc just to have something	0.00 ft	0.00%	5.0000	5.00 min

Impervious TC Data:

Flow type:	Description:	Length:	Slope:	Coeff:	Travel Time
Fixed	None Entered	0.00 ft	0.00%	5.0000	5.00 min

cb 45 Event Summary:

BasinID	Peak Q	Peak T	Peak Vol	Area	Method	Raintype	Event
-----	(cfs)	(hrs)	(ac-ft)	ac	/Loss		
cb 45	0.38	8.00	0.1349	0.67	SBUH/SCS	TYPE1A	100 yr

Drainage Area: cb 45

Hyd Method: SBUH Hyd
Peak Factor: 484.00
Storm Dur: 24.00 hrs
Area CN
Pervious 0.4600 ac 82.00
Impervious 0.2100 ac 98.00
Total 0.6700 ac

Loss Method: SCS CN Number
SCS Abs: 0.20
Intv: 10.00 min
TC
0.08 hrs
0.08 hrs

Pervious TC Data:

Flow type: Description:
Fixed Prototype tc just to have something

Length: Slope: Coeff: Travel Time
0.00 ft 0.00% 5.0000 5.00 min

Impervious TC Data:

Flow type: Description:
Fixed None Entered

Length: Slope: Coeff: Travel Time
0.00 ft 0.00% 5.0000 5.00 min

Project: Curry FRD
Job No.: 53269
LDS: 2/24/2004
Checked by: ELB
Revised: 2/25/2004

STORM FREQUENCY (YRS)

P =	a =	b =
2	3.69	0.63
5	2.61	0.63
10	2.44	0.64
25	2.66	0.65
50	2.75	0.65
100	2.81	0.63

VALUES USED FOR THIS SPREADSHEET
P = 3.69
a = 2.61
b = 0.63

RUNOFF COEFFICIENTS

LAND COVER	C
Dense forest	0.10
Light forest	0.15
Pasture	0.20
Lawns	0.25
Playgrounds	0.30
Gravel areas	0.80
Pavement and roofs	0.90
Open water (ponds, lakes, wetlands)	1.00

FOR SINGLE FAMILY RES AREA SEE KCSWM PAGE 4.3.3.2

Upstn CB	Downstn CB	Upstn IE	Downstn IE	Dwnstm Description	Sub-basin Description	Area (Ac.)	Tc (min)	Incr. flow	SBUH	Total SBUH	Pipe (in)	Length (ft)	n	Slope	Qt (cfs)	Vr (fps)	Qr (cfs)	Qr (ft)	Qr (in)	d/D	Vr (fps)	N Depth	Vr (fps)	Tc (min)	Depth	CB Type	Type 1	Type 2	Type 3	Pipe Cover
43	40	301.76	298.71	298.11	43	0.07	6.300	0.050	0.050	0.050	12	123.00	0.012	0.0050	2.748	3.498	0.018	0.040	0.040	0.840	0.165	0.040	0.577	3.551	3.03	Type 1	Type 1	Type 1	2.03	
42	41	307.23	302.49	301.11	42	0.15	6.300	0.970	0.970	0.970	12	276.00	0.012	0.0050	2.737	3.484	0.018	0.040	0.040	0.840	0.165	0.040	0.577	1.455	4.74	Type 2	Type 1	Type 1	3.74	
41	40	305.02	301.11	297.41	41	0.19	7.755	0.130	1.100	1.230	12	200.00	0.012	0.0185	5.264	6.702	0.209	0.200	0.303	0.735	0.303	0.735	4.926	0.677	3.91	Type 1	Type 1	Type 1	2.91	
40	38	303.84	297.41	296.57	x		8.431		1.150	1.150	12	77.00	0.012	0.0109	4.042	5.147	0.284	0.280	0.364	0.833	0.364	0.833	4.283	0.300	6.43	Type 2	Type 2	Type 2	5.43	
39	38	300.18	297.16	296.90	39	0.21	6.300	0.150	1.540	1.690	8	26.00	0.012	0.0100	1.313	3.760	0.114	0.110	0.225	0.595	0.150	0.595	2.237	0.194	3.02	Type 1	Type 1	Type 1	2.35	
38	30	300.18	296.57	284.39	38	0.35	8.731	0.240	1.540	1.780	12	158.00	0.012	0.0771	10.745	13.681	0.143	0.140	0.255	0.653	0.255	0.653	8.927	0.295	3.61	Type 1	Type 1	Type 1	2.61	
37	36	298.00	294.07	293.40	37	0.71	6.300	0.400	0.400	0.400	12	111.00	0.012	0.0060	3.007	3.828	0.133	0.130	0.243	0.650	0.243	0.650	2.412	0.767	3.93	Type 1	Type 1	Type 1	2.93	
36	34	297.26	293.40	285.40	36	0.43	7.067	0.300	0.700	1.000	12	62.00	0.012	0.1290	13.902	17.700	0.050	0.050	0.143	0.428	0.143	0.428	7.567	0.137	3.86	Type 1	Type 1	Type 1	2.86	
35	34	288.92	285.83	285.40	35	0.64	6.300	0.440	0.440	0.440	12	89.00	0.012	0.0051	2.752	3.504	0.160	0.150	0.262	0.665	0.262	0.665	2.330	0.637	3.07	Type 1	Type 1	Type 1	2.07	
34	32	293.76	285.40	284.99	x		7.204		1.140	1.140	12	81.00	0.012	0.0051	2.753	3.506	0.144	0.140	0.262	0.665	0.262	0.665	2.330	0.637	8.36	Type 2	Type 2	Type 2	7.36	
33	32	290.69	287.67	285.32	33	0.04	6.300	0.030	0.030	0.030	8	24.00	0.012	0.0079	4.107	11.767	0.007	#N/A	#N/A	#N/A	#N/A	0.955	0.451	3.348	0.403	3.02	Type 1	Type 1	Type 1	2.35
32	30	290.69	284.99	284.39	32	0.46	7.607	0.320	1.490	1.810	12	22.00	0.012	0.0273	6.391	8.138	0.233	0.230	0.326	0.778	0.326	0.778	6.327	0.058	5.70	Type 2	Type 2	Type 2	4.70	
31	30	291.12	287.69	284.72	31	0.39	6.300	0.270	0.270	0.270	8	27.00	0.012	0.1100	4.354	12.472	0.062	0.060	0.160	0.465	0.160	0.465	5.799	0.078	3.43	Type 1	Type 1	Type 1	2.76	
30	29	290.70	284.39	277.34	30	0.09	9.026	0.060	0.360	0.420	12	164.00	0.012	0.0430	10.217	10.217	0.419	0.410	0.451	0.955	0.451	0.955	9.757	0.280	6.31	Type 2	Type 2	Type 2	5.31	
29	27	280.86	277.34	271.62	29	0.42	9.306	0.250	3.650	3.900	12	104.00	0.012	0.0550	9.076	11.556	0.402	0.400	0.445	0.945	0.445	0.945	10.921	0.159	3.52	Type 1	Type 1	Type 1	2.52	
28	27	275.24	272.25	271.95	28	0.58	6.300	0.370	0.370	0.370	8	30.00	0.012	0.0100	1.313	3.760	0.282	0.280	0.364	0.833	0.364	0.833	3.131	0.160	2.99	Type 1	Type 1	Type 1	2.32	
27	24	275.25	271.37	268.19	27	0.54	9.465	0.370	4.390	4.760	15	53.00	0.012	0.0600	17.188	14.006	0.255	0.250	0.342	0.798	0.342	0.798	11.170	0.079	3.88	Type 1	Type 1	Type 1	2.63	
26	25	272.78	269.69	269.43	26	0.21	6.300	0.150	0.150	0.150	8	26.00	0.012	0.0100	1.313	3.760	0.114	0.110	0.225	0.595	0.150	0.595	2.237	0.194	3.09	Type 1	Type 1	Type 1	2.42	
25	24	272.78	269.10	268.44	25	0.38	6.494	0.260	0.410	0.670	12	131.00	0.012	0.0050	2.747	3.498	0.149	0.140	0.255	0.653	0.255	0.653	2.282	0.957	3.68	Type 1	Type 1	Type 1	2.68	
45	44	281.45	278.25	278.25	45	0.67	6.300	0.360	0.360	0.360	8	26.00	0.012	0.0096	1.287	3.687	0.280	0.270	0.357	0.820	0.270	0.820	3.024	0.143	2.95	Type 1	Type 1	Type 1	2.28	
44	24	281.45	277.92	268.44	44	0.06	6.443	0.040	0.400	0.400	12	158.00	0.012	0.0600	9.480	12.070	0.042	0.040	0.130	0.400	0.130	0.400	4.828	0.545	3.53	Type 1	Type 1	Type 1	2.53	
24	24a	276.71	267.94	267.00	24	0.09	9.544	0.060	5.260	5.320	18	150.00	0.012	0.0063	9.033	5.111	0.382	0.380	0.550	1.055	0.550	1.055	5.393	0.464	8.77	Type 2	Type 2	Type 2	7.27	
23	21	301.16	297.97	292.34	23	0.69	6.300	0.480	0.480	0.480	12	194.00	0.012	0.0290	6.593	8.394	0.073	0.070	0.175	0.500	0.175	0.500	4.197	0.770	3.19	Type 1	Type 1	Type 1	2.19	
22	21	296.07	292.93	292.67	22	0.53	6.300	0.360	0.360	0.360	8	26.00	0.012	0.0100	1.313	3.760	0.274	0.270	0.357	0.820	0.357	0.820	3.084	0.141	3.14	Type 1	Type 1	Type 1	2.47	
21	16	296.07	292.34	284.43	21	0.98	6.300	0.580	1.420	1.420	12	115.00	0.012	0.0700	10.239	13.037	0.139	0.130	0.243	0.630	0.243	0.630	8.213	0.279	3.73	Type 1	Type 1	Type 1	2.73	
20	19	294.28	291.01	291.01	20	0.21	6.300	0.150	0.150	0.150	8	27.00	0.012	0.0100	1.313	3.760	0.114	0.110	0.225	0.595	0.150	0.595	2.237	0.201	3.00	Type 1	Type 1	Type 1	2.33	
19	16	294.28	290.68	284.43	19	0.16	6.501	0.110	0.260	0.260	12	50.00	0.012	0.1250	13.683	17.422	0.019	0.010	0.040	0.165	0.040	0.165	0.400	0.290	3.60	Type 1	Type 1	Type 1	2.60	
18	17	289.42	286.73	286.00	18	0.46	6.300	0.320	0.320	0.320	8	26.00	0.012	0.0281	2.199	6.301	0.145	0.140	0.225	0.653	0.170	0.653	4.111	0.105	2.69	Type 1	Type 1	Type 1	2.02	
17	16	289.42	285.67	284.43	17	0.36	6.405	0.250	0.570	0.570	12	207.00	0.012	0.0060	2.995	3.814	0.190	0.190	0.295	0.720	0.295	0.720	2.746	1.256	3.75	Type 1	Type 1	Type 1	2.75	
16	15	294.65	284.18	283.85	x		6.791		2.250	2.250	15	66.00	0.012	0.0050	4.962	4.043	0.453	0.450	0.475	0.983	0.475	0.983	3.972	0.277	10.47	Type 2	Type 2	Type 2	9.22	
15	14	293.35	283.85	283.58	15	0.03	7.068	0.020	2.270	2.270	15	53.00	0.012	0.0051	5.008	4.081	0.453	0.450	0.475	0.983	0.475	0.983	3.972	0.277	9.50	Type 2	Type 2	Type 2	8.25	
14	11	292.33	283.58	283.20	14	0.26	7.288	0.180	2.450	2.450	15	75.00	0.012	0.0051	4.995	4.070	0.491	0.490	0.499	1.010	0.499	1.010	4.111	0.304	8.75	Type 2	Type 2	Type 2	7.50	
13	12	291.73	288.74	288.38	13	0.91	6.300	0.490	0.490	0.490	8	24.00	0.012	0.0150	1.608	4.606	0.405	0.300	0.379	0.855	0.379	0.855	3.938	0.102	2.99	Type 1	Type 1	Type 1	2.32	
12	11	291.73	288.05	283.45	12	0.57	6.402	0.300	0.790	0.790	12	46.00	0.012	0.1000	12.238	15.582	0.065	0.060	0.160	0.465	0.160	0.465	7.246	0.106	3.68	Type 1	Type 1	Type 1	2.68	
11	9	290.93	283.20	282.68	11	0.19	7.592	0.130	3.370	3.500	15	105.00	0.012	0.0050	4.986	4.063	0.676	0.670	0.599	1.093	0.599	1.093	4.441	0.387	7.73	Type 2	Type 2	Type 2	6.48	
10	9	289.30	286.23	283.26	10	0.33	6.300	0.230	0.230	0.230	8	27.00	0.012	0.1100	4.354	12.472	0.053	0.050	0.143	0.428	0.143	0.428	5.332	0.084	3.07	Type 1	Type 1	Type 1	2.40	
9	7	289.19	282.68	280.97	9	0.46	7.979	0.320	3.920	3.920	15	190.00	0.012	0.0090	6.657	5.424	0.389	0.380	0.550	1.055	0.550	1.055	5.092	0.085	6.51	Type 2	Type 2	Type 2	5.26	
8	7	284.72	282.07	281.55	8	1.69	6.300	0.780	0.780	0.780	8	26.00	0.012	0.0200	1.856	5.318	0.420	0.420	0.437	0.938	0.437	0.938	3.065	0.085	2.65	Type 1	Type 1	Type 1	1.98	
7	5	284.72	280.72	275.72	7	0.11	8.532	0.080	4.780	4.780	18	122.00	0.012	0.0410	23.100	13.072	0.207	0.200	0.303	0.735	0.303	0.735	9.608	0.212	4.00	Type 1	Type 1	Type 1	2.50	
6	5	281.84	278.90	276.55	6	0.34	6.																							

Station #	Station Name	Area (A)	Area (B)	Area (C)	Area (D)	Area (E)	Area (F)	Area (G)	Area (H)	Area (I)	Area (J)	Area (K)	Area (L)	Area (M)	Area (N)	Area (O)	Area (P)	Area (Q)	Area (R)	Area (S)	Area (T)	Area (U)	Area (V)	Area (W)	Area (X)	Area (Y)	Area (Z)
3*		281.00	267.00	268.72	5.520	1.20	1.50	0.012	1.767	3.12	0.152	270.63	0.076	0.152	270.86	269.620	0.152	0.203	0.007	270.92	10.08						
3		272.94	269.22	269.88	0.260	1.31	1.00	0.012	0.785	0.33	0.002	270.85	0.006	0.002	270.86	270.480	0.002	0.002		270.86	2.08						
3		281.84	268.72	275.72	5.260	35.00	1.50	0.012	1.767	2.98	0.138	270.92	0.069	0.138	271.13	276.620	0.138	0.184	0.006	276.67	5.17						
5		281.84	276.55	278.90	0.240	24.00	0.67	0.012	0.349	0.69	0.007	276.67	0.008	0.008	276.68	279.300	0.007	0.010		279.30	2.54						
5		284.72	275.72	280.72	4.780	122.00	1.50	0.012	1.767	2.70	0.114	276.67	0.057	0.114	277.06	281.620	0.114		0.018	281.52	3.20						
7		284.72	281.55	282.07	0.780	26.00	0.67	0.012	0.349	2.23	0.078	281.52	0.039	0.078	281.73	282.470	0.078			282.39	2.33						
7		289.19	280.97	282.68	3.920	190.00	1.25	0.012	1.227	3.19	0.158	281.52	0.079	0.158	282.35	283.430	0.158	0.212	0.009	283.49	5.70						
9		289.30	283.26	286.33	0.230	21.00	0.67	0.012	0.353	0.65	0.007	283.49	0.003	0.007	283.51	286.632	0.007	0.009		286.63	2.67						
9		290.93	282.68	283.20	3.370	103.00	1.25	0.012	1.227	2.75	0.117	283.49	0.059	0.117	283.91	283.950	0.117	0.023	0.029	283.89	7.04						
11		291.73	283.45	288.05	0.790	46.00	1.00	0.012	0.785	1.01	0.016	283.90	0.008	0.016	283.93	288.650	0.016	0.013		288.65	3.08						
12		291.73	288.38	288.74	0.490	24.00	0.67	0.012	0.353	1.39	0.030	283.65	0.015	0.030	288.72	289.142	0.030	0.040		289.15	2.58						
11		292.33	283.20	283.58	2.450	75.00	1.25	0.012	1.227	2.00	0.062	283.89	0.031	0.062	284.07	284.330	0.062	0.051		284.32	8.01						
14		293.35	283.58	283.85	2.270	53.00	1.25	0.012	1.227	1.85	0.053	284.32	0.027	0.053	284.45	284.600	0.053	0.044		284.59	8.76						
15		294.65	283.85	284.18	2.250	66.00	1.25	0.012	1.227	1.83	0.052	284.59	0.026	0.052	284.74	284.930	0.052	0.010	0.009	284.90	9.75						
16		289.42	284.43	285.67	0.570	207.00	1.00	0.012	0.785	0.73	0.008	284.90	0.004	0.008	284.95	286.270	0.008	0.016		286.26	3.16						
17		289.42	286.00	286.73	0.320	26.00	0.67	0.012	0.353	0.91	0.013	286.26	0.006	0.013	286.30	287.132	0.013	0.017		287.14	2.28						
16		294.28	284.43	290.68	0.320	50.00	1.00	0.012	0.785	0.41	0.003	284.90	0.001	0.003	284.90	291.260	0.003	0.016		291.28	3.00						
19		294.28	291.01	291.28	0.31	21.00	0.67	0.012	0.353	0.88	0.012	291.28	0.006	0.012	291.31	291.682	0.012	0.016		291.69	2.39						
16		296.07	284.43	292.34	1.420	113.00	1.00	0.012	0.785	1.81	0.051	284.90	0.025	0.051	285.13	292.940	0.051	0.068	0.024	292.98	3.09						
21		296.07	292.67	292.93	0.360	26.00	0.67	0.012	0.353	1.02	0.016	292.98	0.008	0.016	293.02	293.332	0.016	0.022	0.021	293.36	2.71						
21		301.16	292.34	292.97	0.480	194.00	1.00	0.012	0.785	0.61	0.006	292.98	0.003	0.006	293.02	298.570	0.003	0.022		298.57	2.59						
24*		276.71	267.00	267.94	5.260	156.00	1.50	0.012	1.767	2.98	0.138	270.68	0.069	0.138	270.89	268.840	0.138	0.184	0.078	271.01	5.70						
24		281.45	268.44	272.92	0.400	156.00	1.00	0.012	0.785	0.51	0.004	271.01	0.002	0.004	271.03	278.520	0.004	0.005		278.52	2.93						
44		281.45	278.25	278.50	0.360	26.00	0.67	0.012	0.353	1.02	0.016	271.03	0.008	0.016	271.03	278.902	0.016	0.022		278.91	2.54						
24		272.78	268.44	269.10	0.410	131.00	1.00	0.012	0.785	0.52	0.004	271.03	0.002	0.004	271.03	269.700	0.004	0.002		271.03	1.75						
25		272.78	269.43	269.69	0.150	26.00	0.67	0.012	0.353	0.43	0.003	271.03	0.001	0.003	271.04	270.092	0.003	0.004		271.04	1.74						
24		275.25	268.19	271.37	4.390	53.00	1.25	0.012	1.227	3.58	0.199	271.03	0.099	0.199	271.32	272.120	0.199	0.079	0.129	272.13	3.12						
27		275.24	271.95	272.25	0.370	30.00	0.67	0.012	0.353	1.05	0.017	272.13	0.009	0.017	272.18	272.652	0.017	0.023		272.66	2.38						
27		280.86	271.62	277.34	3.650	104.00	1.00	0.012	0.785	4.65	0.335	272.13	0.168	0.335	273.55	277.940	0.335			277.60	3.26						
29		290.70	277.34	284.39	3.360	164.00	1.00	0.012	0.785	4.28	0.384	277.60	0.142	0.384	279.26	284.990	0.384	0.042	0.042	284.75	5.95						
30		291.12	284.72	287.69	0.270	27.00	0.67	0.012	0.353	0.77	0.009	284.75	0.005	0.009	284.77	288.092	0.009	0.010		288.09	3.03						
30		290.69	284.39	284.99	1.490	22	1.00	0.012	0.785	1.90	0.056	284.75	0.028	0.056	284.86	285.590	0.056	0.075	0.001	285.61	5.08						
32		290.69	285.32	287.67	0.030	24.00	0.67	0.012	0.353	0.09	0.000	285.61	0.000	0.000	285.61	288.072	0.000	0.000		288.07	2.62						
32		293.76	284.99	285.40	1.140	81.00	1.00	0.012	0.785	1.45	0.033	285.61	0.016	0.033	285.73	286.000	0.033		0.014	285.98	7.78						
34		288.92	285.40	285.85	0.440	89.00	1.00	0.012	0.785	0.56	0.005	285.98	0.002	0.005	286.00	286.450	0.005	0.007		286.45	2.47						
34		297.26	293.40	294.07	0.700	60.00	1.00	0.012	0.785	0.89	0.012	286.00	0.006	0.012	286.02	294.000	0.012	0.017		294.00	3.26						
36		298.00	293.40	294.07	0.400	110.00	1.00	0.012	0.785	0.51	0.004	294.00	0.002	0.004	294.02	294.670	0.004	0.005		294.67	3.33						
30		300.18	284.39	296.57	1.540	158.00	1.00	0.012	0.785	1.96	0.060	284.75	0.049	0.060	285.09	297.170	0.060		0.007	297.12	3.06						
38		300.18	296.90	297.16	0.150	26.00	0.67	0.012	0.353	0.43	0.003	297.12	0.001	0.003	297.12	297.562	0.003	0.004		297.56	2.62						
38		303.84	296.57	297.41	1.150	77.00	1.00	0.012	0.785	1.46	0.033	297.12	0.017	0.033	297.23	298.010	0.033		0.002	297.98	5.86						
40		305.02	297.41	301.11	1.100	203.00	1.00	0.012	0.785	1.40	0.030	297.98	0.015	0.030	298.18	301.710	0.030	0.041		301.72	3.30						
41		307.23	301.11	302.49	0.970	276.00	1.00	0.012	0.785	1.24	0.024	301.72	0.012	0.024	301.93	303.090	0.024	0.024		303.07	4.16						
40		301.76	298.11	298.73	0.050	123.00	1.00	0.012	0.785	0.66	0.000	297.98	0.000	0.000	297.98	299.330	0.000	0.000		299.33	2.43						

APPENDIX A

Approved Storm Drainage Report



Core Design, Inc.
14711 N.E. 29th Place Suite #101
Bellevue, Washington 98007
425.885.7877 Fax 425.885.7963

STORM DRAINAGE REPORT

FOR

CURRY P.R.D.

REDMOND, WASHINGTON

RECEIVED
APR - 8 2004
ROTHHILL ENGINEERING & SURVEYING
BELLEVUE, WA

Prepared By: **Gina R. Brooks, P.E.**
Date: **April 2002**
Revised: **December 2003, January 2004, March 2004**
Core No.: **00009A**



CURRY P.R.D.
TABLE OF CONTENTS

Section I:	Project Overview
Section II:	Preliminary Conditions Summary
Section III:	Off-Site Analysis
Section IV:	Detention Analysis and Design
Section V:	Conveyance System Analysis and Design
Section VI:	Erosion/Sedimentation Control Design

SECTION I: PROJECT OVERVIEW


The Curry P.R.D. is a proposed residential development consisting of single family residences. The subject property 15.68 acres in size. The property is bordered by 172nd Avenue NE to the west, the Proposed Plat of Wynstone to the north, residential properties to the south, and the Proposed Plat of Whistler Ridge to the east.

The property currently slopes from northwest to southeast with slopes varying from 2% to 7%. The property consists of two single family residences with associated outbuildings. The remaining portion of the property is covered by second growth trees and brush.

Proposed development of the property will include the demolition of all structures on the property and construction of 69 single family residences on 12.36 acres within the property. Frontage improvements along 172nd Avenue NE will also be installed as part of the subject project.

The runoff from the site will be detained on site and released at a controlled rate, based on the City of Redmond's design criteria for detention and water quality. A wetpond will be located at the southeast corner of the site. The detained flows will then be discharged into the proposed storm drainage bypass line located on 174th Place NE that was constructed as part of the Whistler Ridge project.


A small portion of a proposed development, currently named Cogan-Allen P.R.D. located opposite of Curry P.R.D along 172nd Avenue NE, will be discharging its drainage to the proposed tight-lined storm drainage system along 172nd Avenue NE that will be installed for the Curry P.R.D. This area that will be collected by Curry's storm drainage system will be treated and detained within the proposed Curry wetpond.



VICINITY MAP

1" = 2400'

VICINITY MAP
CURRY P.R.D.
CORE NO. 00009A



COGAN-ALLEN P.R.D.
VICINITY MAP
CURRY P.R.D.
CORE NO. 00009A

1
2
3
4

ATTACHMENT B CONDITIONS OF APPROVAL

(Changes are in caps, underlined and in bold)

5 I. PLANNING REQUIREMENTS

6 A. SEPA: A Mitigated Determination of Non-Significance was issued for this project. The
7 MDNS was amended to resolve a scrivener's error on March 28, 2003. The following mitigation
8 measures are incorporated into this approval as conditions of approval:

9
10 1. 172nd Avenue NE. The applicant is required to construct a second southbound lane
11 on 172nd Avenue NE as it approaches NE 116th Street. This will allow for the
12 separation of southbound turning movements, which will decrease vehicle delay and
13 improve level of service. The new lane is required to have a minimum storage length of
14 150 feet along with an appropriate transition back to the existing cross section. The
15 traffic consultant reviewed the results of this improvement in the Traffic Impact Analysis.
16 In 2005 with the project traffic and this mitigation, the southbound through movements
17 will operate at LOS-E, with an approach delay of 42.8 seconds. Thus, this measure
18 effectively mitigates the project impact to this movement by returning the level of service
19 and delay to approximately the same as prior to the development. If the reconstruction of
20 the intersection of NE 116th Street and 172nd Avenue NE as part of the planned widening
21 of NE 116th Street is shown to be fully funded as part of the City of Redmond's 2004
22 Transportation Improvement Program, the City and the project applicant may propose the
23 modification or elimination of this condition.

24 2. Water System. The project proponent shall mitigate adverse quantity or quality
25 impacts that are demonstrated to have occurred during or within one year of site civil
26 construction to domestic water supply wells on adjacent properties. This mitigation shall
27 be required where it can be demonstrated that the adverse impacts occurred as an
28 apparent result of dewatering of utility trench excavations, surface grading, storm-water
29 collection or runoff of turbid storm-water or contamination caused by spillage and
30 seepage of noxious substances on the site during construction. Each of four adjacent
properties is served by its own well, more or less as shown on sheet P3 of the preliminary

1 PRD drawings dated 3/26/02. These adjacent properties potentially affected are King
2 County tax parcel numbers 252605-9098, 252605-9097, 252605-9088 and 252605-9090.
3 **EACH WELL SHALL BE TESTED PRIOR TO CONSTRUCTION TO**
4 **ESTABLISH BASELINE CONDITIONS.** Should an impact **TO THE QUANTITY**
5 **OR QUALITY OF THE WATER** be determined, each impacted property shall be
6 provided with city water service. Water services shall be installed from the main fronting
7 the affected property and meter setters and boxes placed to serve the residence. The
8 water service shall further be extended from the meter box to the house and connection
9 made to the existing plumbing. All work shall be done in accordance with city standards
10 and all applicable codes. Connection, meter installation and reimbursement fees shall be
11 paid to the city.

12 B. General Planning Requirements:

- 13 1. This approval is subject to all general criteria of the Redmond Community
14 Development Guide and Redmond Municipal Code. Refer to Attachment VI.A, General
15 Planning Approval Conditions, for a checklist of drawing, bond, and general planning
16 requirements. The checklist does not substitute for the code; it is intended to be used as a
17 guide in preparing your final construction drawing/building permit submittal. Refer to
18 the Redmond Community Development Guide and Redmond Municipal Code for
19 detailed information on each requirement.
- 20 2. To ensure compliance with residential site standards, at the time that construction
21 drawings are submitted for Public Works review, the applicant shall provide two (2)
22 copies of the construction drawings, clearing/grading plan and tree retention plan at a
23 scale of 1" = 20' to the Planning Department.
- 24 3. A sign permit application must be submitted separately to the Planning Department
25 for review and approval prior to installation of any proposed signs (RCDG Section
26 20D.160.10-020).
- 27 4. Transportation, parks, and fire impact fees shall be assessed at the time of building
28 permit issuance for each residence. The fee in effect at the time of complete building
29 permit application shall apply.
30

1 C. Specific Planning Requirements:
2

3 1. Planned Residential Development Approval. The proposal is dependent upon the
4 approval of a Planned Residential Development application. The Hearing Examiner
5 receives testimony and recommends to approve, conditionally approve, modify, or deny
6 the application for Planned Residential Development to the Redmond City Council. The
7 Preliminary Plat shall not be undertaken except in compliance with the approval of a
8 Planned Residential Development application in the same format as those plans dated
9 December 16, 2002.

10 2. Landscaping:

11 The landscape plan should include landscaping details for the storm water facility, which will
12 enhance its appearance as a naturally occurring water feature (RCDG Section 20D.40.25-080).
13 The general goal should be to create a varied planting pattern with a diversity of native species
14 that would be found in a palustrine emergent, seasonally flooded (or otherwise inundated)
15 wetland. The planting must be appropriate for the water regime that is anticipated. The design
16 should be done by a qualified wetland consultant or landscape architect with experience in
17 wetland mitigation or planting in wetland areas.

18
19 Landscaping shall be coordinated with water/sewer lines and fire hydrants/connections.
20 Trees shall be planted no closer than 8 feet from the centerline of any water/sewer lines. Shrubs
21 shall be planted to maintain at least 4 feet of clearance from the outside edge of the shrub to the
22 center of all fire hydrants/connections. Ground cover may be planted within this radius. (RCDG
23 Section 20D.80.10-150(8)).

24 Planting shall meet the City requirements for site clearance at intersections as identified in
25 Section 20D.210.25 of the Redmond Community Development Guide. (20D.80.10-150(2))

26
27 For any landscaping along 172nd Avenue NE and 174th PLACE NE, an irrigation system
28 shall be maintained by the Home Owners' Association or other means

29 acceptable by the City of Redmond Parks Department. Maintenance of landscaping
30 shall be the responsibility of the Homeowners Association, including that portion

1 located within the public right-of-way along 172nd Avenue NE and 174th **PLACE**
 2 NE. Any installation or other work in the public right of way requires an Extended
 3 Right of Way Use Permit issued by the Public Works Department.

4 Street trees are required as follows (RCDG Section 20D.80.10-140):

Street	Species	Specimen Diameter	Note
172 nd Avenue NE	<u>Cleveland Maples</u>	30'	Minimum 2.5" caliper. Specimen to be grown for street use.
Internal Streets	To be determined.	TBD	Per Landscaping Requirements. Note: The City does not maintain internal street trees.

16 Sensitive Areas:

- 17
- 18 a. A wetland and buffer enhancement plan shall be submitted with the Construction
 19 Drawings. The plan shall meet the requirements of Appendix 20D-2 (V) of the
 20 Redmond Community Development Guide.
- 21 b. A sensitive areas analysis shall be completed for off-site improvements that
 22 extend into areas with potential wetlands or streams. Mitigation will be required
 23 where improvements extend into a sensitive area or its buffer and beyond those
 24 improvements that currently exist.
- 25
- 26
- 27 c. A split rail fence shall be installed to delineate all sensitive areas and native
 28 growth protection area tracts. Sensitive area signage (available from the City of
 29 Redmond) shall be installed to provide for notice in the field regarding the
 30 presence of sensitive areas. Signage shall be affixed to the fence approximately

1 on the midpoint of each lot's rear property line. Where fencing does not abut an
2 individual lot, signage shall be placed approximately every 100'. Signage and
3 fencing shall be shown on the construction drawings. Final location and materials
4 will be subject to approval by the Planning Department.

5
6 **Tree Protection Measures:**

- 7 d. Existing Significant Trees to Remain, as designated on the proposed Tree
8 Preservation Plan, dated 12/16/2002, shall be saved.
- 9
10 e. Tree preservation measures for trees designated to be saved must at a minimum
11 comply with required tree protection in RCDG Section 20D.80.20-100(1). These
12 measures include but are not limited to the following requirements:
- 13 i. All construction activities, including staging and traffic areas, shall be
14 prohibited within five feet of the dripline of protected trees.
 - 15
16 ii. Tree protection barriers shall be installed along the outer edge and
17 completely surround the area 5' from the dripline of significant trees to be
18 protected prior to any land disturbance.
 - 19
20 iii. Tree protection barriers shall be a minimum of four feet high, constructed
21 of chain link, or polyethylene laminar safety fencing or similar material.
22 "Tree Protection Area" signs shall be posted visibly on all sides of the
23 fenced areas. Signs requesting subcontractor cooperation and compliance
24 with tree protection standards may also be required to be posted at site
25 entrances.
 - 26
27 iv. Where tree protection areas are remote from areas of land disturbance, and
28 where approved by the Planning Department, alternative forms of tree
29 protection may be used in lieu of tree protection barriers, provided that
30 protected trees are completely surrounded with continuous rope or
flagging and are accompanied by "Tree Save Area-Keep Out" signs.

1 v. Per RCDG Section 20D.80.20-080(1), each significant tree that is
2 removed on the site must be replaced by one new tree. The required
3 number of replacement trees must be identified on the Tree Replacement
4 Plan. The minimum size of replacement trees is 2-½ -inch caliper for
5 deciduous trees and six to eight feet in height for evergreen trees.
6 **STREET TREES OF THIS CALIPER WILL BE COUNTED AS**
7 **REPLACEMENT TREES.**

8 vi. Two copies of the final Tree Preservation Plan, Landscape Plan and Tree
9 Replacement Plans at 1"=20' scale must be submitted with construction
10 drawings and approved prior to issuance of construction drawings. The
11 final plans shall be prepared or approved by a licensed landscape architect,
12 registered Washington certified nurseryman or registered Washington
13 certified landscaper (RCDG Section 20D.80.10-040). This certification
14 shall be noted on all landscape-related plans. A copy of the Tree
15 Preservation Plan shall be recorded with the Final Plat.

16 vii. Restrictive covenants shall include a statement notifying property owners
17 and the Homeowner's Association that significant and landmark trees on
18 individual lots may only be removed in accordance with the approved tree
19 retention plan. This language shall be reviewed and approved by the
20 Planning Department prior to recording of the restrictive covenants with
21 King County.

22 viii. A tree health assessment shall be completed for off-site improvements that
23 extend into areas with significant and landmark trees. Mitigation will be
24 required where trees are removed or improvements extend within 5' of the
25 dripline of any healthy, significant or landmark tree, beyond those
26 improvements that currently exist.

27
28
29 Reduction of Front Yard Setback. The proposed reduction in front yard setback to below the
30 required 10' is not approved. The site plan shall be revised such that the 10' front yard setback is
met. Impacts to trees resulting from the change shall be mitigated.

1 II. ENGINEERING REQUIREMENTS

2 A. No lots shall be permitted direct access to 172nd Avenue NE. The specific lots affected by
3 this restriction shall be listed on the face of the final plat and other documents.

4 B. Easements & Dedications: Existing and proposed easements and rights-of-way shall be
5 shown on the final plat, civil plans and other documents. Any existing easements for ingress,
6 egress, private utilities, franchise utilities, etc. that lie within the Plat or within rights-of-way
7 adjacent to the Plat shall be released or modified to the City of Redmond's satisfaction prior to
8 final plat approval.

9
10 1. Public easements are required as follows:

11 a) 10-foot wide for sidewalk and utilities adjacent to the right of way along the
12 east side of 172nd Avenue NE.

13 b) 10-foot wide for sidewalk and utilities adjacent to the right of way along the
14 west side of 174th Place NE.

15 c) 10-foot wide for sidewalk and utilities adjacent to the rights of way along both
16 sides of the internal plat streets: NE 117th Way, NE 119th Court, NE 119th Way,
17 173rd Place NE.

18 d) 10-foot wide for pedestrians from NE 119th Court across private Tract E to
19 172nd Avenue NE and from 173rd Place NE across private Tracts G and H to 174th
20 Place NE.

21 e) Rights-of-way dedicated to the City of Redmond are required as follows: 50
22 feet wide for the internal plat streets: NE 117th Way, NE 119th Court, NE 119th
23 Way, 173rd Place NE.

24 f) Private tracts are required as follows:

25 (1) 35 feet wide for the internal plat streets within Tracts F, G and I.

26 (2) 20 feet wide for the internal plat streets within Tracts E and H.

27 (3) New right-of-way lines joining at intersections shall connect with a
28 minimum of a 25-foot radius, or with a chord that encompasses an
29
30

1 equivalent area. The area formed by this radius or chord shall also be
2 dedicated as right-of-way.

3 (4) All lots are subject to an easement for utilities and drainage facilities
4 over, under and across a strip of land 2-1/2 feet wide along each side of
5 the interior lot lines within the development, together with a strip of land 5
6 feet wide along the lot lines around the perimeter of the development.

7
8 **C. Public and Private Engineering/Transportation Improvements**

9 1. Half street improvements are required on 172nd Avenue NE including asphalt paving
10 18 feet from centerline to face of curb with appropriate tapers, type A-1 concrete curb
11 and gutter, planter strip, concrete sidewalk, storm drainage, streetlights, street trees, street
12 signs and underground utilities including power and telecommunications. The minimum
13 pavement section for 172nd Avenue NE shall consist of:

- 14 a) 4" Asphalt Pavement Cl. A
15 b) 5" Asphalt Pavement Cl. E
16 c) Subgrade compacted to 95% compacted maximum density as determined by
17 modified Proctor (ASTMD 1557)
18 d) Street crown 2% sloped to drain system

19
20 2. Half street improvements are required on 174th Place NE behind the existing curb and
21 gutter including planter strip, concrete sidewalks, street lights, street trees, street signs
22 and underground utilities including power and telecommunications.

23 3. On 172nd Avenue NE and 174th Place NE the asphalt street shall be planed, overlaid,
24 and/or patched to repair damage done by utility cuts and other work, as determined by the
25 Engineering Division.

26 4. Sidewalks constructed to City standards are required within the pedestrian easements
27 between private Tract E and 172nd Avenue NE and between private Tracts G and H.

28 5. Other off-site improvements include widening of 172nd Avenue NE on the
29 southbound approach to NE 116th Street as outlined in the SEPA conditions for this Plat.
30

1 6. Prior to the City allowing occupancy of any home constructed within the Curry
2 Property Plat, the developer shall design and construct an interim walkway for school
3 children along the east side of 172nd Avenue NE from the pedestrian connection at Tract
4 E to NE 116th Street, along with other minor improvements at the 172nd Avenue NE/NE
5 116th Street intersection as needed to ensure safe crossing of these streets. The interim
6 walkway shall be constructed of asphalt or Portland cement concrete. The interim
7 walkway shall be a minimum of 5-feet wide when located adjacent to curb and gutter or
8 other traffic barrier acceptable to the City. The interim walkway shall be a minimum of
9 4-feet wide and located a minimum of 10-feet from the street edge where no curb and
10 gutter or other traffic barrier acceptable to the City exists. A safety railing or fencing will
11 be required when (1) the interim walkway is located at the top of a slope or wall that is
12 2:1 or steeper and (2) the walkway elevation is 30-inches or higher than the toe of the
13 slope or wall. This requirement is also a condition for the Wynstone Plat located to the
14 north of the Curry Property. The applicant is encouraged to work with the Wynstone Plat
15 applicant to share the cost of this improvement. For that portion of the safe walking route
16 across Tax Parcel 252605-9098, completion of the curb, gutter and sidewalk is likely the
17 most cost effective alternative.

18 7. All vehicle use areas including driveways, private streets, service areas, etc. shall be
19 paved.

20 8. Specific subdivision public street improvement conditions for NE 117th Way, NE
21 119th Court, NE 119th Way, 173rd Place NE:

22 a) Street improvements within the 50-foot wide dedicated right-of-way shall
23 include asphalt paving (28 feet curb to curb), with appropriate tapers, type A-1
24 concrete curb and gutter, planter strips, street trees, concrete sidewalks, storm
25 sewers, streetlights, street signs, and underground utilities including power and
26 telecommunications. The minimum pavement section for the streets shall consist
27 of:

28 (1) 3" Asphalt Pavement Cl. B

29 (2) 4" Asphalt Treated Base
30

- 1 (3) Subgrade compacted to 95% compacted maximum density as
2 determined by modified Proctor (ASTMD 1557)
3
4 (4) Street crown 2% sloped to drain system
5
6 (5) The cul-de-sac on NE 119th Court is required to have a minimum
7 radius of 44 feet to the face of curb. A planter island shall be provided in
8 the center of the cul-de-sac to reduce, as much as possible, the amount of
9 asphalt. The maintenance of the landscape in the island shall be the
10 responsibility of the adjacent property owners. This maintenance
11 requirement shall be included on the face of the final plat.

12 b) Specific short subdivision private street improvement conditions for the
13 internal streets within Tracts F, G and I:

14 (1) Street improvements shall include asphalt paving (28 feet), with
15 appropriate tapers, thickened asphalt edge or type A-1 concrete curb and
16 gutter, concrete sidewalk (one side), storm sewers, street signs, and
17 underground utilities including power and telecommunications. The
18 minimum pavement section for the streets shall consist of:

- 19 (a) 2" Asphalt Pavement Class B
20 (b) 4" Crushed Rock surfacing
21 (c) Subgrade compacted to 95% compacted maximum density as
22 determined by modified Proctor (ASTM D 1557)
23 (d) Street crown 2% sloped to drain system

24 c) Specific short subdivision private street improvement conditions for the
25 internal streets within Tracts E and H:

26 (1) Street improvements shall include asphalt paving (20 feet), with
27 appropriate tapers, thickened asphalt edge or type A-1 concrete curb and
28 gutter, storm sewers, street signs, and underground utilities including
29 power and telecommunications. The minimum pavement section for the
30 streets shall consist of:

- (a) 2" Asphalt Pavement Class B
- (b) 4" Crushed Rock surfacing
- (c) Subgrade compacted to 95% compacted maximum density as determined by modified Proctor (ASTM D 1557)
- (d) Street crown 2% sloped to drain system

(2) Installation of mailbox stand(s) shall be in accordance with City standards.

d) All power, telephone, streetlights, etc. shall be shown on the engineering drawings and landscape plans submitted for construction permits.

e) A composite drawing that includes all utilities, landscaping including trees, etc., is necessary to minimize the possibility of utilities/landscaping conflicts.

f) Conversion of Aerial Utilities (Power, Telephone, T.V., Etc. to Underground)

(1) All aerial utilities shall be converted to underground along all street frontages and within the plat according to 20D.220.10 "Underground Wiring" in the Redmond Community Development Guide.

D. The applicant shall meet the construction plan and construction requirements in Attachment B, "REQUIREMENTS FOR CONSTRUCTION DRAWINGS" and Attachment C, "GENERAL INFORMATION AND ADMINISTRATION REQUIREMENTS" from the Technical Committee Report dated March 31, 2003.

III. UTILITIES REQUIREMENTS

A. Sewer

1. Sewer service will require a developer extension of the City of Redmond sewer system as follows:

a) Construct sanitary sewer improvements more or less as shown on the Preliminary Plat drawings dated December 12, 2002.

1 b) (The sewer main location shown on the site plan may not conform to City
2 standard location. Revisions to comply with City standard locations may be
3 required.)

4 2. Vehicular access to all new and existing manholes shall be provided. The access
5 easement shall be a minimum of 20 feet in width with asphalt concrete surfacing.
6 Alternative surfacing may be approved by the City depending upon the location. If
7 access passes through fencing then 14-foot minimum width gates shall be provided. The
8 plat or easement document shall (1) show and dedicate the 20-foot access easement, (2)
9 have covenants advising property owners of their obligation to maintain the availability
10 of the access by providing gates and not obstructing the access, and (3) that the property
11 owners maintain, repair and replace the access surfacing as needed.

12 **B. Water:**

13 1. Water service will require a developer extension of the City of Redmond water
14 system as follows:

15 a) Construct on-site water improvements more or less as shown on the
16 Preliminary Plat drawings dated December 12, 2002. A 12-inch water main shall
17 be constructed to serve the site in 172nd Avenue NE from NE 116th Street to the
18 northern limits of the plat, more or less as shown on the Preliminary Plat
19 drawings. An 8-inch stub shall be extended across 172nd Avenue NE in the
20 vicinity of NE 117h Street and connected with the existing 8-inch main in that
21 vicinity.
22 b) (The water main location shown on the site plan may not conform to City

23 standard locations. Revisions to comply with City standard locations may be
24 required.)
25

26 **IV. CLEARING/GRADING AND STORMWATER MANAGEMENT**

27 **A. Erosion control systems must be implemented throughout the construction process and until**
28 **the site is stabilized. Design of all systems must be in accordance with section 20E.90.10 of the**
29 **Community Development Guide and the most recent issue of the City of Redmond**
30 **STORMWATER MANAGEMENT AND EROSION CONTROL TECHNICAL NOTEBOOK**

1 (notebook). Contact the Stormwater Division at 556-2890 for information about, or a copy of,
2 the notebook. Preferred methods for management and control are discussed in the notebook.

3 **B. Stormwater Management**

4 1. Quantity Control

5 a) In an open pond; provide detention for peak discharge control to match one
6 half of the 2-year and match the 10-year and 100-year storms natural (prior to any
7 development) runoff peak flow rates.

8 b) Provide for overflow routes through the site for the 100 year storm runoff
9 (100 year flow may not impact any buildings).

10 2. Quality control. Use a lined, open pond to provide water quality treatment for the
11 runoff from the 6-month, 24-hour design storm event. Use the developed condition land
12 use when determining the water quality storm flow rate and volume.

13 3. Provide maintenance vehicle access to the pond bottom and outlet control structure
14 from 174th Place NE.

15 **C. Miscellaneous**

16 1. Construction activities may be limited or suspended during the rainy season (October
17 1 – April 30).

18 2. Stencil all on-site storm drainage inlets with "DUMP NO WASTE DRAINS TO
19 STREAM". Stencils are available from the Stormwater Division located at the City
20 Annex (phone 556-2840). Design plans shall identify the requirement to stencil drainage
21 inlets. Easements will be required for any public conveyance systems.

22 3. Trees are not allowed within 8 feet of storm systems.

23 4. Ponds shall be lined in accordance with the Department of Ecology Stormwater
24 Management Manual for the Puget Sound Basin, (1992).

25 5. Designate private roads on the construction plans and plat drawings by adding
26 (Private) after the road name.

27 **V. FIRE PROTECTION**

1 A. EMERGENCY VEHICLE ACCESS ROADWAY REQUIREMENTS

2 1. Emergency vehicle access roadways shall be an unobstructed 20 feet in width and 13'
3 6" high. Turning radii shall be 25' interior and 45' exterior.

4 2. Fire lanes shall be located wherever curbs, road edges, or loading areas are adjacent
5 to the 20-foot wide vehicle access roadway. Fire lanes identified through site plan review
6 shall be included on the final civil drawings. Additional fire lanes and marking may be
7 required anytime during the life of the development upon evaluation by and direction of
8 the Fire Marshal. Where fire lanes are a 28 feet wide access tract or easement, the side
9 not used for parking shall be signed "No Parking - this side" or "No Parking -Fire Lane-
10 this side". If the access tract or easement is 20 feet then both sides shall be signed.

11 3. Driveway entries or curb returns shall be provided to meet minimum roadway radii at
12 all tracts, easements or other intersections. Do not measure into areas where parking is
13 allowed. This includes where Tract E meets 172nd Ave NE.

14 4. Traffic circles shall not impede into required radii. The circle at NE 119th and Tract
15 E, and at NE 119th and 173rd AVE NE shall be reduced in diameter to allow through
16 movements in both directions.
17

18 B. ADDRESSING

19 1. Each lot shall have the building address numerals installed per the Redmond Fire
20 Department Design and Construction Guide. A nominal 6-inch high numeral shall be
21 used.

22 2. Approval is required for building and unit addressing.

23 3. Temporary signs shall be used at the job site as soon as construction begins.
24 Numerals shall be high contrast in color, face the street fronting the property, and be a
25 minimum 6" high.

26 4. The "T" road labeled NE 118th shall be called 172nd Ct NE and so signed at the
27 intersection with NE 117th Way. Lots 66, 65 and 64 shall be addressed with 117xx,
28 ascending odd numbers. Lots 62 and 63 shall be addressed with 117xx, ascending even
29 numbers.
30

1 5. Lots 14, 13, 16, 15 shall be ascending odd numbers addressed off 174th PI NE.

2 C. CITY APPROVED FIRE ALARM SYSTEM: Single station smoke detection is required in
3 all residential occupancies.



4 D. KNOX BOX: A "Knox" padlock is the only locking device approvable for the bollards at
5 Tract E. Contact the Redmond Fire Department for purchase information.
6

7 E. HYDRANTS

8 1. Hydrants must be in place and serviceable prior to combustible construction.

9 2. Planter islands or peninsulas for hydrants require a minimum diameter of 8 feet. Four
10 feet is to be maintained between face of curbs and fire protection equipment. Hydrants
11 shall not be located behind parking. See the hydrant on the west side of 173rd PI NE, just
12 south of NE 118th CT (Tract F). This may need to be moved to the east side of the street.

13 OTHER: ADDITIONAL REQUIREMENTS MAY BE SET ON REVIEW OF CIVIL,
14 ARCHITECTURAL, FIRE ALARM AND/OR FIRE SPRINKLER PLANS.
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30



DATE	DECEMBER, 2001
DESIGNED	BRAIG KRUEGER
DRAWN	M. J. STEWART
APPROVED	J.A. OLSEN
	JAMES A. OLSEN, P.E. PROJECT MANAGER

PRELIMINARY PLAT
CURRY PROPERTY
CAMWEST REAL ESTATE DEVELOPMENT
 9720 NE 120TH PL. #100
 KIRKLAND, WA 98034

CORE DESIGN
 ENGINEERING · PLANNING · SURVEYING

4205 148th Ave. N.E. Suite 100
 Bellevue, Washington 98007
 425.885.7877 Fax 425.885.7963



NO.	REVISIONS	DATE
1	PER CITY COMMENTS	3-28-02
2	PER CITY COMMENTS	3-13-02
3	PER CITY COMMENTS	2-10-02

SECTION III: OFFSITE ANALYSIS

Upstream:

Upstream area will consist of the open space designated within the property along with the property that is surrounded by the subject property and adjacent to 172nd Avenue NE. The asphalt section along the frontage on 172nd Avenue NE from the crown of the road to the existing edge of asphalt will also be considered upstream tributary area.

Downstream:

The site naturally drains to a low area located at the southeast corner of the site. A wetpond will be located in this low area and will discharge to the 18" storm drainage bypass system along 174th Place NE that was constructed as part of the Whistler Ridge development (PPL99-001). The bypass line will convey flows south along the proposed 174th Place NE and then east along NE 116th Street.

Drainage that enters the bypass system along 174th Place NE will include the discharge from the Curry PRD pond plus some adjacent residences along 174th Place NE. The storm drainage report for Whistler Ridge does not state the allowable release rate from the Curry PRD that can be conveyed within the bypass system. Therefore, a basin analysis has been completed within this report in Section V that shows all flows approaching and entering the bypass system along 174th Place NE and an analysis of the bypass system and whether or not the size is adequate to accept the incoming drainage.

SECTION IV: DETENTION ANALYSIS AND DESIGN

A. Hydraulic Analysis

Storm water runoff for the site was modeled using WaterWorks hydrology software and the Santa Barbara Urban Hydrograph Methodology. Soils type on-site are Alderwood gravely sandy loam, hydrologic group C. The detention criteria used for this analysis is per the Stormwater Management Manual for the Puget Sound. The required peak release rates are as follows:

Dev 2-year, 24-hr peak release → 50% Pre-Dev 2-year, 24-hr peak release
Dev 10-year, 24-hr peak release → Pre-Dev 10-year, 24-hr peak release
Dev 100-year, 24-hr peak release → Pre-Dev 100-year, 24-hr peak release


The precipitation rates used for this analysis are as follows:

6-month, 24-hour storm → 1.16 in.
2-year, 24-hour storm → 1.81 in.
10-year, 24-hour storm → 2.73 in.
100-year, 24-hour storm → 3.69 in.

Pre-Developed Conditions

Pre-Developed conditions for the project site were analyzed assuming 100% pervious ground cover consisting of second growth forest as defined in the City of Redmond code under the definition of Pre-Development Conditions. See "Site Plan Basin Map" exhibit on the following pages. Proposed development of the property will include the demolition of all structures on the property and construction of 69 single family residences on 12.36 acres within the property boundary. Half-street improvements along 172nd Avenue NE adjacent to the property will be constructed as part of the development. The area defined as the existing site will include that area along the frontage from the edge of existing asphalt to the property line. A portion of the frontage will be bypassing the proposed storm drainage system. Another portion of improvements along 172nd Avenue NE which includes the addition of a 25:1 taper and a 5' asphalt walkway from the subject site to NE 116th Street will also bypass the proposed storm drainage system. These areas of bypass, 5,421 square feet or 0.12 acre, will be compensated for by taking an equal area of existing asphalt along the frontage that will be collected and treating it as 2nd Growth Forest in its existing condition. This is a conservative approach since the frontage improvements will include some pervious area installation in the form of a planter strip.

Frontage area that will be collected, detained, and treated within the site boundary is 0.51 acre. This frontage area includes those areas that will be directly collected by the proposed 172nd Avenue NE conveyance system but does not include the delineated



**KING COUNTY
SOIL SURVEY
CURRY P.R.D.
CORE NO. 00009A**


T. 26 N.
T. 25 N.
AmD
BOTHELL 7 MI. N.
(Joins sheet 1)

STORMWATER MANAGEMENT MANUAL FOR THE PUGET SOUND BASIN

Table III-1.6 Hydrologic Soil Groups for Soils in the Puget Sound Basin

Soil Type	Hydrologic Soil Group	Soil Type	Hydrologic Soil Group
Agnew	C	Colter	C
Ahl	B	Custer	ND
Aits	C	Dabob	ND
Alderwood	C	Delphi	D
Arends, Alderwood	B	Dick	ND
Arends, Everett	B	Dimal	D
Ashoe	B	Dupont	D
Baldhill	B	Earlmont	C
Barneston	C	Edgewick	C
Baumgard	B	Eld	B
Beausite	B	Elwell	B
Belfast	C	Esquatzel	B
Bellingham	D	Everett	A
Bellingham variant	C	Everson	D
Boistfort	B	Galvin	D
Bow	D	Getchell	A
Briscot	D	Giles	B
Buckley	C	Godfrey	D
Bunker	B	Greenwater	A
Cagey	C	Grove	A
Carlsborg	ND	Groves	C
Casey	ND	Harstine	C
Cassolary	C	Hartnit	ND
Cathcart	B	Hoh	ND
Centralia	B	Hoko	ND
Chehalis	B	Hoodsport	ND
Chesaw	A	Hoogdal	C
Cinebar	B	Hoypus	ND
Clallam	C	Huel	ND
Clayton	B	Indianola	ND
Coastal beaches	variable	Jonas	B
Kapowsin	C/D	Jumpe	ND
Katula	C	Kalaloch	C
Kilchis	C	Renton	D
Kitsap	C	Republic	B
Klaus	ND	Riverwash	variable
Klone	ND	Rober	C
Lates	C	Salal	C
Lebam	B	Salkum	B
Lummi	ND	Sammamish	D
Lynnwood	ND	San Juan	ND
Lystair	ND	Scamman	D
Mal	C	Schneider	B
Manley	B	Seattle	D
Mashel	B	Sekiu	ND
Maytown	C	Semiahmoo	D
McKenna	D	Shalcar	D
McMurray	ND	Shano	B
Melbourne	B	Shelton	C
Menzel	ND	Si	C
Mixed Alluvial	variable	Sinclair	C
Molson	B	Skipopa	D
Mukilteo	C/D	Skykomish	B
Naff	B	Snahopish	ND
Nargar	A	Snohomish	D
National	ND	Solduc	B
Neilton	A	Solleks	ND
		Spana	D

FIGURE 3.5.1H 100-YEAR 24-HOUR ISOPLUVIALS



3.69 in


100-YEAR 24-HOUR PRECIPITATION
3.4 — ISOPLUVIALS OF 100-YEAR 24-HOUR
TOTAL PRECIPITATION IN INCHES

0 1 2 3 4 5 6 7 8 Miles

1: 300,000

3.5.1-13

1/90



SITE

42°30'

T. 26 N.

T. 25 N

BOTHELL 7 MI. N
(Joins sheet 1)

**KING COUNTY
SOIL SURVEY
CURRY P.R.D.
CORE NO. 00009A**


STORMWATER MANAGEMENT MANUAL FOR THE PUGET SOUND BASIN

Table III-1.6 Hydrologic Soil Groups for Soils in the Puget Sound Basin

Soil Type	Hydrologic Soil Group	Soil Type	Hydrologic Soil Group
Agnew	C	Colter	C
Ahl	B	Custer	ND
Aits	C	Dabob	ND
Alderwood	C	Delphi	D
Arents, Alderwood	B	Dick	ND
Arents, Everett	B	Dimal	D
Ashoe	B	Dupont	D
Baldhill	B	Earlmont	C
Barneston	C	Edgewick	C
Baumgard	B	Eld	B
Beausite	B	Elwell	B
Belfast	C	Esquatzel	B
Bellingham	D	Everett	A
Bellingham variant	C	Everson	D
Boistfort	B	Galvin	D
Bow	D	Getchell	A
Briscot	D	Gilea	B
Buckley	C	Godfrey	D
Bunker	B	Greenwater	A
Cagey	C	Grove	C
Carlsborg	ND	Harstine	C
Casey	ND	Hartnit	ND
Cassolary	C	Hoh	ND
Cathcart	B	Hoko	ND
Centralia	B	Hoodsport	ND
Chehalis	B	Hoogdal	C
Chesaw	A	Hoypus	ND
Cinebar	B	Huel	ND
Clallam	C	Indianola	ND
Clayton	B	Jonas	B
Coastal beaches	variable	Jumpe	ND
Kapowsin	C/D	Kalaloch	C
Katula	C	Renton	D
Kilchis	C	Republic	B
Kitsap	C	Riverwash	variable
Klaus	ND	Rober	C
Klone	ND	Salal	C
Lates	C	Salkum	B
Lebam	B	Sammamish	D
Lummi	ND	San Juan	ND
Lynnwood	ND	Scamman	D
Lystair	ND	Schneider	B
Mal	C	Seattle	D
Manley	B	Sekiu	ND
Mashel	B	Semiahmoo	D
Maytown	C	Shalcar	D
McKenna	D	Shano	B
McMurray	ND	Shelton	C
Melbourne	B	Si	C
Menzel	ND	Sinclair	C
Mixed Alluvial	variable	Skipopa	D
Molson	B	Skykomish	B
Mukilteo	C/D	Snahopish	ND
Naff	B	Snohomish	D
Nargar	A	Solduc	B
National	ND	Solleks	ND
Neilton	A	Spana	D

2.73 in

FIGURE 3.5.1E 10-YEAR 24-HOUR ISOPLUVIALS



10-YEAR 24-HOUR PRECIPITATION

— 3.4 — ISOPLUVIALS OF 10-YEAR 24-HOUR TOTAL PRECIPITATION IN INCHES

0 1 2 3 4 5 6 7 8 Miles


1: 300,000

3.5.1-10

1/90

40

FIGURE 3.5.1H 100-YEAR 24-HOUR ISOPLUVIALS



3.69in

100-YEAR 24-HOUR PRECIPITATION
 3.4 — ISOPLUVIALS OF 100-YEAR 24-HOUR
 TOTAL PRECIPITATION IN INCHES

0 1 2 3 4 5 6 7 8 Miles

1: 300,000

3.5.1-13

1/90

STORMWATER MANAGEMENT MANUAL FOR THE PUGET SOUND BASIN

Table III-1.6 Hydrologic Soil Groups for Soils in the Puget Sound Basin

Soil Type	Hydrologic Soil Group	Soil Type	Hydrologic Soil Group
Agnew	C	Colter	C
Ahl	B	Custer	ND
Aits	C	Dabob	ND
Alderwood	C	Delphi	D
Arents, Alderwood	B	Dick	ND
Arents, Everett	B	Dimal	D
Ashoe	B	Dupont	D
Baldhill	B	Earlmont	C
Barneston	C	Edgewick	C
Baumgard	B	Eld	B
Beausite	B	Elwell	B
Belfast	C	Esquatzel	B
Bellingham	D	Everett	A
Bellingham variant	C	Everson	D
Boistfort	B	Galvin	D
Bow	D	Getchell	A
Briscot	D	Giles	B
Buckley	C	Godfrey	D
Bunker	B	Greenwater	A
Cagey	C	Grove	C
Carlsborg	ND	Harstine	C
Casey	ND	Hartnit	ND
Cassolary	C	Hoh	ND
Cathcart	B	Hoko	ND
Centralia	B	Hoodsport	ND
Chehalis	B	Hoogdal	C
Chesaw	A	Hoypus	ND
Cinebar	B	Huel	ND
Clallam	C	Indianola	ND
Clayton	B	Jonas	B
Coastal beaches	variable	Jumpe	ND
Kapowain	C/D	Kalaloch	C
Katula	C	Reston	D
Kilchis	C	Republic	B
Kitsap	C	Riverwash	variable
Klaus	ND	Rober	C
Klone	ND	Salal	C
Lates	C	Salkum	B
Lebam	B	Sammanish	D
Lummi	ND	San Juan	ND
Lynnwood	ND	Scamman	D
Lystair	ND	Schneider	B
Mal	C	Seattle	D
Manley	B	Sekiu	ND
Mashei	B	Semiahmoo	D
Maytown	C	Shalcar	D
McKenna	D	Shano	B
McMurray	ND	Shelton	C
Melbourne	B	Si	C
Menzel	ND	Sinclair	C
Mixed Alluvial	variable	Skipopa	D
Molson	B	Skykomish	B
Mukilteo	C/D	Snahopish	ND
Naff	B	Snohomish	D
Nargar	A	Solduc	B
National	ND	Solleks	ND
Neilton	A	Spana	D


STORMWATER MANAGEMENT MANUAL FOR THE PUGET SOUND BASIN

Table III-1.3 SCS Western Washington Runoff Curve Numbers
 (Published by SCS in 1982) Runoff curve numbers for selected agricultural,
 suburban and urban
 land use for Type 1A rainfall distribution, 24-hour storm duration.

LAND USE DESCRIPTION		CURVE NUMBERS BY HYDROLOGIC SOIL GROUP			
		A	B	C	D
Cultivated land(1):	winter condition	86	91	94	95
Mountain open areas:	low growing brush & grasslands	74	82	89	92
Meadow or pasture:		65	78	85	89
Wood or forest land:	undisturbed	42	64	76	81
Wood or forest land:	young second growth or brush	55	72	81	86
Orchard:	with cover crop	81	88	92	94
Open spaces, lawns, parks, golf courses, cemeteries, landscaping.					
Good condition:	grass cover on $\geq 75\%$ of the area	68	80	86	90
Fair condition:	grass cover on 50-75% of the area	77	85	90	92
Gravel roads & parking lots:		76	85	89	91
Dirt roads & parking lots:		72	82	87	89
Impervious surfaces, pavement, roofs etc.		98	98	98	98
Open water bodies:	lakes, wetlands, ponds etc.	100	100	100	100
Single family residential(2):					
Dwelling Unit/Gross Acre	%Impervious(3)				
1.0 DU/GA	15				
1.5 DU/GA	20				
2.0 DU/GA	25				
2.5 DU/GA	30				
3.0 DU/GA	34				
3.5 DU/GA	38				
4.0 DU/GA	42				
4.5 DU/GA	46				
5.0 DU/GA	48				
5.5 DU/GA	50				
6.0 DU/GA	52				
6.5 DU/GA	54				
7.0 DU/GA	56				
PUD's, condos, apartments, commercial businesses & industrial areas	%impervious must be computed				
		Separate curve number shall be selected for pervious & impervious portions of the site or basin			

- (1) For a more detailed description of agricultural land use curve numbers refer to National Engineering Handbook, Sec. 4, Hydrology, Chapter 9, August 1972.
- (2) Assumes roof and driveway runoff is directed into street/storm system.
- (3) The remaining pervious areas (lawn) are considered to be in good condition for these curve numbers.

FIGURE 3.5.1C 2-YEAR 24-HOUR ISOPLUVIALS



2.73 in

FIGURE 3.5.1E 10-YEAR 24-HOUR ISOPLUVIALS





FIGURE 3.5.1H 100-YEAR 24-HOUR ISOPLUVIALS



CORE NO. 00009A

=====

BASIN SUMMARY

BASIN ID: ex002 NAME: existing 2-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 12.87 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 1.81 inches AREA...: 12.87 Acres 0.00 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 81.00 0.00
 TC.....: 126.62 min 0.00 min

 ABSTRACTION COEFF: 0.20
 TcReach - Sheet L: 300.00 ns:0.8000 p2yr: 1.81 s:0.0330
 TcReach - Shallow L: 922.00 ks:3.00 s:0.0320
 PEAK RATE: 0.40 cfs VOL: 0.52 Ac-ft TIME: 780 min

BASIN ID: ex010 NAME: existing 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 12.87 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 12.87 Acres 0.00 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 81.00 0.00
 TC.....: 126.62 min 0.00 min

 ABSTRACTION COEFF: 0.20
 TcReach - Sheet L: 300.00 ns:0.8000 p2yr: 1.81 s:0.0330
 TcReach - Shallow L: 922.00 ks:3.00 s:0.0320
 PEAK RATE: 1.04 cfs VOL: 1.19 Ac-ft TIME: 550 min

BASIN ID: ex100 NAME: existing 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 12.87 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 12.87 Acres 0.00 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 81.00 0.00
 TC.....: 126.62 min 0.00 min

 ABSTRACTION COEFF: 0.20
 TcReach - Sheet L: 300.00 ns:0.8000 p2yr: 1.81 s:0.0330
 TcReach - Shallow L: 922.00 ks:3.00 s:0.0320
 PEAK RATE: 1.94 cfs VOL: 2.00 Ac-ft TIME: 550 min

CORE NO. 00009A
POND CALCULATIONS

=====

BASIN SUMMARY

BASIN ID: ex002CA NAME: existing 2-yr (Cogan-Allen)
 SBUH METHODOLOGY
 TOTAL AREA.....: 1.49 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 1.81 inches AREA...: 1.49 Acres 0.00 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 81.00 0.00
 TC.....: 87.41 min 0.00 min

ABSTRACTION COEFF: 0.20
 TcReach - Sheet L: 300.00 ns:0.8000 p2yr: 1.81 s:0.0450
 TcReach - Channel L: 42.00 kc:17.00 s:0.0040
 TcReach - Channel L: 24.00 kc:42.00 s:0.0040
 TcReach - Channel L: 11.00 kc:17.00 s:0.0360
 PEAK RATE: 0.05 cfs VOL: 0.06 Ac-ft TIME: 660 min

BASIN ID: ex010CA NAME: existing 10-yr (Cogan-Allen)
 SBUH METHODOLOGY
 TOTAL AREA.....: 1.49 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 1.49 Acres 0.00 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 81.00 0.00
 TC.....: 87.41 min 0.00 min

ABSTRACTION COEFF: 0.20
 TcReach - Sheet L: 300.00 ns:0.8000 p2yr: 1.81 s:0.0450
 TcReach - Channel L: 42.00 kc:17.00 s:0.0040
 TcReach - Channel L: 24.00 kc:42.00 s:0.0040
 TcReach - Channel L: 11.00 kc:17.00 s:0.0360
 PEAK RATE: 0.14 cfs VOL: 0.14 Ac-ft TIME: 540 min

BASIN ID: ex100CA NAME: existing 100-yr (Cogan-Allen)
 SBUH METHODOLOGY
 TOTAL AREA.....: 1.49 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 1.49 Acres 0.00 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 81.00 0.00
 TC.....: 87.41 min 0.00 min

ABSTRACTION COEFF: 0.20
 TcReach - Sheet L: 300.00 ns:0.8000 p2yr: 1.81 s:0.0450
 TcReach - Channel L: 42.00 kc:17.00 s:0.0040
 TcReach - Channel L: 24.00 kc:42.00 s:0.0040
 TcReach - Channel L: 11.00 kc:17.00 s:0.0360
 PEAK RATE: 0.26 cfs VOL: 0.23 Ac-ft TIME: 540 min

Upstream Tributary Conditions

Upstream area will consist of the open space designated within the property, 3.37 acres, along with the property that is surrounded by the subject property and adjacent to 172nd Avenue NE, 0.71 acre. The existing asphalt section collected within the proposed storm drainage system along the frontage on 172nd Avenue NE from the crown of the road to the existing edge of asphalt, 0.08 acre, will also be considered upstream tributary area. The impervious coverage for the property along 172nd Avenue NE was calculated using Table III-1.3 in the 1992 D.O.E. Manual. The dwelling units per gross acre is 1 DU/0.71 AC = 1.4 DU/AC. The impervious coverage is therefore 19% or 19%*0.71 acre = 0.13 acre.

UPSTREAM TRIBUTARY CONDITIONS	Total Area = 4.16 acres	Pervious/ Impervious Areas		CN (avg)
GROUND COVER	AREA(acre)		CN	
2 nd Growth Forest	3.37	3.95	81	81.73
Lawn (Landscaping)	0.58		86	
Impervious	0.21	0.21	98	98
Time of concentration				92.56 min.

Upstream Tributary Conditions

Upstream area will consist of the open space designated within the property, 3.37 acres, along with the property that is surrounded by the subject property and adjacent to 172nd Avenue NE, 0.71 acre. The existing asphalt section collected within the proposed storm drainage system along the frontage on 172nd Avenue NE from the crown of the road to the existing edge of asphalt, 0.08 acre, will also be considered upstream tributary area. The impervious coverage for the property along 172nd Avenue NE was calculated using Table III-1.3 in the 1992 D.O.E. Manual. The dwelling units per gross acre is 1 DU/0.71 AC = 1.4 DU/AC. The impervious coverage is therefore 19% or 19%*0.71 acre = 0.13 acre.

UPSTREAM TRIBUTARY CONDITIONS	Total Area = 4.16 acres	Pervious/ Impervious Areas		CN (avg)
GROUND COVER	AREA(acre)		CN	
2 nd Growth Forest	3.37	3.95	81	81.73
Lawn (Landscaping)	0.58		86	
Impervious	0.21	0.21	98	98
Time of concentration				92.56 min.

CORE NO. 00009A

=====

BASIN SUMMARY

BASIN ID: d002 NAME: developed 2-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 12.87 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE....: TYPE1A PERV IMP
 PRECIPITATION....: 1.81 inches AREA...: 3.95 Acres 8.92 Acres
 TIME INTERVAL....: 10.00 min CN....: 86.00 98.00
 TC....: 10.00 min 10.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 3.63 cfs VOL: 1.41 Ac-ft TIME: 480 min

BASIN ID: d010 NAME: developed 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 12.87 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE....: TYPE1A PERV IMP
 PRECIPITATION....: 2.73 inches AREA...: 3.95 Acres 8.92 Acres
 TIME INTERVAL....: 10.00 min CN....: 86.00 98.00
 TC....: 10.00 min 10.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 6.01 cfs VOL: 2.33 Ac-ft TIME: 480 min

BASIN ID: d100 NAME: developed 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 12.87 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE....: TYPE1A PERV IMP
 PRECIPITATION....: 3.69 inches AREA...: 3.95 Acres 8.92 Acres
 TIME INTERVAL....: 10.00 min CN....: 86.00 98.00
 TC....: 10.00 min 10.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 8.56 cfs VOL: 3.32 Ac-ft TIME: 480 min

CORE NO. 00009A
POND CALCULATIONS

=====

BASIN SUMMARY

```

BASIN ID: d002CA      NAME: developed 2-yr (Cogan-Allen)
SBUH METHODOLOGY
TOTAL AREA.....: 1.49 Acres      BASEFLOWS: 0.00 cfs
RAINFALL TYPE....: TYPE1A          PERV          IMP
PRECIPITATION....: 1.81 inches      AREA...: 0.92 Acres  0.57 Acres
TIME INTERVAL....: 10.00 min       CN....: 86.00     98.00
                                     TC....: 10.00 min  10.00 min

ABSTRACTION COEFF: 0.20
PEAK RATE: 0.32 cfs VOL: 0.13 Ac-ft TIME: 480 min

BASIN ID: d010CA      NAME: developed 10-yr (Cogan-Allen)
SBUH METHODOLOGY
TOTAL AREA.....: 1.49 Acres      BASEFLOWS: 0.00 cfs
RAINFALL TYPE....: TYPE1A          PERV          IMP
PRECIPITATION....: 2.73 inches      AREA...: 0.92 Acres  0.57 Acres
TIME INTERVAL....: 10.00 min       CN....: 86.00     98.00
                                     TC....: 10.00 min  10.00 min

ABSTRACTION COEFF: 0.20
PEAK RATE: 0.58 cfs VOL: 0.23 Ac-ft TIME: 480 min

BASIN ID: d100CA      NAME: developed 100-yr (Cogan-Allen)
SBUH METHODOLOGY
TOTAL AREA.....: 1.49 Acres      BASEFLOWS: 0.00 cfs
RAINFALL TYPE....: TYPE1A          PERV          IMP
PRECIPITATION....: 3.69 inches      AREA...: 0.92 Acres  0.57 Acres
TIME INTERVAL....: 10.00 min       CN....: 86.00     98.00
                                     TC....: 10.00 min  10.00 min

ABSTRACTION COEFF: 0.20
PEAK RATE: 0.87 cfs VOL: 0.34 Ac-ft TIME: 480 min

```

B. Water Quality Calculations

Water quality will be accomplished by providing dead storage in the wetpond. According to the DOE manual, the dead storage of the wetpond shall be equal to the volume of the water quality storm in the developed condition. The water quality storm is defined as a storm having a precipitation of 64% of the 2-year precipitation.

The water quality storm for the site has a volume of 0.80 ac-ft or 34,704 CF. The water quality storm for the Cogan-Allen site has a volume of 0.07 ac-ft or 2,903 CF. Therefore, the total dead storage required is 37,607 CF. The live storage in the pond will therefore begin at the water surface elevation of the dead storage. Referring to the volume calculations for the pond on the following pages, the volume of the dead storage at elevation 267.0 where the live storage begins is 39,278 CF which exceeds the volume of the required dead storage.

CORE NO. 00009A

=====

BASIN SUMMARY

BASIN ID: d0006 NAME: developed 6-month

SBUH METHODOLOGY

TOTAL AREA.....:	12.87 Acres	BASEFLOWS:	0.00 cfs	
RAINFALL TYPE.....:	TYPE1A	PERV		IMP
PRECIPITATION.....:	1.16 inches	AREA...:	3.95 Acres	8.92 Acres
TIME INTERVAL.....:	10.00 min	CN.....:	86.00	98.00
		TC.....:	10.00 min	10.00 min

ABSTRACTION COEFF: 0.20

PEAK RATE: 2.02 cfs VOL: 0.80 Ac-ft TIME: 480 min

34,704 CF

CORE NO. 00009A
POND CALCULATIONS

=====

BASIN SUMMARY

BASIN ID: d006CA	NAME: developed 6-mo (Cogan-Allen)		
SBUH METHODOLOGY			
TOTAL AREA.....:	1.49 Acres	BASEFLOWS:	0.00 cfs
RAINFALL TYPE....:	TYPE1A	PERV	IMP
PRECIPITATION....:	1.16 inches	AREA..:	0.92 Acres 0.57 Acres
TIME INTERVAL....:	10.00 min	CN....:	86.00 98.00
		TC....:	10.00 min 10.00 min
ABSTRACTION COEFF:	0.20		
PEAK RATE:	0.15 cfs	VOL:	0.07 Ac-ft TIME: 480 min

2903 CF

POND
 VOLUME CALCULATIONS
 CORE PROJECT NO. 00009A
 PROJECT NAME: CURRY

ELEVATION	SURFACE AREA	INCREMENTAL VOLUME	TOTAL VOLUME	LIVE VOLUME
	SF	CF	CF	CF
263.5	5060		0	
		2,634		
264.0	5476		2,634	
		0		
264.0	8640		2,634	
		20,808		
266.0	12168		23,442	
		0		
266.0	15312		23,442	
		15,836		
267.0	16360		39,278	0
		17,166		
268.0	17972		56,444	17,166
		39,348		
270.0	21376		95,792	56,514
		22,284		
271.0	23192		118,076	78,798

C. Detention Calculations

A detention/water quality pond will be located at the southeast corner of the site. A stage-storage relationship was calculated for the proposed wetpond. The proposed wetpond will have a bottom elevation of 263.5 in the first cell and 264.0 in the second cell, a maximum water surface elevation of 270.71, and a berm elevation of 272.0. The outlet elevation will be located at elevation 267.0. This elevation as shown previously will provide the necessary dead storage for the dead storage portion of the pond. See volume calculations for the live storage in the water quality portion of this section.

The total release from the pond will not exceed the allowable peak releases as indicated below. The detention criteria used for this analysis is D.O.E. criteria. The required peak release rates are as follows:

◆ Developed 2-year, 24-hr peak release + Cogan-Allen Developed 2-year, 24-hr peak release + Upstream Tributary 2-year, 24-hr peak release (Hyd. 10) → 50% (Existing 2-year, 24-hr peak release + Cogan-Allen Existing 2-year, 24-hr peak release) + Upstream Tributary 2-year, 24-hr peak release (Hyd. 7)

◆ Developed 10-year, 24-hr peak release + Cogan-Allen Developed 10-year, 24-hr peak release + Upstream Tributary 10-year, 24-hr peak (Hyd. 11) → Existing 10-year, 24-hr peak release + Cogan-Allen Existing 10-year, 24-hr peak release + Upstream Tributary 10-year, 24-hr peak (Hyd. 8)

◆ Developed 100-year, 24-hr peak release + Cogan-Allen Developed 100-year, 24-hr peak release + Upstream Tributary 100-year, 24-hr peak (Hyd. 12) → Existing 100-year, 24-hr peak release + Cogan-Allen Existing 100-year, 24-hr peak release + Upstream Tributary 100-year, 24-hr peak (Hyd. 9)

See attached WaterWorks printouts on the following pages. The routing results are summarized as follows.

ROUTING RESULTS	2 year storm	10 year storm	100 year storm
Qp allowable release from (cfs) Hyd 7,8,9	0.39	1.62	2.99
Qp inflow into pond (cfs) Hyd 10,11,12	4.06	6.96	10.13
Qp released from pond (cfs) Hyd 13,14,15	0.39	1.50	2.99
Pond live storage required (CF)	52,461	64,381	72,313

CORE NO. 00009A
POND CALCULATIONS

=====

HYDROGRAPH SUMMARY

HYD NUM	PEAK RUNOFF RATE cfs	TIME OF PEAK min.	VOLUME OF HYDRO cf\AcFt	Contrib Area Acres
1	0.365	660	20003 cf	17.03
2	1.481	550	70284 cf	17.03
3	2.727	540	117225 cf	17.03
4	3.746	480	70123 cf	17.03
5	6.381	480	119934 cf	17.03
6	9.261	480	174571 cf	17.03
7	0.390	660	21322 cf	18.52
8	1.623	550	76285 cf	18.52
9	2.991	540	127304 cf	18.52
10	4.062	480	75770 cf	18.52
11	6.962	480	129894 cf	18.52
12	10.134	480	189293 cf	18.52
13	0.392	1460	53122 cf	18.52
14	1.500	970	102682 cf	18.52
15	2.992	680	161356 cf	18.52
16	3.207	670	174953 cf	20.02
19	2.204	550	97145 cf	14.36
20	1.181	550	57841 cf	14.36

Hyd 15+ 174100

CORE NO. 00009A
POND CALCULATIONS

=====

STAGE STORAGE TABLE

CUSTOM STORAGE ID No. pond
Description: final pond

STAGE <----STORAGE---->			STAGE <----STORAGE---->			STAGE <----STORAGE---->			STAGE <----STORAGE---->		
(ft)	---cf---	--Ac-Ft-	(ft)	---cf---	--Ac-Ft-	(ft)	---cf---	--Ac-Ft-	(ft)	---cf---	--Ac-Ft-
267.00	0.0000	0.0000	268.10	19133	0.4392	269.20	40775	0.9361	270.30	63199	1.4509
267.10	1717	0.0394	268.20	21101	0.4844	269.30	42742	0.9812	270.40	65428	1.5020
267.20	3433	0.0788	268.30	23068	0.5296	269.40	44710	1.0264	270.50	67656	1.5532
267.30	5150	0.1182	268.40	25036	0.5747	269.50	46677	1.0716	270.60	69884	1.6043
267.40	6866	0.1576	268.50	27003	0.6199	269.60	48644	1.1167	270.70	72113	1.6555
267.50	8583	0.1970	268.60	28970	0.6651	269.70	50612	1.1619	270.80	74341	1.7066
267.60	10300	0.2364	268.70	30938	0.7102	269.80	52579	1.2071	270.90	76570	1.7578
267.70	12016	0.2759	268.80	32905	0.7554	269.90	54547	1.2522	271.00	78798	1.8090
267.80	13733	0.3153	268.90	34873	0.8006	270.00	56514	1.2974			
267.90	15449	0.3547	269.00	36840	0.8457	270.10	58742	1.3485			
268.00	17166	0.3941	269.10	38807	0.8909	270.20	60971	1.3997			

CORE NO. 00009A
 POND CALCULATIONS

=====

STAGE DISCHARGE TABLE

COMBINATION DISCHARGE ID No. comboCA
 Description: final combo w/ Cogan Allen
 Structure: notchCA Structure:
 Structure: orifCA Structure:
 Structure:

STAGE <--DISCHARGE--> (ft) ---cfs--	STAGE <--DISCHARGE--> (ft) ---cfs--	STAGE <--DISCHARGE--> (ft) ---cfs--	STAGE <--DISCHARGE--> (ft) ---cfs--
267.00 0.0000	268.10 0.2457	269.20 0.3474	270.30 1.3044
267.10 0.0741	268.20 0.2566	269.30 0.3552	270.40 1.6738
267.20 0.1048	268.30 0.2671	269.40 0.3629	270.50 2.0749
267.30 0.1283	268.40 0.2772	269.50 0.3704	270.60 2.5018
267.40 0.1481	268.50 0.2869	269.60 0.3777	270.70 2.9500
267.50 0.1656	268.60 0.2963	269.70 0.3849	270.80 3.4155
267.60 0.1814	268.70 0.3054	269.80 0.3920	270.90 3.8951
267.70 0.1960	268.80 0.3143	269.90 0.3989	271.00 4.3856
267.80 0.2095	268.90 0.3229	270.00 0.4808	
267.90 0.2222	269.00 0.3313	270.10 0.6931	
268.00 0.2342	269.10 0.3394	270.20 0.9739	

CORE NO. 00009A
POND CALCULATIONS

=====

STAGE DISCHARGE TABLE

NOTCH WEIR ID No. notchCA
Description: final notch w/ Cogan Allen
Weir Length: 1.2500 ft. Weir height (p): 2.9300 ft.
Elevation : 269.93 ft. Weir Increm: 0.10

STAGE <--DISCHARGE--> (ft) ---cfs--	STAGE <--DISCHARGE--> (ft) ---cfs--	STAGE <--DISCHARGE--> (ft) ---cfs--	STAGE <--DISCHARGE--> (ft) ---cfs--
269.93 0.0000	270.20 0.5549	270.50 1.6366	270.80 2.9589
270.00 0.0751	270.30 0.8789	270.60 2.0573	270.90 3.4325
270.10 0.2807	270.40 1.2419	270.70 2.4994	271.00 3.9171

CORE NO. 00009A
 POND CALCULATIONS

=====

STAGE DISCHARGE TABLE

MULTIPLE ORIFICE ID No. orifCA
 Description: final orifice w/ Cogan Allen
 Outlet Elev: 267.00
 Elev: 265.00 ft Orifice Diameter: 2.9380 in.

STAGE (ft)	<--DISCHARGE--> ---cfs--	STAGE (ft)	<--DISCHARGE--> ---cfs--	STAGE (ft)	<--DISCHARGE--> ---cfs--	STAGE (ft)	<--DISCHARGE--> ---cfs--
267.00	0.0000	268.10	0.2457	269.20	0.3474	270.30	0.4255
267.10	0.0741	268.20	0.2566	269.30	0.3552	270.40	0.4319
267.20	0.1048	268.30	0.2671	269.40	0.3629	270.50	0.4382
267.30	0.1283	268.40	0.2772	269.50	0.3704	270.60	0.4444
267.40	0.1481	268.50	0.2869	269.60	0.3777	270.70	0.4506
267.50	0.1656	268.60	0.2963	269.70	0.3849	270.80	0.4566
267.60	0.1814	268.70	0.3054	269.80	0.3920	270.90	0.4626
267.70	0.1960	268.80	0.3143	269.90	0.3989	271.00	0.4685
267.80	0.2095	268.90	0.3229	270.00	0.4057		
267.90	0.2222	269.00	0.3313	270.10	0.4124		
268.00	0.2342	269.10	0.3394	270.20	0.4190		

CORE NO. 00009A
POND CALCULATIONS

=====

LEVEL POOL TABLE SUMMARY

<-----DESCRIPTION----->	MATCH INFLOW	-STO-	-DIS-	<-PEAK->	OUTFLOW STORAGE
	(cfs)	(cfs)	--id-	--id- <-STAGE>	id (cfs) VOL (cf)
2-yr	0.39	4.06	pond	comboCA	269.79 21 0.39 52461.28 cf
10-yr	1.62	6.96	pond	comboCA	270.35 21 1.50 64381.41 cf
100-yr	2.99	10.13	pond	comboCA	270.71 21 2.99 72313.20 cf

SECTION V: CONVEYANCE SYSTEM ANALYSIS AND DESIGN

The conveyance system for the site was designed for both the 10-year, 24-hour storm and the 100-year, 24-hour storm. A conveyance sheet was generated for the 10-year and 100-year storms using SBUH methodology to calculate flows for each area collected by each catch basin. The precipitation rates for the 10-year, 24-hour storm and the 100-year, 24-hour storm are 2.73 inches and 3.69 inches respectively.

The flows generated from the 10-year, 24-hour and 100-year, 24-hour storms were input into a backwater analysis spreadsheet to confirm adequate sizing. The total developed flows that were calculated for the Cogan-Allen P.R.D. that are draining to the proposed conveyance system will be input into the conveyance system at CB 42. The SBUH flows generated from the 10-year, 24-hour and 100-year, 24-hour storms for Cogan-Allen are 0.58 cfs and 0.87 cfs respectively.

The tailwater elevations within the pond were derived from the WaterWorks Level Pool Table Summary. The tailwater elevations for the 10-year, 24-hour storm and the 100-year, 24-hour storm are elevation 270.35 and elevation 270.71 respectively.

The backwater analysis was performed to ensure that during the 10-year design storm, the maximum water surface elevation in each structure did not exceed an elevation equal to 1' less the rim. The backwater analysis was also performed to ensure that during the 100-year design storm, if the maximum water surface elevation were to exceed any rims, that flows could either be safely conveyed to the next downstream catch basin or ponding water could be ensured not to cause damage to buildings.

Each area tributary to each catch basin was assumed to have a consistent impervious coverage as the entire site. The percentage of impervious coverage for the entire developed site is $8.92 \text{ AC} / 12.87 \text{ AC} = 69.3\%$. See Developed Conditions summary in Section IVA of this report.

Some catch basins collect portions of the developed site plus portions of the open space. These catch basins include CB 8, CB 12, CB 13, CB 21, CB 22, CB 28, and CB 45. The CN value for the open space within the property is 81. These catch basins will each have a different CN value for the pervious areas based on the characteristics and portion of the open space collected.

CB 37 was specifically located to collect drainage upon development of the property that is adjacent to 172nd Avenue NE and not part of the subject development. It is assumed that CB 37 collects this property under its existing condition today. This property is summarized in Section IVA of this report under Upstream Tributary Conditions. Upon development of this property, detention will be required and existing flows as they are today will be reduced to flows that would be calculated using forest conditions per the City criteria for detention sizing. Therefore, worst case flows to CB 37 are the conditions

as they are today. The impervious coverage is 0.13 acre with a CN = 98 and a pervious coverage of 0.71 acre – 0.13 acre = 0.58 acre with a CN = 86.

CB 8

Open Space Collected: 1.35 AC – CN = 81
 Site Area Collected: 0.34 AC – 69.3% impervious → 0.24 AC – CN = 98
 0.10 AC – CN = 86

Impervious 0.24 AC – CN = 98
Pervious 1.45 AC – CN_{avg} = 81.3

CB 12

Open Space Collected: 0.31 AC – CN = 81
 Site Area Collected: 0.26 AC – 69.3% impervious → 0.18 AC – CN = 98
 0.08 AC – CN = 86

Impervious 0.18 AC – CN = 98
Pervious 0.39 AC – CN_{avg} = 82.0

CB 13

Open Space Collected: 0.48 AC – CN = 81
 Site Area Collected: 0.43 AC – 69.3% impervious → 0.30 AC – CN = 98
 0.13 AC – CN = 86

Impervious 0.30 AC – CN = 98
Pervious 0.61 AC – CN_{avg} = 82.1

CB 21

Open Space Collected: 0.33 AC – CN = 81
 Site Area Collected: 0.65 AC – 69.3% impervious → 0.45 AC – CN = 98
 0.20 AC – CN = 86

Impervious 0.45 AC – CN = 98
Pervious 0.53 AC – CN_{avg} = 82.9

CB 22

Open Space Collected: 0.02 AC – CN = 81
 Site Area Collected: 0.51 AC – 69.3% impervious → 0.35 AC – CN = 98
 0.16 AC – CN = 86

Impervious 0.35 AC – CN = 98
Pervious 0.18 AC – CN_{avg} = 85.4

CB 28

Open Space Collected: 0.12 AC – CN = 81
 Site Area Collected: 0.46 AC – 69.3% impervious → 0.32 AC – CN = 98
 0.14 AC – CN = 86

Impervious 0.32 AC – CN = 98
Pervious 0.26 AC – CN_{avg} = 83.7

CB 45

Open Space Collected: 0.37 AC - CN = 81

Site Area Collected: 0.30 AC - 69.3% impervious → 0.21 AC - CN = 98
0.09 AC - CN = 86

Impervious 0.21 AC - CN = 98

Pervious 0.46 AC - CN_{avg} = 82.0

During the 10-year, 24-hour storm, all headwater elevations within each catch basin remained 1-foot or more below the rim elevations. During the 100-year, 24-hour storm, all headwater elevations remained below all catch basin rims.

PIPE FLOW USING SANTA BARBARA

LOCATION: KING COUNTY

24-HR RAINFALL: 2.73 INCHES

DESIGN STORM: 10 YEAR

JOB NAME: CURRY PRD		JOB NUMBER: 00009A		PREPARED BY: GRB		DESIGN STORM: 10 YEAR											
PIPE SEGMENT	INCREMENTAL AREA (ACRES)	INCREMENTAL SUBFLOW (CFS)	TOTAL SUBFLOW (CFS)	MANHOLE DIAMETER (INCHES)	PIPE SLOPE (PERCENT)	PIPE LENGTH (FEET)	ACTUAL VELOCITY (FPS)	DESIGN TIME (MINUTES)	DESIGN VELOCITY (FPS)	DESIGN TIME (MINUTES)	DESIGN VELOCITY (FPS)	DESIGN TIME (MINUTES)	DESIGN VELOCITY (FPS)	DESIGN TIME (MINUTES)	DESIGN VELOCITY (FPS)	DESIGN TIME (MINUTES)	DESIGN VELOCITY (FPS)
CB 45	0.670	0.23	0.230	0.012	1.000	26	2.72	0.16	1.309	3.75	1.309	3.75	1.309	3.75	1.309	3.75	17.6%
CB 44	0.060	0.03	0.260	0.012	6.000	158	4.57	0.58	9.454	12.04	9.454	12.04	9.454	12.04	9.454	12.04	2.8%
CB 43	0.070	0.03	0.030	0.012	0.500	123	1.06	1.93	2.729	3.47	2.729	3.47	2.729	3.47	2.729	3.47	1.1%
INCL. COGAN ALLEN FLOWS																	
CB 42	0.150	0.65	0.650	0.012	0.500	276	2.78	1.65	2.729	3.47	2.729	3.47	2.729	3.47	2.729	3.47	23.8%
CB 41	0.190	0.09	0.740	0.012	1.850	200	4.65	0.72	5.250	6.68	5.250	6.68	5.250	6.68	5.250	6.68	14.1%
CB 40	0.000	0.00	0.770	0.012	1.100	77	3.89	0.33	4.048	5.15	4.048	5.15	4.048	5.15	4.048	5.15	19.0%
CB 39	0.210	0.10	0.100	0.012	1.000	26	2.12	0.20	1.309	3.75	1.309	3.75	1.309	3.75	1.309	3.75	7.6%
CB 38	0.350	0.17	1.040	0.012	7.710	158	8.26	0.32	10.717	13.65	10.717	13.65	10.717	13.65	10.717	13.65	9.7%
CB 37	0.710	0.25	0.250	0.012	0.600	111	2.25	0.82	2.990	3.81	2.990	3.81	2.990	3.81	2.990	3.81	8.4%
CB 36	0.430	0.21	0.460	0.012	12.900	62	7.59	0.14	13.863	17.65	13.863	17.65	13.863	17.65	13.863	17.65	3.3%
CB 35	0.640	0.31	0.310	0.012	0.500	89	2.19	0.68	2.729	3.47	2.729	3.47	2.729	3.47	2.729	3.47	11.4%
CB 32	0.000	0.00	0.770	0.012	0.500	81	2.97	0.45	2.729	3.47	2.729	3.47	2.729	3.47	2.729	3.47	28.2%
CB 33	0.040	0.02	0.020	0.012	8	24	0.00	0.00	4.098	11.74	4.098	11.74	4.098	11.74	4.098	11.74	0.5%
CB 32	0.460	0.22	1.010	0.012	2.730	22	5.64	0.06	6.377	8.12	6.377	8.12	6.377	8.12	6.377	8.12	15.8%
CB 31	0.390	0.19	0.190	0.012	11.000	27	5.91	0.08	4.342	12.44	4.342	12.44	4.342	12.44	4.342	12.44	4.4%
CB 29	0.090	0.04	1.240	0.012	4.390	183	7.16	0.43	8.087	10.30	8.087	10.30	8.087	10.30	8.087	10.30	15.3%
CB 29	0.420	0.20	1.440	0.012	5.500	86	8.01	0.18	9.052	11.53	9.052	11.53	9.052	11.53	9.052	11.53	15.9%
CB 28	0.580	0.25	0.250	0.012	1.000	30	2.83	0.18	1.309	3.75	1.309	3.75	1.309	3.75	1.309	3.75	19.1%

PIPE FLOW USING SANTA BARBARA

JOB NAME: CURRY PRD		JOB NUMBER: 00009A		LOCATION: KING COUNTY		24-HR RAINFALL: 2.73 INCHES					
PREPARED BY: CGB		DESIGN STORM: 10 YEAR		DESIGN STORM: 10 YEAR		DESIGN STORM: 10 YEAR					
PIPE SEGMENT	INCREMENTAL AREA (ACRES)	INCREMENTAL SEPHI FLOW (CFS)	TOTAL SEPHI FLOW (CFS)	MANNINGS DIAMETER (INCHES)	PIPE SLOPE (PERCENT)	PIPE LENGTH (FEET)	ACTUAL VELOCITY (FPS)	TRAVEL TIME (MINUTES)	DESIGN STORM (CFS)	PIPE CAPACITY SUMMARY (FEET) (CFS)	PERCENTAGE (%)
FROM	TO										
CB 24	0.540	0.26	1.950	0.012	6.000	53	8.80	0.10	17.142	13.97	11.4%
CB 26	0.210	0.10	0.100	0.012	1.000	26	2.12	0.20	1.309	3.75	7.6%
CB 25	0.380	0.18	0.280	0.012	0.500	131	2.19	1.00	2.729	3.47	10.3%
CB 24	0.090	0.04	2.530	0.012	0.630	150	4.37	0.57	9.032	5.11	28.0%
CB 23	0.690	0.34	0.340	0.012	2.900	194	4.23	0.77	6.573	8.37	5.2%
CB 22	0.530	0.25	0.250	0.012	1.000	26	2.83	0.15	1.309	3.75	19.1%
CB 19	0.160	0.08	0.180	0.012	7.000	113	7.87	0.24	10.212	13.00	9.6%
CB 18	0.460	0.22	0.220	0.012	1.000	27	2.12	0.21	1.309	3.75	7.6%
CB 17	0.360	0.18	0.400	0.012	12.500	50	5.30	0.16	13.646	17.37	1.3%
CB 15	0.000	0.00	1.560	0.012	8	26	3.95	0.11	2.191	6.28	10.0%
CB 14	0.030	0.01	1.570	0.012	0.600	207	2.53	1.36	2.990	3.81	13.4%
CB 13	0.910	0.31	0.310	0.012	15	66	3.51	0.31	4.948	4.03	31.5%
CB 12	0.570	0.19	0.500	0.012	15	53	3.51	0.25	4.948	4.03	31.7%
CB 10	0.330	0.16	0.160	0.012	15	75	3.63	0.34	4.948	4.03	34.4%
CB 9	0.190	0.09	2.290	0.012	8	24	3.47	0.12	1.603	4.59	19.3%
CB 8	0.460	0.22	2.670	0.012	10.000	46	7.38	0.10	12.205	15.54	4.1%
CB 7	0.330	0.16	0.160	0.012	15	103	3.95	0.43	4.948	4.03	46.3%
CB 6	0.460	0.22	2.670	0.012	8	27	5.35	0.08	4.342	12.44	3.7%
CB 5	0.460	0.22	2.670	0.012	15	195	5.09	0.64	6.639	5.41	40.2%

PIPE FLOW USING SANTA BARBARA

JOB NAME: CURRY PRD		JOB NUMBER: 00009A		LOCATION: KING COUNTY		24-HR RAINFALL: 2.73 INCHES								
PREPARED BY: GRB		DESIGN STORM: 10 YEAR		MANNING'S "N"		PIPE CAPACITY SUMMARY								
PIPE SEGMENT	INCREMENTAL AREA (ACRES)	INCREMENTAL SUBS FLOW (CTS)	TOTAL SUBS FLOW (CTS)	MANNING'S "N"	PIPE DIAMETER (INCHES)	PIPE SLOPE (PERCENT)	PIPE LENGTH (FEET)	ACTUAL VELOCITY (FT/SEC)	TRAVEL TIME (MINUTES)	Q (GPM)	VELOCITY (FT/SEC)	Q (GPM)	VELOCITY (FT/SEC)	PERCENT
FROM TO														
CB 8	1.690	0.46	0.460	0.012	8	2.000	26	4.35	0.10	1.851	5.30	1.851	5.30	24.8%
CB 5	0.110	0.05	3.180	0.012	18	4.060	122	8.63	0.24	22.929	12.98	22.929	12.98	13.9%
CB 6	0.340	0.17	0.170	0.012	8	9.800	24	5.58	0.07	4.098	11.74	4.098	11.74	4.1%
CB 5	0.350	0.17	3.520	0.012	18	20.000	35	15.55	0.04	50.892	28.80	50.892	28.80	6.9%
CB 4	0.380	0.18	0.180	0.012	12	0.500	131	1.88	1.16	2.729	3.47	2.729	3.47	6.6%
CB 3	0.000	0.00	3.700	0.012	18	1.550	111	6.73	0.27	14.168	8.02	14.168	8.02	26.1%

JOB NAME: CURRY P.R.D. 00009A
 JOB NUMBER: 00009A
 PREPARED BY: G. Brooks
 DESIGN STORM: 10 YEAR
 BACKWATER CALCULATIONS

FROM CB	TO CB	FLOW (CFS)	PIPE LENGTH (FEET)	PIPE DIA. (IN)	MANNING'S n	OUTLET ELEVATION (FEET)	INLET ELEVATION (FEET)	PIPE AREA (SQ.FT)	FLOW VELOCITY (FT/SEC)	VELOCITY HEAD (FEET)	TAILWATER ELEVATION (FEET)	FRICTION LOSS (FEET)	ENTRANCE ELEVATION (FEET)	ENTRANCE HGL (FEET)	ENTRANCE HEAD LOSS (FEET)	EXIT HEAD LOSS (FEET)	OUTLET CONTROL ELEVATION (FEET)	INLET CONTROL ELEVATION (FEET)	APPROACH VELOCITY HEAD (FEET)	BEND HEAD LOSS (FEET)	JUNCTION HEAD LOSS (FEET)	HEADWATER ELEVATION (FEET)	RIM EL
3A	3	3.70	111	18	0.012	267.00	268.72	1.77	2.09	0.07	270.35	0.12	270.47	270.47	0.03	0.07	270.57	270.22	0.06	0.08	0.00	270.59	281.00
3	4	0.18	131	12	0.012	269.22	269.88	0.79	0.23	0.00	270.59	0.00	270.88	270.88	0.00	0.00	270.88	270.88	0.00	0.00	0.00	270.88	272.94
3	5	3.52	35	18	0.012	268.72	275.72	1.77	1.99	0.06	270.59	0.03	277.22	277.22	0.03	0.06	277.31	277.22	0.05	0.00	0.00	277.27	281.84
5	6	0.17	24	8	0.012	276.55	278.90	0.35	0.49	0.00	277.27	0.00	279.57	279.57	0.00	0.00	279.57	279.57	0.00	0.00	0.00	279.57	281.84
5	7	3.18	122	18	0.012	275.72	280.67	1.77	1.80	0.05	277.27	0.09	282.17	282.17	0.03	0.05	282.25	282.17	0.07	0.07	0.01	282.25	284.54
7	8	0.46	26	8	0.012	281.50	282.02	0.35	1.32	0.03	282.25	0.03	282.69	282.69	0.01	0.03	282.73	282.69	0.00	0.00	0.00	282.73	284.54
7	9	2.67	195	15	0.012	280.92	282.68	1.23	2.18	0.07	282.25	0.28	283.93	283.93	0.04	0.07	284.04	283.93	0.05	0.01	0.00	284.00	289.19
9	10	0.16	27	8	0.012	283.26	286.23	0.35	0.46	0.00	284.00	0.00	286.90	286.90	0.00	0.00	286.90	286.90	0.00	0.00	0.00	286.90	289.30
9	11	2.29	103	15	0.012	282.68	283.20	1.23	1.87	0.05	284.00	0.11	284.45	284.45	0.03	0.05	284.53	284.45	0.03	0.00	0.01	284.52	290.93
11	12	0.50	46	12	0.012	283.45	288.05	0.79	0.64	0.01	284.52	0.01	289.05	289.05	0.00	0.01	289.06	289.05	0.01	0.01	0.00	289.06	291.73
12	13	0.31	24	8	0.012	288.38	288.74	0.35	0.89	0.01	289.06	0.01	289.41	289.41	0.01	0.01	289.43	289.41	0.00	0.00	0.00	289.43	291.73
11	14	1.70	75	15	0.012	283.20	283.58	1.23	1.39	0.03	284.52	0.04	284.83	284.83	0.01	0.03	284.87	284.83	0.03	0.00	0.00	284.85	292.33
14	15	1.57	53	15	0.012	283.58	283.85	1.23	1.28	0.03	284.85	0.03	285.10	285.10	0.01	0.03	285.14	285.10	0.03	0.00	0.00	285.12	292.33
15	16	1.56	66	15	0.012	283.85	284.18	1.23	1.27	0.03	285.12	0.03	285.43	285.43	0.01	0.03	285.47	285.43	0.02	0.03	0.01	285.48	294.65
16	17	0.40	207	12	0.012	284.43	285.67	0.79	0.51	0.00	285.48	0.02	286.67	286.67	0.00	0.00	286.68	286.67	0.01	0.01	0.00	286.68	289.42
17	18	0.22	26	8	0.012	286.00	286.73	0.35	0.63	0.01	286.68	0.01	287.40	287.40	0.00	0.01	287.41	287.40	0.00	0.00	0.00	287.41	289.42
16	19	0.18	50	12	0.012	284.43	290.68	0.79	0.23	0.00	285.48	0.00	291.68	291.68	0.00	0.00	291.68	291.68	0.00	0.00	0.00	291.68	294.28
19	20	0.10	27	8	0.012	291.01	291.28	0.35	0.29	0.00	291.68	0.00	291.95	291.95	0.00	0.00	291.95	291.95	0.00	0.00	0.00	291.95	294.28
16	21	0.98	113	12	0.012	284.43	292.34	0.79	1.25	0.02	285.48	0.07	293.34	293.34	0.01	0.02	293.38	293.34	0.00	0.00	0.01	293.38	296.07
21	22	0.25	26	8	0.012	292.67	292.93	0.35	0.72	0.01	293.38	0.01	293.60	293.60	0.00	0.01	293.61	293.60	0.00	0.00	0.00	293.61	296.07
21	23	0.34	194	12	0.012	292.34	297.97	0.79	0.43	0.00	293.38	0.01	298.97	298.97	0.00	0.00	298.97	298.97	0.00	0.00	0.00	298.97	301.16
24A	24	2.53	150	18	0.012	267.00	267.94	1.77	1.43	0.03	270.35	0.07	270.42	270.42	0.02	0.03	270.47	269.44	0.04	0.00	0.00	270.44	276.71
24	25	0.28	131	12	0.012	268.44	269.10	0.79	0.36	0.00	270.44	0.01	270.45	270.45	0.00	0.00	270.45	270.10	0.00	0.00	0.00	270.45	272.78
25	26	0.10	26	8	0.012	269.43	269.69	0.35	0.29	0.00	270.45	0.00	270.45	270.45	0.00	0.00	270.45	270.36	0.00	0.00	0.00	270.45	272.78
24	27	1.95	53	15	0.012	268.19	271.37	1.23	1.59	0.04	270.44	0.04	272.62	272.62	0.02	0.04	272.68	272.62	0.05	0.00	0.01	272.63	275.25
27	28	0.25	30	8	0.012	271.95	272.25	0.35	0.72	0.01	272.63	0.01	272.92	272.92	0.00	0.01	272.93	272.92	0.00	0.00	0.00	272.93	275.24
27	29	1.44	86	12	0.012	271.62	276.35	0.79	1.83	0.05	272.63	0.12	277.35	277.35	0.03	0.05	277.43	277.35	0.04	0.00	0.00	277.39	279.72
29	30	1.24	183	12	0.012	276.35	284.72	0.79	1.58	0.04	277.39	0.19	285.72	285.72	0.02	0.04	285.78	285.72	0.03	0.00	0.02	285.77	290.70
30	31	0.19	27	8	0.012	284.39	287.69	0.35	0.54	0.00	285.77	0.01	288.36	288.36	0.00	0.00	288.36	288.36	0.00	0.00	0.00	288.36	291.12
30	32	1.01	22	12	0.012	284.39	284.99	0.79	1.29	0.03	285.77	0.01	285.99	285.99	0.01	0.03	286.03	285.99	0.01	0.00	0.00	286.01	290.69
32	33	0.02	24	8	0.012	285.32	287.67	0.35	0.06	0.00	286.01	0.00	288.34	288.34	0.00	0.00	288.34	288.34	0.00	0.00	0.00	288.34	290.69
32	34	0.77	81	12	0.012	284.99	285.40	0.79	0.98	0.01	286.01	0.03	286.40	286.40	0.01	0.01	286.42	286.40	0.01	0.02	0.01	286.44	293.76
34	35	0.31	89	12	0.012	285.40	285.85	0.79	0.39	0.00	286.44	0.01	286.85	286.85	0.00	0.00	286.85	286.85	0.00	0.00	0.00	286.85	288.92

BACKWATER CALCULATIONS

JOB NAME: CURRY P.R.D. 00009A
 PREPARED BY: G. Brooks
 DESIGN STORM: 10 YEAR

FROM CB	TO CB	FLOW (CFS)	PIPE LENGTH (FEET)	PIPE DIA. (IN)	MANNING'S n VALUE	OUTLET ELEVATION (FEET)	INLET ELEVATION (FEET)	PIPE AREA (SQ FT)	FLOW VELOCITY (FT/SEC)	VELOCITY HEAD (FEET)	TAILWATER ELEVATION (FEET)	FRICITION LOSS (FEET)	ENTRANCE HGL ELEVATION (FEET)	ENTRANCE HEAD LOSS (FEET)	EXIT HEAD LOSS (FEET)	OUTLET CONTROL ELEVATION (FEET)	INLET CONTROL ELEVATION (FEET)	APPROACH VELOCITY HEAD (FEET)	BEND HEAD LOSS (FEET)	JUNCTION HEAD LOSS (FEET)	HEADWATER ELEVATION (FEET)	RIM EL
34	36	0.46	62	12	0.012	285.40	293.40	0.79	0.59	0.01	286.44	0.01	294.40	0.00	0.01	294.41	294.40	0.00	0.01	0.00	294.41	297.26
36	37	0.25	111	12	0.012	293.40	294.07	0.79	0.32	0.00	294.41	0.00	295.07	0.00	0.00	295.07	295.07	0.00	0.00	0.00	295.07	298.00
30	38	1.04	158	12	0.012	284.39	296.57	0.79	1.32	0.03	285.77	0.11	297.57	0.01	0.03	297.61	297.57	0.01	0.00	0.00	297.60	300.18
38	39	0.10	26	8	0.012	296.90	297.16	0.35	0.29	0.00	297.60	0.00	297.83	0.00	0.00	297.83	297.83	0.00	0.00	0.00	297.83	300.18
38	40	0.77	77	12	0.012	296.57	297.41	0.79	0.98	0.01	297.60	0.03	298.41	0.01	0.01	298.43	298.41	0.01	0.02	0.00	298.44	303.84
40	41	0.74	200	12	0.012	297.41	301.11	0.79	0.94	0.01	298.44	0.07	302.11	0.01	0.01	302.13	302.11	0.01	0.00	0.00	302.12	305.02
41	42	0.65	276	12	0.012	301.11	302.49	0.79	0.83	0.01	302.12	0.08	303.49	0.01	0.01	303.51	303.49	0.00	0.00	0.00	303.51	307.23
40	43	0.03	123	12	0.012	297.41	298.03	0.79	0.04	0.00	298.44	0.00	299.03	0.00	0.00	299.03	299.03	0.00	0.00	0.00	299.03	301.76
24	44	0.26	158	12	0.012	268.44	277.92	0.79	0.33	0.00	270.44	0.01	278.92	0.00	0.00	278.92	278.92	0.01	0.00	0.00	278.92	281.45
44	45	0.23	26	8	0.012	278.25	278.51	0.35	0.66	0.01	278.92	0.01	279.18	0.00	0.01	279.19	279.18	0.00	0.00	0.00	279.19	281.45

CORE NO. 00009A
POND CALCULATIONS

=====

BASIN SUMMARY

BASIN ID: cb04010 NAME: cb 4 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.38 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 0.12 Acres 0.26 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.18 cfs VOL: 0.07 Ac-ft TIME: 480 min

BASIN ID: cb05010 NAME: cb 5 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.35 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 0.11 Acres 0.24 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.17 cfs VOL: 0.06 Ac-ft TIME: 480 min

BASIN ID: cb06010 NAME: cb 6 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.34 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 0.10 Acres 0.24 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.17 cfs VOL: 0.06 Ac-ft TIME: 480 min

BASIN ID: cb07010 NAME: cb 7 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.11 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 0.03 Acres 0.08 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.05 cfs VOL: 0.02 Ac-ft TIME: 480 min

CORE NO. 00009A
POND CALCULATIONS

=====

BASIN SUMMARY

BASIN ID: cb08010 NAME: cb 8 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 1.69 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 1.45 Acres 0.24 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 81.30 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.46 cfs VOL: 0.19 Ac-ft TIME: 480 min

BASIN ID: cb09010 NAME: cb 9 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.46 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 0.14 Acres 0.32 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.22 cfs VOL: 0.08 Ac-ft TIME: 480 min

BASIN ID: cb10010 NAME: cb 10 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.33 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 0.10 Acres 0.23 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.16 cfs VOL: 0.06 Ac-ft TIME: 480 min

BASIN ID: cb11010 NAME: cb 11 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.19 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 0.06 Acres 0.13 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.09 cfs VOL: 0.03 Ac-ft TIME: 480 min

CORE NO. 00009A
POND CALCULATIONS

=====

BASIN SUMMARY

BASIN ID: cb12010 NAME: cb 12 10-year
SBUH METHODOLOGY
TOTAL AREA.....: 0.57 Acres BASEFLOWS: 0.00 cfs
RAINFALL TYPE.....: TYPE1A PERV IMP
PRECIPITATION.....: 2.73 inches AREA...: 0.39 Acres 0.18 Acres
TIME INTERVAL.....: 10.00 min CN.....: 82.00 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
PEAK RATE: 0.19 cfs VOL: 0.08 Ac-ft TIME: 480 min

BASIN ID: cb13010 NAME: cb 13 10-year
SBUH METHODOLOGY
TOTAL AREA.....: 0.91 Acres BASEFLOWS: 0.00 cfs
RAINFALL TYPE.....: TYPE1A PERV IMP
PRECIPITATION.....: 2.73 inches AREA...: 0.61 Acres 0.30 Acres
TIME INTERVAL.....: 10.00 min CN.....: 82.10 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
PEAK RATE: 0.31 cfs VOL: 0.12 Ac-ft TIME: 480 min

BASIN ID: cb14010 NAME: cb 14 10-year
SBUH METHODOLOGY
TOTAL AREA.....: 0.26 Acres BASEFLOWS: 0.00 cfs
RAINFALL TYPE.....: TYPE1A PERV IMP
PRECIPITATION.....: 2.73 inches AREA...: 0.08 Acres 0.18 Acres
TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
PEAK RATE: 0.13 cfs VOL: 0.05 Ac-ft TIME: 480 min

BASIN ID: cb15010 NAME: cb 15 10-year
SBUH METHODOLOGY
TOTAL AREA.....: 0.03 Acres BASEFLOWS: 0.00 cfs
RAINFALL TYPE.....: TYPE1A PERV IMP
PRECIPITATION.....: 2.73 inches AREA...: 0.01 Acres 0.02 Acres
TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
PEAK RATE: 0.01 cfs VOL: 0.01 Ac-ft TIME: 480 min

CORE NO. 00009A
POND CALCULATIONS

=====

BASIN SUMMARY

BASIN ID: cb17010 NAME: cb 17 10-year
SBUH METHODOLOGY
TOTAL AREA.....: 0.36 Acres BASEFLOWS: 0.00 cfs
RAINFALL TYPE.....: TYPE1A PERV IMP
PRECIPITATION.....: 2.73 inches AREA...: 0.11 Acres 0.25 Acres
TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
ABSTRACTION COEFF: 0.20
PEAK RATE: 0.18 cfs VOL: 0.07 Ac-ft TIME: 480 min

BASIN ID: cb18010 NAME: cb 18 10-year
SBUH METHODOLOGY
TOTAL AREA.....: 0.46 Acres BASEFLOWS: 0.00 cfs
RAINFALL TYPE.....: TYPE1A PERV IMP
PRECIPITATION.....: 2.73 inches AREA...: 0.14 Acres 0.32 Acres
TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
ABSTRACTION COEFF: 0.20
PEAK RATE: 0.22 cfs VOL: 0.08 Ac-ft TIME: 480 min

BASIN ID: cb19010 NAME: cb 19 10-year
SBUH METHODOLOGY
TOTAL AREA.....: 0.16 Acres BASEFLOWS: 0.00 cfs
RAINFALL TYPE.....: TYPE1A PERV IMP
PRECIPITATION.....: 2.73 inches AREA...: 0.05 Acres 0.11 Acres
TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
ABSTRACTION COEFF: 0.20
PEAK RATE: 0.08 cfs VOL: 0.03 Ac-ft TIME: 480 min

BASIN ID: cb20010 NAME: cb 20 10-year
SBUH METHODOLOGY
TOTAL AREA.....: 0.21 Acres BASEFLOWS: 0.00 cfs
RAINFALL TYPE.....: TYPE1A PERV IMP
PRECIPITATION.....: 2.73 inches AREA...: 0.06 Acres 0.15 Acres
TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
ABSTRACTION COEFF: 0.20
PEAK RATE: 0.10 cfs VOL: 0.04 Ac-ft TIME: 480 min

CORE NO. 00009A
POND CALCULATIONS

=====

BASIN SUMMARY

BASIN ID: cb21010 NAME: cb 21 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.98 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE....: TYPE1A PERV IMP
 PRECIPITATION....: 2.73 inches AREA...: 0.53 Acres 0.45 Acres
 TIME INTERVAL....: 10.00 min CN.....: 82.90 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.39 cfs VOL: 0.15 Ac-ft TIME: 480 min

BASIN ID: cb22010 NAME: cb 22 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.53 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE....: TYPE1A PERV IMP
 PRECIPITATION....: 2.73 inches AREA...: 0.18 Acres 0.35 Acres
 TIME INTERVAL....: 10.00 min CN.....: 85.40 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.25 cfs VOL: 0.09 Ac-ft TIME: 480 min

BASIN ID: cb23010 NAME: cb 23 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.69 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE....: TYPE1A PERV IMP
 PRECIPITATION....: 2.73 inches AREA...: 0.21 Acres 0.48 Acres
 TIME INTERVAL....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.34 cfs VOL: 0.13 Ac-ft TIME: 480 min

BASIN ID: cb24010 NAME: cb 24 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.09 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE....: TYPE1A PERV IMP
 PRECIPITATION....: 2.73 inches AREA...: 0.03 Acres 0.06 Acres
 TIME INTERVAL....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.04 cfs VOL: 0.02 Ac-ft TIME: 480 min

CORE NO. 00009A
POND CALCULATIONS

=====

BASIN SUMMARY

BASIN ID: cb25010 NAME: cb 25 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.38 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 0.12 Acres 0.26 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.18 cfs VOL: 0.07 Ac-ft TIME: 480 min

BASIN ID: cb26010 NAME: cb 26 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.21 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 0.06 Acres 0.15 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.10 cfs VOL: 0.04 Ac-ft TIME: 480 min

BASIN ID: cb27010 NAME: cb 27 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.54 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 0.17 Acres 0.37 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.26 cfs VOL: 0.10 Ac-ft TIME: 480 min

BASIN ID: cb28010 NAME: cb 28 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.58 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 0.26 Acres 0.32 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 83.70 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.25 cfs VOL: 0.09 Ac-ft TIME: 480 min

CORE NO. 00009A
POND CALCULATIONS

=====

BASIN SUMMARY

BASIN ID: cb29010 NAME: cb 29 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.42 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 0.13 Acres 0.29 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.20 cfs VOL: 0.08 Ac-ft TIME: 480 min

BASIN ID: cb30010 NAME: cb 30 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.09 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 0.03 Acres 0.06 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.04 cfs VOL: 0.02 Ac-ft TIME: 480 min

BASIN ID: cb31010 NAME: cb 31 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.39 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 0.12 Acres 0.27 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.19 cfs VOL: 0.07 Ac-ft TIME: 480 min

BASIN ID: cb32010 NAME: cb 32 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.46 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 0.14 Acres 0.32 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.22 cfs VOL: 0.08 Ac-ft TIME: 480 min

CORE NO. 00009A
POND CALCULATIONS

=====

BASIN SUMMARY

BASIN ID: cb33010 NAME: cb 33 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.04 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 0.01 Acres 0.03 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.02 cfs VOL: 0.01 Ac-ft TIME: 480 min

BASIN ID: cb35010 NAME: cb 35 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.64 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 0.20 Acres 0.44 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.31 cfs VOL: 0.12 Ac-ft TIME: 480 min

BASIN ID: cb36010 NAME: cb 36 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.43 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 0.13 Acres 0.30 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.21 cfs VOL: 0.08 Ac-ft TIME: 480 min

BASIN ID: cb37010 NAME: cb 37 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.71 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 0.58 Acres 0.13 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.25 cfs VOL: 0.10 Ac-ft TIME: 480 min

CORE NO. 00009A
POND CALCULATIONS

=====

BASIN SUMMARY

BASIN ID: cb38010 NAME: cb 38 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.35 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 0.11 Acres 0.24 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.17 cfs VOL: 0.06 Ac-ft TIME: 480 min

BASIN ID: cb39010 NAME: cb 39 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.21 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 0.06 Acres 0.15 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.10 cfs VOL: 0.04 Ac-ft TIME: 480 min

BASIN ID: cb41010 NAME: cb 41 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.19 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 0.06 Acres 0.13 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.09 cfs VOL: 0.03 Ac-ft TIME: 480 min

BASIN ID: cb42010 NAME: cb 42 10-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.15 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 2.73 inches AREA...: 0.05 Acres 0.10 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.07 cfs VOL: 0.03 Ac-ft TIME: 480 min

CORE NO. 00009A
 POND CALCULATIONS

=====

BASIN SUMMARY

BASIN ID: cb43010 NAME: cb 43 10-year
 SBUH METHODOLOGY

TOTAL AREA.....:	0.07 Acres	BASEFLOWS:	0.00 cfs	
RAINFALL TYPE.....:	TYPE1A	PERV		IMP
PRECIPITATION.....:	2.73 inches	AREA...:	0.02 Acres	0.05 Acres
TIME INTERVAL.....:	10.00 min	CN.....:	86.00	98.00
		TC.....:	5.00 min	5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.03 cfs VOL: 0.01 Ac-ft TIME: 480 min

BASIN ID: cb44010 NAME: cb 44 10-year
 SBUH METHODOLOGY

TOTAL AREA.....:	0.06 Acres	BASEFLOWS:	0.00 cfs	
RAINFALL TYPE.....:	TYPE1A	PERV		IMP
PRECIPITATION.....:	2.73 inches	AREA...:	0.02 Acres	0.04 Acres
TIME INTERVAL.....:	10.00 min	CN.....:	86.00	98.00
		TC.....:	5.00 min	5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.03 cfs VOL: 0.01 Ac-ft TIME: 480 min

BASIN ID: cb45010 NAME: cb 45 10-year
 SBUH METHODOLOGY

TOTAL AREA.....:	0.67 Acres	BASEFLOWS:	0.00 cfs	
RAINFALL TYPE.....:	TYPE1A	PERV		IMP
PRECIPITATION.....:	2.73 inches	AREA...:	0.46 Acres	0.21 Acres
TIME INTERVAL.....:	10.00 min	CN.....:	82.00	98.00
		TC.....:	5.00 min	5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.23 cfs VOL: 0.09 Ac-ft TIME: 480 min

PIPE FLOW USING SANTA BARBARA										LOCATION:	KING COUNTY		24-HR RAINFALL:	3.69 INCHES	
JOB NAME:		CURRY PRD		JOB NUMBER:		00009A		PREPARED BY:		GRB		DESIGN STORM:		100 YEAR	
PIPE SEGMENT	FROM	TO	INCREMENTAL AREA (ACRES)	INCREMENTAL SEWER FLOW (CFS)	TOTAL SEWER FLOW (CFS)	MANNING'S N	PIPE DIAMETER (INCHES)	PIPE SLOPE (PERCENT)	PIPE LENGTH (FEET)	ACTUAL VELOCITY (FT/SEC)	TRAVEL TIME (MINUTES)	PIPE Q (CFS)	VELOCITY (FT/SEC)	Q (CFS)	PERCENT
CB 45	CB 44		0.670	0.36	0.360	0.012	8	1.000	26	3.15	0.14	1.309	3.75	1.309	27.5%
CB 44	CB 24		0.060	0.04	0.400	0.012	12	6.000	158	5.72	0.46	9.454	12.04	9.454	4.2%
CB 43	CB 40		0.070	0.05	0.050	0.012	12	0.500	123	1.06	1.93	2.729	3.47	2.729	1.8%
INCL. COGAN ALLEN FLOWS															
CB 42	CB 41		0.150	0.97	0.970	0.012	12	0.500	276	3.13	1.47	2.729	3.47	2.729	35.5%
CB 41	CB 41		0.190	0.13	1.100	0.012	12	1.850	200	5.18	0.64	5.250	6.68	5.250	21.0%
CB 40			0.000	0.00	1.150	0.012	12	1.100	77	4.41	0.29	4.048	5.15	4.048	28.4%
CB 39			0.210	0.15	0.150	0.012	8	1.000	26	2.36	0.18	1.309	3.75	1.309	11.5%
CB 38			0.350	0.24	1.540	0.012	12	7.710	158	9.48	0.28	10.717	13.65	10.717	14.4%
CB 37	CB 36		0.710	0.40	0.400	0.012	12	0.600	111	2.53	0.73	2.990	3.81	2.990	13.4%
CB 36			0.430	0.30	0.700	0.012	12	12.900	62	8.91	0.12	13.863	17.65	13.863	5.0%
CB 35			0.640	0.44	0.440	0.012	12	0.500	89	2.52	0.59	2.729	3.47	2.729	16.1%
CB 32			0.000	0.00	1.140	0.012	12	0.500	81	3.27	0.41	2.729	3.47	2.729	41.8%
CB 33	CB 32		0.040	0.03	0.030	0.012	8	9.800	24	2.70	0.15	4.098	11.74	4.098	0.7%
CB 32			0.460	0.32	1.490	0.012	12	2.730	22	6.50	0.06	6.377	8.12	6.377	23.4%
CB 31			0.390	0.27	0.270	0.012	8	11.000	27	6.72	0.07	4.342	12.44	4.342	6.2%
CB 29			0.090	0.06	1.820	0.012	12	4.390	183	8.24	0.37	8.087	10.30	8.087	22.5%
CB 29			0.420	0.29	2.110	0.012	12	5.500	86	9.22	0.16	9.052	11.53	9.052	23.3%
CB 28			0.580	0.37	0.370	0.012	8	1.000	30	3.21	0.16	1.309	3.75	1.309	28.3%

PIPE FLOW USING SANTA BARBARA

LOCATION: KING COUNTY 24-HR RAINFALL: 3.69 INCHES

PREPARED BY: GRB DESIGN STORM: 100 YEAR

JOB NAME: CURRY PRD		JOB NUMBER: 00009A		PIPE CAPACITY SUMMARY							
PIPE SEGMENT	INCREMENTAL AREA (ACRES)	INCREMENTAL SUBURB FLOW (CFS)	TOTAL SUBURB FLOW (CFS)	PIPE DIAMETER (INCHES)	PIPE SLOPE (PERCENT)	PIPE LENGTH (FEET)	ACTUAL VELOCITY (FT/SEC)	DESIGN TIME (MINUTES)	DESIGN FLOW (CFS)	VELOCITY (FT/SEC)	PERCENTAGE
FROM	TO										
CB 24	0.540	0.37	2.850	0.012	6.000	53	10.13	0.09	17.142	13.97	16.6%
CB 26	0.210	0.15	0.150	0.012	1.000	26	2.36	0.18	1.309	3.75	11.5%
CB 25	0.380	0.26	0.410	0.012	0.500	131	2.42	0.90	2.729	3.47	15.0%
CB 24	0.090	0.06	3.720	0.012	0.630	150	4.80	0.52	9.032	5.11	41.2%
CB 23	0.690	0.48	0.480	0.012	2.900	194	4.73	0.68	6.573	8.37	7.3%
CB 22	0.530	0.36	0.360	0.012	1.000	26	3.15	0.14	1.309	3.75	27.5%
	0.980	0.58	1.420	0.012	7.000	113	8.65	0.22	10.212	13.00	13.9%
CB 20	0.210	0.15	0.150	0.012	1.000	27	2.36	0.19	1.309	3.75	11.5%
CB 19	0.160	0.11	0.260	0.012	12.500	50	5.30	0.16	13.646	17.37	1.9%
CB 18	0.460	0.32	0.320	0.012	2.800	26	4.36	0.10	2.191	6.28	14.6%
CB 17	0.360	0.25	0.570	0.012	0.600	207	2.87	1.20	2.990	3.81	19.1%
CB 15	0.000	0.00	2.250	0.012	0.500	66	3.89	0.28	4.948	4.03	45.5%
CB 15	0.030	0.02	2.270	0.012	0.500	53	3.89	0.23	4.948	4.03	45.9%
CB 14	0.260	0.18	2.450	0.012	0.500	75	3.99	0.31	4.948	4.03	49.5%
CB 13	0.910	0.49	0.490	0.012	1.500	24	4.00	0.10	1.603	4.59	30.6%
CB 12	0.570	0.30	0.790	0.012	10.000	46	8.39	0.09	12.205	15.54	6.5%
	0.190	0.13	3.370	0.012	0.500	103	4.35	0.39	4.948	4.03	68.1%
CB 10	0.330	0.23	0.230	0.012	11.000	27	6.28	0.07	4.342	12.44	5.3%
	0.460	0.32	3.920	0.012	0.900	195	5.63	0.58	6.639	5.41	59.0%

PIPE FLOW USING SANTA BARBARA										LOCATION:	KING COUNTY	24-HR RAINFALL:	3.69 INCHES
JOB NAME:		CURRY PRD	JOB NUMBER:		00009A	PREPARED BY:		GRB	DESIGN STORM:		100 YEAR		
PIPE SEGMENT	INCREMENTAL	INCREMENTAL	TOTAL	MANNINGS	PIPE	PIPE	ACTUAL	TRAVEL	PIPE CAPACITY	PERCENTY			
FROM TO	AREA (ACRES)	SEMI FLOW (CFS)	SEMI FLOW (CFS)	COEFFICIENT	DIAMETER (INCHES)	LENGTH (FEET)	VELOCITY (FT/SEC)	TIME (MINUTES)	(CFS)	(PERCENTY)			
CB 8	1.690	0.78	0.780	0.012	8	2.000	5.07	0.09	1.851	5.30	42.1%		
CB 7	0.110	0.08	4.780	0.012	18	4.060	10.06	0.20	22.929	12.98	20.8%		
CB 6	0.340	0.24	0.240	0.012	8	9.800	5.93	0.07	4.098	11.74	5.9%		
CB 5	0.350	0.24	5.260	0.012	18	20.000	18.14	0.03	50.892	28.80	10.3%		
CB 4	0.380	0.26	0.260	0.012	12	0.500	2.10	1.04	2.729	3.47	9.5%		
CB 3	0.000	0.00	5.520	0.012	18	1.550	7.46	0.25	14.168	8.02	39.0%		

JOB NAME: CURRY P.R.D. PREPARED BY: G. Brooks
 JOB NUMBER: 00095A DESIGN STORM: 100 YEAR

BACKWATER CALCULATIONS

FROM CB	TO CB	FLOW LENGTH (FEET)	PIPE DIA. (IN)	PIPE MANNING'S n	OUTLET ELEVATION (FEET)	INLET ELEVATION (FEET)	PIPE AREA (SQ.FT)	FLOW VELOCITY (FT/SEC)	VELOCITY HEAD (FEET)	TAILWATER ELEVATION (FEET)	FRUCTION LOSS (FEET)	ENTRANCE HGL ELEVATION (FEET)	ENTRANCE HEAD LOSS (FEET)	EXIT HEAD LOSS (FEET)	OUTLET CONTROL ELEVATION (FEET)	INLET CONTROL ELEVATION (FEET)	APPROACH VELOCITY HEAD (FEET)	BEND HEAD LOSS (FEET)	JUNCTION HEAD LOSS (FEET)	HEADWATER ELEVATION (FEET)	RIM EL
3A	3	5.52	111	0.012	267.00	268.72	1.77	3.12	0.15	270.71	0.26	270.97	0.08	0.15	271.20	270.22	0.14	0.18	0.01	271.24	281.00
3	4	0.26	131	0.012	269.22	269.88	0.79	0.33	0.00	271.24	0.01	271.25	0.00	0.00	271.25	270.88	0.00	0.00	0.00	271.25	272.94
3	5	5.26	35	0.012	268.72	275.72	1.77	2.98	0.14	271.24	0.07	277.22	0.07	0.14	277.43	277.22	0.11	0.01	0.01	277.32	281.84
5	6	0.24	24	0.012	276.55	278.90	0.35	0.69	0.01	277.32	0.01	279.57	0.00	0.01	279.58	279.57	0.00	0.00	0.00	279.58	281.84
5	7	4.78	122	0.012	275.72	280.67	1.77	2.70	0.11	277.32	0.21	282.17	0.06	0.11	282.34	282.17	0.16	0.15	0.02	282.35	284.54
7	8	0.78	26	0.012	281.50	282.02	0.35	2.23	0.08	282.35	0.09	282.69	0.04	0.08	282.80	282.69	0.00	0.00	0.00	282.80	284.54
7	9	3.92	195	0.012	280.92	282.68	1.23	3.19	0.16	282.35	0.61	283.93	0.08	0.16	284.17	283.93	0.12	0.02	0.01	284.08	285.19
9	10	0.23	27	0.012	283.26	286.23	0.35	0.66	0.01	284.08	0.01	286.90	0.00	0.01	286.91	286.90	0.00	0.00	0.00	286.91	289.30
9	11	3.37	103	0.012	282.68	283.20	1.23	2.75	0.12	284.08	0.24	284.45	0.06	0.12	284.63	284.45	0.06	0.01	0.03	284.60	290.93
11	12	0.79	46	0.012	283.45	288.05	0.79	1.01	0.02	284.60	0.02	289.05	0.01	0.02	289.07	289.05	0.03	0.02	0.00	289.06	291.73
12	13	0.49	24	0.012	288.38	288.74	0.35	1.40	0.03	289.06	0.03	289.41	0.02	0.03	289.45	289.41	0.00	0.00	0.00	289.45	291.73
14	15	2.45	75	0.012	283.20	283.58	1.23	2.00	0.06	284.60	0.09	284.83	0.03	0.06	284.92	284.83	0.05	0.01	0.00	284.88	292.33
14	15	2.27	53	0.012	283.58	283.85	1.23	1.85	0.05	284.88	0.06	285.10	0.03	0.05	285.18	285.10	0.05	0.00	0.00	285.15	293.35
15	16	2.25	66	0.012	283.85	284.18	1.23	1.83	0.05	285.13	0.07	285.43	0.03	0.05	285.51	285.43	0.05	0.00	0.01	285.54	294.65
16	17	0.57	207	0.012	284.43	285.67	0.79	0.73	0.01	285.54	0.04	286.67	0.00	0.01	286.68	286.67	0.01	0.01	0.00	286.68	289.42
17	18	0.32	26	0.012	286.00	286.73	0.35	0.92	0.01	286.68	0.02	287.40	0.01	0.01	287.42	287.40	0.00	0.00	0.00	287.42	289.42
16	19	0.26	50	0.012	284.43	290.68	0.79	0.33	0.00	285.54	0.00	291.68	0.00	0.00	291.68	291.68	0.00	0.00	0.00	291.68	294.28
19	20	0.15	27	0.012	291.01	291.28	0.35	0.43	0.00	291.68	0.00	291.95	0.00	0.00	291.95	291.95	0.00	0.00	0.00	291.95	294.28
16	21	1.42	113	0.012	284.43	292.34	0.79	1.81	0.05	285.54	0.15	293.34	0.03	0.05	293.42	293.34	0.01	0.00	0.02	293.43	296.07
21	22	0.36	26	0.012	292.67	292.93	0.35	1.03	0.02	293.43	0.02	293.60	0.01	0.02	293.62	293.60	0.00	0.00	0.00	293.62	296.07
21	23	0.48	194	0.012	292.34	297.97	0.79	0.61	0.01	293.43	0.03	298.97	0.00	0.01	298.98	298.97	0.00	0.00	0.00	298.98	301.16
24A	24	3.72	150	0.012	267.00	267.94	1.77	2.11	0.07	270.71	0.16	270.87	0.03	0.07	270.97	269.44	0.08	0.01	0.01	270.90	276.71
24	25	0.41	131	0.012	268.44	269.10	0.79	0.52	0.00	270.90	0.01	270.92	0.00	0.00	270.93	270.10	0.00	0.01	0.00	270.93	272.78
25	26	0.15	26	0.012	269.43	269.69	0.35	0.43	0.00	270.93	0.00	270.93	0.00	0.00	270.94	270.36	0.00	0.00	0.00	270.94	272.78
24	27	2.85	53	0.012	268.19	271.37	1.23	2.32	0.08	270.90	0.09	272.62	0.04	0.08	272.75	272.62	0.11	0.01	0.01	272.65	275.25
27	28	0.37	30	0.012	271.95	272.25	0.35	1.06	0.02	272.65	0.02	272.92	0.01	0.02	272.94	272.92	0.00	0.00	0.00	272.94	275.24
27	29	2.11	86	0.012	271.62	276.35	0.79	2.69	0.11	272.65	0.25	277.35	0.06	0.11	277.52	277.35	0.08	0.00	0.00	277.43	279.72
29	30	1.82	183	0.012	276.35	284.72	0.79	2.32	0.08	277.43	0.40	285.72	0.04	0.08	285.85	285.72	0.06	0.00	0.05	285.83	290.70
30	31	0.27	27	0.012	284.39	287.69	0.35	0.77	0.01	285.83	0.01	288.36	0.00	0.01	288.37	288.36	0.00	0.00	0.00	288.37	291.12
30	32	1.49	22	0.012	284.39	284.99	0.79	1.90	0.06	285.83	0.03	285.99	0.03	0.06	286.07	285.99	0.03	0.00	0.00	286.04	290.69
32	33	0.03	24	0.012	285.32	287.67	0.35	0.09	0.00	286.04	0.00	288.34	0.00	0.00	288.34	288.34	0.00	0.00	0.00	288.34	290.69
32	34	1.14	81	0.012	284.99	285.40	0.79	1.45	0.03	286.04	0.07	286.40	0.02	0.03	286.45	286.40	0.01	0.04	0.01	286.49	293.76
34	35	0.44	89	0.012	285.40	285.85	0.79	0.56	0.00	286.49	0.01	286.85	0.00	0.00	286.86	286.85	0.00	0.00	0.00	286.86	288.92

CORE NO. 00009A
POND CALCULATIONS

=====

BASIN SUMMARY

BASIN ID: cb08100 NAME: cb 8 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 1.69 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 1.45 Acres 0.24 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 81.30 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.78 cfs VOL: 0.30 Ac-ft TIME: 480 min

BASIN ID: cb09100 NAME: cb 9 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.46 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.14 Acres 0.23 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.32 cfs VOL: 0.12 Ac-ft TIME: 480 min

BASIN ID: cb10100 NAME: cb 10 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.33 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.10 Acres 0.23 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.23 cfs VOL: 0.09 Ac-ft TIME: 480 min

BASIN ID: cb11100 NAME: cb 11 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.19 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.06 Acres 0.13 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.13 cfs VOL: 0.05 Ac-ft TIME: 480 min

CORE NO. 00009A
POND CALCULATIONS

=====

BASIN SUMMARY

BASIN ID: cb12100 NAME: cb 12 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.57 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.39 Acres 0.18 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 82.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.30 cfs VOL: 0.11 Ac-ft TIME: 480 min

BASIN ID: cb13100 NAME: cb 13 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.91 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.61 Acres 0.30 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 82.10 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.49 cfs VOL: 0.19 Ac-ft TIME: 480 min

BASIN ID: cb14100 NAME: cb 14 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.26 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.08 Acres 0.18 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.18 cfs VOL: 0.07 Ac-ft TIME: 480 min

BASIN ID: cb15100 NAME: cb 15 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.03 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.01 Acres 0.02 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.02 cfs VOL: 0.01 Ac-ft TIME: 480 min

CORE NO. 00009A
POND CALCULATIONS

=====

BASIN SUMMARY

BASIN ID: cb17100 NAME: cb 17 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.36 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.11 Acres 0.25 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.25 cfs VOL: 0.09 Ac-ft TIME: 480 min

BASIN ID: cb18100 NAME: cb 18 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.46 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.14 Acres 0.32 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.32 cfs VOL: 0.12 Ac-ft TIME: 480 min

BASIN ID: cb19100 NAME: cb 19 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.16 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.05 Acres 0.11 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.11 cfs VOL: 0.04 Ac-ft TIME: 480 min

BASIN ID: cb20100 NAME: cb 20 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.21 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.06 Acres 0.15 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.15 cfs VOL: 0.05 Ac-ft TIME: 480 min

CORE NO. 00009A
POND CALCULATIONS

=====

BASIN SUMMARY

BASIN ID: cb21100 NAME: cb 21 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.98 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.53 Acres 0.45 Acres
 TIME INTERVAL.....: 10.00 min CN....: 82.90 98.00
 TC....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.58 cfs VOL: 0.22 Ac-ft TIME: 480 min

BASIN ID: cb22100 NAME: cb 22 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.53 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.18 Acres 0.35 Acres
 TIME INTERVAL.....: 10.00 min CN....: 85.40 98.00
 TC....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.36 cfs VOL: 0.13 Ac-ft TIME: 480 min

BASIN ID: cb23100 NAME: cb 23 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.69 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.21 Acres 0.48 Acres
 TIME INTERVAL.....: 10.00 min CN....: 86.00 98.00
 TC....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.48 cfs VOL: 0.18 Ac-ft TIME: 480 min

BASIN ID: cb24100 NAME: cb 24 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.09 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.03 Acres 0.06 Acres
 TIME INTERVAL.....: 10.00 min CN....: 86.00 98.00
 TC....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.06 cfs VOL: 0.02 Ac-ft TIME: 480 min

CORE NO. 00009A
POND CALCULATIONS

=====

BASIN SUMMARY

BASIN ID: cb25100 NAME: cb 25 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.38 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.12 Acres 0.26 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.26 cfs VOL: 0.10 Ac-ft TIME: 480 min

BASIN ID: cb26100 NAME: cb 26 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.21 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.06 Acres 0.15 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.15 cfs VOL: 0.05 Ac-ft TIME: 480 min

BASIN ID: cb27100 NAME: cb 27 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.54 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.17 Acres 0.37 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.37 cfs VOL: 0.14 Ac-ft TIME: 480 min

BASIN ID: cb28100 NAME: cb 28 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.58 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.26 Acres 0.32 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 83.70 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.37 cfs VOL: 0.14 Ac-ft TIME: 480 min

CORE NO. 00009A

POND CALCULATIONS

=====

BASIN SUMMARY

BASIN ID: cb29100 NAME: cb 29 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.42 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE....: TYPE1A PERV IMP
 PRECIPITATION....: 3.69 inches AREA...: 0.13 Acres 0.29 Acres
 TIME INTERVAL....: 10.00 min CN....: 86.00 98.00
 TC....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.29 cfs VOL: 0.11 Ac-ft TIME: 480 min

BASIN ID: cb30100 NAME: cb 30 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.09 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE....: TYPE1A PERV IMP
 PRECIPITATION....: 3.69 inches AREA...: 0.03 Acres 0.06 Acres
 TIME INTERVAL....: 10.00 min CN....: 86.00 98.00
 TC....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.06 cfs VOL: 0.02 Ac-ft TIME: 480 min

BASIN ID: cb31100 NAME: cb 31 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.39 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE....: TYPE1A PERV IMP
 PRECIPITATION....: 3.69 inches AREA...: 0.12 Acres 0.27 Acres
 TIME INTERVAL....: 10.00 min CN....: 86.00 98.00
 TC....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.27 cfs VOL: 0.10 Ac-ft TIME: 480 min

BASIN ID: cb32100 NAME: cb 32 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.46 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE....: TYPE1A PERV IMP
 PRECIPITATION....: 3.69 inches AREA...: 0.14 Acres 0.32 Acres
 TIME INTERVAL....: 10.00 min CN....: 86.00 98.00
 TC....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.32 cfs VOL: 0.12 Ac-ft TIME: 480 min

CORE NO. 00009A
POND CALCULATIONS

=====

BASIN SUMMARY

BASIN ID: cb33100 NAME: cb 33 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.04 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.01 Acres 0.03 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.03 cfs VOL: 0.01 Ac-ft TIME: 480 min

BASIN ID: cb35100 NAME: cb 35 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.64 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.20 Acres 0.44 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.44 cfs VOL: 0.16 Ac-ft TIME: 480 min

BASIN ID: cb36100 NAME: cb 36 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.43 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.13 Acres 0.30 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.30 cfs VOL: 0.11 Ac-ft TIME: 480 min

BASIN ID: cb37100 NAME: cb 37 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.71 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.58 Acres 0.13 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.40 cfs VOL: 0.15 Ac-ft TIME: 480 min

CORE NO. 00009A
POND CALCULATIONS

=====

BASIN SUMMARY

BASIN ID: cb38100 NAME: cb 38 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.35 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.11 Acres 0.24 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.24 cfs VOL: 0.09 Ac-ft TIME: 480 min

BASIN ID: cb39100 NAME: cb 39 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.21 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.06 Acres 0.15 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.15 cfs VOL: 0.05 Ac-ft TIME: 480 min

BASIN ID: cb41100 NAME: cb 41 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.19 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.06 Acres 0.13 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.13 cfs VOL: 0.05 Ac-ft TIME: 480 min

BASIN ID: cb42100 NAME: cb 42 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.15 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.05 Acres 0.10 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min

ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.10 cfs VOL: 0.04 Ac-ft TIME: 480 min

CORE NO. 00009A
POND CALCULATIONS

=====

BASIN SUMMARY

BASIN ID: cb43100 NAME: cb 43 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.07 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.02 Acres 0.05 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.05 cfs VOL: 0.02 Ac-ft TIME: 480 min

BASIN ID: cb44100 NAME: cb 44 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.06 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.02 Acres 0.04 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 86.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.04 cfs VOL: 0.02 Ac-ft TIME: 480 min

BASIN ID: cb45100 NAME: cb 45 100-year
 SBUH METHODOLOGY
 TOTAL AREA.....: 0.67 Acres BASEFLOWS: 0.00 cfs
 RAINFALL TYPE.....: TYPE1A PERV IMP
 PRECIPITATION.....: 3.69 inches AREA...: 0.46 Acres 0.21 Acres
 TIME INTERVAL.....: 10.00 min CN.....: 82.00 98.00
 TC.....: 5.00 min 5.00 min
 ABSTRACTION COEFF: 0.20
 PEAK RATE: 0.36 cfs VOL: 0.13 Ac-ft TIME: 480 min

OVERFLOW ROUTES

The overflow routes are shown on the Catch Basin Subbasin Map exhibit. The overflow routes are indicated by arrows. All overflows are safely conveyed through the site without impact to any proposed houses. The only catch basins of concern are CB 25, CB 26, and CB 35. Possible overflow from CB 25 and CB 26 could overflow onto the adjacent property to the south. To prevent overflow from entering the southern property, a thru-curb grate was added to CB 26 thereby, eliminating plugging of the catch basin. Also, an asphalt-thickened edge was added to the end of the stub road. Any overflow from CB 25 will overflow the crown of the road and flow into CB 26 before jumping the asphalt-thickened edge and flowing onto the southern property. The southern property will therefore, not experience any overflow from the subject property with the addition of a thru-curb grate to CB 26 and an asphalt-thickened edge constructed at the end of the stub road.

A shallow ditch was created that will convey overflows from CB 35 if the catch basin becomes plugged. The ditch was designed with a 100-year, 24-hour peak flow from the basin that would drain overland to CB 35. Per the proposed topography of the site, the only basin area that will contribute overflow is from Subbasin 35. See Catch Basin Subbasin Map. The 100-year, 24-hour peak flow from Subbasin 35 is 0.44 cfs. See WaterWorks Basin Summary sheet attached within this section of the report. Attached on the following page is an excel spreadsheet that calculates the capacity of a V-ditch designed with a worst case 0.5% longitudinal slope, 3:1 side slopes, and grass-lined with an $n = 0.027$ (1992 DOE Table III-2.8). The V-ditch can carry the required 0.44 cfs at 0.36' of depth. The V-ditch therefore, will be designed with a depth of 0.86' to allow for 0.5' of freeboard.

GRASS-LINED OVERFLOW DITCH ANALYSIS

DITCH DATA:		JOB NAME: CURRY PRD
BOTTOM WIDTH (FT) =	0.00	JOB #: 00009A
LEFT SIDE SLOPE (L:1)	3.00	OPERATOR: G.R. BROOKS
RIGHT SIDE SLOPE (R:1)	3.00	DATE: 1/23/2004
BOTTOM SLOPE (FT/FT)	0.0050	
MANNING'S n =	0.027	

FLOW DEPTH (FEET)	FLOW AREA (SQ FT)	WETTED PERIMETER (FEET)	HYDRAULIC RADIUS (FEET)	DITCH CAPACITY (CFS)	FLOW VELOCITY (FPS)
0.00	0.0000	0.0000	0.0000	0.000	0.000
0.05	0.0075	0.3162	0.0237	0.002	0.321
0.10	0.0300	0.6325	0.0474	0.015	0.510
0.15	0.0675	0.9487	0.0712	0.045	0.668
0.20	0.1200	1.2649	0.0949	0.097	0.810
0.25	0.1875	1.5811	0.1186	0.176	0.939
0.30	0.2700	1.8974	0.1423	0.286	1.061
0.35	0.3675	2.2136	0.1660	0.432	1.176
0.36	0.3888	2.2768	0.1708	0.466	1.198
0.40	0.4800	2.5298	0.1897	0.617	1.285
0.45	0.6075	2.8460	0.2135	0.844	1.390
0.50	0.7500	3.1623	0.2372	1.118	1.491
0.55	0.9075	3.4785	0.2609	1.442	1.589
0.60	1.0800	3.7947	0.2846	1.819	1.684
0.65	1.2675	4.1110	0.3083	2.251	1.776
0.70	1.4700	4.4272	0.3320	2.743	1.866
0.75	1.6875	4.7434	0.3558	3.297	1.954
0.80	1.9200	5.0596	0.3795	3.916	2.040
0.85	2.1675	5.3759	0.4032	4.604	2.124
0.90	2.4300	5.6921	0.4269	5.362	2.206
0.95	2.7075	6.0083	0.4506	6.193	2.287
1.00	3.0000	6.3246	0.4743	7.101	2.367

DOWNSTREAM CONVEYANCE SYSTEM


The 18" storm drainage bypass system was designed and installed along 174th Place NE by the Whistler Ridge development to accept drainage from the Curry PRD and any tributary area that sheetflows to 174th Place NE from the west. The bypass system is an 18" storm drainage system that is at worst designed at a 1.99% slope along 174th Place NE per the City approved plans for the Whistler Ridge development.

The tributary area that drains to 174th Place NE, aside from the Curry PRD discharge, is approximately 1.5 acres. The impervious coverage for the approximately 1-1/2 properties that drains to 174th Place NE was calculated using Table III-1.3 in the 1992 D.O.E. Manual. The dwelling units per gross acre is 1.5 DU/1.5 AC = 1 DU/AC. The impervious coverage is therefore 19% or 19%*1.5 acre = 0.29 acre. The basin summary for the tributary area that drains to 174th Place NE is delineated below. See WaterWorks printout on the following page.

174th PL. NE	Total Area = 1.5 acres	
TRIBUTARY CONDITIONS		
GROUND COVER	AREA(acre)	CN
Lawn (Landscaping)	1.21	86
Impervious	0.29	98
Time of concentration	Assumed	10.00 min.

To convey the 100-year release rate from the proposed Curry PRD detention/water quality pond and the 100-year, 24-hour storm event from those properties that drain directly to 174th Place NE, the 18" storm drainage bypass system would need to convey 3.21 cfs. See Hydrograph 16 (Sum of the 100-year pond release and the 100-year, 24-hour storm event for 174th Pl. NE Tributary) in Section IV.C. of this report.

The 18" storm drainage system along 174th Place NE which is at worst sloped at 1.99% can carry $Q(\text{full}) = 1.49/n * A * R^{2/3} * S^{1/2} = (1.49/0.012)(\pi/4 * 1.5^2)(0.75/2)^{2/3}(0.0199)^{1/2} = 16.1$ cfs which exceeds the required 100-year flow that would enter the 18" storm drainage system along 174th Place NE as calculated above. Therefore, the downstream bypass storm drainage system along 174th Place NE has been adequately sized to convey all drainage that is tributary to the storm drainage system along 174th Place NE.



51,000

16,000

19,000

139,500

7,000

72ND AVE NE

174TH PL NE

CURRY P.R.D.

4
N
1"=200'

174th PLACE NE
TRIBUTARY CONDITIONS
CURRY P.R.D.
CORE NO. 00009A

PROPERTIES
TRIB. TO
174TH PL NE
1.5 AC

NE 116TH ST

,000

,500

7,000

CORE NO. 00009A
POND CALCULATIONS

=====

BASIN SUMMARY

BASIN ID: 174100	NAME: 174th Pl NE Trib. 100-year		
SBUH METHODOLOGY			
TOTAL AREA.....:	1.50 Acres	BASEFLOWS:	0.00 cfs
RAINFALL TYPE....:	TYPE1A	PERV	IMP
PRECIPITATION....:	3.69 inches	AREA..:	1.21 Acres 0.29 Acres
TIME INTERVAL....:	10.00 min	CN....:	86.00 98.00
		TC....:	10.00 min 10.00 min
ABSTRACTION COEFF:	0.20		
PEAK RATE:	0.81 cfs	VOL:	0.31 Ac-ft
		TIME:	480 min

SECTION VI: EROSION/SEDIMENTATION CONTROL DESIGN

A combination of silt fence, interceptor ditch along with a sediment pond will be used for all disturbed areas to control sediment laden runoff from leaving the site. The sediment pond was designed per the Department of Ecology Manual, Section II-5.8.7.

Design Sediment Pond

$Q_{10} = 6.46$ cfs (assuming developed conditions)

Required Surface Area = $1250 \text{ SF/cfs} * Q_{10} = 1250 * 6.46 = 8,075 \text{ SF}$

The provided surface area at the top of the standpipe for the sediment pond is approximately 19,674 SF at elevation 269. The provided surface area exceeds the minimum required surface area and therefore, will provide the treatment as required per the Department of Ecology Manual.

APPENDIX B

Conditions of Approval Letter



RECEIVED

AUG 01 2003

ROTHHILL ENGR. PARTNERS, LLC
BELLEVUE, WA

THE CITY OF REDMOND
PLANNING DEPARTMENT

AGENDA
HEARING EXAMINER

March 31, 2003

Redmond City Council Chamber
Public Safety Building
8701 160 Ave NE

7:00 p.m.

- I. CALL TO ORDER
- II. DESCRIPTION OF HEARING SEQUENCE AND PROCEDURES
- III. PUBLIC HEARING

Curry Preliminary Plat and Planned Residential Development -
PRD02-001

Request: Subdivision of approximately 15.68 acres into lots for 69 single-family residential dwellings designed as a planned residential development.

Location: North of NE 116th Street on the east side of 172nd Ave NE, includes 11840 172nd Ave NE.

- IV. ADJOURNMENT

O:\Sheryle\HE3-31

1 The following exhibits were offered and admitted:

- 2 Exhibit A: Technical Committee Report dated 3/31/03 with attachments
3 Exhibit B: Letter from City to Harkness requesting additional information – 6/12/02
4 Exhibit C: Traffic Impact Analysis from Gary Struthers Associates, Inc. – 11/22/02
5 Exhibit D: Letter from City to Harkness requesting additional information – 11/15/02
6 Exhibit E: Letter from City to Harkness re: Curry PRD/PPL SEPA determination and
7 MDNS dated 2/13/03
8 Exhibit F: Memo from Gary Struthers Associates, Inc and attached email
9 Exhibit G: CamWest's Powerpoint presentation

10
11 The Examiner visited the site prior to the hearing. The hearing adjourned at 8:15 pm
12

13 From the foregoing the Examiner makes the following:
14

15 **FINDINGS OF FACT**

- 16 1. Proposal. CamWest Development Inc. (CamWest) proposes to subdivide a 15.68-acre
17 site into lots for 69 single-family residential dwellings to include roads, sidewalks,
18 stormwater facilities, sewer and water lines, landscaping, and a major open space for
19 trails and public access and enjoyment.
20
21 2. Site. The site is located at 11840 172nd Avenue NE and lies generally north of NE 116th
22 Street and east of 172nd Avenue NE. The residence of Gerald and Telka Gustafson at
23 11810 172nd Avenue NE is surrounded by and excluded from the site. The proposed
24 Wynstone Development lies to the north and the Whistler Ridge plat, now under
25 construction, lies to the east. One tier of single-family lots separates the site from NE
26 116th Street. The site is generally flat, slopping from Northwest to Southeast and consists
27 of 55% trees, 40% pasture grass, and 5% structures. It is currently developed with three
28 single-family homes and outbuildings.
29
30

- 1 3. Comprehensive Plan – Zoning. The site is in the North Redmond Neighborhood and is
2 designated for Low-Moderate Density Residential uses. It is zoned R-4. All surrounding
3 land is also zoned R-4, except for portions of King County which lie to the west and are
4 zoned R-8.
5
- 6 4. Access. Vehicular access to the site will be from 172nd Avenue NE, from the Wynstone
7 plat to the north, from the Whistler Ridge plat to the east and from a new 173rd Place NE
8 to the south. None of the residences will have direct access from 172nd Avenue NE.
9 School children will be able to walk safely to bus stops on NE 116th Street.
10
- 11 5. SEPA. A Mitigated Determination of Non-Significance (MDNS) was issued on February
12 14, 2003. The appeal period ended on March 17, 2003. There was no appeal. Two
13 conditions were attached to the MDNS:
14 • Applicant will be required to construct a second southbound lane on 172nd
15 Avenue NE as it approaches NE 116th Street, to separate right-turning vehicles
16 from other traffic.
17 • Applicant must mitigate adverse quality and quantity impacts of construction to
18 domestic water supply wells on adjacent properties caused by construction of the
19 subdivision.
20
- 21 6. Impact Fees. Applicant shall pay impact fees at the rates in effect when building permits
22 are issued, as follows:
23 • Fire. Now \$94.00 per single-family dwelling unit
24 • Transportation. Now \$3,064.15 per single-family dwelling unit
25 • Parks. Now \$1611.00 per single-family dwelling unit
26
- 27 7. Trees. There are 560 significant and landmark trees on the site. Applicant proposes to
28 remove 13 landmark trees and 30 significant trees. Eleven landmark trees and 33
29 significant trees will be “retained”, and 51 landmark trees and 145 significant trees will
30 be “saved”. Trees that are “retained “ are those from which site work is proposed to

1 occur within 5 feet of the designated drip line. Trees that are to be "saved" are those that
 2 will not be subject to such site work. As a result, Applicant will save more than 35% of
 3 all healthy significant trees. Applicant has received administrative approval to remove or
 4 impact the root protection zone of 24 landmark trees. All trees to be saved will be in
 5 Native Growth Protection Areas, in common areas or on residential lots.

6
 7 8. Planned Residential Development. Applicant proposes to cluster the housing on smaller
 8 than average lots in order to establish a major open space in the tract. If approved, this
 9 will allow the following modifications of the normal development regulations:

<u>Regulation</u>	<u>Normal</u>	<u>Proposed</u>
Density	63 dwelling units	69 dwelling units
Minimum Average Lot Size	7,000 sq. ft	5,498 sq. ft.
Minimum Lot Width Circle	40 ft.	20 ft.
Minimum Lot Frontage	20 ft.	11 ft. & 9 ft. on Lots 17 & 8
Front Setback	15 ft, 18 ft for garage	10 ft. w/5 ft. for Lots 20 & 53
Side Setback	5 ft. & 10 ft.	4 ft. for 4 lots
Side Street Setback	15 ft.	10 ft. for 11 lots
Minimum Building Separation	10 ft.	8 ft. for 4 lots
Maximum Lot Coverage	35%	45%
Maximum Impervious Surface	60%	70%
Minimum Open Space	20%	(See site plan)

10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25 The Technical Committee recommends approval of all of the proposed modifications except
 26 for the 5-foot setbacks for lots 20 and 53. All modifications require City Council approval in
 27 the Planned Residential Development.

28
 29 9. Studies. In support of the application, applicant submitted the following studies:

- 30
- Arborist Report

- 1 • Stormwater Drainage Report
- 2 • Landmark Tree Removal Request
- 3 • Wetland Determination and Conceptual Mitigation
- 4 • Wildlife Study Report
- 5 • Preliminary Geotechnical Report
- 6 • Traffic Impact Analysis
- 7 • Phase I Environmental Survey

8

9 10. Stormwater. Stormwater runoff will be collected in a series of catch basins and conveyed

10 by an underground system into an open detention and water quality pond. The system

11 will be designed to match one-half of the two-year storms and match the 10 year and 100

12 year storms, based upon predevelopment runoff peak flow rates. Overflow routes through

13 the site for the 100-year storm shall be designed so as to avoid any buildings. Water

14 quality shall not be less than predevelopment storm flow rates and values.

15

16 11. Wetland. A Type III palustrine emergent wetland was identified on the site, which is

17 isolated from other surface waters and measures 5,254 sq. ft. As the wetland is located at

18 the intersection of two streets that cannot be relocated, the wetland will be filled and off-

19 site mitigation will be provided in the nearby Roberts plat, which was also developed by

20 CamWest.

21

22 12. Wildlife. The wildlife report indicates that the site has the potential to support at least 52

23 different species of wildlife, but very few were observed on the site. The presence of

24 several large snags are valuable to species which prefer the conifer forest habitat.

25 Applicant proposes to retain as many snags in open space areas as safety and

26 development limitations allow.

27

28 13. Geotechnical. The geotechnical report indicates that the site appears generally suitable for

29 development as a residential subdivision.

30

1 14. Traffic. Traffic analysis indicates that the proposed subdivision will have a minimal
2 impact on the transportation network within Redmond. To mitigate the substandard level
3 of service at the intersection of NE 116th Street and 172nd Avenue NE, the consultant
4 recommended that it operate as an all-way stop intersection. City staff rejected this
5 mitigation and Applicant will instead be required to construct the additional southbound
6 lane at 172nd Avenue NE. A variance from the 450 stopping sight distance requirement to
7 the available 285 feet will be needed at the south site access.

8
9 15. Public Notice and Comment. Public notice of the application and public hearing was
10 given as required by the RCDG. Four comments were received from the public:

- 11 • Gerald and Telka Gustafson of 11810 172nd Avenue NE expressed concern for the
12 safety of their well and septic system, responsibility for fencing, and driveway
13 access after a sidewalk was installed in front of their property.
- 14 • Lake Washington School District. The School District asked that the City impose
15 and impact fee for school construction in the sum of \$3,341.00 per single-family
16 dwelling unit.
- 17 • Judith Sheldon of 11604 172nd Avenue NE pointed an error in the identification of
18 her property, and expressed concern for the impact of road improvements on her
19 property.
- 20 • Raul Munoz of 17234 NE 115th Street was concerned that metal tags had been
21 attached to trees on his property, that trees on his property were close to the
22 property line and could affect construction of homes on the site, that his private
23 well might be affected by storm drainage, and that 172nd Avenue NE may not be
24 adequate to handle additional traffic.

25
26 Munoz was the only member of the public to attend and speak at the hearing. He urged
27 that his well water be tested for quantity and quality prior to any construction to establish
28 a baseline to evaluate construction impacts, and that homes on lots five and six be located
29 away from his trees along his property line. He urged that an arborist be consulted in the
30 matter.

1
2 16. Any conclusion of law deemed to be a finding of fact is hereby adopted as such.
3

4 From these findings of fact, the Examiner makes the following:
5

6 **CONCLUSIONS OF LAW**

- 7 1. Jurisdiction. The Hearing Examiner is authorized to conduct a public hearing and
8 approve an application for Preliminary Plat. The Hearing Examiner is authorized to
9 conduct a public hearing and make a recommendation to the City Council on an
10 application for a PRD.
11
- 12 2. Subdivision Criteria. Subdivision regulations are set forth in RCDG 20D.180. The
13 review and approval criteria are contained in RCDG 20D.180.10-020, as follows:
14 (1) Each proposed subdivision or short subdivision shall be reviewed to insure that:
15 (a) The proposal conforms to the goals, policies and plans set forth in RCDG Title
16 20B;
17 (b) The proposal conforms to the site requirements set forth in RCDG 20C.30.25-140,
18 Site Requirements;
19 (c) The proposal conforms to the requirements of this section and those set forth in
20 RCDG Title 20F and submittal requirements on file in the Planning Department;
21 (d) The proposed street system conforms to the City of Redmond Arterial Street Plan
22 and Neighborhood Street Plans, and is laid out in such a manner as to provide for
23 the safe, orderly and efficient circulation of traffic;
24 (e) The proposed subdivision or short subdivision will be adequately served with City
25 approved water and sewer, and other utilities appropriate to the nature of the
26 subdivision or short subdivision;
27 (f) The layout of lots and their size and dimensions take into account topography and
28 vegetation on the site in order that buildings may be reasonably sited and that the
29 least disruption of the site, topography and vegetation will result from
30 development of the lots;

1 (g) Identified hazards and limitations to development have been considered in the
2 design of streets and lot layout to assure street and building sites are on
3 geologically stable soil considering the stress and loads to which the soil may be
4 subjected.
5

6 3. PRD Criteria. A Planned Residential Development (PRD) allows flexibility and variation
7 from established site requirements and development standards to enhance the design of a
8 residential development. The Decision Criteria for a PRD are set forth in RCDG
9 20C.30.105-040:

10 (1) Design Criteria. The City may approve, or approve with modifications, a PRD or
11 MPRD if the proposal meets the requirements of this chapter and the design of the
12 proposed development achieves two or more of the following results:

- 13 (a) High quality architectural design, placement, relationship or orientation
14 of structures;
- 15 (b) Achieving allowable densities for the subject property;
- 16 (c) Providing housing types that effectively serve the affordable housing
17 needs of the community;
- 18 (d) Improving circulation patterns or the screening of parking facilities;
- 19 (e) Minimizing the use of impervious surfacing materials;
- 20 (f) Increasing open space or recreational facilities on site;
- 21 (g) Landscaping, buffering, or screening in or around the proposed PRD or
22 MRPD;
- 23 (h) Providing public facilities;
- 24 (i) Preserving, enhancing or rehabilitating natural features of the subject
25 property such as significant woodlands, wildlife habitats or streams;
- 26 (j) Incorporating energy efficient site design or building features;
- 27 (k) Providing for an efficient use of infrastructure.

28
29 4. The concerns of the Gustafson's can be satisfied. The condition requiring mitigation for
30 damage to their well assures them of adequate water supply. Their septic system may be

1 maintained. Fencing is part of the development, an applicant has been encouraged to
2 work with the Gustafson's in the design and construction of the fences. Applicant must
3 construct a sidewalk along NE 172nd Avenue NE, and access to the Gustafson property
4 must be maintained at all times.

- 5
- 6 5. The request of Lake Washington School District for imposition of an impact fee for
7 schools cannot be granted, as the City of Redmond has not adopted a school impact fee
8 ordinance.
- 9
- 10 6. The concerns of Judith Sheldon can be met. All road improvements will be within the
11 existing right-of-way, although construction and slope easements maybe needed. It will
12 be applicant's responsibility to obtain any necessary easements.
- 13
- 14 7. The concerns of Raul Munoz for safety of buildings on Lot 5 & 6 are well founded. His
15 trees are near the property line, and a wind blown tree could cause considerable damage
16 to a nearby residence. A condition requiring consultation with an arborist should be
17 imposed. His request that Lots 5 & 6 be left as open space is unreasonable and should be
18 denied. The condition concerning adverse impacts to wells will assure him of continued
19 water service. His request that his well be test prior to construction is justified, and a
20 condition to such effect should be imposed. The traffic report indicates that 172nd Avenue
21 NE will be adequate to handle the additional traffic.
- 22
- 23 8. Staff analyzed the decision criteria for the Preliminary Plat and Planned Residential
24 Development on pages 10-30 of the Technical Committee Report, and concluded that
25 with conditions, both should be granted. The Hearing Examiner concurs. The homes will
26 be of varying size and cost and will be of high quality design. More than the minimum
27 percentage of trees will be preserved, and the large open space made possible by the PRD
28 process will provide a pleasing amenity for the residents. Environmental impacts are
29 adequately mitigated. The proposals should be approved.
- 30

1 9. Any finding of fact deemed to be a conclusion of law is adopted as such.

2
3 **DECISION**

4 The Preliminary Plat of Curry Property is **APPROVED** subject to conditions and subject to City
5 Council approval of the Planned Residential Development.

6
7 **RECOMMENDATION**

8 The Hearing Examiner recommends **APPROVAL** for the Planned Residential Development for
9 Curry Property.

10
11 Done this 14th day of April 2003.

12
13
14 /s/Gordon F. Crandall


15 **GORDON F. CRANDALL**
16 **HEARING EXAMINER**

17 Attachment A: Site Plan

18 Attachment B: Conditions of Approval (with changes in caps, underlined, and in bold)
19
20
21
22
23
24
25
26
27
28
29
30

ATTACHMENT A

SITE PLAN



Curry Property - 12
Decision and Recommendation

City of Redmond
Office of the Hearing Examiner
8701 160th Avenue NE
P.O. Box 97010
Redmond, WA 98073-9710

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30

**ATTACHMENT B
CONDITIONS OF APPROVAL**

(Changes are in caps, underlined and in bold)

I. **PLANNING REQUIREMENTS**

A. **SEPA:** A Mitigated Determination of Non-Significance was issued for this project. The MDNS was amended to resolve a scrivener's error on March 28, 2003. The following mitigation measures are incorporated into this approval as conditions of approval:

1. **172nd Avenue NE.** The applicant is required to construct a second southbound lane on 172nd Avenue NE as it approaches NE 116th Street. This will allow for the separation of southbound turning movements, which will decrease vehicle delay and improve level of service. The new lane is required to have a minimum storage length of 150 feet along with an appropriate transition back to the existing cross section. The traffic consultant reviewed the results of this improvement in the Traffic Impact Analysis. In 2005 with the project traffic and this mitigation, the southbound through movements will operate at LOS-E, with an approach delay of 42.8 seconds. Thus, this measure effectively mitigates the project impact to this movement by returning the level of service and delay to approximately the same as prior to the development. If the reconstruction of the intersection of NE 116th Street and 172nd Avenue NE as part of the planned widening of NE 116th Street is shown to be fully funded as part of the City of Redmond's 2004 Transportation Improvement Program, the City and the project applicant may propose the modification or elimination of this condition.

2. **Water System.** The project proponent shall mitigate adverse quantity or quality impacts that are demonstrated to have occurred during or within one year of site civil construction to domestic water supply wells on adjacent properties. This mitigation shall be required where it can be demonstrated that the adverse impacts occurred as an apparent result of dewatering of utility trench excavations, surface grading, storm-water collection or runoff of turbid storm-water or contamination caused by spillage and seepage of noxious substances on the site during construction. Each of four adjacent properties is served by its own well, more or less as shown on sheet P3 of the preliminary

1 PRD drawings dated 3/26/02. These adjacent properties potentially affected are King
2 County tax parcel numbers 252605-9098, 252605-9097, 252605-9088 and 252605-9090.
3 **EACH WELL SHALL BE TESTED PRIOR TO CONSTRUCTION TO**
4 **ESTABLISH BASELINE CONDITIONS.** Should an impact **TO THE QUANTITY**
5 **OR QUALITY OF THE WATER** be determined, each impacted property shall be
6 provided with city water service. Water services shall be installed from the main fronting
7 the affected property and meter setters and boxes placed to serve the residence. The
8 water service shall further be extended from the meter box to the house and connection
9 made to the existing plumbing. All work shall be done in accordance with city standards
10 and all applicable codes. Connection, meter installation and reimbursement fees shall be
11 paid to the city.

12 B. General Planning Requirements:

- 13 1. This approval is subject to all general criteria of the Redmond Community
14 Development Guide and Redmond Municipal Code. Refer to Attachment VI.A, General
15 Planning Approval Conditions, for a checklist of drawing, bond, and general planning
16 requirements. The checklist does not substitute for the code; it is intended to be used as a
17 guide in preparing your final construction drawing/building permit submittal. Refer to
18 the Redmond Community Development Guide and Redmond Municipal Code for
19 detailed information on each requirement.
- 20 2. To ensure compliance with residential site standards, at the time that construction
21 drawings are submitted for Public Works review, the applicant shall provide two (2)
22 copies of the construction drawings, clearing/grading plan and tree retention plan at a
23 scale of 1" = 20' to the Planning Department.
- 24 3. A sign permit application must be submitted separately to the Planning Department
25 for review and approval prior to installation of any proposed signs (RCDG Section
26 20D.160.10-020).
- 27 4. Transportation, parks, and fire impact fees shall be assessed at the time of building
28 permit issuance for each residence. The fee in effect at the time of complete building
29 permit application shall apply.
30

1 C. Specific Planning Requirements:
2

3 1. Planned Residential Development Approval. The proposal is dependent upon the
4 approval of a Planned Residential Development application. The Hearing Examiner
5 receives testimony and recommends to approve, conditionally approve, modify, or deny
6 the application for Planned Residential Development to the Redmond City Council. The
7 Preliminary Plat shall not be undertaken except in compliance with the approval of a
8 Planned Residential Development application in the same format as those plans dated
9 December 16, 2002.

10 2. Landscaping:

11 The landscape plan should include landscaping details for the storm water facility, which will
12 enhance its appearance as a naturally occurring water feature (RCDG Section 20D.40.25-080).
13 The general goal should be to create a varied planting pattern with a diversity of native species
14 that would be found in a palustrine emergent, seasonally flooded (or otherwise inundated)
15 wetland. The planting must be appropriate for the water regime that is anticipated. The design
16 should be done by a qualified wetland consultant or landscape architect with experience in
17 wetland mitigation or planting in wetland areas.

18
19 Landscaping shall be coordinated with water/sewer lines and fire hydrants/connections.
20 Trees shall be planted no closer than 8 feet from the centerline of any water/sewer lines. Shrubs
21 shall be planted to maintain at least 4 feet of clearance from the outside edge of the shrub to the
22 center of all fire hydrants/connections. Ground cover may be planted within this radius. (RCDG
23 Section 20D.80.10-150(8)).

24 Planting shall meet the City requirements for site clearance at intersections as identified in
25 Section 20D.210.25 of the Redmond Community Development Guide. (20D.80.10-150(2))
26

27 For any landscaping along 172nd Avenue NE and 174th PLACE NE, an irrigation system
28 shall be maintained by the Home Owners' Association or other means

29 acceptable by the City of Redmond Parks Department. Maintenance of landscaping
30 shall be the responsibility of the Homeowners Association, including that portion

1 located within the public right-of-way along 172nd Avenue NE and 174th **PLACE**
2 NE. Any installation or other work in the public right of way requires an Extended
3 Right of Way Use Permit issued by the Public Works Department.

4
5 Street trees are required as follows (RCDG Section 20D.80.10-140):

Street	Species	Spacing on Center	Note
172 nd Avenue NE	<u>Cleveland Maples</u>	30'	Minimum 2.5" caliper. Specimen to be grown for street use.
Internal Streets	To be determined.	TBD	Per Landscaping Requirements. Note: The City does not maintain internal street trees.

6
7
8
9
10
11
12
13
14
15
16 Sensitive Areas:

- 17
- 18 a. A wetland and buffer enhancement plan shall be submitted with the Construction
19 Drawings. The plan shall meet the requirements of Appendix 20D-2 (V) of the
20 Redmond Community Development Guide.
 - 21 b. A sensitive areas analysis shall be completed for off-site improvements that
22 extend into areas with potential wetlands or streams. Mitigation will be required
23 where improvements extend into a sensitive area or its buffer and beyond those
24 improvements that currently exist.
 - 25
26
27 c. A split rail fence shall be installed to delineate all sensitive areas and native
28 growth protection area tracts. Sensitive area signage (available from the City of
29 Redmond) shall be installed to provide for notice in the field regarding the
30 presence of sensitive areas. Signage shall be affixed to the fence approximately

1 on the midpoint of each lot's rear property line. Where fencing does not abut an
2 individual lot, signage shall be placed approximately every 100'. Signage and
3 fencing shall be shown on the construction drawings. Final location and materials
4 will be subject to approval by the Planning Department.

5
6 **Tree Protection Measures:**

- 7 d. Existing Significant Trees to Remain, as designated on the proposed Tree
8 Preservation Plan, dated 12/16/2002, shall be saved.
- 9
10 e. Tree preservation measures for trees designated to be saved must at a minimum
11 comply with required tree protection in RCDG Section 20D.80.20-100(1). These
12 measures include but are not limited to the following requirements:
- 13 i. All construction activities, including staging and traffic areas, shall be
14 prohibited within five feet of the dripline of protected trees.
 - 15
16 ii. Tree protection barriers shall be installed along the outer edge and
17 completely surround the area 5' from the dripline of significant trees to be
18 protected prior to any land disturbance.
 - 19
20 iii. Tree protection barriers shall be a minimum of four feet high, constructed
21 of chain link, or polyethylene laminar safety fencing or similar material.
22 "Tree Protection Area" signs shall be posted visibly on all sides of the
23 fenced areas. Signs requesting subcontractor cooperation and compliance
24 with tree protection standards may also be required to be posted at site
25 entrances.
 - 26
27 iv. Where tree protection areas are remote from areas of land disturbance, and
28 where approved by the Planning Department, alternative forms of tree
29 protection may be used in lieu of tree protection barriers, provided that
30 protected trees are completely surrounded with continuous rope or
flagging and are accompanied by "Tree Save Area-Keep Out" signs.

1 v. Per RCDG Section 20D.80.20-080(1), each significant tree that is
2 removed on the site must be replaced by one new tree. The required
3 number of replacement trees must be identified on the Tree Replacement
4 Plan. The minimum size of replacement trees is 2-½ -inch caliper for
5 deciduous trees and six to eight feet in height for evergreen trees.
6 **STREET TREES OF THIS CALIPER WILL BE COUNTED AS**
7 **REPLACEMENT TREES.**

8 vi. Two copies of the final Tree Preservation Plan, Landscape Plan and Tree
9 Replacement Plans at 1"=20' scale must be submitted with construction
10 drawings and approved prior to issuance of construction drawings. The
11 final plans shall be prepared or approved by a licensed landscape architect,
12 registered Washington certified nurseryman or registered Washington
13 certified landscaper (RCDG Section 20D.80.10-040). This certification
14 shall be noted on all landscape-related plans. A copy of the Tree
15 Preservation Plan shall be recorded with the Final Plat.

16 vii. Restrictive covenants shall include a statement notifying property owners
17 and the Homeowner's Association that significant and landmark trees on
18 individual lots may only be removed in accordance with the approved tree
19 retention plan. This language shall be reviewed and approved by the
20 Planning Department prior to recording of the restrictive covenants with
21 King County.
22

23 viii. A tree health assessment shall be completed for off-site improvements that
24 extend into areas with significant and landmark trees. Mitigation will be
25 required where trees are removed or improvements extend within 5' of the
26 dripline of any healthy, significant or landmark tree, beyond those
27 improvements that currently exist.
28

29 Reduction of Front Yard Setback. The proposed reduction in front yard setback to below the
30 required 10' is not approved. The site plan shall be revised such that the 10' front yard setback is
met. Impacts to trees resulting from the change shall be mitigated.

Curry Property - 18
Decision and Recommendation

City of Redmond
Office of the Hearing Examiner
8701 160th Avenue NE
P.O. Box 97010
Redmond, WA 98073-9710

1 II. ENGINEERING REQUIREMENTS

2 A. No lots shall be permitted direct access to 172nd Avenue NE. The specific lots affected by
3 this restriction shall be listed on the face of the final plat and other documents.

4 B. Easements & Dedications: Existing and proposed easements and rights-of-way shall be
5 shown on the final plat, civil plans and other documents. Any existing easements for ingress,
6 egress, private utilities, franchise utilities, etc. that lie within the Plat or within rights-of-way
7 adjacent to the Plat shall be released or modified to the City of Redmond's satisfaction prior to
8 final plat approval.

9
10 1. Public easements are required as follows:

- 11 a) 10-foot wide for sidewalk and utilities adjacent to the right of way along the
12 east side of 172nd Avenue NE.
- 13 b) 10-foot wide for sidewalk and utilities adjacent to the right of way along the
14 west side of 174th Place NE.
- 15 c) 10-foot wide for sidewalk and utilities adjacent to the rights of way along both
16 sides of the internal plat streets: NE 117th Way, NE 119th Court, NE 119th Way,
17 173rd Place NE.
- 18 d) 10-foot wide for pedestrians from NE 119th Court across private Tract E to
19 172nd Avenue NE and from 173rd Place NE across private Tracts G and H to 174th
20 Place NE.
- 21 e) Rights-of-way dedicated to the City of Redmond are required as follows: 50
22 feet wide for the internal plat streets: NE 117th Way, NE 119th Court, NE 119th
23 Way, 173rd Place NE.
- 24 f) Private tracts are required as follows:
- 25 (1) 35 feet wide for the internal plat streets within Tracts F, G and I.
- 26 (2) 20 feet wide for the internal plat streets within Tracts E and H.
- 27 (3) New right-of-way lines joining at intersections shall connect with a
28 minimum of a 25-foot radius, or with a chord that encompasses an
29
30

1 equivalent area. The area formed by this radius or chord shall also be
2 dedicated as right-of-way.

3 (4) All lots are subject to an easement for utilities and drainage facilities
4 over, under and across a strip of land 2-1/2 feet wide along each side of
5 the interior lot lines within the development, together with a strip of land 5
6 feet wide along the lot lines around the perimeter of the development.

7
8 **C. Public and Private Engineering/Transportation Improvements**

9 1. Half street improvements are required on 172nd Avenue NE including asphalt paving
10 18 feet from centerline to face of curb with appropriate tapers, type A-1 concrete curb
11 and gutter, planter strip, concrete sidewalk, storm drainage, streetlights, street trees, street
12 signs and underground utilities including power and telecommunications. The minimum
13 pavement section for 172nd Avenue NE shall consist of:

- 14 a) 4" Asphalt Pavement Cl. A
15 b) 5" Asphalt Pavement Cl. E
16 c) Subgrade compacted to 95% compacted maximum density as determined by
17 modified Proctor (ASTMD 1557)
18 d) Street crown 2% sloped to drain system
19

20 2. Half street improvements are required on 174th Place NE behind the existing curb and
21 gutter including planter strip, concrete sidewalks, street lights, street trees, street signs
22 and underground utilities including power and telecommunications.

23 3. On 172nd Avenue NE and 174th Place NE the asphalt street shall be planed, overlaid,
24 and/or patched to repair damage done by utility cuts and other work, as determined by the
25 Engineering Division.

26 4. Sidewalks constructed to City standards are required within the pedestrian easements
27 between private Tract E and 172nd Avenue NE and between private Tracts G and H.

28 5. Other off-site improvements include widening of 172nd Avenue NE on the
29 southbound approach to NE 116th Street as outlined in the SEPA conditions for this Plat.
30

1 6. Prior to the City allowing occupancy of any home constructed within the Curry
2 Property Plat, the developer shall design and construct an interim walkway for school
3 children along the east side of 172nd Avenue NE from the pedestrian connection at Tract
4 E to NE 116th Street, along with other minor improvements at the 172nd Avenue NE/NE
5 116th Street intersection as needed to ensure safe crossing of these streets. The interim
6 walkway shall be constructed of asphalt or Portland cement concrete. The interim
7 walkway shall be a minimum of 5-feet wide when located adjacent to curb and gutter or
8 other traffic barrier acceptable to the City. The interim walkway shall be a minimum of
9 4-feet wide and located a minimum of 10-feet from the street edge where no curb and
10 gutter or other traffic barrier acceptable to the City exists. A safety railing or fencing will
11 be required when (1) the interim walkway is located at the top of a slope or wall that is
12 2:1 or steeper and (2) the walkway elevation is 30-inches or higher than the toe of the
13 slope or wall. This requirement is also a condition for the Wynstone Plat located to the
14 north of the Curry Property. The applicant is encouraged to work with the Wynstone Plat
15 applicant to share the cost of this improvement. For that portion of the safe walking route
16 across Tax Parcel 252605-9098, completion of the curb, gutter and sidewalk is likely the
17 most cost effective alternative.

18 7. All vehicle use areas including driveways, private streets, service areas, etc. shall be
19 paved.

20 8. Specific subdivision public street improvement conditions for NE 117th Way, NE
21 119th Court, NE 119th Way, 173rd Place NE:

22 a) Street improvements within the 50-foot wide dedicated right-of-way shall
23 include asphalt paving (28 feet curb to curb), with appropriate tapers, type A-1
24 concrete curb and gutter, planter strips, street trees, concrete sidewalks, storm
25 sewers, streetlights, street signs, and underground utilities including power and
26 telecommunications. The minimum pavement section for the streets shall consist
27 of:

28 (1) 3" Asphalt Pavement Cl. B

29 (2) 4" Asphalt Treated Base
30

1 (3) Subgrade compacted to 95% compacted maximum density as
2 determined by modified Proctor (ASTMD 1557)

3 (4) Street crown 2% sloped to drain system

4 (5) The cul-de-sac on NE 119th Court is required to have a minimum
5 radius of 44 feet to the face of curb. A planter island shall be provided in
6 the center of the cul-de-sac to reduce, as much as possible, the amount of
7 asphalt. The maintenance of the landscape in the island shall be the
8 responsibility of the adjacent property owners. This maintenance
9 requirement shall be included on the face of the final plat.

10
11 b) Specific short subdivision private street improvement conditions for the
12 internal streets within Tracts F, G and I:

13 (1) Street improvements shall include asphalt paving (28 feet), with
14 appropriate tapers, thickened asphalt edge or type A-1 concrete curb and
15 gutter, concrete sidewalk (one side), storm sewers, street signs, and
16 underground utilities including power and telecommunications. The
17 minimum pavement section for the streets shall consist of:

18 (a) 2" Asphalt Pavement Class B

19 (b) 4" Crushed Rock surfacing

20 (c) Subgrade compacted to 95% compacted maximum density as
21 determined by modified Proctor (ASTM D 1557)

22 (d) Street crown 2% sloped to drain system

23
24 c) Specific short subdivision private street improvement conditions for the
25 internal streets within Tracts E and H:

26 (1) Street improvements shall include asphalt paving (20 feet), with
27 appropriate tapers, thickened asphalt edge or type A-1 concrete curb and
28 gutter, storm sewers, street signs, and underground utilities including
29 power and telecommunications. The minimum pavement section for the
30 streets shall consist of:

1 (a) 2" Asphalt Pavement Class B

2 (b) 4" Crushed Rock surfacing

3 (c) Subgrade compacted to 95% compacted maximum density as
4 determined by modified Proctor (ASTM D 1557)

5 (d) Street crown 2% sloped to drain system

6
7 (2) Installation of mailbox stand(s) shall be in accordance with City
8 standards.

9 d) All power, telephone, streetlights, etc. shall be shown on the engineering
10 drawings and landscape plans submitted for construction permits.

11 e) A composite drawing that includes all utilities, landscaping including trees,
12 etc., is necessary to minimize the possibility of utilities/landscaping conflicts.

13 f) Conversion of Aerial Utilities (Power, Telephone, T.V., Etc. to Underground)

14 (1) All aerial utilities shall be converted to underground along all street
15 frontages and within the plat according to 20D.220.10 "Underground
16 Wiring" in the Redmond Community Development Guide.
17

18 **D.** The applicant shall meet the construction plan and construction requirements in Attachment
19 B, "REQUIREMENTS FOR CONSTRUCTION DRAWINGS" and Attachment C, "GENERAL
20 INFORMATION AND ADMINISTRATION REQUIREMENTS" from the Technical
21 Committee Report dated March 31, 2003.

22 **III. UTILITIES REQUIREMENTS**

23 **A. Sewer**

24 1. Sewer service will require a developer extension of the City of Redmond sewer
25 system as follows:
26

27 a) Construct sanitary sewer improvements more or less as shown on the
28 Preliminary Plat drawings dated December 12, 2002.
29
30

1 b) (The sewer main location shown on the site plan may not conform to City
2 standard location. Revisions to comply with City standard locations may be
3 required.)

4 2. Vehicular access to all new and existing manholes shall be provided. The access
5 easement shall be a minimum of 20 feet in width with asphalt concrete surfacing.
6 Alternative surfacing may be approved by the City depending upon the location. If
7 access passes through fencing then 14-foot minimum width gates shall be provided. The
8 plat or easement document shall (1) show and dedicate the 20-foot access easement, (2)
9 have covenants advising property owners of their obligation to maintain the availability
10 of the access by providing gates and not obstructing the access, and (3) that the property
11 owners maintain, repair and replace the access surfacing as needed.

12 B. Water:

13 1. Water service will require a developer extension of the City of Redmond water
14 system as follows:

15 a) Construct on-site water improvements more or less as shown on the
16 Preliminary Plat drawings dated December 12, 2002. A 12-inch water main shall
17 be constructed to serve the site in 172nd Avenue NE from NE 116th Street to the
18 northern limits of the plat, more or less as shown on the Preliminary Plat
19 drawings. An 8-inch stub shall be extended across 172nd Avenue NE in the
20 vicinity of NE 117^h Street and connected with the existing 8-inch main in that
21 vicinity.
22

23 b) (The water main location shown on the site plan may not conform to City
24 standard locations. Revisions to comply with City standard locations may be
25 required.)

26 IV. CLEARING/GRADING AND STORMWATER MANAGEMENT

27 A. Erosion control systems must be implemented throughout the construction process and until
28 the site is stabilized. Design of all systems must be in accordance with section 20E.90.10 of the
29 Community Development Guide and the most recent issue of the City of Redmond
30 STORMWATER MANAGEMENT AND EROSION CONTROL TECHNICAL NOTEBOOK

1 (notebook). Contact the Stormwater Division at 556-2890 for information about, or a copy of,
2 the notebook. Preferred methods for management and control are discussed in the notebook.

3 B. Stormwater Management

4 1. Quantity Control

5 a) In an open pond; provide detention for peak discharge control to match one
6 half of the 2-year and match the 10-year and 100-year storms natural (prior to any
7 development) runoff peak flow rates.

8 b) Provide for overflow routes through the site for the 100 year storm runoff
9 (100 year flow may not impact any buildings).

10 2. Quality control. Use a lined, open pond to provide water quality treatment for the
11 runoff from the 6-month, 24-hour design storm event. Use the developed condition land
12 use when determining the water quality storm flow rate and volume.

13 3. Provide maintenance vehicle access to the pond bottom and outlet control structure
14 from 174th Place NE.

15 C. Miscellaneous

16 1. Construction activities may be limited or suspended during the rainy season (October
17 1 – April 30).

18 2. Stencil all on-site storm drainage inlets with “DUMP NO WASTE DRAINS TO
19 STREAM”. Stencils are available from the Stormwater Division located at the City
20 Annex (phone 556-2840). Design plans shall identify the requirement to stencil drainage
21 inlets. Easements will be required for any public conveyance systems.

22 3. Trees are not allowed within 8 feet of storm systems.

23 4. Ponds shall be lined in accordance with the Department of Ecology Stormwater
24 Management Manual for the Puget Sound Basin, (1992).

25 5. Designate private roads on the construction plans and plat drawings by adding
26 (Private) after the road name.

27 V. FIRE PROTECTION

1 A. EMERGENCY VEHICLE ACCESS ROADWAY REQUIREMENTS

2 1. Emergency vehicle access roadways shall be an unobstructed 20 feet in width and 13'
3 6" high. Turning radii shall be 25' interior and 45' exterior.

4 2. Fire lanes shall be located wherever curbs, road edges, or loading areas are adjacent
5 to the 20-foot wide vehicle access roadway. Fire lanes identified through site plan review
6 shall be included on the final civil drawings. Additional fire lanes and marking may be
7 required anytime during the life of the development upon evaluation by and direction of
8 the Fire Marshal. Where fire lanes are a 28 feet wide access tract or easement, the side
9 not used for parking shall be signed "No Parking - this side" or "No Parking -Fire Lane-
10 this side". If the access tract or easement is 20 feet then both sides shall be signed.

11 3. Driveway entries or curb returns shall be provided to meet minimum roadway radii at
12 all tracts, easements or other intersections. Do not measure into areas where parking is
13 allowed. This includes where Tract E meets 172nd Ave NE.

14 4. Traffic circles shall not impede into required radii. The circle at NE 119th and Tract
15 E, and at NE 119th and 173rd AVE NE shall be reduced in diameter to allow through
16 movements in both directions.
17

18 B. ADDRESSING

19 1. Each lot shall have the building address numerals installed per the Redmond Fire
20 Department Design and Construction Guide. A nominal 6-inch high numeral shall be
21 used.

22 2. Approval is required for building and unit addressing.

23 3. Temporary signs shall be used at the job site as soon as construction begins.
24 Numerals shall be high contrast in color, face the street fronting the property, and be a
25 minimum 6" high.
26

27 4. The "T" road labeled NE 118th shall be called 172nd Ct NE and so signed at the
28 intersection with NE 117th Way. Lots 66, 65 and 64 shall be addressed with 117xx,
29 ascending odd numbers. Lots 62 and 63 shall be addressed with 117xx, ascending even
30 numbers.

Working Copy

**EXHIBIT A
TECHNICAL COMMITTEE REPORT**

RECEIVED
AUG 01 2003
ROTHHILL ENGR. PARTNERS, LLC
BELLEVUE, WA

MEMO TO: Gordon Crandall, Hearing Examiner

FROM: Technical Committee

DATE: March 31, 2003

PREPARED BY: Geoffrey Thomas, PWS, AICP – Senior Environmental Planner

SUBJECT: Curry Preliminary Plat and Planned Residential Development

LOCATION: The proposal is located north of NE 116th Street on the east side of 172nd Avenue NE. The project site includes property addressed as 11840 – 172nd Avenue NE. The affected tax parcels are 252605-9015, -9058, -9099, and -9124.

REQUEST: The proposal consists of two applications. The requests are:

1. Approve with conditions the **Curry Preliminary Plat, PPL02-001**, as illustrated in the plan set dated December 16, 2002, and
2. Recommend to the City Council to approve with conditions the **Curry Planned Residential Development, PRD 02-001**, as illustrated in the plan set dated December 16, 2002.

EXHIBIT B
ATTACHMENTS

Attachments that are underlined below have been provided to the Hearing Examiner. These exhibits are available for public review at Redmond City Hall. Request file number PRD-02-001, Curry PRD. Dates shown below are the dates that materials were accepted by the Permit Center at the City of Redmond.

I. Application Materials

- a. Application form with Letter Explaining Consistency with PRD Criteria (01/24/02)
- b. Site Plan and Landscaping Drawings (12/16/03 Versions)
- c. Table Identifying the Proposed Variances from Lot Standards (10/10/02)
- d. Arborist Report (10/10/02, Arboricultural Consulting)
- e. Preliminary Stormwater Drainage Report (01/24/02, Core Design)
- f. Landmark Tree Removal Request (10/10/02, CamWest)
- g. Wetland Determination and Conceptual Mitigation (01/15/02, Schulz, Gary)
- h. Conceptual Wetland Mitigation (10/10/02, Schulz, Gary)
- i. Wildlife Study Report (10/10/02, Chad Armour, LLC)
- j. Preliminary Geotechnical Engineering Report (01/24/02, Associated Earth Sciences, INC.)
- k. Traffic Impact Analysis (01/24/02, Garry Struthers Associates, INC.)
- l. Phase I Environmental Assessment (01/24/02, Environmental Associates, INC.)
- m. Plat Certificate (01/24/02, Transnation)

II. Notices

- a. Notice of Application
- b. Notice of Public Hearing
- c. Certification of Public Notice
- d. Comment – Gerald and Tekla Gustafson
- e. Comment – Ralph Munoz
- f. Comment – Lake Washington School District
- g. Comment Response to Lake Washington School District

III. SEPA

- a. SEPA Checklist (10/10/02 Version)
- b. Mitigated Determination of Non-Significance
- c. Amended MDNS
- d. Comment – Judith Sheldon

IV. Staff Attachments

- a. General Planning Approval Conditions
- b. General Information and Administration Requirements (Public Works)
- c. Requirements for Construction Drawings (Public Works)

BACKGROUND

Applicant: John Harkness, CamWest
PO Box 676
Kirkland, WA 98083

Processing Dates:

Application Submitted:	01/24/02
Determination of Incompleteness:	02/20/02
Response Received:	04/11/02
Determination of Incompleteness:	04/25/02
Response Received:	05/14/02
Vesting Date:	05/14/02
Notice of Application:	06/19/02
Request for Add. Information:	06/12/02
Response Received:	10/10/02
Request for Add. Information:	11/15/02
Response Received:	12/16/02
SEPA Issued (MDNS):	02/14/03
Hearing Scheduled:	03/31/03

Project review authority and procedures: The application involves two applications. Those applications are a Preliminary Plat and a Planned Residential Development.

Preliminary Plat. The procedures for review of a Preliminary Plat are in Redmond Community Development Guide (RCDG) Section 20F.20.150, Subdivision and Short Subdivision Procedures. The Preliminary Plat is a Type III application¹. The Hearing Examiner conducts a hearing to receive testimony and makes the final decision for a Type III application.²

Planned Residential Development. The procedures for review of a Planned Residential Development are in Redmond Community Development Guide (RCDG) Section 20F.40.90 Planned Developments. The Planned Residential Development is a Type IV application³. The Hearing Examiner conducts a hearing to receive testimony and makes a recommendation to the City Council for a Planned Residential Development. The City Council reviews the recommendation and makes the final decision to accept the Hearing Examiner's recommendation.⁴

Technical Committee: The Technical Committee *"shall review all applications...and report its findings, conclusions and recommendations to the appropriate body prior to that authority making its final decision...and shall be responsible for City implementation of the State Environmental Policy Act*

¹ 20F.30.15-040 Classification of Permits and Decisions – Table.

² 20F.30.15-020 (3) Classification of Permits and Decisions.

³ 20F.30.15-040 Classification of Permits and Decisions – Table.

⁴ 20F.30.15-020 (4) Classification of Permits and Decisions.

(SEPA) including the assessment of impacts...". In addition, the Technical Committee "shall act in an advisory capacity to the Hearing Examiner..."⁵


Hearing Examiner: The Hearing Examiner shall conduct public hearings on behalf of and in some cases make recommendations to the City Council as described in RCDG 20F.30.15, Types of Review⁶.

FINDINGS

Project Name: Curry Preliminary Plat and Planned Residential Development

Location: The proposal is located north of NE 116th Street on the east side of 172nd Avenue NE. The project site includes property addressed as 11840 – 172nd Avenue NE. The affected tax parcels are 252605-9015, -9058, -9099, and -9124. (Inset Illustration and Attachment I.A).

Proposal: The applicant proposes the subdivision of approximately 15.68 acres into lots for 69 single-family residential dwellings. The proposal is designed as a Planned Residential Development. The proposal includes construction of related infrastructure including, but not limited to: roads, sidewalks, stormwater facilities, sewer lines, water lines, landscaping, and related mitigation. See inset map, next page.




Project Size: The total area of the site is 15.68 acres.

⁵ 20F.50.25-020 Authority and Duties.

⁶ 20F.50.35-020 Authority and Duties.

Curry Preliminary Plat & Planned Residential Development
Hearing Examiner Report



Legal Description: The legal description is found on Attachment I.a.

Neighborhood: The site is in the North Redmond Neighborhood.

Land Use Designation: The land use designation is Low-Moderate Density, as described in Comprehensive Plan Policy LU-117. This designation allows for a residential zoning district with a density of 4 - 6 units per gross acre.

Zoning Designation: The subject property is zoned R-4 (4 units per gross acre).

Surrounding Land Use and

Zoning: The site is currently developed with ~~three~~ ^{Two} single-family residences and outbuildings. The inset aerial photo illustrates the pattern of development in 1996. Arrows point at the parcels involved in the proposal. Footnotes in Table 1 indicate changes since 1996. Surrounding land use and zoning is as follows:



Table 1: Surrounding Land Use and Zoning

	<u>Zoning</u>	<u>Existing Land Use</u>
North:	R-4	Single-Family Residential. ⁷
East:	R-4	Single-Family Residential. ⁸
South:	R-4	Single-Family Residential
West:	R-4 (Redmond) ⁹ R-8 (King Co.)	Single-Family Residential

Access: The Preliminary Plat includes ~~three~~ ^{Four} points of access:

- (1) 172nd Avenue NE,
- (2) A future road connection from Wynstone Preliminary Plat on the northern boundary, and
- (3) A new road from Whistler Ridge on the eastern plat boundary.

⁷ This property adjoining the northern boundary was recently the subject of the Wynstone Preliminary Plat Approval.

⁸ Portions of the property adjoining the eastern boundary were recently the subjects of the Whistler Ridge Preliminary Plat Approval.

⁹ The City limits extends approximately from NE 116th Street northward to a point that would approximate the southern third of the project.

Vehicle access to the proposed lots would be from an internal street, Road A, except for lots 13, 14, 15, and 16, which use access from 174th Place NE, a road recently constructed as part of the Whistler Ridge development.

Topography: The site is generally flat, sloping from the northwest to the southeast with slopes varying from 2% to 7%. The steepest portion of the site at 7% is in the southeast corner.¹⁰

Soils/Surface Geology: As identified by the Soil Conservation Services, the soils found on the site are Alderwood.¹¹

Vegetation: As illustrated by the inset 1996 aerial photo, the site can be described as approximately 40% pasture grasses, 55% trees, and 5% structures and ornamental landscaping. The trees include Red Alder, Big Leaf Maple, Black Cottonwood, Western Red Cedar, Douglas Fir, and Western Hemlock.¹² Wet soil plants and other shrubs and emergents are identified in the wetland report prepared for the project.

Public Notice: Requirements for public notice are contained in RCDG Section 20G.30.10(1), Notice Requirements. Public notice was given for the project as follows:

Notice of Application: The Notice of Application was posted June 19, 2002 at the site, library, City Hall, post office, and through a mailing to property owners within 500 feet of the subject property, and to those agencies with potential jurisdiction over portions of the proposal. (Attachments III.A).

Notice of Public Hearing: The Notice of Public Hearing was posted at the site, library and City Hall. Notice was mailed to property owners within 500' of the project and to potential agencies with jurisdiction on or before March 17, 2003. Notice was published through a one-time newspaper publication. (Attachments II)

State Environmental Policy Act (SEPA): On February 14, 2003 a Mitigated Determination of Non-Significance (MDNS) was issued. The comment period ended on March 3, 2003 and the appeal period ended March 17, 2003(Attachments III).

Impact Fees: Subdivisions do not vest for the impact fees that exist on the date of Preliminary Plat application or approval. Instead, impact fees for Fire, Transportation, and Park services are collected at the time that a building permit is issued for each house in the proposal. **Fees noted herein are subject to change.**

Fire Impact Fees: The current fee is \$94.00 per single-family dwelling unit. However, the fee in effect at the time of building permit issuance shall apply.

¹⁰ SEPA Checklist, Page 2, Environmental Elements – Earth, A and B.

¹¹ Schulz, Gary C., Wetland Determination & Conceptual Mitigation, Curry Property, January 15, 2002.

¹² SEPA Checklist, Page 6, Vegetation.

Transportation Impact Fees: The impact fee varies for projects according to the Transportation Management District in which a project is located. The proposal is located in Area 5, Education Hill. The current fee is \$3,064.15¹³ per single-family dwelling unit in the District. However, the fee in effect at the time of building permit issuance shall apply.

Park Impact Fees: The current fee is \$1,611 per single-family dwelling unit. However, the fee in effect at the time of building permit issuance shall apply.

Public Input: The City of Redmond is responsible for soliciting written public input by means of a "Notice of Application" and "Notice of Public Hearing". Interested parties may further comment on the SEPA threshold determination.

Notice of Application. The City received three comments on the Notice of Application.

1. Gerald and Tekla Gustafson, November 21, 2002.¹⁴ The Gustafsons own land located at 11810 – 172nd Avenue NE, which is that parcel that is surrounded by the proposal. The Gustafsons expressed concern regarding impacts to their well, septic system, driveway access when the sidewalk is installed, and fencing.

In responding to the comments, the City has issued an MDNS, in which any demonstrated impacts to the well on this property shall be mitigated by connecting the Gustafson property to public water. The septic system will not be required to be abandoned.

Fencing is permitted as part of the development. Typically fences along property lines are maintained in common by those neighbors sharing the fence, however in some cases private agreements can be reached between neighbors regarding fences. The City encourages the applicant to work with the Gustafsons in the design, construction, and maintenance of any fencing.

The applicant will be required to install a sidewalk from the proposal's northernmost project boundary to 172nd Avenue NE. The City will require that access to the Gustafson's property be properly maintained during and after construction.

2. June 26, 2002, Ralph Munoz.¹⁵ Mr. Munoz lives at 17234 NE 116th Street, which adjoins the proposal's southern property line at the rear of proposed lots 4 and 5 and open space Tract B. Mr. Munoz expressed concern regarding (a) metal tags found on his property that had been placed by surveyors, (b) the impact caused by the proposal on large trees on his property, (c) impacts to his well, and (d) the adequacy of the intersection at NE 116th Street and 172nd Avenue NE.

¹³ Sum of Redmond fees (RCDG 20D.210.10-125) and King County fees (RCDG 20D.210.10-127).

¹⁴ Attachment II.d.

¹⁵ Attachment II.e.

Tags. Staff contacted Mr. Munoz via phone and provided contact information for the applicant. The applicant discussed the issue of tags on trees on his property. The City requires that trees be located up to 50' from a project boundary. The reason for this is to identify trees where development might be proposed within the tree's drip line. The tags were likely placed as part of this process.

Trees. Houses that would be built in lots 4 and 5 would maintain a 10' setback from Mr. Munoz's northern property line. Further, some trees in the rear yards of lots 4 and 5 would be saved. In relation to the open space tract, structures would not be built within Tract B and three trees within that tract are proposed to be saved. Given the 10' rear yard setback and the preservation of trees along the southern plat boundary and in the vicinity of Mr. Munoz's northern lot line, the City does not believe that the proposal will present a direct hazard to these trees.

Well. Mr. Munoz expressed concern regarding the quality and quantity of water from his well. He expressed particular concern regarding the adequacy of the stormwater system at protecting the aquifer that supplies his well. The City believes that the stormwater system will provide for adequate protection, however it recognizes that unforeseen water quality and quantity impacts can occur with development. Consequently, the City has issued a Mitigated Determination of Non-Significance, which included measures to mitigate for impacts to wells, including that well located on Mr. Munoz's property.

Intersection of NE 116th Street and NE 172nd Avenue. Mr. Munoz expressed concern that the intersection might not be adequate to handle the increase in traffic resulting from the proposal. In a review of traffic generation studies, the Public Works Department determined that improvements were warranted at this intersection. The required improvements were incorporated into the City's Mitigated Determination of Non-Significance for the proposal. The mitigating measure will require that the applicant construct a new southbound lane to accommodate turn movements. The southbound lane will be constructed from the intersection, thence northward for 150'.

3. July 8, 2002, Lake Washington School District.¹⁶ The Lake Washington School District submitted comments requesting that school impact fees be collected for the proposal. The City reviewed the request and responded in a letter dated August 2, 2002¹⁷. In that response, the City expressed that it was unable to collect school impact fees because the City had not adopted a School Impact Fee Ordinance.

SEPA. The City received one comment on the threshold determination.¹⁸ The commenting party was Judith Sheldon. Ms. Sheldon owns two parcels south of

¹⁶ Attachment II.f.

¹⁷ Attachment II.g.

¹⁸ Attachment III.d.

the Curry proposal and north of NE 116th Street. Both parcels adjoin 172nd Avenue NE.

Ms. Sheldon expressed concern regarding whether the parcels in the MDNS were properly identified for the Utilities mitigating measure. That mitigating measure identifies properties where wells are located and where the applicant would be required to provide public water in the event that wells were adversely impacted by the Curry proposal. In reviewing her comments, the Public Works Department determined that the mitigating measure does in fact mis-identify one of the tax parcels. An amended MDNS¹⁹ was issued to correct this error on March 28, 2003. This amended MDNS represents a modification to correct a typographical error. Given that this amendment does not result in substantive changes, the amended document does not have a comment or appeal period.

Ms. Sheldon further expressed concern regarding road improvements and their impact upon her property. The Public Works Department confirmed that any improvements on 172nd Avenue NE would occur within the right of way for 172nd Avenue NE. In some cases, easements are required for road construction or side slopes. Details regarding necessary easements will become more available as construction drawings are developed for the required road improvements on 172nd Avenue NE. The applicant will be required to work with Ms. Sheldon if any easements are required for construction or side slopes.

ANALYSIS

The proposal requires an approval for a Preliminary Plat and an approval for a Planned Residential Development. A Preliminary Plat and a Planned Residential Development have different criteria that must be considered for their respective approval. The following analysis is consequently divided into two headings: Preliminary Plat and Planned Residential Development.

Preliminary Plat Analysis

To approve a Preliminary Plat, the Hearing Examiner must find that the proposal complies with RCDG 20D.180.²⁰ Under RCDG 20D.180.10-020-(2), the code states that *"lack of compliance with the criteria set forth in RCDG 20D.180.10-020 (1) shall be grounds for denial of a proposed subdivision ... or for the issuance of conditions necessary to more fully satisfy the criteria."* (Bracketed items added). The following is an evaluation of the proposal's conformance with RCDG 20D.180.10-020 (1).

I. COMPREHENSIVE PLAN POLICIES²¹

Preliminary Plats must comply with the City's Comprehensive Plan. The Land Use chapter of the Comprehensive Plan contains certain policies applicable to all areas within the City and land use designations within the community. The

¹⁹ Attachment III.c.

²⁰ 20F.40.150-050 Preliminary Plat.

²¹ RCDG 20D.180.10-020 (1) (a)

policies applicable to this development are listed below. Policies that do not apply to this proposal are not included in this staff report.

Policy Number. <i>Description</i>	Discussion	Conform
M. General Land Use Policies: <i>The efficient use of land is important to limit sprawl, protect rural areas and resource lands, provide for affordable housing, reduce land development costs for businesses and industry and conserve our supply of urban land.</i>	The City of Redmond has determined through the Comprehensive Plan and subsequent updates that low-moderate density residential is an appropriate designation for this property to meet General Land Use Policy "M". The proposal is contained within a parcel of land that is within the City's corporate limits. The property is not in King County's "Rural Lands". Subdivision of this parcel is consistent with the existing uses developed or permitted to be developed on nearby and neighboring properties.	Yes.
Policy LU-105: <i>Development regulations, including the allowed density and intensity, should provide for and encourage the efficient use of land.</i>	The proposal would provide an efficient use of the site by providing the required number of units per RCDG Section 20C.30.25-140, <u>Site Requirements Chart</u> . The minimum number of units for an R-4 district with 15.68 acres is 26 units; the maximum number of units is 63 units. ²² The applicant is proposing 69 by using density bonuses afforded to Planned Residential Developments. While the Planned Residential Development component will be evaluated in the next heading under "Analysis", the proposal complies with LU-105 by providing the minimum density required.	Yes
Policy LU-110: <i>New development should only be allowed where the City can adequately provide public facilities and services. Capacity should be allocated among all types of uses to meet community goals.</i>	The Technical Committee has determined that the City can adequately provide public facilities and services as conditioned at the end of this report.	Yes
Neighborhood Vision. <i>Low-moderate density residential uses are located along NE 116th Street, NE 122nd</i>	The proposal is located adjacent to 172 nd Avenue NE and must conform to this vision statement. The Redmond	Yes

²² Core Design, Curry Property Plan Set, P1 of 16, December 16, 2002.

<i>Street and 172nd Avenue NE.</i>	Community Development Guide defines "R-4" as "low-moderate density". The R-4 zoning district sets a standard of four dwelling units per acre, however, that density can be exceeded through a Planned Residential Development. The proposed Preliminary Plat with increased density through a Planned Residential Development is consistent with "low-moderate" density uses.	
<i>Neighborhood Vision. Trails used by equestrians, pedestrians and bicyclists take advantage of the area's open space corridors and improved streets.</i>	The proposal provides for trails within open space tracts. These tracts will be preserved as open space within the Preliminary Plat. The project will further provide pedestrian connections through sidewalks along the property's frontage on 172 nd Avenue NE and to adjacent properties.	Yes
<i>N-NR-1: The North Redmond area shall remain a primarily residential neighborhood.</i>	The Curry Preliminary Plat proposes 69 single-family residences.	Yes
<i>N-NR-2: The City should encourage a variety of lot sizes and housing types within this neighborhood.</i>	Lot sizes will average 5,498 square feet. Lot sizes range from approximately 3,623 ²³ to 11,177 ²⁴ square feet.	Yes
N-NR-3	Relates to supporting Bear Creek neighborhood plan in when planning actions in North Redmond.	N/A
<i>N-NR-4: In order to create a cohesive and well-designed neighborhood, owners of underdeveloped contiguous parcels should be encouraged to coordinate master planning.</i>	Two Preliminary Plats have been approved along the eastern and northern plat boundaries. The plat to the East has been constructed. Other Preliminary Plats, farther to the East, have also been approved. The applicants of each of these plats coordinated infrastructure improvements and developed conceptual alignments for connections from the approved plats to properties in the vicinity. The parcels involved in the Curry Preliminary Plat were considered in the coordinated infrastructure planning.	Yes
N-NR-5 through 8	Relate to zoning and re-zoning properties in North Redmond.	N/A
<i>N-NR-9: Future development shall preserve the area's important natural</i>	The proposal would create a four open space tracts (approximately	Yes

²³ Lot 37.

²⁴ Lot 62.

<p>features.</p>	<p>open space tracts (approximately 4.17 acres).²⁵ Two of the tracts (approximately 2.9 acres) are proposed for the purpose of low impact recreation and to preserve wooded areas of the site. Additional measures are being employed to preserve both individual trees and stands of trees on the property.</p>	
<p>N-NR-10: <i>Horsekeeping shall continue to be allowed in low density residential areas. Trails in open space corridors and along setbacks should form a link to regional trails just beyond the neighborhood.</i></p>	<p>(1) The proposal is in a low-moderate density area and not subject to the horsekeeping requirement.</p> <p>(2) The trails and sidewalks within the proposal will connect to sidewalks in adjoining subdivisions. These connections will provide residents with opportunities to connect to the regional trail system.</p>	<p>(1) N/A</p> <p>(2) Yes</p>
<p>N-NR-11: <i>Site design shall respect the natural features of the subarea, such as terraces, ravines, woodlands, streams and wetlands. Open space corridors should create a nearly seamless transition between rural areas and sensitive areas adjacent to developed portions of the neighborhood.</i></p>	<p>The site design respects the woodlands located onsite through the preservation of stands of trees in open space tracts and through the preservation of individual trees on individual lots. The open space areas provide for nearly seamless transitions between developed areas of the site and the tracts.</p> <p>A Type III, emergent wetland located on-site will be filled, however off-site mitigation will occur. The fill is necessary as two roads intersect at the location of the wetland.</p>	<p>Yes, with mitigation</p>
<p>N-NR-12: <i>Trees shall be retained along principal and collector arterials unless their location endangers public safety.</i></p>	<p>The proposal preserves stands of trees within the plat. These trees are predominantly within commonly owned tracts or on individual lots. The design has preserved some trees in areas along roadways such as west of Tract D and on the east side of Tract A near lot 50.</p>	<p>Yes</p>

²⁵ Core Design, Curry Property Site Plan Set, P1 of 16, December 16, 2002.

N-NR-13, 14, 15, 16, and 17.	These policies relate to new developments along existing arterials, such as NE 116 th Street. N-NR-17 relates to development adjacent to the Sammamish Valley and not the location of this proposal.	N/A
N-NR-18: <i>Scenic view corridors toward the Cascades and the Sammamish Valley should be preserved. Proposed developments shall have view corridors delineated on Preliminary Plat maps.</i>	<p>The property is situated on the south and east side of a crown of a hill north of NE 116th Street. The Sammamish Valley is located to the west and there would not be views of that valley. Any views would be toward the Cascades.</p> <p>On site visits by staff, view corridors of the Cascades were not readily apparent. This is likely attributed to the topography, which is fairly level, and the wooded nature of the site.</p> <p>View corridors have not been identified.</p>	N/A
N-NR-19	This policy relates to development on properties that are rural and large lot residential.	N/A
N-NR-20: <i>In order to encourage clustering in the Low-Moderate Density Residential areas, a housing density bonus shall be used as an incentive.</i>	The proposal involves a Planned Residential Development, which includes a density bonus.	Yes
N-NR-21: <i>Structures shall be clustered so that they maintain significant amounts of contiguous open space.</i>	The Curry Preliminary Plat will preserve 27% of the total project site as commonly owned open space. ²⁶ This open space includes a 2.86 acre tract of land, Tract A, that will be developed with "low intensity" recreational opportunities such as a trail system, picnic benches, and children's playground. The proposal accommodates the open space through clustering under the Planned Residential Development process.	Yes

²⁶ Based on the sum of Tracts A, B, C, and D divided by the gross land area.

Policy N-NR-22: <i>The City shall determine the percentage of open space set aside for clustering. The amount of open space should be no less than 25 percent of the site.</i> ²⁷	The Curry Preliminary Plat proposal includes 4.17 acres of open space (Tracts A, B, C, and D). This equals approximately 27% of the gross site and exceeds the 25 percent open space requirement	Yes
Policy N-NR-23: <i>Open space set aside due to clustering should be placed adjacent to open space corridors, parks, sensitive areas, buffers and low-density residential areas.</i>	Open space is within Tracts and corridors. Tract A, is located central to the subdivision. Tracts B, C, and D are located on the project perimeter and include pedestrian facilities and connections to adjacent properties.	Yes
Policy N-NR-24: <i>Design of clustered developments should be designed to minimize surface water impacts.</i>	The proposal will comply with the requirements of applicable stormwater requirements of the City of Redmond Community Development Guide.	Yes
N-NR-25: <i>The design of clustered developments shall be subject to an administrative review process.</i>	The proposal is a Planned Residential Development, which is subjected to a hearing process.	N/A
N-NR-26: <i>Existing rural structures should be retained without affecting the location of the clustering or the area that can be occupied by the cluster.</i>	The applicant proposed retaining an existing barn, however, due to requirements for providing access to the structure for Fire safety related reasons, the structure is no longer proposed for retention.	Yes
Policy N-NR-27: <i>Existing significant natural features shall be retained and enhanced. These include steep slopes, wetlands, streams and forested areas.</i>	The proposal preserves a significant percentage of forested area within tracts and trees on individual lots. A Type III wetland was delineated on-site, however, due to the location of road stubs from the Whistler Ridge (east) and Wynstone (north) Preliminary Plats, the wetland must be filled to accommodate the intersection of these two, established roads. The Sensitive Areas Regulations authorize fill of wetlands under certain circumstances. ²⁸	Yes, <i>with mitigation</i>
Policy N-NR-28: <i>Redmond's</i>	As noted in N-NR-27, a Type III	Yes

²⁷ This policy requirement of 25% open space is also a code requirement for PRDs, see RCDG 20C.70.30-040.

²⁸ 20D.140.10-140 Alteration or Development of Sensitive Areas – Standards and Criteria.

<p><i>sensitive area ordinance shall be enforced. Due to severe natural limitations, steep or erodible slopes, wetlands, wetland buffers, flood plains and stream corridors should remain undeveloped and undisturbed.</i></p>	<p>wetland is proposed for fill due to the location of road stubs from adjacent properties. The proposal provides mitigation, consistent with the Sensitive Areas Ordinance.</p>	
<p>N-NR-29</p>	<p>This policy relates to Bear and Cottage Creeks, which are located approximately one mile from the site.</p>	<p>N/A</p>
<p>N-NR-30: <i>Development should provide for connecting significant wildlife habitat into protected wildlife corridors.</i></p>	<p>The proposal clusters development to retain significant portions of the site in uninterrupted tracts of wooded land. As adjacent properties develop to the south and to the west, the City will work with those applicants to connect to Tract A and Tract B to enhance wildlife use of Tract A.</p>	<p>Yes</p>
<p>N-NR-31: <i>When more than 50% of wooded portions of the site must be cleared, a plan for re-vegetation, superior to existing conditions, should be implemented.</i></p>	<p>The proposal provides for a landscaping plan to enhance the wooded areas of the site with evergreen and deciduous trees.</p>	<p>Yes</p>
<p>N-NR-32</p>	<p>Relates to the purchase of land for parks properties.</p>	<p>N/A</p>
<p>N-NR-33: <i>A multi-purpose trail system should be developed which links residential areas with open spaces, parks, schools, stables and other recreational areas.</i></p>	<p>A multi-purpose trail system is proposed along the frontage of NE 116th Street that will include a 10' wide concrete path and 6' wide soft surface trail. The trails will link the proposed plat with other uses and recreational opportunities in the area. A pedestrian connection is proposed to link the proposal to adjacent developments, which will provide access to these regional trails.</p>	<p>Yes</p>
<p>N-NR-34: <i>Adequate rights-of-way should be provided for trail use in accordance with City plans when development of property occurs.</i></p>	<p>The City trails map illustrates a trail system on 172nd Avenue NE, however the trail is on the west side of the right-of-way, which is on the opposite side of 172nd Avenue NE from the proposal. The right-of-way referred to under this policy is not</p>	<p>N/A</p>

	required for this proposal.	
N-NR-35	Requires the City to create a Parks and Recreational Plan for North Redmond.	N/A
N-NR-36: <i>New subdivisions shall result in attractive, safe places to live.</i>	The Planned Residential Development includes elevations for structures. The Planning Department has reviewed the elevations and determined that they meet the requirements ²⁹ of the City's design requirements and fulfill N-NR-36.	Yes
N-NR-37: <i>Proposed housing developments in the area should be appropriate to the needs and desires of individuals employed in and around Redmond.</i>	<p>The proposal provides for a mix of housing and property sizes and anticipated market values. In their submittal of May 14, 2002, the applicant describes home styles as ranging from 1600 to 3500 square feet on lots from 3400 to 9000 square feet. Housing prices are expected to range from \$350,000 to \$600,000 in 2002 "dollars".</p> <p>The price range provides for a range of housing opportunities based upon cost. The range in square footage will serve a variety of housing desires, such as smaller houses for those who do not desire the upkeep of larger structures. The range in lot sizes, accompanied by the open space tracts, will serve a variety of desires for private space, such as smaller lots for those who do not desire the upkeep of larger lots.</p> <p>The proposal is expected to provide opportunities for housing that will fulfill N-NR-37.</p>	Yes
N-NR-38 and 39	Relate to the City encouraging clustered and Planned Residential Developments. This is done through regulation. The policy is not within the applicant's ability to satisfy.	N/A

²⁹ RCDG 20D.40.

N-NR-40, 41, and 42	Relate to the City developing transportation and traffic studies for the neighborhood as a whole. Although the applicant has produced project-specific studies, the policy is not within the applicant's ability to satisfy.	N/A
Policy N-NR-43: <i>New local and neighborhood collector streets shall be limited to two lanes with additional turn lanes where necessary.</i>	Local access streets within the plat are limited to two lanes. The Transportation Division has determined that turn lanes are not warranted for streets within the plat.	Yes
N-NR-44: <i>All new local and neighborhood collector streets shall be built at the minimum allowable width in order to preserve the area's character, protect sensitive areas and reduce stormwater runoff.</i>	Local streets within the proposed subdivision will be constructed at a minimum allowable width of 28 feet with neck-downs to 20 feet in appropriate locations.	Yes
N-NR-45: <i>New streets and roads should follow, when possible, the natural topographic contours of the land.</i>	The site is fairly level.	Yes
N-NR-46: <i>Traffic-calming techniques should be used to slow through residential traffic. Connecting 172nd Avenue NE road segments should be contingent on implementing such traffic-calming methods.</i>	(1) The proposal includes traffic calming, such as a bulb-out near Tract B and a traffic circle at the intersection of NE 119 th Street with 173 rd Place NE. (2) Relates to extending 172 nd Ave NE.	(1) Yes (2) N/A
N-NR-47	Relates to lighting near agriculture, rural and large lot residential.	N/A
N-NR-48	Encourages the City to consider different curbs and sidewalks. This policy is not within the ability of the applicant to satisfy.	N/A
N-NR-49	Relates to trail systems along existing roadways. Although impact fees may aid in funding construction of these facilities, the applicant is not required to physically construct portions of the trails.	N/A
N-NR-50	Relates to Annexations by the City.	N/A

N-NR-51: <i>New development shall fund public facility improvements necessary to serve growth.</i>	The applicant will be funding the construction of public facility improvements including water, sewer, stormwater, and street improvements. The applicant will also be assessed park, fire, and traffic impact fees in accordance with RCDG Section 20D.60, Impact Fees.	Yes
N-NR-52	Encourages property owners to form Local Improvement Districts.	N/A
N-NR-53: <i>The City shall require public sewers for wastewater collection in urban areas designated for one to four dwelling units per acre.</i>	The proposed subdivision will provide a public sewer system for wastewater collection, in compliance with City standards.	Yes
N-NR-54, 55, 56, 57, 58, 59, and 60	Relate to the extension of public facilities (sewer and water) into the North Redmond neighborhood. The applicant will extend public water and sewer to the project site. Other aspects of these policies are more directed toward City staff.	N/A

The proposal conforms to the Redmond Comprehensive Plan. This is a requirement under the Redmond Community Development Guide's Subdivision Chapter³⁰ and North Redmond Neighborhood Chapter³¹.

II. SITE REQUIREMENTS

The second decision criteria³² for approving a Preliminary Plat is that it must "*conform to the site requirements set forth in RCDG 20C.30.25-140, Site Requirements.*" In evaluating site requirements, the Technical Committee is required to consider zoning requirements, sensitive areas, tree protection, and other similar design standards. The Technical Committee has found that the proposal is in substantial conformity with these design requirements. The following is a detailed discussion of design requirements and sensitive areas.

A. LOT DIMENSIONS AND PLAT DENSITY

³⁰ RCDG 20D.180.10-020 (1) (a)

³¹ RCDG 20C.70.30-030.

³² RCDG 20D.180.10-020 (1) (b)

1. Allowable Density: The maximum number of dwelling units permitted on a site equals the gross site area, multiplied by the maximum number of dwelling units allowed per gross acre. RCDG Section 20C.30.105-050(2), Modification of Development Regulations. Allowed density for the proposal is calculated as follows:

Total Site Area (Acres)	15.68 Acres
Multiplied by the Maximum units/acre	4 Units per Acre
Maximum Units Allowed	63 Units

Through the Planned Residential Development process, the applicant can increase the number of units by an additional 10%³³, which would be six additional units. The proposal includes this 10% and arrives at a total unit count of 69 units.

The Preliminary Plat can be approved with the condition that the number of lots is contingent upon the City Council approving the Planned Residential Development. If not approved, the number of units will need to be reduced to 63.

2. Minimum Required Density: The minimum number of dwelling units required for a site is equal to the net acreage (gross site area less sensitive areas, common utilities areas, access corridors and right-of-ways) multiplied by 80%. The minimum required density for the proposal is calculated as follows:

Total Site Area (Acres)	15.68 Acres
Less surface water retention areas, open space areas	- 4.17 Acres
Less road dedication, utilities, and access areas	- 2.78 Acres
Total Net Acreage	8.73 Acres
Multiplied by the Maximum units/acre	4 Units per Acre
	35 Units
Multiplied by 80%	0.80
Total Minimum Units Required	28 Units

The proposal exceeds the minimum number of units required by code.

3. Minimum Average Lot Size: The RCDG allows a Preliminary Plat to have a range of lot sizes, provided the total of the lot areas meets a minimum "average lot size." The Minimum Average Lot Size requirement for the R-4 zone is 7,000 square feet. The average lot size proposed is 5,498 square feet, which is below the requirement.

Through the Planned Residential Development Process, the proposal can be approved with 5,498 square feet. RCDG 20C.30.105-050 (4) removes the required average lot size. The Preliminary Plat can be approved with the condition that the

³³ RCDG 20C.30.105-050 (2).

average lot size is contingent upon the City Council approving the Planned Residential Development. If not approved, the average lot sizes will need to be increased.

4. Minimum Lot Width Circle: The standard minimum lot width circle requirement for the R-4 zone is 40-feet in diameter. However, in a Planned Residential Development, the lot width circle may be reduced to 20 feet. The applicant has illustrated this 20' diameter circle on Sheet P1 of 16, December 16, 2002 submittal.

The Preliminary Plat can be approved with the condition that the action on the Preliminary Plat is subject to the City Council's approval of the Planned Residential Development.

5. Minimum Lot Frontage: The minimum lot frontage for the R-4 zone is 20 feet as defined in RCDG Section 20C.30.25-140, Site Requirements Chart. The proposal would apply a 20' lot frontage for all lots, except for lots 17 and 48 where an 11' and 9' frontage is proposed. This reduction can be allowed, if approved by the City Council, under RCDG 20C.30.105-060 (2).
6. Site Standards: The current site standards as outlined within RCDG Section 20C.30.25-140, Site Requirements Chart, for the R-4 zone are as follows:

1. Front Building Setback	15 ft. w/ 18 ft garage setback
PRD Allows:	10'
Applicant Proposes:	10' w/ 18' garage setback 5' for Lots 20 and 53 only

The proposal would apply a 5' front yard setback for lot 20 and 53 for preserving trees. This reduction can be allowed under 20D.80.20-070 Tree Protection Standards subsection (1) (b) where significantly more than 35% of trees are protected. The proposal saves only the minimum 35%; therefore the setback for these lots cannot be reduced. A condition of approval should state that the minimum front yard setback for all lots shall be 10' with the 18' garage setback.

2. Side/Interior Setback (each side)	5 ft. and 10 ft.
PRD Allows:	Not Specified.
Applicant Proposes:	5 ft.
3. Side Street Setback	15 ft.
PRD Allows:	10 ft.
Applicant Proposes:	10 ft.
4. Rear Setback	10 ft.
PRD Allows:	10 ft.

Applicant Proposes:	10'
5. Maximum Height of Structures	35 ft.
PRD Allows:	45 ft.
Applicant Proposes:	35 ft.
6. Minimum Building Separation	10 ft.
PRD Allows:	10 ft.
Applicant Proposes:	10 ft.
7. Maximum Lot Coverage for Structures	40% ³⁴
PRD Allows:	40%
Applicant Proposes:	40%
8. Maximum Impervious Surface Area	60%
PRD Allows:	60% 70%
Applicant Proposes:	40% 70%
9. Minimum Open Space	20%
PRD Allows:	20%
Applicant Proposes:	27%

The applicant proposes modifications to some standards. These modifications to the dimensional standards for lots can only be approved if the City Council approves the Planned Residential Development. The Preliminary Plat should be conditioned upon the City Council's approval of the Planned Residential Development Application.

B. STREET AND UTILITIES IMPROVEMENTS

Site Access: The Preliminary Plat includes three accesses:

- (1) 172nd Place NE,
- (2) A future road connection from Wynstone Preliminary Plat on the northern boundary, and
- (3) A new road from Whistler Ridge on the eastern plat boundary.

Vehicle access to the proposed lots would be from an internal street, Road A, except for lots 13, 14, 15, and 16, which use access from 174th Avenue NE, a road recently constructed as part of the Whistler Ridge development.

Street Improvements: Street improvements, within the 50-foot wide dedicated right-of-way of Road 'A', shall include asphalt paving from curb to curb, concrete curb and gutter, planter strips, concrete sidewalks, storm sewers, street lights, street signs, and underground utilities

³⁴ R-5 zone requirement, as allowed by the cluster subdivision process

including water, sewer, power, and telecommunications. Half-street improvements will be required on 172nd Avenue NE and 174th Place NE. Details regarding street improvements are shown as Recommended Conditions of Approval.

Stormwater: Stormwater runoff from the site will be collected in a series of catch basins and routed via an underground storm sewer conveyance system into an open-surface detention and water quality pond at nearly the midpoint of the eastern plat boundary. Details regarding stormwater requirements are shown as Recommended Conditions of Approval and on the associated site plans.

Sanitary Sewer: The proposal will serve all new homes within the development with a sanitary sewer collection system. A sanitary sewer collection system will be extended into the proposal from NE 117th Street (Whistler Ridge Plat) by the applicant.

Domestic Water. A domestic water supply system will be extended from the intersection of NE 116th Street with 172nd Avenue NE by the applicant. Water service to individual lots will be provided through the roadways, public/private easements, and utility tracts within the proposed plat.

C. NATURAL FEATURES & SENSITIVE AREAS

Tree Retention Requirements: The Redmond Community Development Guide requires that all healthy landmark trees and 35% of all healthy significant trees be saved³⁵. Landmark trees are those trees that are greater than 30" in diameter at breast height. Significant trees are those trees that are between 6" and 30" in diameter at breast height. Tree health was assessed in an arborist's report (Attachment I.c.). The Curry proposal includes measures to protect 35% (196) of healthy existing trees on-site. An additional 7.9% (44) of the total trees will be retained on-site, however impacts may occur within the root protection zone.

The applicant is requesting, however, to either remove or impact the root zone of 24 landmark trees. The applicant applied for an exception to the prohibition from landmark tree removal. The Technical Committee has reviewed this request of October 7, 2002, and approved the removal and proposed mitigation.

Trees would be saved in a combination of Native Growth Protection Area Tracts and on individual lots. For trees on individual lots, purchasers of lots would be placed on notice by a recorded tree preservation plan and other recorded documents, such as Covenants and Restrictions. Trees within sensitive areas and their buffers and also trees in recognizable "stands" would be saved in Native Growth Protection Area Tracts, which would be delineated with a combination of a split rail style fence and signage. The Tract's ownership would be with a Homeowners' Association or other party acceptable to the City.

³⁵ A "saved" tree is a tree where encroachments do not occur within 5' of a tree's dripline.

Sensitive Areas Ordinance (SAO): The RCDG contains standards that regulate development impacts to wetlands, flood hazards, geologic hazards, aquifer recharge areas, stream corridors, and wildlife habitat (RCDG 20D.140). The following sensitive areas are located on this site: Class III wetland. The inset map illustrates approximate locations of the wetland, stream, and flood plain sensitive areas. Descriptions of these areas follow.

1. Wetlands: A Type III palustrine emergent wetland was delineated on the property.³⁶ This wetland is hydraulically isolated from other surface waters and measures 5,254 square feet. The wetland is located at the intersection of 173rd Place NE and NE 119th Way. This intersection cannot be avoided as the stubs for the roads were established by previous plats. At the time that the stubs were set, the City did not have the benefit of a wetland delineation on the Curry property.

The Redmond Community Development Guide allows the fill of Type III wetlands where there are not reasonable alternatives to avoid the fill.³⁷ Due to the lack of adequate water availability on-site, the applicant proposes off-site mitigation on the southern portion of the Roberts Plat. The Roberts Plat is a project located on the south side of NE 116th Street, west of Einstein Elementary. The plat was developed by CamWest, the applicant. CamWest has the ability to perform the off-site mitigation on this property.

The applicant's consultant provided conceptual information to support the off-site mitigation.³⁸ The conceptual mitigation plan demonstrates that the off-site mitigation is appropriate given the unique circumstances associated with the Curry proposal. A more detailed mitigation plan will be required with construction drawings.

2. Geologic Hazard Areas: None identified.
3. Wildlife Habitat: None identified.
4. Streams: None identified.
5. Shorelines: This site is not within the jurisdiction of the Redmond Shoreline Master Program
6. Flood Hazards: None identified.
7. Aquifer Recharge Areas: The site is located within a Low Significance Aquifer Recharge Area. The proposal is compatible with this classification of aquifer.

D. PARKS & RECREATION

³⁶ Schulz, Gary C., *Wetland Determination and Conceptual Mitigation, Curry Property, January 15, 2002.*

³⁷ 20D.140.10-180 Alteration of Wetlands.

³⁸ Schulz, Gary C., *Conceptual Wetland Mitigation Plan, Curry Property, October 10, 2002.*

The Puget Sound Electric Powerline Trail is located approximately one mile south of the proposal. This trail provides users with opportunities to connect to the regional trail and parks system. A temporary pedestrian connection from the plat's frontage to NE 116th Street will facilitate trail use by residents. The Trails Plan illustrates a trail on the west side of 172nd Avenue NE in the future.

III. SUBMITTAL REQUIREMENTS.

The third requirement for approving a Preliminary Plat is that a proposal conform "to the requirements of this section and those set forth in RCDG Title 20F and submittal requirements on file in the Planning Department."³⁹ These requirements reflect procedural issues including submittal requirements, providing notices, receiving comments, making a SEPA threshold determination, and holding a public hearing. Compliance with these requirements has been demonstrated throughout this report.

IV. STREET SYSTEM

The fourth requirement to approve a Preliminary Plat requires that "*the proposed street system conforms to the City of Redmond Arterial Street Plan and Neighborhood Street Plans, and is laid out in such a manner as to provide for the safe, orderly and efficient circulation of traffic...*"⁴⁰ The proposed street system conforms to the Transportation Circulation Plan for the North Redmond neighborhood.

V. WATER AND SEWER

The fifth requirement to approve a Preliminary Plat requires that "*the proposed subdivision ... will be adequately served with City approved water and sewer and other utilities appropriate to the nature of the subdivision ...*"⁴¹ The Technical Committee has determined that the proposed subdivision can be served by extending a water line from the intersection of NE 116th Street and 172nd Avenue NE to the plat. Sewer can be provided by connecting at 119th Way NE.

VI. LOT LAYOUT

The sixth requirement to approve a Preliminary Plat requires that the lot layout, site characteristics (e.g. trees, sensitive areas, etc.), and topography is appropriate for the site and fulfills.⁴² The previous assessment under "II" illustrates that the proposal meets this requirement.

³⁹ RCDG 20D.180.10-020 (1) (c)

⁴⁰ RCDG 20D.180.10-020 (1) (d)

⁴¹ RCDG 20D.180.10-020 (1) (e)

⁴² RCDG 20D.180.10-020 (1) (f)

VII. IDENTIFIED HAZARDS

The seventh requirement to approve a Preliminary Plat requires that the general layout does not result in conflicts between the proposed use and identified hazards.⁴³ After review of sensitive areas related material associated with the project, the Technical Committee has not located any hazards or limitations that would impact the proposed design of the streets and lot layouts. The applicant has applied a subdivision design that minimizes conflicts between those hazardous areas (such as steep slopes) and the proposed lots and infrastructure.

Planned Residential Development Analysis

The following is an analysis of the proposal's compliance with the City's Planned Residential Development decision criteria.⁴⁴ To reduce duplication and where appropriate, reference has been made to earlier sections of this report. The Hearing Examiner will review this analysis, consider testimony related to the PRD proposal, and make a recommendation to City Council. City Council is the decision-making body for the Planned Residential Development application.

- (1) Design Criteria. The City may approve, or approve with modifications, a PRD or MPRD if the proposal meets the requirements of this chapter and the design of the proposed development achieves two or more of the following results:

Requirement	Discussion	Conform
(a) High quality architectural design, placement, relationship or orientation of structures;	The proponent submitted elevations for the proposed structures and identified on site plans the location and orientation of proposed structures. In reviewing the material, the Technical Committee has determined that the proposed designs and placement of structures meet the requirement for high quality architectural design, placement, and relationship or orientation of structures. Copies of the elevations will be presented at the hearing on March 31, 2003.	Yes
(b) Achieving allowable densities for the subject property;	In some cases, sensitive areas or other site characteristics may make it difficult for an applicant to achieve allowable densities under the applicable zoning district. This is not the case for this application. A PRD is not required to meet allowable densities for this subject property.	N/A
(c) Providing housing types	Although not providing specifically for	N/A

⁴³ RCDG 20D.180.10-020 (1) (g)

⁴⁴ 20C.30.105-040 Decision Criteria.

that effectively serve the affordable housing needs of the community;	“affordable housing”, the proposal includes a range of housing and lot sizes. Typically, a range of sizes allows for greater diversity in a neighborhood, those allowing more affordable and less affordable housing to be located in the same neighborhood.	
(d) Improving circulation patterns or the screening of parking facilities;	The proposal would result in appropriate neighborhood circulation, including connections to each of the plat boundaries. However, the PRD is not necessary to provide these connections.	N/A
(e) Minimizing the use of impervious surfacing materials;	As compared with a more traditional Preliminary Plat, the proposal minimizes the amount of impervious surfacing that would otherwise occur. In a more traditional subdivision, less open space would exist as the parcels would be developed more uniformly with lots. This would require additional road surfacing, which is not required by the proposal.	Yes
(f) Increasing open space or recreational facilities on-site;	By applying the flexibility authorized in a PRD, the proposal creates a large open space tract, Tract A. This large tract does not commonly occur in typical plats. The open space tract will allow for tree preservation, general open space, and recreational opportunities that will be unique and provide for a positive benefit to the community. Additional tracts (Tracts B, C, and D) are providing for additional open space opportunities as well.	Yes
(g) Landscaping, buffering, or screening in or around the proposed PRD or MPRD;	Tract A provides for significant screening of the development from 172 nd Avenue NE.	Yes
(h) Providing public facilities;	Aside from the significant amount of open space, unique public facilities are not part of this proposal.	N/A
(i) Preserving, enhancing or rehabilitating natural features of the subject property such as significant woodlands, wildlife habitats or streams;	Through open space tracts A, B, and C, the proposal provides for significant preservation of existing stands of trees. Although trees will be removed as part of the development, the remaining stands of trees will be enhanced through tree plantings.	Yes
(j) Incorporating energy efficient site design or building features;	Retaining continuous open space areas will influence the microclimate within the proposal. The microclimate will help cool structures in the summer.	Yes

(k) Providing for an efficient use of infrastructure.	The proposal makes for efficient use of infrastructure by clustering development along its streets. In a more traditional layout with less open space and larger lots, longer lines of utilities and roads would be required to accommodate more of the site being developed.	Yes
---	---	-----

In addition to meeting two of the above criteria, the following criteria shall be met:

(2) Public Facilities. The PRD or MPRD shall be served by adequate public facilities including streets, bicycle and pedestrian facilities, fire protection, water, storm water control, sanitary sewer, and parks and recreation facilities.	The proposal will provide the required public facilities.
(3) Perimeter Design. The perimeter of the PRD or MPRD shall be appropriate in design, character and appearance with the existing or intended character of development adjacent to the subject property and with the physical characteristics of the subject property.	<p>In assessing this, it is important to understand the pattern of development adjacent to the project.</p> <p>The properties to the east are currently under development to single-family detached dwellings on "clustered" lots. Many of these lots involve modified side yard setbacks that result in approximately 10' of separation between structures. The proposal would be consistent with development to the east.</p> <p>The property to the north has been approved for residential, single-family units as well. These units, however, will use the standard side yard setbacks, which will result in 15' of separation between structures. This is slightly different than the 10' between structures that the PRD proposes. However, the proposal would be compatible with the development approved for the property to the north.</p> <p>The properties to the west and across 172nd Avenue NE are lower density, single-family residences. Lots are over ½ acre in size. The PRD has some frontage on 172nd Avenue NE, but a large amount of the frontage is Tract A, which is the open space tract. The proposal is expected to be consistent with existing and planned development patterns.</p> <p>The properties to the south are generally</p>

	single-family residences on parcels of over ½ acre. These parcels can be developed to the same R-4 density, however until that occurs, they are lower density parcels. The proposal responds to the existing conditions by retaining trees in Tract B and in the rear yards of lots 4, 5, and 6.
(4) Open Space and Recreation. Open space and recreation facilities shall be provided and effectively integrated into the overall development of a PRD or MPRD and surrounding uses.	The proposal does well at integrating the proposal with its open space tracts. A trail system and other recreational opportunities are proposed within Tract A and C. A pedestrian connection is proposed in Tract B. Finally, Tract D, stormwater drainage, is proposed to be constructed to appear as a naturally occurring wetland. The facilities are available to all residents and, particularly Tracts A, and C/D are closely associated with many of the lots.
(5) Streets and Sidewalks. Existing and proposed streets and sidewalks within a PRD or MPRD shall be suitable and adequate to carry anticipated traffic within the proposed project and in the vicinity of the subject property. (Ord. 1901)	The Public Works Department has reviewed the proposal and found that the proposed accessways are not substandard and will adequately accommodate the anticipated usage.

The proposal uses the PRD process to vary dimensional standards, as identified in earlier sections of this report. In short, the applicant requests variations from average lot sizes and setbacks. Additional information is in the Variance Table, which is attached to the application.

After reviewing the above decision criteria for PRDs, the Technical Committee finds the proposal in conformity with 20C.30.105, Planned Residential Developments.

CONSISTENCY WITH DEVELOPMENT REGULATIONS AND SEPA

In addition to compliance with RCDG 20D.180.10, when the City receives a permit application, RCDG Section 20G.40, Consistency with Development Regulations and SEPA, requires that it determine the project's consistency with development regulations, Comprehensive Plan policies, and the City's SEPA ordinance. In doing so, the City must consider the following:

- A. *Consistency with development regulations, such as adequate provision of infrastructure.*

- B. *Consistency with SEPA, including the City's SEPA policies and regulations, whether additional studies are required to analyze environmental impacts and whether additional mitigation measures are required.*
- C. *Adequacy of the analysis of environmental impacts under existing regulations, such as whether impacts are adequately addressed by development regulations, policies and other laws, including the laws of other agencies.*

With the project conditioned, the City determined that:

- A. *The proposal is consistent with the regulations and policies of the City, including the SEPA ordinance, and the laws and rules of other agencies.*
- B. *The proposal adequately addresses probable adverse environmental impacts under existing regulations and policies.*
- C. *Adequate infrastructure will be provided (i.e. street, storm, water, and sewer extensions) to serve the project.*
- D. *Wetland determination, Geotechnical and soils reports were required to analyze environmental impacts.*
- E. *Environmental impacts are adequately mitigated.*

RECOMMENDATIONS

Prior to hearing public testimony, it is recommended that the Hearing Examiner:

1. Approve the **Curry Preliminary Plat**, PPL02-001, as illustrated in the plan set dated December 16, 2002,
2. Recommend to the City Council to approve the Curry Planned Residential Development, PRD 02-001, as illustrated in the plan set dated December 16, 2002, and

both subject to the conditions below:

I. PLANNING REQUIREMENTS

A. SEPA: A Mitigated Determination of Non-Significance was issued for this project. The MDNS was amended to resolve a scrivener's error on March 28, 2003. The following mitigation measures are incorporated into this approval as conditions of approval:

1. 172nd Avenue NE. The applicant is required to construct a second southbound lane on 172nd Avenue NE as it approaches NE 116th Street. This will allow for the separation of southbound turning movements, which will decrease vehicle delay and improve level of service. The new lane is required to have a minimum storage length of 150 feet along with an appropriate transition back to the existing cross section. The traffic consultant reviewed

the results of this improvement in the Traffic Impact Analysis. In 2005 with the project traffic and this mitigation, the southbound through movements will operate at LOS-E, with an approach delay of 42.8 seconds. Thus, this measure effectively mitigates the project impact to this movement by returning the level of service and delay to approximately the same as prior to the development. If the reconstruction of the intersection of NE 116th Street and 172nd Avenue NE as part of the planned widening of NE 116th Street is shown to be fully funded as part of the City of Redmond's 2004 Transportation Improvement Program, the City and the project applicant may propose the modification or elimination of this condition.

2. Water System. The project proponent shall mitigate adverse quantity or quality impacts that are demonstrated to have occurred during or within one year of site civil construction to domestic water supply wells on adjacent properties. This mitigation shall be required where it can be demonstrated that the adverse impacts occurred as an apparent result of dewatering of utility trench excavations, surface grading, storm-water collection or runoff of turbid storm-water or contamination caused by spillage and seepage of noxious substances on the site during construction. Each of four adjacent properties is served by its own well, more or less as shown on sheet P3 of the preliminary PRD drawings dated 3/26/02. These adjacent properties potentially affected are King County tax parcel numbers 252605-9098, 252605-9097, 252605-9088 and 252605-9090. Should an impact be determined, each impacted property shall be provided with city water service. Water services shall be installed from the main fronting the affected property and meter setters and boxes placed to serve the residence. The water service shall further be extended from the meter box to the house and connection made to the existing plumbing. All work shall be done in accordance with city standards and all applicable codes. Connection, meter installation and reimbursement fees shall be paid to the city.

B. General Planning Requirements:

1. This approval is subject to all general criteria of the Redmond Community Development Guide and Redmond Municipal Code. Refer to Attachment VI.A, General Planning Approval Conditions, for a checklist of drawing, bond, and general planning requirements. The checklist does not substitute for the code; it is intended to be used as a guide in preparing your final construction drawing/building permit submittal. Refer to the Redmond Community Development Guide and Redmond Municipal Code for detailed information on each requirement.
2. To ensure compliance with residential site standards, at the time that construction drawings are submitted for Public Works review, the applicant shall provide two (2) copies of the construction drawings, clearing/grading plan and tree retention plan at a scale of 1" = 20' to the Planning Department.
3. A sign permit application must be submitted separately to the Planning Department for review and approval prior to installation of any proposed signs (RCDG Section 20D.160.10-020).
4. Transportation, parks, and fire impact fees shall be assessed at the time of building permit issuance for each residence. **The fee in effect at the time of complete building permit application shall apply.**

C. Specific Planning Requirements:

1. Planned Residential Development Approval. The proposal is dependent upon the approval of a Planned Residential Development application. The Hearing Examiner receives testimony and recommends to approve, conditionally approve, modify, or deny the application for Planned Residential Development to the Redmond City Council. The Preliminary Plat shall not be undertaken except in compliance with the approval of a Planned Residential Development application in the same format as those plans dated December 16, 2002.

2. Landscaping:

- a. The landscape plan should include landscaping details for the storm water facility, which will enhance its appearance as a naturally occurring water feature (RCDG Section 20D.40.25-080). The general goal should be to create a varied planting pattern with a diversity of native species that would be found in a palustrine emergent, seasonally flooded (or otherwise inundated) wetland. The planting must be appropriate for the water regime that is anticipated. The design should be done by a qualified wetland consultant or landscape architect with experience in wetland mitigation or planting in wetland areas.
- b. Landscaping shall be coordinated with water/sewer lines and fire hydrants/connections. Trees shall be planted no closer than 8 feet from the centerline of any water/sewer lines. Shrubs shall be planted to maintain at least 4 feet of clearance from the outside edge of the shrub to the center of all fire hydrants/connections. Ground cover may be planted within this radius. (RCDG Section 20D.80.10-150(8)).
- c. Planting shall meet the City requirements for site clearance at intersections as identified in Section 20D.210.25 of the Redmond Community Development Guide. (20D.80.10-150(2))
- d. For any landscaping along 172nd Avenue NE and 174th Avenue NE, an irrigation system shall be maintained by the Home Owners' Association or other means acceptable by the City of Redmond Parks Department. Maintenance of landscaping shall be the responsibility of the Homeowners Association, including that portion located within the public right-of-way along 172nd Avenue NE and 174th Avenue NE. Any installation or other work in the public right of way requires an Extended Right of Way Use Permit issued by the Public Works Department.
- e. Street trees are required as follows (RCDG Section 20D.80.10-140):

Street	Species	Spacing on Center	Notes
172 nd Avenue NE	Cleveland Maples	30'	Minimum 2 1/2" caliper. Specimen to be grown

for street use.

Internal
Streets

To be determined.

TBD

Per Landscaping
Requirements. Note:
The City does not
maintain internal
street trees.

2. Sensitive Areas:

- a. A wetland and buffer enhancement plan shall be submitted with the Construction Drawings. The plan shall meet the requirements of Appendix 20D-2 (V) of the Redmond Community Development Guide.
- b. A sensitive areas analysis shall be completed for off-site improvements that extend into areas with potential wetlands or streams. Mitigation will be required where improvements extend into a sensitive area or its buffer and beyond those improvements that currently exist.
- c. A split rail fence shall be installed to delineate all sensitive areas and native growth protection area tracts. Sensitive area signage (available from the City of Redmond) shall be installed to provide for notice in the field regarding the presence of sensitive areas. Signage shall be affixed to the fence approximately on the midpoint of each lot's rear property line. Where fencing does not abut an individual lot, signage shall be placed approximately every 100'. Signage and fencing shall be shown on the construction drawings. Final location and materials will be subject to approval by the Planning Department.

3. Tree Protection Measures:

- a. Existing Significant Trees to Remain, as designated on the proposed Tree Preservation Plan, dated 12/16/2002, shall be saved.
- b. Tree preservation measures for trees designated to be saved must at a minimum comply with required tree protection in RCDG Section 20D.80.20-100(1). These measures include but are not limited to the following requirements:
 - i. All construction activities, including staging and traffic areas, shall be prohibited within five feet of the dripline of protected trees.
 - ii. Tree protection barriers shall be installed along the outer edge and completely surround the area 5' from the dripline of significant trees to be protected prior to any land disturbance.

- iii. Tree protection barriers shall be a minimum of four feet high, constructed of chain link, or polyethylene laminar safety fencing or similar material. "Tree Protection Area" signs shall be posted visibly on all sides of the fenced areas. Signs requesting subcontractor cooperation and compliance with tree protection standards may also be required to be posted at site entrances.
 - iv. Where tree protection areas are remote from areas of land disturbance, and where approved by the Planning Department, alternative forms of tree protection may be used in lieu of tree protection barriers, provided that protected trees are completely surrounded with continuous rope or flagging and are accompanied by "Tree Save Area-Keep Out" signs.
 - v. Per RCDG Section 20D.80.20-080(1), each significant tree that is removed on the site must be replaced by one new tree. The required number of replacement trees must be identified on the Tree Replacement Plan. The minimum size of replacement trees is 2-½ -inch caliper for deciduous trees and six to eight feet in height for evergreen trees.
 - vi. Two copies of the final Tree Preservation Plan, Landscape Plan and Tree Replacement Plans at 1"=20' scale must be submitted with construction drawings and approved prior to issuance of construction drawings. The final plans shall be prepared or approved by a licensed landscape architect, registered Washington certified nurseryman or registered Washington certified landscaper (RCDG Section 20D.80.10-040). This certification shall be noted on all landscape-related plans. A copy of the Tree Preservation Plan shall be recorded with the Final Plat.
 - vii. Restrictive covenants shall include a statement notifying property owners and the Homeowner's Association that significant and landmark trees on individual lots may only be removed in accordance with the approved tree retention plan. This language shall be reviewed and approved by the Planning Department prior to recording of the restrictive covenants with King County.
 - viii. A tree health assessment shall be completed for off-site improvements that extend into areas with significant and landmark trees. Mitigation will be required where trees are removed or improvements extend within 5' of the dripline of any healthy, significant or landmark tree, beyond those improvements that currently exist.
- 4. Reduction of Front Yard Setback. The proposed reduction in front yard setback to below the required 10' is not approved. The site plan shall be revised such that the 10' front yard setback is**

met. Impacts to trees resulting from the change shall be mitigated.

II. ENGINEERING REQUIREMENTS

A. No lots shall be permitted direct access to 172nd Avenue NE. The specific lots affected by this restriction shall be listed on the face of the final plat and other documents.

B. Easements & Dedications: Existing and proposed easements and rights-of-way shall be shown on the final plat, civil plans and other documents. Any existing easements for ingress, egress, private utilities, franchise utilities, etc. that lie within the Plat or within rights-of-way adjacent to the Plat shall be released or modified to the City of Redmond's satisfaction prior to final plat approval.

1. Public easements are required as follows:

a) 10-foot wide for sidewalk and utilities adjacent to the right of way along the east side of 172nd Avenue NE.

b) 10-foot wide for sidewalk and utilities adjacent to the right of way along the west side of 174th Place NE.

c) 10-foot wide for sidewalk and utilities adjacent to the rights of way along both sides of the internal plat streets: NE 117th Way, NE 119th Court, NE 119th Way, 173rd Place NE.

d) 10-foot wide for pedestrians from NE 119th Court across private Tract E to 172nd Avenue NE and from 173rd Place NE across private Tracts G and H to 174th Place NE.

e) Rights-of-way dedicated to the City of Redmond are required as follows: 50 feet wide for the internal plat streets: NE 117th Way, NE 119th Court, NE 119th Way, 173rd Place NE.

f) Private tracts are required as follows:

(1) 35 feet wide for the internal plat streets within Tracts F, G and I.

(2) 20 feet wide for the internal plat streets within Tracts E and H.

(3) New right-of-way lines joining at intersections shall connect with a minimum of a 25-foot radius, or with a chord that encompasses an equivalent area. The area formed by this radius or chord shall also be dedicated as right-of-way.

(4) All lots are subject to an easement for utilities and drainage facilities over, under and across a strip of land 2-1/2 feet wide along each side of the interior lot lines within the development, together with a strip of land 5 feet wide along the lot lines around the perimeter of the development.

C. Public and Private Engineering/Transportation Improvements

1. Half street improvements are required on 172nd Avenue NE including asphalt paving 18 feet from centerline to face of curb with appropriate tapers, type A-1 concrete curb and gutter, planter strip, concrete sidewalk, storm drainage, streetlights, street trees, street signs

and underground utilities including power and telecommunications. The minimum pavement section for 172nd Avenue NE shall consist of:

- a) 4" Asphalt Pavement Cl. A
 - b) 5" Asphalt Pavement Cl. E
 - c) Subgrade compacted to 95% compacted maximum density as determined by modified Proctor (ASTMD 1557)
 - d) Street crown 2% sloped to drain system
2. Half street improvements are required on 174th Place NE behind the existing curb and gutter including planter strip, concrete sidewalks, street lights, street trees, street signs and underground utilities including power and telecommunications.
 3. On 172nd Avenue NE and 174th Place NE the ASPHALT STREET shall be planed, overlaid, and/or patched to repair damage done by utility cuts and other work, as determined by the Engineering Division.
 4. Sidewalks constructed to City standards are required within the pedestrian easements between private Tract E and 172nd Avenue NE and between private Tracts G and H.
 5. Other off-site improvements include widening of 172nd Avenue NE on the southbound approach to NE 116th Street as outlined in the SEPA conditions for this Plat.
 6. Prior to the City allowing occupancy of any home constructed within the Curry Property Plat, the developer shall design and construct an interim walkway for school children along the east side of 172nd Avenue NE from the pedestrian connection at Tract E to NE 116th Street, along with other minor improvements at the 172nd Avenue NE/NE 116th Street intersection as needed to ensure safe crossing of these streets. The interim walkway shall be constructed of asphalt or Portland cement concrete. The interim walkway shall be a minimum of 5-feet wide when located adjacent to curb and gutter or other traffic barrier acceptable to the City. The interim walkway shall be a minimum of 4-feet wide and located a minimum of 10-feet from the street edge where no curb and gutter or other traffic barrier acceptable to the City exists. A safety railing or fencing will be required when (1) the interim walkway is located at the top of a slope or wall that is 2:1 or steeper and (2) the walkway elevation is 30-inches or higher than the toe of the slope or wall. This requirement is also a condition for the Wynstone Plat located to the north of the Curry Property. The applicant is encouraged to work with the Wynstone Plat applicant to share the cost of this improvement. For that portion of the safe walking route across Tax Parcel 252605-9098, completion of the curb, gutter and sidewalk is likely the most cost effective alternative.
 7. All vehicle use areas including driveways, private streets, service areas, etc. shall be paved.
 8. Specific subdivision public street improvement conditions for NE 117th Way, NE 119th Court, NE 119th Way, 173rd Place NE:
 - a) Street improvements within the 50-foot wide dedicated right-of-way shall include asphalt paving (28 feet curb to curb), with appropriate tapers, type A-1 concrete curb and gutter, planter strips, street trees, concrete sidewalks, storm sewers, streetlights, street signs, and underground utilities including power and

telecommunications. The minimum pavement section for the streets shall consist of:

- (1) 3" Asphalt Pavement Cl. B
- (2) 4" Asphalt Treated Base
- (3) Subgrade compacted to 95% compacted maximum density as determined by modified Proctor (ASTMD 1557)
- (4) Street crown 2% sloped to drain system
- (5) The cul-de-sac on NE 119th Court is required to have a minimum radius of 44 feet to the face of curb. A planter island shall be provided in the center of the cul-de-sac to reduce, as much as possible, the amount of asphalt. The maintenance of the landscape in the island shall be the responsibility of the adjacent property owners. This maintenance requirement shall be included on the face of the final plat.

b) Specific short subdivision private street improvement conditions for the internal streets within Tracts F, G and I:

(1) Street improvements shall include asphalt paving (28 feet), with appropriate tapers, thickened asphalt edge or type A-1 concrete curb and gutter, concrete sidewalk (one side), storm sewers, street signs, and underground utilities including power and telecommunications. The minimum pavement section for the streets shall consist of:

- (a) 2" Asphalt Pavement Class B
- (b) 4" Crushed Rock surfacing
- (c) Subgrade compacted to 95% compacted maximum density as determined by modified Proctor (ASTM D 1557)
- (d) Street crown 2% sloped to drain system

c) Specific short subdivision private street improvement conditions for the internal streets within Tracts E and H:

(1) Street improvements shall include asphalt paving (20 feet), with appropriate tapers, thickened asphalt edge or type A-1 concrete curb and gutter, storm sewers, street signs, and underground utilities including power and telecommunications. The minimum pavement section for the streets shall consist of:

- (a) 2" Asphalt Pavement Class B
- (b) 4" Crushed Rock surfacing
- (c) Subgrade compacted to 95% compacted maximum density as determined by modified Proctor (ASTM D 1557)
- (d) Street crown 2% sloped to drain system

(2) Installation of mailbox stand(s) shall be in accordance with City standards.

- d) All power, telephone, streetlights, etc. shall be shown on the engineering drawings and landscape plans submitted for construction permits.
- e) A composite drawing that includes all utilities, landscaping including trees, etc., is necessary to minimize the possibility of utilities/landscaping conflicts.
- f) CONVERSION OF AERIAL UTILITIES (POWER, TELEPHONE, T.V., ETC. TO UNDERGROUND)

(1) All aerial utilities shall be converted to underground along all street frontages and within the short plat according to 20D.220.10 "Underground Wiring" in the Redmond Community Development Guide.

D. The applicant shall meet the construction plan and construction requirements in Attachment B, "REQUIREMENTS FOR CONSTRUCTION DRAWINGS" and Attachment C, "GENERAL INFORMATION AND ADMINISTRATION REQUIREMENTS".

III. UTILITIES REQUIREMENTS

A. Sewer

1. Sewer service will require a developer extension of the City of Redmond sewer system as follows:

- a) Construct sanitary sewer improvements more or less as shown on the Preliminary Plat drawings dated December 12, 2002.
- b) (The sewer main location shown on the site plan may not conform to City standard location. Revisions to comply with City standard locations may be required.)

2. Vehicular access to all new and existing manholes shall be provided. The access easement shall be a minimum of 20 feet in width with asphalt concrete surfacing. Alternative surfacing may be approved by the City depending upon the location. If access passes through fencing then 14-foot minimum width gates shall be provided. The plat or easement document shall (1) show and dedicate the 20-foot access easement, (2) have covenants advising property owners of their obligation to maintain the availability of the access by providing gates and not obstructing the access, and (3) that the property owners maintain, repair and replace the access surfacing as needed.

B. Water:

1. Water service will require a developer extension of the City of Redmond water system as follows:

- a) Construct on-site water improvements more or less as shown on the Preliminary Plat drawings dated December 12, 2002. A 12-inch water main shall be constructed to serve the site in 172nd Avenue NE from NE 116th Street to the northern limits of the plat, more or less as shown on the Preliminary Plat drawings. An 8-inch stub shall be extended across 172nd Avenue NE in the vicinity of NE 117^h Street and connected with the existing 8-inch main in that vicinity.
- b) (The water main location shown on the site plan may not conform to City standard locations. Revisions to comply with City standard locations may be required.)

IV. CLEARING/GRADING AND STORMWATER MANAGEMENT

A. Erosion control systems must be implemented throughout the construction process and until the site is stabilized. Design of all systems must be in accordance with section 20E.90.10 of the Community Development Guide and the most recent issue of the City of Redmond STORMWATER MANAGEMENT AND EROSION CONTROL TECHNICAL NOTEBOOK (notebook). Contact the Stormwater Division at 556-2890 for information about, or a copy of, the notebook. Preferred methods for management and control are discussed in the notebook.

B. Stormwater Management

1. Quantity Control

- a) In an open pond; provide detention for peak discharge control to match one half of the 2-year and match the 10-year and 100-year storms natural (prior to any development) runoff peak flow rates.
- b) Provide for overflow routes through the site for the 100 year storm runoff (100 year flow may not impact any buildings).

2. Quality control. Use a lined, open pond to provide water quality treatment for the runoff from the 6-month, 24-hour design storm event. Use the developed condition land use when determining the water quality storm flow rate and volume.

3. Provide maintenance vehicle access to the pond bottom and outlet control structure from 174th Place NE.

C. Miscellaneous

1. Construction activities may be limited or suspended during the rainy season (October 1 – April 30).
2. Stencil all on-site storm drainage inlets with “DUMP NO WASTE DRAINS TO STREAM”. Stencils are available from the Stormwater Division located at the City Annex (phone 556-2840). Design plans shall identify the requirement to stencil drainage inlets. Easements will be required for any public conveyance systems.
3. Trees are not allowed within 8 feet of storm systems.
4. Ponds shall be lined in accordance with the Department of Ecology Stormwater Management Manual for the Puget Sound Basin, (1992).
5. Designate private roads on the construction plans and plat drawings by adding **(Private)** after the road name.

V. FIRE PROTECTION

A. EMERGENCY VEHICLE ACCESS ROADWAY REQUIREMENTS

1. Emergency vehicle access roadways shall be an unobstructed 20 feet in width and 13' 6" high. Turning radii shall be 25' interior and 45' exterior.
2. Fire lanes shall be located wherever curbs, road edges, or loading areas are adjacent to the 20-foot wide vehicle access roadway. Fire lanes identified through site plan review shall be included on the final civil drawings. Additional fire lanes and marking may be required anytime during the life of the development upon evaluation by and direction of the Fire Marshal. Where fire lanes are a 28 feet wide access tract or easement, the side not

used for parking shall be signed "No Parking - this side" or "No Parking - Fire Lane- this side". If the access tract or easement is 20 feet then both sides shall be signed.

3. Driveway entries or curb returns shall be provided to meet minimum roadway radii at all tracts, easements or other intersections. Do not measure into areas where parking is allowed. This includes where Tract E meets 172nd Ave NE.

4. Traffic circles shall not impede into required radii. The circle at NE 119th and Tract E, and at NE 119th and 173rd AVE NE shall be reduced in diameter to allow through movements in both directions.

B. ADDRESSING

1. Each lot shall have the building address numerals installed per the Redmond Fire Department Design and Construction Guide. A nominal 6-inch high numeral shall be used.

2. Approval is required for building and unit addressing.

3. Temporary signs shall be used at the job site as soon as construction begins. Numerals shall be high contrast in color, face the street fronting the property, and be a minimum 6" high.

4. The "T" road labeled NE 118th shall be called 172nd Ct NE and so signed at the intersection with NE 117th Way. Lots 66, 65 and 64 shall be addressed with 117xx, ascending odd numbers. Lots 62 and 63 shall be addressed with 117xx, ascending even numbers.

5. Lots 14, 13, 16, 15 shall be ascending odd numbers addressed off 174th PI NE.

C. CITY APPROVED FIRE ALARM SYSTEM: Single station smoke detection is required in all residential occupancies.

D. KNOX BOX: A "Knox" padlock is the only locking device approvable for the bollards at Tract E. Contact the Redmond Fire Department for purchase information.

E. HYDRANTS

1. Hydrants must be in place and serviceable prior to combustible construction.

2. Planter islands or peninsulas for hydrants require a minimum diameter of 8 feet. Four feet is to be maintained between face of curbs and fire protection equipment. Hydrants shall not be located behind parking. See the hydrant on the west side of 173rd PI NE, just south of NE 118th CT (Tract F). This may need to be moved to the east side of the street.

F. OTHER: ADDITIONAL REQUIREMENTS MAY BE SET ON REVIEW OF CIVIL, ARCHITECTURAL, FIRE ALARM AND/OR FIRE SPRINKLER PLANS.

CONCLUSION

With those conditions of approval recommended herein and with those mitigating measures identified on the threshold determination for this proposal, the Curry Preliminary Plat and the Curry Planned Residential Development proposals appear to be consistent with the applicable Redmond Comprehensive Plan policies. The proposal appears to satisfy the Development Guide's site requirements for residential development, and standards related to streets and utilities improvements, natural features and sensitive areas, and fire protection.

JAMES L. ROBERTS
Assistant Director
Department of Planning and Community
Development

RICHARD BARTHOL
Assistant City Engineer
Public Works Department

Attachment A

General Planning Requirements

Topic	Code Reference *	Brief Explanation
Drawing Submittal Requirements		
Landscape Plan		<p><u>Preparer</u>: Prepared or approved by a licensed landscape architect, registered WA certified nurseryman or registered WA certified landscaper. Note certification on all landscape related plans. <u>Scale</u>: 1"=20'; <u>Submittal Timeframe</u>: With the building permit/construction drawings; <u>Required Elements</u>: (1) Conditions of approval listed; (2) Complete plant schedule listing for each plant with the scientific and common names, quantities, size in height/spread, and spacing; (3) Identify which trees are designated as replacement trees, saved trees, and new planting. Show locations of trees in relation to water and drainage lines; (4) Note the area in square feet and the percent of the total site devoted to the following type of landscaping: perimeter, interior parking lot, building foundation, and courtyard/patio/plaza.</p>
Tree Preservation/Tree Replacement Plan		<p><u>Preparer</u>: Prepared or approved by a licensed landscape architect, registered WA certified nurseryman or registered WA certified landscaper. Note certification on all landscape related plans. <u>Scale</u>: 1"=20'; <u>Submittal Timeframe</u>: With the building permit/construction drawings; <u>Required Elements</u>: (1) Conditions of approval listed; (2) Show location, species, size of trees designated for retention; (3) List total percentage of trees to be retained (4) Identify size and species of replacement trees (5) Show all tree protection measures.</p>
Reduced set of the building permit/construction drawings		Must be submitted with the building permit/construction drawings. Either 8 ½ x 11 or 11 x 17 is acceptable.
Restrictions		The following statement must be included on the mylars and all construction drawings: "Trees to be preserved shall be designated in accordance with the approved tree preservation plan on file with the City of Redmond Planning Department. Designated trees which are damaged or destroyed shall be replaced in accordance with RCDG Section 20D.80.20-080, or as hereafter amended."
Required Bonds		
Landscape and Irrigation Improvements Performance and Maintenance Bonds	RCDG 20D.80.10-190 RCDG 20D.80.10-050	<p><u>Purpose</u>: Performance security for landscape improvements; <u>Estimate</u>: Submit estimate with quantities, sizes, and unit costs for planting and an overall cost for irrigation and labor with the building permit/construction drawings; <u>Bond Submittal Timeframe</u>: Prior to issuance of the building permit/construction drawings. <u>Amount</u>: Must represent 100% of the cost of the improvements, 15%</p>

Curry Preliminary Plat & Planned Residential Development
Hearing Examiner Report

Topic	Code Reference *	Brief Explanation
		contingency, and 8.6% sales tax; <u>Maintenance Bond</u> : A 1 year maintenance bond shall be required for the release of the performance bond. Maintenance bond shall be valued at 10% of the performance bond.
Tree Protection Measures Bond	RCDG 20D.80.20-120(1)	<u>Purpose</u> : Ensure the installation, maintenance and adequate performance of tree protection measures; <u>Bond Submittal Timeframe</u> : Prior to issuance of the building permit/construction drawings. <u>Amount</u> : equal to 150% of the City's estimated cost of replacing each protected tree (\$250.00) plus 8.6% sales tax; <u>Estimate</u> : Submit estimate of bond amount with the building permit /construction drawings; <u>Bonding period</u> : 5 years; <u>Note</u> : Prior to issuance of the CO, any protected tree found to be irreparably damaged, severely stressed or dying shall be replaced.
Tree Replacement Bond	RCDG 20D.80.20-120(2)	<u>Purpose</u> : Ensure survival of replacement trees; <u>Bond Submittal Timeframe</u> : Prior to issuance of the building permit/construction drawings. <u>Amount</u> : Equal 150 percent of the cost of plant material, periodic fertilizing and pruning and labor until tree survival is ensured, plus 8.6% sales tax; <u>Estimate</u> : Submit estimate of bond amount with the building permit /construction drawings; <u>Bonding period</u> : 3 years
General Requirements		
Landscaping Improvements		
Automatic Irrigation System	RCDG 20D.80.10-180	An automatic irrigation system shall be installed in all planting areas over 500 square feet. An irrigation plan must be submitted with the final landscape plan. Irrigation systems in the public right of way will require an Extended Use Permit.
Adjacent Unimproved Right-of-way	RCDG 20D.80.10-110	Adjacent unimproved portion of the public right-of-way shall be landscaped from the property line to the edge of the pavement and shown on the landscape plan. The installation of private irrigation facilities in the public right of way requires an Extended Right of Way Use Permit and related Certificate of Insurance. Please contact the Public Works Department regarding this permit.
Coordination With Water/ Sewer Lines & Fire Hydrants	RCDG 20D.80.10-150(8)	Trees shall be planted a minimum of 8 ft from the centerline of any water/sewer lines. Shrubs must be planted a min of 4 ft from the center of all fire hydrants/connections.
Site Clearance	RCDG 20D.80.10-150(2)	Planting must meet site clearance requirements at intersections
Minimum Tree Size at Installation	RCDG 20D.80.10-100(5)	<u>Deciduous trees</u> : 2" caliper; <u>Vine maples and other multi-stemmed trees</u> : 7'-8' minimum height; <u>Evergreen trees</u> : 6'-7' minimum height; <u>Medium and tall shrubs</u> : 24"-30" minimum height; <u>Groundcover</u> : 4" container (18" o.c.).
Minimum Planting Area	RCDG 20D.80.10-120	All planting area shall be 100 square feet and no less than 5 ft in width or length.
Spacing of Parking Trees from Curbs	RCDG 20D.80.10-150(5)	Trees shall be planted at least 4+ feet from pavement edges where vehicles overhang pavement edges.
Ground Cover Plantings	RCDG 20D.80.10-	Bark, mulch, gravel or other non-vegetative material

Topic	Code Reference *	Brief Explanation
	100(7)	shall only be used in conjunction with ground cover plantings to assist growth and maintenance or to visually complement plant material.
Sensitive Areas		
Final Sensitive Area Report	RCDG Appendix 20D-2	A final sensitive area report and mitigation plan must be submitted with the building permit/construction drawings.
Recording of Sensitive Area	RCDG 20D.140.10-110(3); 20D.140.10-100(6); 20D.140.10-090(6); 20D.140.10.290(2)(j)	The regulated sensitive area and its associated buffer must be protected by a NGPE or placed on a separate tract where development is prohibited. Proof of recording must be submitted to the City prior to issuance of Certificate of Occupancy.
Sensitive Area Contingency Plan	RCDG 20D.140.10-330	Must be established for indemnity on the event that the sensitive area mitigation project is inadequate or fails.
Tree Preservation	RCDG 20D.80.20-080 (4)	All construction activity is prohibited within 5 ft of the drip line of protected trees. Refer to the code section for additional tree protection measures.
Tree Replacement	RCDG 20D.80.20-080	The planting of replacement trees must be in accordance with the guidelines outlined in this code section. All required tree replacement and other required mitigation must be completed prior to issuance of a CO/recording of final plat.

*** Code References:**

- RCDG - Redmond Community Development
- RMC - Redmond Municipal Code
- UBC - Uniform Building Code
- WAC - Washington Administrative Code

Attachment B

Requirements For Construction Drawings

I. Engineering/Transportation

A. General Requirements

1. **Engineering Plans** for on-site and off-site drainage (storm water management), clearing, grading, utility and street improvements are required. The plans shall be prepared by a registered engineer and shall be reviewed and approved by Public Works Department prior to issuance of the building, foundation, clearing and grading or street use permits. Plan size must be 22" x 34" at a scale of 1" = 20' unless otherwise approved by the City. **The following design manuals should be obtained to guide design work:**

- a) Standard Specifications and Details
- b) Clearing, Grading and Storm water Management Redmond Technical Notebook
- c) Design Requirements for Water and Sewer System Extensions
- d) Community Development Guide

These manuals reference a number of other commonly used engineering standards. It is vital the design professional performing this work be aware of the City and other pertinent standards to reduce review time. ***The City will not accept designs that deviate from the standards without substantial justification.*** Early consultation between design professionals and City staff is highly recommended if a design will propose deviations.

All power, telephone, streetlights, etc. shall be shown on construction drawings to facilitate identification and resolution of utility conflicts. All utilities to individual homes and on new streets shall be placed underground unless specifically exempted in rare cases for existing homes. All existing aerial utilities shall be converted to underground along all street frontages.

The designer must be sensitive to the existence or creation of utility easements within the project. Permanent structures not associated with the utility use—including rockeries—shall not be built within easements.

When construction drawings are submitted for review, eight (8) complete copies of the civil plans and two (2) sets of drainage computations and studies are required for a complete submittal. Only complete submittals will be accepted for review. (After the initial submittal, fewer copies may be required. If desired, you may contact Public Works at 556-2740 to determine the exact number required.)

At the time of construction drawing approval, a digital file of the drawings shall be submitted to the city. File format shall conform to the requirements identified under '2000 Record Drawing Requirements' (see below).

B. Survey Control

1. Vertical control: Elevations must be referenced to City of Redmond Datum. This Datum is based on the U.S.C. & G.S. benchmark B-385 (1927). The Surveyor must tie the project to two numbered benchmarks. A publication of the benchmarks may be purchased from the City's Public Works service counter under the name City of Redmond Vertical Control Survey February 1990.
2. Horizontal control: The surveyor shall tie the project to two City of Redmond horizontal control monuments. The plans shall show NAD 83-91 coordinates on a minimum to two points at exterior lot/boundary corners. A publication of the Redmond City Horizontal Control Notebook dated 1993 can be purchased at the Public Works service counter.
3. New and Existing Monumentation: New survey monuments shall be installed at new street intersections, street tangent points and center of cul-de-sacs in accordance with the City of Redmond Standard Details. Existing monumentation must be identified on the construction plans and maintained by the contractor throughout the construction period.

C. Street Design:

1. Civil plans for all public and private street construction must include existing and proposed centerline profiles and curb/edge of pavement elevations. Cross sections at regular stationing along the length of the project may be required.
2. All intersection shall be "+"-type intersections with side streets aligned with each other, or "T"-type intersections with side streets separated by a distance of at least 150 feet.
3. Horizontal alignment shall indicate radius, length of tangent between curves, and length of curve. Minimum curve radii and tangents shall comply with the requirements stated in Appendix 20D-3 in the Redmond Community Development Guide.
4. Vertical curves shall indicate length of vertical curve, slopes, and length of tangent between curves. Minimum stopping sight distance for design shall be 450 feet on arterials and collectors, 225 feet on local public access, and 150 feet on private streets. Minimum tangents shall comply with the requirements stated in Appendix 20D-3 in the Redmond Community Development Guide.
5. Cross slopes and superelevation of roadways shall not exceed two (2) percent unless approved by the City of Redmond Public Works Department.
6. On sloping approaches at intersections, landings are not to exceed 2 feet difference in elevation for 30 feet approaching an arterial or 20 feet approaching a local access street (measured from the back of sidewalk or the back of curb if no sidewalk exists).
7. Curb radius shall be 25 feet for local access streets and 30 feet for arterial and collector streets.
8. Street rights-of-way shall intersect at 80 to 90 degrees where possible.

9. Sight Distance: Adequate entering sight distance shall be maintained at all connections to public streets in accordance with Section 20D.210.25 "Sight Clearance at Intersections" of the Redmond Community Development Guide, pages 347 and 348. The appropriate sight distance triangles shall be drawn on the civil and landscaping plans.

10. Any pedestrian crossings at intersections, or across curb return type driveways need to include handicap ramps. These ramps must be designed to meet the most recent ADA standards.

D. General Notes: The following notes shall be included on the construction plans for this project:

1. Safety railings shall be required when the bottom of a rock wall, retaining wall or slope is 30" or more below the finished elevation of a sidewalk or other pedestrian facility.
2. WSDOT approved guard rails shall be required as directed by the City Inspector, subject to approval by the City Transportation Engineer.
3. Contractor is responsible for installing all signs and channelization per City of Redmond standards. Contractor shall lay out all signs and channelization, and then contact Deby Canfield, Senior Transportation Technician, at (425) 556-2752 48 hours in advance of installation to verify layout.
4. All necessary signs and markings on-site, along property frontage, and at specifically designated off-site locations shall be provided by the applicant as required by the Transportation Division whether or not these are indicated on the construction drawings.
5. When requested by the City Inspector, the geotechnical engineer employed by the developer shall verify and subsequently advise the City of Redmond that the installation of the paving section(s) conforms to his/her design. The project will not be accepted until this written documentation is submitted.

E. Signs, Striping, Street Lighting and Signals

1. Separate 40 scale channelization plans are required for all public streets being modified or constructed. The plan shall include the existing and proposed signs, striping and street lighting for all streets adjacent to the site and within 150 feet of the site property line (both sides of the street). The plan shall conform to the requirements in the City of Redmond Standard Specifications and Details Manual.
2. All traffic control devices, including signs and pavement markings, shall conform to the MUTCD and the City of Redmond Standard Details. The Transportation Division shall approve all layouts prior to installation.
3. Streetlights are required on the internal plat streets to illuminate the property frontage. The street lighting shall be designed using the following criteria:

Table 2: Street Lighting

<i>Roadway Classification</i>	<i>Area Classification</i>	<i>Average Illuminance (Foot-candles)</i>	<i>Uniformity Ratio (Average/Minimum)</i>
<i>Collector and Local</i>	<i>Residential</i>	<i>0.6-0.4</i>	<i>6:1</i>

Luminaire spacing should be designed to meet the specified criteria for the applicable lamp size, luminaire height and roadway width. Contact Dave Alm, Transportation Operations Manager, at (425) 556-2875 with questions.

Attachment C

General Information and Administration

Requirements

I. FEES:

A. Parks: Parks impact fees will be assessed at time of building permit issuance per the adopted fee schedule.

B. Water/Sewer

1. Plan review and construction inspection fees are required and will be at the rate in effect when plans are approved. Connection fees are at the rate in effect when water meter and side sewer permits are issued. Contact the Utility Division of the Public Works Department to obtain an estimate of the fees that will apply.

2. All reimbursement fees shall be paid prior to sale of water and side sewer permits. Reimbursement fee may be required prior to plat or short plat recording.

C. Fire: This development will be assessed impact fees per the adopted fee schedule.

D. Stormwater - Fees to be Paid Prior to Permit

1. Fees must be paid for construction drawing review and for construction inspection.

2. Based upon the plans presented, the **construction drawing review fee** is estimated to be **\$2,437.00**. A deposit equal to that amount is due and payable when construction drawings are presented for review. The construction drawing review fee will be adjusted to account for plan changes during review and will be determined prior to drawing approval. If the adjustments cause the fee to exceed the deposit, the balance due must be paid prior to approval of drawings. If adjustments result in a final figure less than the deposit, the overpayment may be credited against the subsequent fee below or will be refunded.

3. A **construction inspection fee** equal to the final construction drawing review fee is due and payable at the time a permit is issued.

4. Based upon the current estimate, the total storm water review and inspection fees for this project will be approximately **\$4874.00**. Crediting the project with the initial deposit of \$304, the total amount due will be approximately **\$4570.00**.

E. Engineering/Transportation

1. A plan review fee shall be paid to both the water and sewer utility and the storm water utility prior to construction drawing review. Inspection fees shall be paid to the utilities prior to construction drawing approval. Plan review and construction inspection fees are required and will be at the rate in effect when plans are approved. Contact the respective utility for fee information.

2. Water and sewer connection fees for homes built on the proposed lots will be paid at the rate in effect when water meter and side sewer permits are issued. Contact the Utility Division of the Public Works Department at 556-2840 to obtain information and/or an estimate of the fees that will apply.

3. Non-Utility Plan Review and Inspection fees are paid through the Engineering Plan Review and Inspection Fee (subject to annual revision.) The fees are (subject to annual revision): Subdivision Fee = \$5,988 plus \$436/lot *.
4. Transportation Impact Fees: This project is subject to Redmond Transportation impact fees. Transportation impact fees shall be collected at time of building permit issuance.
5. The City has recently imposed other impact fees on development. Contact the Permit Center to determine the extent to which these fees apply to this development.
6. A Street Use Permit will be required and includes:
 - a) A maximum of \$324* fee (subject to annual revision) for utility installation in the public right-of-way.
 - b) A posting of a \$250 cash bond for street cleaning.
 - c) Note: * A 3% technology surcharge will also be applied to these fees effective January 1, 2001 through December 31, 2002, as authorized by Ordinance No. 2090, adopted on December 5, 2000.

II. Easements/Agreements:

A. Planning: Refer to Attachment A for Requirements.

B. Water/Sewer

1. Easements shall be provided for all water and sewer improvements as required in the design requirements. Offsite easements must be recorded prior to construction drawing approval. Onsite easements must be recorded prior to the improvements being placed into operation.

C. Engineering/Transportation

1. A copy of all recorded easements pertaining to the property is required. Permanent structures including rockeries cannot be built over easements.

2. Easements shall be provided for all water, sewer and storm water improvements (both public and private) as required in the design requirements. **Off-site easements needed to execute the proposed improvements must be recorded prior to construction drawing approval.** On-site easements must be recorded prior to the improvements being placed into operation.

3. When clearing and grading involves excessive amounts of hauling, as determined by the Public Works Department, a Road Surface Impact Mitigation item shall be negotiated prior to approval of the Clearing and Grading Plans.

4. Any required landscape irrigation in the City of Redmond right-of-way necessitates the execution of a Hold-Harmless Agreement and submittal of as-built construction plans to the City.

D. Approvals and Reports

1. Water/Sewer:

a) Agency Approvals, Construction drawings for sewer improvements shall be reviewed and approved by Metro and DOE prior to construction. Construction

drawings for water improvements may need to be reviewed and approved by DSHS prior to construction.

b) Bill of Sale. A Bill of Sale shall be provided for all water and sewer improvements to be owned and operated by the City.

c) Asset Summary. A Developer Extension Asset Summary shall be provided for all water and sewer improvements to be owned and operated by the City.

d) Permit Applications. Water meter and side sewer permit applications shall be submitted for approval to the Utility Division. Permits and meters will not be issued until all improvements are constructed and administrative requirements are complete. Requests to install water meters or construct side sewers prior to completion of all water and sewer improvements and administrative requirements will only be approved on a case by case basis after review of the project specifics. Various additional guarantees or requirements may be imposed as determined by the Utilities Division for issuance of meters and permits prior to improvements or administrative requirements being completed.

e) Reimbursement Agreement: Portions of this extension may benefit other properties and meet the criteria to be eligible for a reimbursement agreement. In order to be eligible for reimbursement, the City must have received a completed reimbursement agreement application prior to approval of construction drawings and the agreement must be fully executed, by the City, prior to commencement of construction of the facility.

2. Stormwater: A copy of the conditions of approval (this letter) must accompany all Grading and Storm drainage plan submittals.

3. Engineering/Transportation: In order to mitigate potential impacts to critical landslide hazard areas, all buildings shall be set back from the top/bottom of slope areas a distance as recommended by a geotechnical engineer through a slope stability analysis, but no closer than 15 feet. The top/bottom of the slope shall be field surveyed and verified (located by bearings and distances) on the final plat and construction drawings.

E. Bonds and Performance Guarantees:

1. Planning: Refer to Attachment A for Requirements.

2. Water/Sewer

a) Performance Guarantee. A performance guarantee shall be provided in a form acceptable to the City for sewer and water improvements as follows:

(1) Plats and short plats: All water and sewer improvements within City right-of-way or easement and any other portion of the improvements as required by the Utility Division.

(2) For any improvements not completed at time of recording of the plat or short plat.

(3) The amount of the performance guarantee shall be established by the City upon review of estimates prepared by the applicant and the guarantee shall be provided prior to plan approval.

b) Maintenance Guarantee. A maintenance guarantee shall be provided in a form acceptable to the City for all water and sewer improvements to be owned and operated by the City. Period of guarantee shall be 1 year from acceptance of all improvements by the City.

3. Engineering/Transportation:

a) A performance guarantee shall be provided in a form acceptable to the City for street, water, sewer and storm water improvements. An acceptable performance guarantee includes a performance bond, irrevocable letter of credit, or cash. (In some unusual circumstances assignment of loan proceeds may be acceptable.) The amount of the bond shall be 125% of the estimated cost. **Only City of Redmond security forms are acceptable.** The performance guarantee will not be released until letter from the Director of Public Works advises the developer that all conditions of approval have been met. Circumstances that require performance guarantee are as follows:

(1) Subdivision:

(a) The street and utility improvements within existing and new street right-of-way.

(b) Off-site storm drainage, water and sanitary sewer installation.

b) A maintenance guarantee shall be provided for all water, sewer, storm water and street improvements to be owned and operated by the City. Period of guarantee shall be 1 year from acceptance of all improvements by the City. (The City has authority to require a longer period where circumstances warrant.)

c) A cash deposit (refundable cash bond) shall be posted at the time of posting the performance guarantee to ensure the completion of the Record Drawing set. The minimum amount shall be \$5,000.00, or as determined by the Engineering Division. The deposit for sets having a large number of sheets shall be established at \$1,000.00 per sheet, not to exceed \$25,000.00.

III. RECORD DRAWING REQUIREMENTS

A. Water/Sewer:

1. As-built Drawings. As-built utility drawings shall be submitted to the City prior to the improvements being placed in operation.

2. Construction Drawings. Construction drawings for water and sewer improvements shall be prepared in accordance with the Design Requirements for Water and Sewer System Extensions prepared by the Utilities Division of the Department of Public Works. A plan review fee shall be paid to the water and sewer utility prior to construction drawing review. An inspection fee shall be paid to the water and sewer utility prior to construction drawing approval. Contact this utility at 556-2840 for further information on fees and amounts.

B. Engineering/Transportation: One of the important steps upon the completion of construction improvements in the City of Redmond is a submittal of Record Drawings. The drawings are important assets to the City as well to its residents and customers. They are used for many purposes, ranging from indicating what was actually constructed in the field to helping locate facilities during emergency situations.

1. *What items shall be included?:* Record drawings will show accurate locations of storm, sewer, water mains and other water appurtenances, structures, conduits, power poles, light standards, vaults, width of streets, sidewalks, landscaping areas, building footprints, channelization and pavement markings, property lines, easements, etc.

2. *What are the accuracy requirements?:* The drawing will be accurately located in state plane coordinates using NAD-83-91 survey control and tied to any 2 City of Redmond Horizontal Control Monuments. The following is a partial list of the construction items and tolerance limits to be incorporated into the Record Drawings. Other items and tolerances shall be required depending on the type of improvements constructed.

- a) Surveyed Sewer and Storm water elevations..... +/-0.01'
Includes pipe invert elevations, top of castings (manholes, inlets, etc.)
- b) Surveyed Water elevations..... +/-0.25'
- c) Horizontal and vertical alignment..... +/-0.1'

3. *What is required from you?:* The Record Drawing delivery shall be in electronic as well as in hard copy format. Each drawing, except for the Digital file, shall bear the P.E./P.L.S. Stamp, Signature and Date and be reproduced on the following media:

a) Preliminary Submittal:

- (1) Two sets of full size prints.
- (2) Digital files with drawing/layer documentation.

b) Final Submittal:

- (1) Full size PHOTOGRAPHIC MYLAR Sepia or Xerox mylars will not be accepted.
- (2) 11"x17" PHOTOGRAPHIC MYLAR, matt finish preferred.
- (3) 8-1/2"x11" PHOTOGRAPHIC NEGATIVE
- (4) Three sets of full size PRINTS.
- (5) Digital files with drawing/layer documentation.

4. *How does the Preliminary Record Drawing Submittal and Review Process work?:* Upon completion of improvements and prior to project acceptance, Record Drawings in digital and hard copy format shall be submitted for review and approval.

a) Submit 1 digital copy and 2 hard copy sets for review to Engineering Division, 3rd Floor, City Hall, Please call (425) 556-2735 if you have any questions.

b) If review of the preliminary Record drawings reveals errors and/or omissions, the digital files and drawings (redlines copies) will be returned to the Engineer/Surveyor for corrections. The Engineer/Surveyor shall make all corrections in the digital copy of the original construction plans and re-plot the hard copy. Please resubmit the digital files, two revised plans sets derived from the revised digital files and redlines for re-review. Upon approval of preliminary record drawings, the Engineer/Surveyor will be notified by the Public Works, Engineering department to proceed with the "Final Submittal".

5. *Who should approve the final drawings before submitting it to the City?:* The final drawings shall be prepared and stamped by a Professional Engineer and/or Professional Land Surveyor currently licensed in the State of Washington verifying that all improvements have been built in accordance with the approved construction plans and that all changes will be accurately noted in the digital file on the appropriate plan sheets and detailed drawings. The hard copy submittal derived from the digital file shall reflect these changes.

6. *What should the electronic delivery include?*


- a) All sheets of the original digital construction plans with noted construction changes. The construction contractor and/or design consultant shall record all field changes and any existing utilities encountered during construction.
- b) All Record Drawing changes will be made in the digital format.
- c) Changes to text: invert elevations, dimensions, notes, etc. will be lined out with the Record Drawing text placed above it. Do not alter, modify or erase original approved design text.
- d) Changes made to Graphic features: pipe, catch basins, hydrants, etc. shall be moved to reflect their accurate surveyed locations.
- e) An overall digital site plan.
- f) A detailed digital and/or hard copy list of drawing files with the corresponding layers/levels and their contents will be included with the digital drawing file. The list shall include but not be limited to: Digital File names, Drawing names (logical), Level number/Layer name and Level/Layer description.

7. *Do Record Drawing changes need to be made in the Original Digital Construction Drawing?:* Yes, all changes need to be made to the original City Approved digital Construction files and then re-plotted to create the hard copy submittal. Digital Record Drawings created from anything other than the digital construction drawings will not be accepted. Hand drafted changes to Mylar or paper copy submittals will not be accepted.

8. *What format should the electronic delivery be in?*

- a) Digital files shall be provided in a version of MicroStation ".DGN" (preferred), or AutoCAD (". DWG" format) deemed acceptable by the City. All support files required to display or plot the files in the same manner as they were developed shall be delivered along with these files. These files include but are not limited to (MicroStation) Customized Line Styles libraries, Cell Libraries, Font Libraries, Pen Tables and Referenced Files, (AutoCAD) Block Libraries, Font Files, Menu Files, Plotter Setup and Referenced Files. Do not include P.E./P.L.S. stamps, signature and border files. Scanned hard copy drawings using raster to vector conversions will not be acceptable digital format.
- b) The files will be submitted on a recordable compact disc (preferred) or MS-DOS formatted 3.5" floppy disk(s). Each disc will be labeled with the project name and the name of the company that prepared them.
- c) The drawing will be at full scale. Microstation working units will be set to 1:1000 with Master units set to "ft" for site plans; The drawing will be accurately

- c) Haul hours will be within the hours of 9 a.m. - 4 p.m. and 6 p.m. to 10 p.m. On Saturdays, hauling may be continuous between 9 a.m. -10 p.m. as long as it is in compliance with the City's noise ordinance.
 - d) The applicant shall provide street sweeping at all times during hauling.
 - e) The applicant shall repair and/or replace any traffic markings (i.e., buttons, arrows, etc.) damaged during the hauling operations.
 - f) The Public Works Director shall retain the authority to stop or reroute hauling or change hours of hauling if operating times are unsatisfactory or inclement weather adversely affects City facilities.
 - g) In certain circumstances, a Clearing and Grading Permit (clearing prior to having all final plans approved) may be granted prior to Building Permit issuance.
5. Construction activities may be limited or suspended during the rainy season (October 1 – April 30).



APPENDIX C

Geotechnical Report

Associated Earth Sciences, Inc.



[Handwritten signature]

December 7, 2000
Project No. KE00782G

RECEIVED
AUG 01 2003
ROTHHILL ENGR. PARTNERS, LLC
BELLEVUE, WA

Cam West Development, Inc.
9720 NE 120th Place, Suite 100
Kirkland, Washington 98034

Attention: Mr. John Harkness

Subject: Preliminary Geotechnical Engineering Report
Curry Property
11840 - 172nd Avenue NE
Redmond, Washington

Dear Mr. Harkness:

In accordance with your request, this report presents the results of our subsurface exploration and preliminary geotechnical engineering study for the proposed Curry property. Our services have been performed for the exclusive use of Cam West Development, Inc. and their agents for specific application to this project in accordance with generally accepted geotechnical engineering practice. No other warranty is expressed or implied. Our services have been performed in accordance with our confirming proposal, dated November 17, 2000.

It should be noted that this report is preliminary in nature, and is intended to provide Cam West Development, Inc. and their design team with geotechnical information needed to make site and project planning decisions. We recommend that we be allowed to complete a thorough geotechnical investigation for the project once a site layout and project design plan are prepared. The recommendations in this letter should not be used as the sole geotechnical input to a final design for the project.

SITE DESCRIPTION

The project site is located at 11840 172nd Avenue NE in Redmond, Washington. The property fronts some 985 feet on the east side of 172nd Avenue NE and extends some 630 to 830 feet to the east. The site presently supports two single-family residences, each serviced by standard utilities. One residence is abandoned and fronts 172nd Avenue NE while the other is habited and is accessed off 174th Place NE. An old barn is situated roughly in the middle of the approximately 15-acre property. The site slopes gently to the southeast on the order of 3.5 to 5.5 percent. Overall site relief is on the order of 40 feet. Vegetation on the site consisted of several open grass fields amongst a medium dense to dense forest of mixed deciduous and coniferous trees with moderately dense undergrowth. One possible wetland area has been identified in the northeast portion of the site by others.

SUBSURFACE EXPLORATION

Subsurface conditions were evaluated by excavating 10 exploration test pits (EP-1 through EP-10) on November 28, 2000 utilizing a rubber-tired backhoe under subcontract to our firm. Representative samples of subsurface soils were obtained from each exploration pit where conditions changed. The test pits were observed and logged by a geologist from our firm. The exploration logs presented in Appendix A are based on the field logs, digging action, and inspection of the samples secured. The attached Site and Exploration Plan, Figure 1 shows the approximate locations of our exploration test pits shown on the topographic and tree survey dated December 30, 1999 prepared by Concept Engineering, Inc.

SUBSURFACE CONDITIONS

Subsurface conditions at the project site were inferred from the field explorations accomplished for this study, visual reconnaissance of the site, and review of applicable geologic literature. As shown on the field logs, the explorations generally encountered a 6 to 12 inch layer of topsoil overlying glacially consolidated till deposits. The unweathered glacial till deposits generally consisted of dense to very dense, moist, gray, silty sand and some gravel. The unweathered till at depth was overlain by a weathered section consisting of medium dense, moist, brown, silty sand and some gravel. The weathered till was generally observed to a depth of 2 to 4 feet.

A review of the *Geologic Map of the Redmond Quadrangle, King County, Washington* (Minard, and Booth, 1988) indicates that the sediments encountered in our explorations are generally consistent with those identified on the referenced maps.

Ground water seepage was observed in exploration test pit EP-10 at a depth of 2½ feet at the contact between the medium dense weathered till and the dense to very dense unweathered glacial till. Orange mottling was observed in exploration pits EP-1 and EP-3 through EP-10 to a depth of 3 to 6 feet. The ground water seepage and orange mottling are indicators of a "perched" water condition. A "perched" water table occurs when surface water infiltrates down through relatively permeable soils and becomes trapped or "perched" atop a comparatively impermeable layer such as the glacial till. It should be noted that fluctuations in the level of ground water may occur due to the time of year and variations in rainfall. Once encountered during excavation, the quantity and duration of flow of perched ground water will vary depending on season and topography.

CONCLUSIONS AND RECOMMENDATIONS

This site appears generally suitable for development of the proposed new residential subdivision. Glacial till soils can be anticipated to provide good shallow foundation support for conventional shallow foundations bearing on undisturbed native soils. Till soils are also highly moisture-sensitive. If site grading were to proceed during the wet winter months, it would be necessary to expend significant effort to reduce the moisture content of excavated site soils in order to allow their reuse in structural fill applications. Moisture reduction can typically be accomplished through aeration and drying during favorable dry and warm weather, or by use of moisture reducing admixtures such as Portland cement or fly ash. If these drying measures are not or cannot be implemented, a significant portion of the site soils may not be available for reuse in structural fill applications and imported fill. Free-draining imported fill material will be required in some applications regardless of site conditions at the time of construction, such as for pavement subbase, backfilled wall drainage layers, capillary break material below floor slabs, and for footing drain backfills. It should be noted that site soils will likely have a lower moisture content during the dryer months of the year, typically mid summer through September or October. Earthwork during this time of year is expected to require less effort for drying soils with high moisture content.

FOUNDATION CONSIDERATIONS

For preliminary design purposes, allowable foundation bearing pressures of 3,000 pounds per square foot (psf) or higher can be anticipated on undisturbed native soils. If foundations are constructed above structural fill placed above suitable native soils, allowable bearing pressures should be limited to no more than 3,000 psf.

PAVEMENT CONSIDERATIONS

Till soils will provide suitable support for flexible pavements and concrete walkways; however, granular subbase courses may be required, particularly beneath heavy traffic areas

such as the main roads and entryways. Subbase course might be omitted beneath passenger car driveways and parking areas; however, reduced pavement service life could result. Final pavement design on this site should be based on an estimated California Bearing Ratio (CBR) and the minimum City of Redmond standards for the proposed level of services and use classification.

SITE GRADING

The site soils are typically silty and highly moisture sensitive. Project planning should assume that at least some of the site soils will be above optimum moisture even during dry summer months, and will require drying during favorable weather or other special treatment to prepare them for use in compacted fills. We recommend that grading at this site be scheduled only during the fall or summer, when weather conditions are typically dryer. Grading during seasonal dry weather will reduce the amount of soils that will be wetter than optimum, and will provide suitable conditions to dry the soils for later use. If site grading must proceed in the spring or winter, it is likely that less of the on-site soils will be available for reuse in compacted fills.

SITE DRAINAGE

Shallow ground water seepage was present in one of the exploration test pits completed for this study. We recommend that project plans include perimeter foundation drains for all buildings, and include contingencies for french drains to be added, if warranted, at selected locations based either on the final site layout and exploration information or on-site conditions at the time of construction. We could provide more specific recommendations for site drainage improvements when a site layout plan is available and a final geotechnical investigation has been completed.

EXISTING WELL


An existing drinking water well was observed adjacent to the vacant home at 11840 172nd Avenue NE. If this well is not incorporated into the proposed development, it should be abandoned in accordance with the State of Washington RCW 88-08-070.

CLOSURE

It has been our pleasure to provide you with this information. Should you have any questions regarding this report or other geotechnical aspects of the project, please do not hesitate to call. Upon completion of the site layout and preliminary project plans, we would be available to

provide a thorough geotechnical evaluation of the site and a final geotechnical report for the project which addresses requirements specific to the planned project.

Sincerely,
ASSOCIATED EARTH SCIENCES, INC.
Kirkland, Washington



Jesse P. Overton
Staff Geologist




EXPIRES 11/20/02


Kurt D. Merriman, P.E.
Associate Engineer

Attachments: Figure 1: Site and Exploration Plan
Appendix A: Exploration Logs

JPO/da
KE00782G1
LD-D:\da\12-00 - W2K



LEGEND
 EP-1 ■ Approximate location of exploration pit



REFERENCE: CONCEPT ENGINEERING, INC.

Associated Earth Sciences, Inc.



**SITE AND EXPLORATION PLAN
 CURRY PROPERTY
 REDMOND, WASHINGTON**

FIGURE 1

DATE 12/00

PROJ. NO. KE00782G

00782 curry property\00782-site.cdr page 1

LOG OF EXPLORATION PIT NO. EP-1

Depth, ft	DESCRIPTION
1	<p>Topsoil</p> <p>Medium stiff, moist, dark brown, SANDY SILT, root laden.</p>
2	<p>Vashon Till (Qvt)</p> <p>Medium dense, moist, brown, SILTY SAND, some gravel.</p>
3	<p>Dense to very dense, moist, gray, SILTY SAND, some gravel.</p>
4	
5	
6	<p>Grades to SAND with silt at ~6'. Orange mottling to 6'.</p>
7	
8	<p>Bottom of exploration pit at depth 8 feet</p>
9	
10	

KCTP3 00782.GPJ November 29, 2000

**Curry Property
Redmond, WA**

Logged by: JPO
Approved by:



Project No. KE00782G

November 2000

LOG OF EXPLORATION PIT NO. EP-2

Depth, ft	<p>This log is part of the report prepared by Associated Earth Sciences, Inc. (AESI) for the named project and should be read together with that report for complete interpretation. This summary applies only to the location of this trench at the time of excavation. Subsurface conditions may change at this location with the passage of time. The data presented are a simplification of actual conditions encountered.</p>
	DESCRIPTION
	<p>Topsoil Medium stiff, moist, dark brown, SANDY SILT, root ladened.</p>
	<p>Vashon Till (Qvt)</p>
1	Medium dense, moist, brown, SILTY SAND, some gravel.
2	Dense to very dense, moist, gray, SILTY SAND, some gravel.
3	
4	
5	
6	
7	
8	
9	
10	

Bottom of exploration pit at depth 7 feet

**Curry Property
Redmond, WA**

Logged by: JPO
Approved by:



Project No. KE00782G
November 2000

KCTP3 00782.GPJ November 29, 2000

LOG OF EXPLORATION PIT NO. EP-3

Depth, ft	DESCRIPTION
	<p>This log is part of the report prepared by Associated Earth Sciences, Inc. (AESI) for the named project and should be read together with that report for complete interpretation. This summary applies only to the location of this trench at the time of excavation. Subsurface conditions may change at this location with the passage of time. The data presented are a simplification of actual conditions encountered.</p>
	<p>Topsoil Medium stiff, moist, dark brown, SANDY SILT, root ladened.</p>
	<p>Vashon Till (Qvt)</p>
1	Medium dense, moist, brown, SILTY SAND, some gravel and roots.
2	Medium stiff, very moist, orange mottled gray, SANDY SILT, some gravel.
3	
4	Dense to very dense, moist, gray, SILTY SAND, some gravel.
5	
6	
7	
8	
9	
10	Bottom of exploration pit at depth 8 feet

KCTP3 00782.GPJ November 28, 2000

**Curry Property
Redmond, WA**

Logged by: JPO
Approved by:



Project No. KE00782G

November 2000

LOG OF EXPLORATION PIT NO. EP-4

Depth, ft	DESCRIPTION
1	<p style="text-align: center;">Topsoil</p> <p>Medium stiff, moist, dark brown, SANDY SILT, root ladened.</p>
2	<p style="text-align: center;">Vashon Till (Qvt)</p> <p>Medium dense, moist, brown, SILTY SAND, some gravel and roots.</p>
3	<p>Medium dense, moist, orange mottled gray, SILTY SAND, some gravel.</p>
4	<p>Dense to very dense, moist, gray, SILTY SAND, some gravel.</p>
5	
6	
7	<p>Bottom of exploration pit at depth 7 feet</p>
8	
9	
10	

KCTP3 00782.GPJ November 28, 2000

**Curry Property
Redmond, WA**

Logged by: JPO
Approved by:



Project No. KE00782G

November 2000

LOG OF EXPLORATION PIT NO. EP-5

Depth, ft	DESCRIPTION
	This log is part of the report prepared by Associated Earth Sciences, Inc. (AESI) for the named project and should be read together with that report for complete interpretation. This summary applies only to the location of this trench at the time of excavation. Subsurface conditions may change at this location with the passage of time. The data presented are a simplification of actual conditions encountered.
	Topsoil
	Medium stiff, moist, dark brown, SANDY SILT, root ladened.
	Vashon Till (Qvt)
1	Medium dense, very moist, brown, SILTY SAND, some gravel and roots.
2	Stiff to medium stiff, moist, orange mottled gray, SANDY SILT, some gravel.
3	
4	Dense to very dense, moist, gray, SILTY SAND, some gravel.
5	
6	
7	
8	
9	
10	Bottom of exploration pit at depth 7 feet

KCTP3 00782.GPJ November 29, 2000

**Curry Property
Redmond, WA**

Logged by: JPO
Approved by:



Project No. KE00782G
November 2000

LOG OF EXPLORATION PIT NO. EP-6

Depth, ft	DESCRIPTION
	<p>This log is part of the report prepared by Associated Earth Sciences, Inc. (AESI) for the named project and should be read together with that report for complete interpretation. This summary applies only to the location of this trench at the time of excavation. Subsurface conditions may change at this location with the passage of time. The data presented are a simplification of actual conditions encountered.</p>
	<p>Topsoil Medium stiff, moist, dark brown, SANDY SILT, root ladened.</p>
	<p>Vashon Till (Qvt)</p>
1	Medium dense, moist, brown, SILTY SAND, some gravel and roots.
2	Medium dense, moist, orange mottled gray, SILTY SAND, some gravel.
3	
4	Dense to very dense, moist, gray, SILTY SAND, some gravel.
5	
6	
7	
8	
9	Bottom of exploration pit at depth 8 feet
10	

KCTP3 00782.GPJ November 29, 2000

**Curry Property
Redmond, WA**

Logged by: JPO
Approved by:



Project No. KE00782G

November 2000

LOG OF EXPLORATION PIT NO. EP-7

Depth, ft	This log is part of the report prepared by Associated Earth Sciences, Inc. (AESI) for the named project and should be read together with that report for complete interpretation. This summary applies only to the location of this trench at the time of excavation. Subsurface conditions may change at this location with the passage of time. The data presented are a simplification of actual conditions encountered.
	DESCRIPTION
	Topsoil
	Medium stiff, moist, dark brown, SANDY SILT, root ladened.
	Vashon Till (Qvt)
1	
	Medium dense, moist, brown, SILTY SAND, some gravel.
2	
3	
4	Dense to very dense, moist, gray, SILTY SAND, some gravel.
5	
6	Orange mottling to 6'.
7	
8	Bottom of exploration pit at depth 8 feet
9	
10	

KCTP3 00782.GPJ November 29, 2000

**Curry Property
Redmond, WA**

Logged by: JPO
Approved by:



Project No. KE00782G
November 2000

LOG OF EXPLORATION PIT NO. EP-8

Depth, ft	DESCRIPTION
	This log is part of the report prepared by Associated Earth Sciences, Inc. (AESI) for the named project and should be read together with that report for complete interpretation. This summary applies only to the location of this trench at the time of excavation. Subsurface conditions may change at this location with the passage of time. The data presented are a simplification of actual conditions encountered.
	Topsoil Medium stiff, moist, dark brown, SANDY SILT, root laden.
1	Vashon Till (Qvt)
2	Medium dense, moist, brown, SILTY SAND, some gravel.
3	Medium dense, very moist, tan, SILTY SAND, some gravel.
4	
5	Orange mottling to 5'.
6	
7	Bottom of exploration pit at depth 7 feet
8	
9	
10	

KCTP3 00782.GPJ November 28, 2000

**Curry Property
Redmond, WA**

Logged by: JPO
Approved by:



Project No. KE00782G
November 2000

LOG OF EXPLORATION PIT NO. EP-9

Depth, ft	DESCRIPTION
1	<p>Topsoil</p> <p>Medium stiff, moist, dark brown, SANDY SILT, root laden.</p>
2	<p>Vashon Till (Qvt)</p> <p>Medium dense, moist, brown, SILTY SAND, some gravel.</p>
3	<p>Dense to very dense, moist, gray, SILTY SAND, some gravel.</p>
4	
5	<p>Orange mottling to 5'.</p>
6	
7	
8	
9	
10	<p>Bottom of exploration pit at depth 7 feet</p>

KCTP3 00782.GPJ November 28, 2000

**Curry Property
Redmond, WA**

Logged by: JPO
Approved by:



Project No. KE00782G
November 2000

LOG OF EXPLORATION PIT NO. EP-10

Depth, ft	This log is part of the report prepared by Associated Earth Sciences, Inc. (AESI) for the named project and should be read together with that report for complete interpretation. This summary applies only to the location of this trench at the time of excavation. Subsurface conditions may change at this location with the passage of time. The data presented are a simplification of actual conditions encountered.
	DESCRIPTION
	Topsoil
	Medium stiff, moist, dark brown, SANDY SILT, root ladened.
	Vashon Till (Qvt)
1	
	Medium dense, very moist, brown, SILTY SAND, some gravel.
2	
	Dense to very dense, moist, gray, SILTY SAND, some gravel.
3	
4	
5	
6	Orange mottling to 6'.
7	
8	
	Bottom of exploration pit at depth 8 feet Moderate seepage at 2.5'.
9	
10	

KCTP3 00782.GPJ November 28, 2000

**Curry Property
Redmond, WA**

Logged by: JPO
Approved by:



Project No. KE00782G
November 2000

Associated Earth Sciences, Inc.



November 18, 2003
Project No. KE00782G

CamWest Development, Inc.
9720 NE 120th Place, Suite 100
Kirkland, Washington 98034

Attention: Mr. John Harkness

Subject: Rockery Detail Drawing
Curry Property
11840 - 172nd Avenue NE
Redmond, Washington

Dear Mr. Harkness:


In accordance with the request of Ms. Gina Brooks of Core Design, Inc., this letter presents our recommended rockery construction detail drawing for the Curry Property project. We are familiar with the project as a result of our participation in the design, which has included completion of subsurface explorations, preparation of a geotechnical engineering report for the project, and preparation of an addendum letter containing recommendations for rockery design.

We were provided with current copies of project plan sheets 3.01 and 3.04 dated January 2003. These drawings depict rockeries up to approximately 8 feet tall facing excavation cuts on the west side of the pond basin on Tract D. The plans also depict three rockeries up to about 4 feet tall along the south property boundary that face planned structural fills.

In our opinion, the rockeries shown on the referenced plans do not require reinforcing or other special considerations if they are constructed in accordance with the recommendations contained in our December 7, 2000 geotechnical engineering report and our October 13, 2003 Rockery Addendum Letter. A rockery detail drawing that can be applied to the rockeries shown on the plans referenced above is attached with this letter.

It has been our pleasure to provide you with this information. Should you have any questions regarding this letter or other geotechnical aspects of the project, please do not hesitate to call.

Sincerely,
ASSOCIATED EARTH SCIENCES, INC.
Kirkland, Washington



Bruce W. Guenzler, P.E.G.
Project Geologist




EXPIRES 11/20/04
Kurt D. Merriman, P.E.
Principal Engineer

Attachment: Figure 1 - Unreinforced Rockery Detail

cc: Core Design, Inc.
14711 NE 29th Place, Suite 101
Bellevue, Washington 98007
Attention: Ms. Gina Brooks
grb@coredesigninc.com

BWG/ld
KE00782G5
Projects\2000782\KE\WP - W2K



NOTES:

1. Rockeries higher than 5' shall be constructed of rocks of graduated sizes from 5-man to 2-man, from bottom to top. Rockeries of 5' or lower shall be constructed of 3-man to 2-man, from bottom to top.
2. Inspection of subgrade, placement of base course and drainage, and finished rockery by engineer is required.
3. Rock shall be sound and have a minimum density of 160 pounds per cubic foot.
4. The long dimension of all rocks shall be placed perpendicular to the wall. Each rock should bear on two rocks in the tier below.
5. Rockeries are erosion-control structures, not retaining walls. Natural material must be stable and free standing in cut face. Maximum height of 6 feet for rockeries facing engineered structural fill soils.
6. See text of October 13, 2003 letter report for additional recommendations.

Rock	Lb.	Avg. Dimension (In.)
1-Man	50-200	12 to 18
2-Man	200-700	18 to 28
3-Man	700-2000	28 to 36
4-Man	2000-4000	36 to 48
5-Man	4000-6000	48 to 54

Associated Earth Sciences, Inc.



UNREINFORCED ROCKERY DETAIL

CURRY PROPERTY
REDMOND, WASHINGTON

FIGURE 1

DATE 11/03

PROJECT NO. KE00782G

Smarter Stormwater Management

Opti provides a cloud-based platform that optimizes the collection, storage and distribution of stormwater through the Continuous Monitoring and Adaptive Control (CMAC) of stormwater infrastructure. The Opti software platform interacts with IoT (internet of things) enabled field equipment including sensors, actuated valves, SCADA systems, and pumps. A communication gateway is provided via cellular or LoRaWan technology. The combination of field equipment and software transforms traditionally passive assets into smarter resilient systems.

Our fully-automated control product leverages weather forecasts to predictively move water in advance of inclement weather, helping you get the best performance out of your investments. With over 90 parameters, the software application can be configured to meet one or more of your stormwater objectives. Opti is here to help you find peace of mind with economic and resilient solutions to water quality impairments, conservation, chronic flooding, coastal surge, sewer overflows or all of the above.

One Platform, Many Benefits





Combined Sewer Overflow (CSO) Mitigation: Opti is able to retain up to 90% of wet weather flows that cause CSO events. This is done by utilizing upstream storage more efficiently and shifting discharge timing. Most facilities within a municipality can be upgraded with Opti for significant reduction in wet weather flow, alleviating tens of millions of dollars of Capex required for new storage with similar performance.

Flood Mitigation: Opti's forecast integrated control utilizes stormwater storage more effectively. Opti automatically lowers the volume of water in a facility before an upcoming storm event, proactively adding capacity and mitigating flood risk from large storm events. In addition to pre-event drawdown, Opti can increase flood resilience in a watershed by controlling the timing of discharge from detention and retention assets to decrease the outflows during the peak downstream flooding conditions (i.e. peak shaving).

Water Quality Improvement: Opti improves water quality by increasing the average retention time in a facility by up to a factor of 10 (depending on site conditions). This increase in retention time within a facility enhances water quality by allowing additional particle settling, thus removing pollutants adhered to those sediment particles. The additional holding time also allows for more evapotranspiration, infiltration into subsurface soils, and nutrient uptake by vegetation in the facility. Opti was approved by the Chesapeake Urban Stormwater Work Group (USWG) and by the Maryland Department of the Environment (MDE) for pollutant removal efficiencies equivalent to the additional retention volumes achieved via active controls.

Asset Performance Monitoring: Communities reduce stormwater maintenance costs and improve compliance reporting with Opti's real-time monitoring and analytics. Opti provides alerting, decision support, and actionable insights to stormwater managers so that critical failures are stopped before they happen. Opti's software also integrates with third-party asset management and monitoring platforms.

Erosion Control & Hydromodification: Opti's active controls have demonstrated a 50% reduction in pulse counts and stream energy. Opti is able to discharge very low flows over a longer period of time, better emulating pre-development conditions of the watershed by using the entire storage volume of a system during small events. This is crucial for areas with erosion issues, and where stream habitat is sensitive for fish spawning and benthic organism health. Opti is approved by Washington State Technology Assessment Protocol - Ecology, better known as the TAPE program.

Water Conservation: Opti reduces capital expenditure and improves the cost-effectiveness of rainwater harvesting. With Opti, a single storage facility can be optimized for both stormwater detention and beneficial on-site use. Opti-controlled rainwater harvesting facilities have been approved nationwide to meet stormwater detention and retention requirements.

Monticello Watershed Flow-Duration Curve Modeling:

In the Monticello Watershed in the City of Redmond, WA, two existing stormwater retention ponds are currently being retrofitted with actively controlled outlets managed by Opti’s active control software. Using the Western Washington Hydrology Model, flow-duration curves were developed for the two sites comparing the duration of critical flow rates using continuous rainfall data for a 61 year period (1948 - 2009). First, the potential improvement in site performance was estimated using continuous simulation of the existing stormwater basins with active controls; then additional model simulations were run to determine the equivalent sizing of a passive basin that would be needed to match the performance of the proposed active-control retrofits. **Preliminary results indicate that the existing ponds would need to more than double in size to match the flow duration curves of the proposed active control retrofits.**

Stormwater Retrofit Overview:

The two stormwater ponds considered in this analysis were the Whistler Ridge and Curry East ponds located within the City of Redmond, WA. Both ponds’ contributing drainage areas are characterized by residential development with substantial portions of the watershed being directly-connected impervious surfaces. The critical range of flows for both sites was defined using a lower limit of 50% the 2 year pre-development flow rate and an upper limit of the 10 year pre-development flow rate, with the predeveloped condition defined as a forested watershed. Characteristics of the two stormwater basins and their corresponding drainage areas are shown in Table 1. In the proposed retrofits of the sites, the existing low-flow orifices will be replaced with larger butterfly valves that are actively controlled to continuously modulate outflows.

Table 1: Site Characteristics for Proposed Retrofit Ponds

	Whistler Ridge Pond	Curry East Pond
Active Storage Volume (ac-ft)	2.81	1.67
Drainage Area (Acres)	16.94	17.03
Impervious Area (Acres)	9.97	9.13
Passive Outlet Diameter (in)	1.70 (at 0’ depth) 5.94 (at 2.99’ depth) 6.48 (at 3.88’ depth)	2.94 (at 0’ depth) 16.2” (notch at 4’ depth)
Riser Diameter (in)	24	18
Proposed Active Valve Diameter (in)	12	10
Critical Erosive Flow Range - Lower Limit (cfs)	0.249	0.250
Critical Erosive Flow Range - Upper Limit (cfs)	1.217	1.226

Methodology and Results:

Western Washington Hydrology Model (WVHM) simulations were completed for the existing conditions, the pre-development condition, and the proposed Opti control scenario at the two ponds to demonstrate benefit across the range of critical flows. To simulate Opti's control scenario, inflows to the pond from the WVHM were used as an input to a spreadsheet routing model that simulates Opti's control logic. For both the Whistler Ridge and Curry East ponds, results showed that the existing stormwater assets do not match pre-development flows across the full range of critical flows. By retrofitting the ponds with Opti's active controls, significant improvements were seen across the flow-duration curve bringing the expected performance significantly closer to pre-development conditions. Sample results from the initial Whistler Ridge Pond analysis can be seen in Figure 1, with results from Curry East Pond in Figure 2.




Figure 1: Whistler Ridge Flow-Duration Curve for Critical Flow Range, Existing and Proposed




Figure 2: Curry East Flow-Duration Curve for Critical Flow Range, Existing and Proposed

To provide an equal comparison, subsequent model runs were completed to determine how much additional volume would be required in the existing ponds to match the expected performance of the existing ponds retrofitted with Opti active controls. The maximum depth of the ponds were kept constant in the passive scenarios (existing conditions with volume increased) while the footprint was expanded to increase the total volume in 10% increments. The low-flow orifice was adjusted to optimize the system flows while avoiding overflow from the pond in order to more closely match the Opti condition. A summary of the required storage volumes to replicate the performance of an Opti controlled system is shown in Table 2. For the purposes of the analysis, critical flows were assumed to range from 50% of the pre-development 2 year peak flow and the 10 year pre-development peak flow.

Table 2: Storage Volume Required for Equivalent Flow-Duration Curve Results

	Existing Volume (Used for control simulation - ac-ft)	Required Additional Volume to match Proposed Opti Retrofit (ac-ft)	Percent Change
Whistler Ridge Pond	2.81	7.03	+150%
Curry East Pond	1.67	3.51	+110%

Figures 2 and 3 show the flow-duration curves resulting from the analysis. For Whistler Ridge (Figure 3), an increase of 150% of the existing storage volume resulted in a flow-duration curve that exceeded the proposed Opti retrofit at the lower ranges of flows, but overall matched the behavior in the erosive flow range. For Curry East (Figure 4), an increase of 110% of the existing storage volume resulted in a curve that matched the shape and magnitude of the proposed Opti retrofit’s results.




Figure 3: Flow-Duration Curve for Whistler Ridge Critical Flow Range - Existing, Opti, and Equivalent Passive Design




Figure 4: Flow-Duration Curve for Curry East Critical Flow Range- Existing, Opti, and Equivalent Passive Design

Conclusion

For both of the stormwater basins considered, the flow-duration curve analysis demonstrates the potential benefit and cost savings of retrofitting existing passive outlets with actively controlled outlets. By utilizing active controls on existing stormwater assets, the need for a greater basin footprint (and the costs associated with land acquisition, civil design and mass grading) is greatly reduced or eliminated. This is accomplished while achieving compliance goals and bringing peak flow rates closer to the pre-development condition. For the Whistler Ridge and Curry East Ponds, a simple retrofit of an existing passive outlet with Opti's active control equipment combined with Opti's forecast-based software, would be nearly equivalent to doubling the size of the existing ponds to achieve the same result in reduction of critical flows from the facilities.



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47600 • Olympia, WA 98504-7600 • 360-407-6000

711 for Washington Relay Service • Persons with a speech disability can call 877-833-6341

November 1, 2018

Mr. Marcus Quigley, P.E.
Chief Executive Officer
OptiRTC Inc.
356 Boylston Street, 2nd Floor
Boston, MA 02116

RE: Continuous Monitoring and Adaptive Control (CMAC) Functional Equivalency to Detention Pond Outlet Structures

Dear Marcus Quigley:

The Washington State Department of Ecology (Ecology) finds that the OptiRTC Continuous Monitoring and Adaptive Control (CMAC) system for hydraulic control of stormwater facilities is functionally equivalent to the standard outlet control structure for wet ponds, retention ponds, and detention ponds as described in the Stormwater Management Manual for Western Washington (SWMMWW) and the Stormwater Management Manual for Eastern Washington (SWMMEW).

OptiRTC CMAC is a control approach for stormwater facilities that can be designed to conform to various design criteria. This approach does not inherently confer a certain level of service; therefore, Opti has developed a CMAC analysis tool (current version is an Excel-based extension to the Western Washington Hydrology Model (WVHM)). The Opti CMAC system must be designed using the analysis tool and must adhere to the guidelines in the manufacturers specifications. Project applicants seeking to use Opti CMAC and the CMAC-WVHM Tool must obtain design input from OptiRTC regarding Tool application and system design. Designs without detailed input from OptiRTC are not acceptable and may not be installed.


Ecology cannot endorse this product or its manufacturer. Contractors may use the Opti CMAC without seeking additional Ecology approval, however Ecology is tracking the installations of the Opti CMAC system. Local governments with a National Pollutant Discharge Elimination System (NPDES) permit shall submit the enclosed Notice of Intent Form to Ecology when installing the Opti CMAC. All other jurisdictions are also encouraged to notify Ecology when installing the Opti CMAC.



Marcus Quigley
November 1, 2018
Page 2

If you have questions, please contact me at your earliest convenience at (360) 407-6444 or douglas.howie@ecy.wa.gov.

Sincerely,



Douglas C. Howie, P.E.
Stormwater Engineer
Program Development Services

cc: Carla Milesi, TAPE Program Manager, Washington Stormwater Center

APPENDIX B

Line Plots Showing Continuous Flow Data by Watershed



This page intentionally left blank

Figure B-1. Continuous Flow, Cumulative Flow, and Precipitation Depth Measured at the MONM Station.




Figure B-2. Continuous Flow, Cumulative Flow, and Precipitation Depth Measured at the MONMN Station.




Figure B-3. Continuous Flow, Cumulative Flow, and Precipitation Depth Measured at the MONMS Station.




Figure B-4. Continuous Flow, Cumulative Flow, and Precipitation Depth Measured at the TOSMO Station.




Figure B-5. Continuous Flow, Cumulative Flow, and Precipitation Depth Measured at the TOSMI Station.




Figure B-6. Continuous Flow, Cumulative Flow, and Precipitation Depth Measured at the COLM Station.




Figure B-7. Continuous Flow, Cumulative Flow, and Precipitation Depth Measured at the SEIMN Station.




Figure B-8. Continuous Flow, Cumulative Flow, and Precipitation Depth Measured at the SEIMS Station.




Figure B-9. Continuous Flow, Cumulative Flow, and Precipitation Depth Measured at the COUMO Station.




Figure B-10. Continuous Flow, Cumulative Flow, and Precipitation Depth Measured at the COUMI Station.




Figure B-11. Continuous Flow, Cumulative Flow, and Precipitation Depth Measured at the TYLMO Station.






Figure B-12. Continuous Flow, Cumulative Flow, and Precipitation Depth Measured at the TYLMI Station.



APPENDIX C

Data Quality Assurance Review Memorandum for Hydrologic Monitoring



This page intentionally left blank

Water and Land Resources Division

Department of Natural Resources and Parks

King Street Center

201 South Jackson Street, Suite 5600

Seattle, WA 98104-3855

206-477-4800 Fax 206-296-0192

TTY Relay: 711

TECHNICAL MEMORANDUM

March 2, 2023

TO: Dylan Ahearn, Associate Practice Director, Herrera

FM: Kyle Bliss, Science and Technical Support Section, Water and Land Resources Division,
Department of Natural Resources and Parks

RE: RPWS Hydrologic Data QA Memo

Introduction

This memo summarizes the results of the quality assurance review of hydrologic data collected by King County Department of Natural Resources (KCDNRP), Water and Land Resources Division (WLRD), Hydrologic Monitoring Program for the Redmond Paired Watershed Study (RPWS). The period of record covered under this memo begins at the 2022 water year (10/1/2021) and ends at end of the 2022 calendar year (12/31/2022).

Two notable changes in study scope occurred during period:

- The two Evans Creek sites (EVAMS and EVALSS) were removed.
- Conductivity monitoring was discontinued.

Stream stage/discharge and water temperature were recorded at 12 sites for the study. Precipitation, air temperature, and barometric pressure were recorded at three sites. Instruments used to collect these parameters are listed in Table 1. See Figure 1 in Appendix A for station locations.

Table 1. Instruments used to measure continuous rainfall, water level (pressure), and water temperature for the RPWS from October 1, 2021 to December 31, 2022.

Parameter	Manufacturer	Model	Link
Rainfall	Hydrological Services America	TB6	https://www.hydrologicalusa.com/products/meteorology/tipping-bucket-rain-gauges/tb6-tipping-bucket-rain-gauge/
Pressure	Campbell Scientific	CS451	https://www.campbellsci.com/cs451
Pressure and temperature	Onset	U20	https://www.onsetcomp.com/products/data-loggers/u20-001-04/
Temperature	Campbell Scientific	109	https://www.campbellsci.com/109
Temperature	Onset	U22	https://www.onsetcomp.com/products/data-loggers/u22-001/
Temperature and conductivity	Onset	U24	https://www.onsetcomp.com/products/data-loggers/u24-001/

Quality Assurance Review of Data

Water Temperature

Continuous water temperature was generally measured with a Campbell Scientific 109UL temperature probe. Alternative instruments were used in situations where the primary 109UL malfunctioned, was buried, or went dry. Field observations of water temperature were made with a YSI Pro 30 handheld water quality instrument. If consistent differences were observed, shifts in the continuous temperature record were made to better match YSI observations. Table 2 summarizes information about water temperature data quality and data gaps.

Table 2. Notes on water temperature records for the RPWS from October 1, 2021 to December 31, 2022.

Site Code	Data Rated	Gaps*	Notes*
COLM	Good	10/1/2021 - 10/9/2021 and 8/15/2022 - 10/26/2022	Channel Dry
COUMI	Good	None	
COUMO	Good	None	
MONMN	Good	none	
MONMO	Good	none	
MONMS	Good	None	
SEIMN	Good	None	
SEIMS	Good	None	
TOSMI	Good	None	
TOSMO	Good	None	
TYLMI	Good	None	
TYLMO	Good	none	

* All times listed are in Pacific Daylight Savings Time (GMT - 07:00)

Precipitation

Precipitation was measured using Hydrological Services TB6 tipping bucket rain gages. Rain gages were visited throughout the year (generally four times per year, seasonally) to ensure that they were free of debris and functionally correctly and their calibration checked (at least once per year). At the end of the calendar year, 5-minute rainfall data was compared to adjacent rain gages in the King County network to assess variability in the timing and magnitude of precipitation.

Precipitation falling as snow or hail was recorded at the time of melting (as opposed to at the time of falling) as the cones of the tipping bucket rain gages in this study were unheated.

See Table 3 below for comment on data quality and gaps in specific precipitation data. See Figure B in Appendix A for comparison to adjacent rain gages.

Table 3. Precipitation data recorded for the RPWS from October 1, 2021 to December 31, 2022.

Site	Data Quality	Missing Data
RG_02vn (Trilogy)	Good record	No gaps
RG_EVA	Good record	No gaps
RG_MON	Good record	No gaps
		Gap from 10/22/2022 to 11/9/2022 due to datalogger malfunction: Data filled from RG_MARY
RG_TOS	Fair record	

Discharge

Continuous stream discharge was calculated for each stream gage using a multi-step process. First, water level (stage) at the stream gage was measured continuously using a Campbell Scientific CS451 vented pressure transducer. This continuous stage record was then converted to volumetric stream discharge using a rating curve developed through a series of simultaneous measurements of stage and discharge. Discharge measurements in the field were taken using the velocity-area method (Herschy 1993), with a HACH FH950 velocity meter.

After ratings were established, small shifts were applied to the rating to account for small changes to the stage/discharge relationship. In the event of a dramatic change to the stage/discharge relationship, new ratings were developed through additional field measurements.

QA Review Methods

While all 12 project discharge gages were updated via telemetry, ultimately the final continuous hydrologic data was input into the King County Hydrologic database with a supervised process using a desktop computer application. The technician worked from a plot (printed chart created in a spreadsheet) of the continuous values for a set period, usually four to eight weeks and bracketed by field observations. For discharge data, the water level corrections, rating table and shifts used were noted on the plot, along with explanatory notes. The plot was stored in the

project file for the gage along with field notes and other materials. Rating curve development and gage problem solving occurred in a collegial environment with the team staff. Recorded data and field measurements were reviewed throughout the year to identify problems and target necessary measurements.

Annual review of the water year was performed after the final supervised workup. Data are typically reviewed by a different team member than who performed the initial workup, but due to time and staffing constraints, review of discharge data was performed by the field technician. A spreadsheet template was used with daily mean, max and min values, rainfall, comparison gages, field observations, and a QC checklist to structure the review. The review process is described in the STREAM GAGE DATA WORKUP QA/QC section in Appendix B.

RPWS 10/1/2021 to 12/31/2022

Rainfall totals were above average at the NOVH rain gage (by water year, data from 2000-2023) in the Redmond, WA area due to a very wet winter and spring and despite an historically dry end to the water year (see Figure 1).




Figure 1. Cumulative rainfall at NOVH rain gage (in Redmond, WA) by water year (10/1 to 9/30). Includes data from 2000 to 2023. 2021 and 2022 water years are shown in red and blue, respectively. Average cumulative rainfall is shown in a gray dashed line. The range between the wettest and driest water years is shaded in dark gray.

The ten largest rainfall events over a 24-hour period between 10/1/2021 and 12/31/2022 are presented in Table 4 below. The largest event totaled 2.46” on 10/29/2021 which is 0.5” below the approximate 25- year 24-hour precipitation total (King County 2016).

Table 4. The ten largest 24-hour rainfall totals recorded at the Monticello rain gage (RG_MON) from October 1, 2021, to December 31, 2022.

Ending Date	24-hr. total (in)
29-Oct-21	2.46
28-Feb-22	2.18
07-Jan-22	1.75
24-Dec-22	1.71
03-Jan-22	1.52
12-Nov-21	1.39
27-Dec-22	1.17
04-Nov-21	1.14
21-Mar-22	1.04
23-Nov-22	1.02

Missing Data

Missing 5-minute discharge data may be the result of technical issues with the gage (e.g., power failure, sensor failure) or dramatic changes to the stage/discharge relationship that cannot be accounted for with an adjustment to the discharge rating curve. In the case of technical issues, 15-minute data from non-vented U20 pressure transducers were used to fill gaps where possible. See Table 5 below for a summary of missing discharge data by station.

Table 5. Periods of missing discharge data for the RPWS from October 1, 2021, to December 31, 2022.

Site	Notes*
COLM	•Periods of no flow 10/1/2021 - 10/9/2021 and 8/15/2022 - 10/26/2022
COUMO	None
MONMN	None
MONMO	None
MONMS	•Gap 1/7/2022 09:20 to 1/8/2022 05:35 due to sensor malfunction
SEIMN	None
SEIMS	None
TOSMI	None
TOSMO	None
TYLMI	None
TYLMO	None

* All times listed are in Pacific Daylight Savings Time (GMT - 07:00)

Uncertain Data

Given the indirect nature of discharge data development, there are many sources of uncertainty in this process, including:

- inaccuracy of field measurements of stage and discharge
- inaccuracy of continuous stage measurements
- a rating table that poorly represents the stage/discharge relationship at the full range of stream discharge that a given stream conveys in a given time period
- changes to the stage/discharge relationship, including:
 - scour and/or fill of the stream bed during storm events
 - vegetation growth on banks or in channel
 - debris accumulating in the section of the stream channel that controls water level at the stream gage

The most common cause of uncertain flow data was instability of section controls (i.e., objects in a stream channel that control the water level at the stream gage) for stations with non-engineered hydraulics. These stations include COUMI, EVAMS, MONMN, and TYLMI. See Table 6 for a summary of data uncertainties.

Table 6. Summary of data with notable uncertainty for the RPWS from October 1, 2021, to December 31, 2022.

Site	Notes*
COLM	▪Some uncertainty around larger storm peaks - more recent high flow measurement needed.
COUMI	▪ Moderate shifts up after January 2022 events eroded channel control.
COUMO	▪ Moderate shifts down due to channel aggradation.
MONMN	▪Some uncertainty around largest storm flows.
MONMO	▪Peak flows seem relatively low.
MONMS	None
SEIMN	▪Some uncertainty around highest flows, need more recent high flows.
SEIMS	None
TOSMI	▪ Baseflow relationship with TOSMO a little too close at times in past water years but appears to be improving with rating curve development at both sites.
TOSMO	▪ Baseflow relationship with TOSMI a little too close at times in past water years but appears to be improving with rating curve development at both sites. ▪ Slight drop in stage data on 8/3/2022 left in record as not associated with staff visit.
TYLMI	▪ Section control is very wide creating poor resolution in low end of ratings. Poor relationship between baseflows at TYLMI and TYLMO noted in past improving but will continue to monitor.
TYLMO	▪Some moderate shifts in winter of 2021/2022 to match measured flows. High flows seem suspect, need to verify with manual measurement and continue to watch comps with TYLMI.

* All times listed are in Pacific Daylight Savings Time (GMT - 07:00)

Data Rating

Continuous discharge data from each station was given a rating, from poor to good, for the period beginning on October 1, 2021, and ending on December 31, 2022. See Table 7 for a summary of data quality ratings. Good data had a complete record through the period, a good number (8 – 10) of field observations at both low and high discharge conditions, and a consistent stage/discharge relationship due to a very stable or engineered control. Poor data were usually characterized a very unstable control that caused numerous rating shifts to accommodate. Extended periods where debris such as leaves, algae, or wood accumulated on controls also negatively affected the data rating as did the lack of a recent high flow or summer low flow measurement (see Table C in Appendix A for a table comparing measured vs. calculated discharge values for each station).

Table 7. Summary of discharge data quality rating from October 1, 2020, to December 31, 2021.

Site	Notes
COLM	Fair to good record. Channel relatively stable. Mostly small rating shifts to match flow measurements.
COUMI	Record fair and improving. New location stable since channel erosion event January 2022.
COUMO	Fair record. Moderate rating shifts to account for changes to section control. Some scour/fill apparent.
MONMN	Fair record. Good coverage of rating with flow measurements but some channel instability, especially around large storm flows. New ratings 10 and 10r developed to refine high end, need additional measurements to confirm.
MONMO	Good record. Engineered control is stable and clear of debris.
MONMS	Good record. Engineered control with little debris.
SEIMN	Fair Record. Gravel frequently builds up on weir - Rating for good when weir ramp clear of gravel however moderate (but consistent) shifts needed to correct when buildup occurs.
SEIMS	Good Record. Engineered control is stable, very little debris buildup. Some question of rating at higher flows near or above control.
TOSMI	Fair to good record. Good coverage of flow measurements and no major changes to channel. Section control prone to debris. Relationship between TOSMI and TOSMO still questionable but improving.
TOSMO	Good record. Stable, engineered control. Minimal debris in weir.
TYLMI	Record fair to good. Section control unstable and prone to debris. Lower end of rating improved with baseflow measurements this session - comparing better to TYLMO.
TYLMO	Fair record. Good coverage with flow measurements. Some channel instability around larger storm events. Lower end of rating improved with baseflow measurements this session, will target larger events to confirm upper end.

REFERENCES

Herschy, R.W. 1993. The velocity–area method, *Flow Meas. Instrum.*, 4(1), 7–10.

King County. 2016. *King County Surface Water Design Manual*. King County Department of Natural Resources and Parks. Seattle, WA.

APPENDIX A: ADDITIONAL TABLES AND FIGURES




Figure A. A map of RPWS hydrologic monitoring sites.




Figure B. Comparison of RPWS rain gages to nearby rain gages in King County’s hydrologic monitoring program.

Site	Max Discharge Measurement	Max Discharge Measurement	Max Discharge Record in Session
	10/1/2021 - 2/6/2023*	9/1/2015 - 2/6/2023**	10/1/2021 - 12/31/2022
cubic feet per second (cfs)			
COLM	2.2	16.2	20
COUMI	1.0	5.7	7.9
COUMO	1.0	15.4	20.2
MONMN	1.9	16.3	12.6
MONMO	1.5	28.3	16.2
MONMS	0.6	3.6	2.7
SEIMN	0.79	6.3	8.5
SEIMS	0.5	8.6	5.2
TOSMI	1.6	13.8	10.4

TOSMO	0.4	14.0	15.7
TYLMI	0.5	4.7	2.31
TYLMO	2.3	10.9	14.6

* time period where flow measurements were taken to develop ratings used to develop data from 10/1/2020 to 12/31/2021

**length of time from start of RPWS project to most recent measurements

Table C. Table of maximum discharge measurements (for differing time periods) and maximum calculated discharge record. Maximum calculated discharge record in session values is highlighted in yellow if they are more than two times the maximum volume measured in the field during the time period used to develop the current stage/discharge ratings and highlighted in red if the values is double the volume ever measured in the field during the entirety of the RPWS project. Note that SEIMN and SEIMS both have engineered controls and older high flow measurements are still valuable.

APPENDIX B: STREAM GAGE DATA WORKUP QA/QC DESCRIPTION

A streamflow data workup should be checked by another technician before approving the data for publication. This is not a rote process or simple checklist. It requires an understanding of the basic elements of a data workup as well as a questioning attitude. The check can go pretty quickly if the person doing the original workup has taken good notes, kept the file in good order, made the necessary graphs and reports, and did not make any mistakes. The QA/QC check should be performed by someone other than the person who did the original workup. This ensures that we get a realistic assessment of the coherence and legibility of the workup and documentation. We want to be able to return to the file at a later date and figure out how the flow data were derived from the primary data. We also want to make sure that the data make sense and contain no errors. Of course we will never know if our flow data are accurate, but we can know that they are the best numbers possible if rating tables are well developed and the rating properly applied to a carefully corrected stage record. The following steps are outlined in the order they should occur.

Three Objectives

1. Well documented work, so in the future we can figure out what was done and why. If the file and notes are a mess and don't make sense, you give it back and tell them to get it together.
2. Careful work, i.e., no stupid or gross mistakes. No gaps, no big jumps in discharge when there shouldn't be, flow in data table matches the discharge measurement made at that time, sensor garbage is cleaned up. Stupid mistake example: the flow record changes 15% in one log between sessions because the initial sensor correction was set incorrectly.
3. Technically defensible work, no errors in judgment. Rating curves make sense, stage corrections are reasonable, rating shifts applied appropriately, estimated periods make sense.

QA/QC steps to checking flow records

Documentation

There may be some minor problems with the file organization that did not affect the workup quality. These the checker can fix. Make sure that:

- The paper file is organized correctly
- There is a workup cover sheet with session-by-session notes
- Workup charts are all there and gaps noted, workup detail is written on the chart
- Discharge Measurement Summary form is up to date
- Flows are correctly plotted on rating curve
- Data input files are stored correctly
- Water year QA spreadsheet is complete (use StreamGage_WaterYear_Report.xlsx template). Charts titles should be correct, rain gage and comparison gage data included, also any continuous water temperature or other water quality data if applicable.

Look for mistakes

- Is water year complete? Complete 15-minute years have 35,040 records, leap years 35,136 (5 minute have 105,120). Missing data will reduce that number. The logs for the year are displayed on the workup screen. Also, missing data will be held with asterisks in the 15-minute report. Dump the report into excel and sort by value.
- Compare the graph of the daily mean and max flow to that of an equivalent gage. You're looking at the timing and relative magnitude of peaks and low flow periods.
- Examine daily mean and min flows chart. You're looking for periods where the flow drops unrealistically, usually due to sensor problems, a negative value, or a mistaken filled value.
- Check the data table at date and time of discharge measurements. The record should match the flow or there should be a good reason why in the notes.
- Check the plotting of each flow measurement on the rating curve. Sometimes the offset is incorrectly added or just it's just put in the wrong place. It can look right and be wrong, so check.
- Give flow measurements a once over to make sure they are sensible, $V \cdot A = Q$, the calculated width seems right given the start and end of the cross section. Pay special attention to high flow measurements or any flow that shifts off the normal rating.
- Does the flow record connect well? No unjustified jumps in the discharge between sessions, stage corrections or other events.
- Are estimate periods flagged correctly

Technical quality

- Can you understand what rating curves were used, and what they are based on? What defines the high end?
- If the high end depends on a curve extension, are there indirect discharge calculations made to justify the peak flow estimate? Do you agree? This is a highly subjective area that bears careful examination. We expect, of course, that consultation was done during the initial workup, so there will be no big surprises.
- Are base flows accurate? It may be more accurate to estimate low flow periods or fill the stage record than use stage record with known error.
- Check how daily flow estimates to fill gaps were made.
- Compare mean daily discharge with an appropriate nearby station for timing and magnitude of peaks, baseflow etc.

Final approval

If everything is in order, or after corrections have been made, complete QC checklist sheet in the Water Year spreadsheet. Printout checklist for the paper file. Include name and date.

APPENDIX D

Summary Statistics for Individual Storm Events by Monitoring Station



This page intentionally left blank

Table D-1. Summary Statistics for Individual Storm Events at the MONM Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
10/3/2021 6:05	10/3/2021 15:30	9.4	0.09	0.01	0.12	65.0	10/3/2021 6:00	10/3/2021 23:55	18.0	0.26	0.28	16,701
10/5/2021 6:15	10/5/2021 15:50	9.6	0.28	0.03	0.36	43.8	10/5/2021 6:10	10/6/2021 3:45	21.7	0.43	0.63	33,723
10/9/2021 16:45	10/9/2021 20:40	3.9	0.12	0.03	0.12	97.8	10/9/2021 16:40	10/10/2021 0:00	7.4	0.33	0.41	8,832
10/10/2021 1:30	10/10/2021 12:40	11.2	0.35	0.03	0.36	7.6	10/10/2021 1:30	10/10/2021 20:35	19.2	0.84	1.18	58,122
10/10/2021 20:40	10/11/2021 0:35	3.9	0.05	0.01	0.24	8.2	10/10/2021 20:35	10/11/2021 12:30	16.0	0.62	0.77	35,664
10/12/2021 17:25	10/12/2021 23:50	6.4	0.14	0.02	0.12	41.7	10/12/2021 17:25	10/13/2021 11:45	18.4	0.41	0.57	27,012
10/13/2021 21:55	10/14/2021 5:10	7.3	0.08	0.01	0.12	23.4	10/13/2021 21:55	10/14/2021 17:10	19.3	0.37	0.46	25,959
10/15/2021 2:25	10/15/2021 8:55	6.5	0.06	0.01	0.12	27.6	10/15/2021 2:25	10/15/2021 19:05	16.8	0.43	0.46	25,743
10/15/2021 19:05	10/16/2021 1:55	6.8	0.06	0.01	0.12	44.2	10/15/2021 19:05	10/16/2021 13:50	18.8	0.42	0.46	28,473
10/20/2021 4:50	10/20/2021 12:40	7.8	0.26	0.03	0.12	104.3	10/20/2021 4:50	10/21/2021 0:40	19.9	0.56	0.92	40,410
10/21/2021 19:05	10/22/2021 1:30	6.4	0.55	0.09	0.36	34.9	10/21/2021 19:05	10/22/2021 13:30	18.5	1.47	2.12	97,644
10/23/2021 3:35	10/23/2021 23:45	20.2	0.23	0.01	0.36	26.6	10/23/2021 3:30	10/24/2021 9:30	30.1	0.72	1.18	77,517
10/24/2021 9:30	10/24/2021 14:50	5.3	0.30	0.06	0.48	15.4	10/24/2021 9:30	10/25/2021 2:45	17.3	1.13	1.85	70,593
10/25/2021 13:45	10/25/2021 21:05	7.3	0.05	0.01	0.12	23.5	10/25/2021 13:40	10/26/2021 9:00	19.4	0.57	0.63	39,987
10/26/2021 10:20	10/26/2021 18:45	8.4	0.16	0.02	0.24	44.1	10/26/2021 10:15	10/27/2021 6:40	20.5	0.71	1.00	52,074
10/27/2021 18:55	10/29/2021 8:25	37.5	2.93	0.08	0.72	28.2	10/27/2021 18:55	10/29/2021 20:25	49.6	5.07	13.15	905,641
11/1/2021 13:30	11/1/2021 20:20	6.8	0.05	0.01	0.12	77.6	11/1/2021 13:30	11/2/2021 8:15	18.8	0.92	1.00	62,211
11/2/2021 12:05	11/2/2021 20:35	8.5	0.20	0.02	0.12	21.2	11/2/2021 12:00	11/3/2021 8:35	20.7	1.09	1.49	81,228
11/3/2021 18:40	11/4/2021 14:25	19.8	1.13	0.06	0.36	27.2	11/3/2021 18:40	11/5/2021 2:25	31.8	3.19	5.57	365,475
11/5/2021 3:40	11/5/2021 7:40	4.0	0.17	0.04	0.24	15.1	11/5/2021 3:40	11/5/2021 19:40	16.1	2.33	2.71	135,162
11/6/2021 7:05	11/7/2021 18:05	35.0	0.83	0.02	0.36	24.0	11/6/2021 7:05	11/8/2021 6:00	47.0	2.11	2.87	357,624
11/9/2021 1:15	11/9/2021 6:10	4.9	0.14	0.03	0.12	31.4	11/9/2021 1:15	11/9/2021 13:50	12.7	1.40	1.61	63,714
11/9/2021 13:55	11/9/2021 18:10	4.3	0.41	0.10	0.72	10.8	11/9/2021 13:50	11/10/2021 6:10	16.4	2.23	3.04	131,514
11/10/2021 20:10	11/12/2021 14:15	42.1	1.83	0.04	0.48	26.9	11/10/2021 20:10	11/13/2021 2:10	54.1	4.39	8.75	854,592
11/13/2021 17:10	11/13/2021 23:35	6.4	0.34	0.05	0.24	27.2	11/13/2021 17:10	11/14/2021 11:35	18.5	3.96	4.62	263,769
11/14/2021 12:35	11/15/2021 0:50	12.3	0.56	0.05	0.24	14.0	11/14/2021 12:30	11/15/2021 10:30	22.1	4.33	5.82	344,169
11/15/2021 10:35	11/15/2021 19:20	8.8	0.41	0.05	0.24	11.9	11/15/2021 10:30	11/16/2021 7:15	20.8	3.95	4.85	296,121
11/18/2021 14:40	11/19/2021 6:15	15.6	0.47	0.03	0.12	67.7	11/18/2021 14:40	11/19/2021 18:10	27.6	2.33	2.71	231,186
11/22/2021 14:30	11/22/2021 17:00	2.5	0.08	0.03	0.12	81.5	11/22/2021 14:25	11/23/2021 2:35	12.3	0.94	1.00	41,349
11/23/2021 2:35	11/23/2021 7:40	5.1	0.60	0.12	0.24	11.2	11/23/2021 2:35	11/23/2021 19:40	17.2	2.61	3.78	161,430
11/24/2021 21:35	11/26/2021 0:25	26.8	0.83	0.03	0.24	38.5	11/24/2021 21:30	11/26/2021 8:25	35.0	2.63	4.62	331,195
11/26/2021 8:30	11/26/2021 15:50	7.3	0.17	0.02	0.24	12.4	11/26/2021 8:25	11/27/2021 3:45	19.4	2.98	3.40	208,182
11/27/2021 7:05	11/27/2021 23:05	16.0	0.25	0.02	0.12	16.9	11/27/2021 7:05	11/28/2021 11:00	28.0	2.49	2.87	250,854
11/28/2021 12:25	11/28/2021 15:15	2.8	0.22	0.08	0.12	17.7	11/28/2021 12:20	11/29/2021 3:10	14.9	2.64	3.04	141,804
11/30/2021 1:30	11/30/2021 12:05	10.6	0.22	0.02	0.24	35.1	11/30/2021 1:25	11/30/2021 20:10	18.8	1.87	2.12	126,870
11/30/2021 20:10	11/30/2021 20:30	0.3	0.04	0.12	0.12	8.9	11/30/2021 20:10	12/1/2021 8:25	12.3	1.72	1.85	76,452
12/1/2021 22:50	12/2/2021 13:40	14.8	0.38	0.03	0.24	26.7	12/1/2021 22:50	12/3/2021 1:40	26.9	1.89	2.40	183,285
12/4/2021 5:25	12/4/2021 22:05	16.7	0.44	0.03	0.12	40.6	12/4/2021 5:25	12/5/2021 10:05	28.8	1.92	2.40	198,318
12/6/2021 14:25	12/7/2021 4:45	14.3	0.19	0.01	0.12	47.8	12/6/2021 14:25	12/7/2021 16:40	26.3	1.36	1.73	129,357
12/8/2021 5:35	12/8/2021 8:40	3.1	0.16	0.05	0.36	33.2	12/8/2021 5:35	12/8/2021 16:40	11.2	1.49	1.73	59,985
12/8/2021 16:45	12/8/2021 20:00	3.3	0.11	0.03	0.12	10.3	12/8/2021 16:40	12/9/2021 8:00	15.4	1.53	1.85	84,993
12/9/2021 10:10	12/9/2021 11:00	0.8	0.04	0.05	0.12	16.7	12/9/2021 10:10	12/9/2021 23:00	12.9	1.17	1.28	54,480
12/10/2021 12:00	12/11/2021 7:05	19.1	0.63	0.03	0.24	25.8	12/10/2021 12:00	12/11/2021 19:05	31.2	2.20	3.59	247,002
12/12/2021 0:15	12/12/2021 0:35	0.3	0.05	0.15	0.12	21.4	12/12/2021 0:10	12/12/2021 12:35	12.5	1.88	2.26	84,741
12/12/2021 13:45	12/12/2021 18:55	5.2	0.15	0.03	0.24	13.4	12/12/2021 13:40	12/13/2021 0:30	10.9	1.80	2.12	70,593
12/13/2021 0:30	12/13/2021 4:55	4.4	0.07	0.02	0.12	6.4	12/13/2021 0:30	12/13/2021 14:00	13.6	1.72	1.98	84,099
12/13/2021 14:05	12/13/2021 19:50	5.8	0.03	0.01	0.12	10.1	12/13/2021 14:00	12/14/2021 7:50	17.9	1.30	1.49	84,150
12/14/2021 14:25	12/14/2021 18:45	4.3	0.13	0.03	0.12	34.4	12/14/2021 14:25	12/15/2021 6:40	16.3	1.29	1.61	75,783
12/16/2021 6:05	12/16/2021 13:50	7.8	0.10	0.01	0.12	38.1	12/16/2021 6:00	12/17/2021 1:50	19.9	1.04	1.18	74,667

Table D-1. Summary Statistics for Individual Storm Events at the MONM Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
12/17/2021 19:05	12/18/2021 15:25	20.3	0.88	0.04	0.24	34.4	12/17/2021 19:05	12/19/2021 3:20	32.3	2.63	4.40	306,240
12/21/2021 20:05	12/22/2021 5:30	9.4	0.37	0.04	0.36	77.2	12/21/2021 20:00	12/22/2021 13:05	17.2	1.90	2.55	117,192
12/22/2021 13:05	12/23/2021 1:55	12.8	0.55	0.04	0.24	7.9	12/22/2021 13:05	12/23/2021 13:50	24.8	3.18	3.78	284,013
12/24/2021 1:45	12/24/2021 6:05	4.3	0.11	0.03	0.12	24.4	12/24/2021 1:40	12/24/2021 14:10	12.6	2.09	2.40	94,518
12/24/2021 14:10	12/25/2021 6:30	16.3	0.47	0.03	0.36	11.0	12/24/2021 14:10	12/25/2021 12:10	22.1	2.78	3.78	220,998
12/25/2021 12:15	12/25/2021 18:45	6.5	0.07	0.01	0.12	9.8	12/25/2021 12:10	12/26/2021 6:40	18.6	2.40	2.87	160,659
12/27/2021 12:30	12/27/2021 13:05	0.6	0.07	0.12	0.12	46.8	12/27/2021 12:30	12/28/2021 1:05	12.7	1.05	1.18	48,072
12/29/2021 12:10	12/29/2021 14:30	2.3	0.09	0.04	0.12	47.3	12/29/2021 12:10	12/30/2021 2:25	14.3	0.70	0.70	36,120
12/30/2021 10:55	12/30/2021 15:30	4.6	0.10	0.02	0.12	21.8	12/30/2021 10:55	12/31/2021 3:30	16.7	0.70	0.77	42,000
12/31/2021 12:30	12/31/2021 14:35	2.1	0.06	0.03	0.12	23.2	12/31/2021 12:30	1/1/2022 2:35	14.2	0.57	0.63	29,052
1/1/2022 13:15	1/1/2022 14:25	1.2	0.10	0.09	0.12	23.4	1/1/2022 13:15	1/2/2022 2:25	13.3	0.56	0.57	26,523
1/2/2022 12:40	1/3/2022 16:40	28.0	1.59	0.06	0.36	22.8	1/2/2022 12:40	1/3/2022 22:15	33.7	5.21	8.42	631,313
1/3/2022 22:20	1/4/2022 3:35	5.3	0.03	0.01	0.12	7.0	1/3/2022 22:15	1/4/2022 4:50	6.7	4.06	5.08	97,500
1/4/2022 4:55	1/4/2022 6:40	1.8	0.08	0.05	0.12	13.6	1/4/2022 4:50	1/4/2022 15:10	10.4	3.48	3.78	130,647
1/4/2022 15:15	1/4/2022 22:45	7.5	0.16	0.02	0.24	9.1	1/4/2022 15:10	1/5/2022 10:40	19.6	3.27	3.78	230,307
1/5/2022 16:15	1/7/2022 15:10	46.9	2.79	0.06	0.24	17.8	1/5/2022 16:15	1/8/2022 3:10	59.0	9.73	16.22	2,066,836
1/10/2022 9:15	1/10/2022 15:55	6.7	0.15	0.02	0.24	66.6	1/10/2022 9:10	1/11/2022 0:10	15.1	2.39	2.71	129,525
1/11/2022 0:10	1/12/2022 9:00	32.8	1.05	0.03	0.24	13.8	1/11/2022 0:10	1/12/2022 20:55	44.8	4.06	4.85	655,427
1/13/2022 3:15	1/13/2022 10:15	7.0	0.15	0.02	0.24	19.2	1/13/2022 3:10	1/13/2022 22:15	19.2	2.84	3.40	196,071
1/19/2022 18:20	1/20/2022 12:50	18.5	0.13	0.01	0.12	153.4	1/19/2022 18:20	1/20/2022 14:35	20.3	1.07	1.98	78,384
1/20/2022 14:40	1/20/2022 18:00	3.3	0.50	0.15	0.60	7.5	1/20/2022 14:35	1/21/2022 5:55	15.4	2.96	4.62	164,241
1/30/2022 11:05	1/30/2022 23:55	12.8	0.32	0.02	0.24	233.7	1/30/2022 11:00	1/31/2022 0:55	14.0	1.28	1.98	64,323
1/31/2022 0:55	1/31/2022 1:40	0.8	0.08	0.11	0.12	6.9	1/31/2022 0:55	1/31/2022 13:40	12.8	1.22	1.61	56,586
2/2/2022 17:40	2/2/2022 20:15	2.6	0.04	0.02	0.12	64.4	2/2/2022 17:40	2/3/2022 1:50	8.3	0.67	0.70	19,950
2/3/2022 1:55	2/3/2022 13:05	11.2	0.20	0.02	0.12	8.2	2/3/2022 1:50	2/4/2022 1:05	23.3	1.03	1.39	86,868
2/5/2022 5:20	2/5/2022 9:50	4.5	0.04	0.01	0.12	43.2	2/5/2022 5:15	2/5/2022 21:50	16.7	0.72	0.77	42,987
2/14/2022 6:05	2/14/2022 17:35	11.5	0.17	0.01	0.12	216.8	2/14/2022 6:00	2/15/2022 5:35	23.7	0.66	0.77	56,490
2/16/2022 6:30	2/16/2022 7:25	0.9	0.05	0.05	0.12	40.8	2/16/2022 6:30	2/16/2022 19:25	13.0	0.58	0.63	27,180
2/19/2022 20:55	2/20/2022 21:40	24.8	0.28	0.01	0.24	86.3	2/19/2022 20:55	2/21/2022 9:40	36.8	0.79	1.00	104,634
2/26/2022 18:40	3/1/2022 8:25	61.8	3.14	0.05	0.36	141.1	2/26/2022 18:40	3/1/2022 20:25	73.8	5.84	13.83	1,552,050
3/2/2022 10:35	3/2/2022 19:35	9.0	0.21	0.02	0.24	28.1	3/2/2022 10:35	3/3/2022 0:20	13.8	3.34	3.78	166,383
3/3/2022 0:25	3/3/2022 7:00	6.6	0.32	0.05	0.60	8.4	3/3/2022 0:20	3/3/2022 18:55	18.7	3.52	4.85	236,592
3/8/2022 5:10	3/8/2022 13:15	8.1	0.14	0.02	0.12	120.5	3/8/2022 5:10	3/9/2022 1:15	20.2	1.10	1.28	79,641
3/12/2022 19:00	3/12/2022 19:35	0.6	0.03	0.05	0.12	104.2	3/12/2022 18:55	3/13/2022 1:40	6.8	0.70	0.77	17,262
3/13/2022 1:40	3/13/2022 4:10	2.5	0.06	0.02	0.12	110.9	3/13/2022 1:40	3/13/2022 16:10	14.6	0.73	0.84	38,577
3/13/2022 18:15	3/14/2022 0:25	6.2	0.17	0.03	0.24	16.1	3/13/2022 18:10	3/14/2022 11:35	17.5	0.96	1.28	60,750
3/14/2022 11:35	3/15/2022 6:25	18.8	0.76	0.04	0.24	11.9	3/14/2022 11:35	3/15/2022 18:25	30.9	2.55	3.78	284,271
3/17/2022 15:50	3/18/2022 2:40	10.8	0.13	0.01	0.12	61.2	3/17/2022 15:45	3/18/2022 14:40	23.0	1.08	1.28	89,772
3/18/2022 19:35	3/19/2022 19:30	23.9	0.63	0.03	0.24	19.2	3/18/2022 19:30	3/20/2022 7:25	36.0	2.19	3.04	283,662
3/20/2022 16:00	3/21/2022 11:20	19.3	1.03	0.05	0.24	20.8	3/20/2022 15:55	3/21/2022 18:10	26.3	4.16	6.35	394,188
3/21/2022 18:15	3/21/2022 20:15	2.0	0.04	0.02	0.12	7.8	3/21/2022 18:10	3/22/2022 4:40	10.6	3.57	4.19	135,855
3/22/2022 4:40	3/22/2022 8:55	4.3	0.08	0.02	0.12	10.4	3/22/2022 4:40	3/22/2022 20:55	16.3	3.00	3.22	176,430
3/23/2022 13:15	3/23/2022 19:35	6.3	0.37	0.06	0.60	30.7	3/23/2022 13:15	3/24/2022 7:30	18.3	2.68	3.78	177,015
3/30/2022 14:25	3/31/2022 6:20	15.9	0.66	0.04	0.24	164.7	3/30/2022 14:25	3/31/2022 18:20	28.0	2.07	3.22	209,108
4/1/2022 22:00	4/2/2022 9:00	11.0	0.37	0.03	0.60	43.8	4/1/2022 21:55	4/2/2022 20:55	23.1	1.82	2.87	151,467
4/3/2022 14:30	4/4/2022 7:40	17.2	0.63	0.04	0.24	34.9	4/3/2022 14:25	4/4/2022 19:40	29.3	2.43	4.85	256,098
4/5/2022 14:20	4/5/2022 18:35	4.3	0.14	0.03	0.36	35.1	4/5/2022 14:15	4/6/2022 6:30	16.3	1.19	1.39	69,918
4/8/2022 3:25	4/8/2022 4:20	0.9	0.09	0.10	0.24	58.2	4/8/2022 3:20	4/8/2022 16:15	13.0	0.93	1.09	43,662
4/8/2022 17:50	4/8/2022 22:05	4.3	0.05	0.01	0.24	14.1	4/8/2022 17:45	4/9/2022 10:05	16.4	0.75	0.92	44,538

Table D-1. Summary Statistics for Individual Storm Events at the MONM Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
4/9/2022 14:05	4/10/2022 10:15	20.2	0.61	0.03	0.24	20.2	4/9/2022 14:00	4/10/2022 16:50	26.9	1.64	2.87	158,469
4/10/2022 16:50	4/10/2022 18:45	1.9	0.08	0.04	0.24	7.6	4/10/2022 16:50	4/11/2022 6:40	13.9	1.78	2.26	89,286
4/12/2022 14:05	4/12/2022 15:20	1.3	0.06	0.05	0.24	45.0	4/12/2022 14:00	4/13/2022 3:20	13.4	0.82	0.92	39,738
4/18/2022 12:05	4/18/2022 19:00	6.9	0.25	0.04	0.24	141.9	4/18/2022 12:00	4/19/2022 6:55	19.0	0.92	1.39	62,937
4/21/2022 5:20	4/21/2022 8:00	2.7	0.03	0.01	0.12	58.7	4/21/2022 5:15	4/21/2022 15:00	9.8	0.52	0.57	18,234
4/21/2022 15:05	4/21/2022 20:10	5.1	0.04	0.01	0.12	68.4	4/21/2022 15:00	4/22/2022 5:25	14.5	0.58	0.63	30,060
4/22/2022 5:25	4/22/2022 5:50	0.4	0.03	0.07	0.12	14.3	4/22/2022 5:25	4/22/2022 17:50	12.5	0.55	0.57	24,768
4/25/2022 2:15	4/25/2022 7:20	5.1	0.18	0.04	0.24	83.2	4/25/2022 2:10	4/25/2022 15:55	13.8	0.80	1.09	39,603
4/25/2022 15:55	4/25/2022 19:10	3.3	0.04	0.01	0.12	10.0	4/25/2022 15:55	4/26/2022 7:05	15.3	0.63	0.77	34,779
4/27/2022 21:50	4/27/2022 22:40	0.8	0.05	0.06	0.12	53.9	4/27/2022 21:45	4/28/2022 10:40	13.0	0.47	0.51	21,978
4/30/2022 1:00	4/30/2022 11:00	10.0	0.29	0.03	0.12	51.0	4/30/2022 0:55	4/30/2022 23:00	22.2	0.89	1.18	70,911
5/2/2022 3:40	5/2/2022 13:50	10.2	0.42	0.04	0.24	42.0	5/2/2022 3:40	5/3/2022 1:50	22.3	1.43	2.40	114,549
5/3/2022 3:45	5/3/2022 9:25	5.7	0.03	0.01	0.12	17.7	5/3/2022 3:40	5/3/2022 21:20	17.8	0.75	0.92	47,733
5/5/2022 3:45	5/5/2022 22:15	18.5	0.43	0.02	0.12	65.7	5/5/2022 3:40	5/6/2022 10:15	30.7	1.15	1.98	127,287
5/6/2022 11:20	5/6/2022 18:05	6.8	0.21	0.03	0.12	15.5	5/6/2022 11:15	5/6/2022 20:10	9.0	1.69	2.12	54,903
5/6/2022 20:10	5/7/2022 21:00	24.8	0.56	0.02	0.36	6.9	5/6/2022 20:10	5/8/2022 8:45	36.7	2.09	3.40	275,298
5/8/2022 8:45	5/8/2022 9:30	0.8	0.06	0.08	0.12	17.3	5/8/2022 8:45	5/8/2022 21:30	12.8	1.26	1.39	58,209
5/9/2022 17:40	5/9/2022 23:55	6.3	0.21	0.03	0.36	32.8	5/9/2022 17:35	5/10/2022 11:55	18.4	1.17	1.61	77,622
5/12/2022 3:15	5/12/2022 17:05	13.8	0.45	0.03	0.24	56.9	5/12/2022 3:10	5/13/2022 5:00	25.9	1.38	2.71	128,511
5/14/2022 1:50	5/14/2022 9:20	7.5	0.10	0.01	0.12	33.5	5/14/2022 1:50	5/14/2022 21:20	19.6	0.87	1.00	61,155
5/15/2022 2:30	5/15/2022 22:45	20.3	0.57	0.03	0.24	18.8	5/15/2022 2:30	5/16/2022 10:40	32.3	1.96	3.22	227,688
5/18/2022 3:10	5/18/2022 10:45	7.6	0.24	0.03	0.24	54.0	5/18/2022 3:10	5/18/2022 22:40	19.6	1.15	1.49	81,117
5/19/2022 2:50	5/19/2022 3:45	0.9	0.07	0.08	0.24	18.2	5/19/2022 2:50	5/19/2022 15:40	12.9	0.89	1.00	41,433
5/25/2022 2:15	5/25/2022 6:45	4.5	0.05	0.01	0.12	142.7	5/25/2022 2:10	5/25/2022 18:40	16.6	0.51	0.51	30,222
5/26/2022 16:55	5/27/2022 2:15	9.3	0.24	0.03	0.60	37.7	5/26/2022 16:50	5/27/2022 14:10	21.4	0.86	1.28	66,042
5/28/2022 17:30	5/30/2022 6:00	36.5	0.93	0.03	0.24	40.3	5/28/2022 17:25	5/30/2022 17:55	48.6	1.64	3.04	287,685
6/2/2022 16:35	6/2/2022 19:25	2.8	0.31	0.11	0.60	88.4	6/2/2022 16:35	6/3/2022 4:30	12.0	1.61	2.12	69,486
6/3/2022 4:30	6/3/2022 21:20	16.8	0.35	0.02	0.72	9.2	6/3/2022 4:30	6/4/2022 9:20	28.9	1.82	2.55	189,468
6/4/2022 19:10	6/5/2022 13:55	18.8	0.87	0.05	0.48	22.8	6/4/2022 19:05	6/6/2022 1:50	30.8	3.32	5.82	368,256
6/9/2022 6:35	6/10/2022 4:00	21.4	0.98	0.05	0.24	93.2	6/9/2022 6:30	6/10/2022 15:55	33.5	2.86	5.08	345,372
6/10/2022 17:25	6/11/2022 7:15	13.8	0.13	0.01	0.12	17.2	6/10/2022 17:25	6/11/2022 19:15	25.9	1.98	2.55	185,145
6/12/2022 1:35	6/12/2022 9:30	7.9	0.08	0.01	0.12	24.0	6/12/2022 1:30	6/12/2022 20:25	19.0	1.15	1.39	78,954
6/12/2022 20:30	6/13/2022 7:40	11.2	0.37	0.03	0.24	14.3	6/12/2022 20:25	6/13/2022 19:40	23.3	1.91	2.87	160,731
6/14/2022 3:25	6/14/2022 8:25	5.0	0.54	0.11	1.32	25.5	6/14/2022 3:20	6/14/2022 20:25	17.2	2.74	5.08	169,083
6/17/2022 10:50	6/17/2022 20:05	9.3	0.21	0.02	0.24	78.4	6/17/2022 10:50	6/18/2022 8:00	21.3	1.10	1.49	84,246
6/19/2022 0:35	6/19/2022 2:55	2.3	0.08	0.03	0.12	31.8	6/19/2022 0:30	6/19/2022 14:55	14.5	0.81	0.92	42,072
6/22/2022 8:00	6/22/2022 14:20	6.3	0.04	0.01	0.12	78.8	6/22/2022 8:00	6/23/2022 2:20	18.4	0.56	0.57	37,323
7/3/2022 14:20	7/3/2022 19:15	4.9	0.17	0.03	0.24	349.1	7/3/2022 14:15	7/4/2022 7:15	17.1	0.45	0.70	27,576
7/18/2022 4:35	7/18/2022 6:30	1.9	0.07	0.04	0.12	345.9	7/18/2022 4:30	7/18/2022 18:30	14.1	0.24	0.28	12,159
8/27/2022 5:55	8/27/2022 8:50	2.9	0.05	0.02	0.12	960.8	8/27/2022 5:55	8/27/2022 20:45	14.9	0.14	0.18	7,452
9/4/2022 18:20	9/4/2022 23:05	4.8	0.14	0.03	0.24	204.1	9/4/2022 18:20	9/5/2022 11:05	16.8	0.20	0.28	12,192

This page intentionally left blank

Table D-2. Summary Statistics for Individual Storm Events at the MONMN Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
10/3/2021 6:05	10/3/2021 15:30	9.4	0.09	0.01	0.12	65.0	10/3/2021 6:00	10/3/2021 23:55	18.0	0.03	0.03	1,893
10/5/2021 6:15	10/5/2021 15:50	9.6	0.28	0.03	0.36	43.8	10/5/2021 6:10	10/6/2021 3:45	21.7	0.07	0.12	5,208
10/9/2021 16:45	10/9/2021 20:40	3.9	0.12	0.03	0.12	97.8	10/9/2021 16:40	10/10/2021 0:00	7.4	0.03	0.05	849
10/10/2021 1:30	10/10/2021 12:40	11.2	0.35	0.03	0.36	7.6	10/10/2021 1:30	10/10/2021 20:35	19.2	0.18	0.28	12,303
10/10/2021 20:40	10/11/2021 0:35	3.9	0.05	0.01	0.24	8.2	10/10/2021 20:35	10/11/2021 12:30	16.0	0.11	0.15	6,087
10/12/2021 17:25	10/12/2021 23:50	6.4	0.14	0.02	0.12	41.7	10/12/2021 17:25	10/13/2021 11:45	18.4	0.04	0.07	2,646
10/13/2021 21:55	10/14/2021 5:10	7.3	0.08	0.01	0.12	23.4	10/13/2021 21:55	10/14/2021 17:10	19.3	0.03	0.05	2,187
10/15/2021 2:25	10/15/2021 8:55	6.5	0.06	0.01	0.12	27.6	10/15/2021 2:25	10/15/2021 19:05	16.8	0.04	0.06	2,445
10/15/2021 19:05	10/16/2021 1:55	6.8	0.06	0.01	0.12	44.2	10/15/2021 19:05	10/16/2021 13:50	18.8	0.04	0.05	2,658
10/20/2021 4:50	10/20/2021 12:40	7.8	0.26	0.03	0.12	104.3	10/20/2021 4:50	10/21/2021 0:40	19.9	0.10	0.15	6,963
10/21/2021 19:05	10/22/2021 1:30	6.4	0.55	0.09	0.36	34.9	10/21/2021 19:05	10/22/2021 13:25	18.4	0.49	0.76	32,790
10/23/2021 3:35	10/23/2021 23:45	20.2	0.23	0.01	0.36	26.6	10/23/2021 3:30	10/24/2021 9:30	30.1	0.19	0.32	20,163
10/24/2021 9:30	10/24/2021 14:50	5.3	0.30	0.06	0.48	15.4	10/24/2021 9:30	10/25/2021 2:45	17.3	0.42	0.69	26,244
10/25/2021 13:45	10/25/2021 21:05	7.3	0.05	0.01	0.12	23.5	10/25/2021 13:40	10/26/2021 9:00	19.4	0.14	0.18	9,999
10/26/2021 10:20	10/26/2021 18:45	8.4	0.16	0.02	0.24	44.1	10/26/2021 10:15	10/27/2021 6:40	20.5	0.21	0.32	15,519
10/27/2021 18:55	10/29/2021 8:25	37.5	2.93	0.08	0.72	28.2	10/27/2021 18:55	10/29/2021 20:25	49.6	1.92	5.23	343,227
11/1/2021 13:30	11/1/2021 20:20	6.8	0.05	0.01	0.12	77.6	11/1/2021 13:30	11/2/2021 8:15	18.8	0.48	0.56	32,427
11/2/2021 12:05	11/2/2021 20:35	8.5	0.20	0.02	0.12	21.2	11/2/2021 12:00	11/3/2021 8:35	20.7	0.55	0.76	41,286
11/3/2021 18:40	11/4/2021 14:25	19.8	1.13	0.06	0.36	27.2	11/3/2021 18:40	11/5/2021 2:25	31.8	1.52	2.71	174,519
11/5/2021 3:40	11/5/2021 7:40	4.0	0.17	0.04	0.24	15.1	11/5/2021 3:40	11/5/2021 19:40	16.1	1.15	1.32	66,597
11/6/2021 7:05	11/7/2021 18:05	35.0	0.83	0.02	0.36	24.0	11/6/2021 7:05	11/8/2021 6:00	47.0	0.97	1.32	163,819
11/9/2021 1:15	11/9/2021 6:10	4.9	0.14	0.03	0.12	31.4	11/9/2021 1:15	11/9/2021 13:50	12.7	0.63	0.76	28,671
11/9/2021 13:55	11/9/2021 18:10	4.3	0.41	0.10	0.72	10.8	11/9/2021 13:50	11/10/2021 6:10	16.4	1.01	1.57	59,601
11/10/2021 20:10	11/12/2021 14:15	42.1	1.83	0.04	0.48	26.9	11/10/2021 20:10	11/13/2021 2:10	54.1	1.79	4.10	348,597
11/13/2021 17:10	11/13/2021 23:35	6.4	0.34	0.05	0.24	27.2	11/13/2021 17:10	11/14/2021 11:35	18.5	1.72	2.04	114,879
11/14/2021 12:35	11/15/2021 0:50	12.3	0.56	0.05	0.24	14.0	11/14/2021 12:30	11/15/2021 10:30	22.1	1.91	2.71	152,226
11/15/2021 10:35	11/15/2021 19:20	8.8	0.41	0.05	0.24	11.9	11/15/2021 10:30	11/16/2021 7:15	20.8	2.09	2.51	156,579
11/18/2021 14:40	11/19/2021 6:15	15.6	0.47	0.03	0.12	67.7	11/18/2021 14:40	11/19/2021 18:10	27.6	0.94	1.21	93,261
11/22/2021 14:30	11/22/2021 17:00	2.5	0.08	0.03	0.12	81.5	11/22/2021 14:25	11/23/2021 2:35	12.3	0.26	0.32	11,256
11/23/2021 2:35	11/23/2021 7:40	5.1	0.60	0.12	0.24	11.2	11/23/2021 2:35	11/23/2021 19:40	17.2	1.31	2.22	81,153
11/24/2021 21:35	11/26/2021 0:25	26.8	0.83	0.03	0.24	38.5	11/24/2021 21:30	11/26/2021 8:25	35.0	1.27	2.71	159,399
11/26/2021 8:30	11/26/2021 15:50	7.3	0.17	0.02	0.24	12.4	11/26/2021 8:25	11/27/2021 3:45	19.4	1.46	1.78	101,868
11/27/2021 7:05	11/27/2021 23:05	16.0	0.25	0.02	0.12	16.9	11/27/2021 7:05	11/28/2021 11:00	28.0	1.18	1.44	118,467
11/28/2021 12:25	11/28/2021 15:15	2.8	0.22	0.08	0.12	17.7	11/28/2021 12:20	11/29/2021 3:10	14.9	1.21	1.70	64,860
11/30/2021 1:30	11/30/2021 12:05	10.6	0.22	0.02	0.24	35.1	11/30/2021 1:25	11/30/2021 20:10	18.8	0.75	0.84	50,949
11/30/2021 20:10	11/30/2021 20:30	0.3	0.04	0.12	0.12	8.9	11/30/2021 20:10	12/1/2021 8:25	12.3	0.63	0.76	28,116
12/1/2021 22:50	12/2/2021 13:40	14.8	0.38	0.03	0.24	26.7	12/1/2021 22:50	12/3/2021 1:40	26.9	0.72	0.92	69,306
12/4/2021 5:25	12/4/2021 22:05	16.7	0.44	0.03	0.12	40.6	12/4/2021 5:25	12/5/2021 10:05	28.8	0.81	1.11	83,922
12/6/2021 14:25	12/7/2021 4:45	14.3	0.19	0.01	0.12	47.8	12/6/2021 14:25	12/7/2021 16:40	26.3	0.49	0.62	46,626
12/8/2021 5:35	12/8/2021 8:40	3.1	0.16	0.05	0.36	33.2	12/8/2021 5:35	12/8/2021 16:40	11.2	0.51	0.62	20,619
12/8/2021 16:45	12/8/2021 20:00	3.3	0.11	0.03	0.12	10.3	12/8/2021 16:40	12/9/2021 8:00	15.4	0.56	0.69	30,867
12/9/2021 10:10	12/9/2021 11:00	0.8	0.04	0.05	0.12	16.7	12/9/2021 10:10	12/9/2021 23:00	12.9	0.39	0.45	18,168
12/10/2021 12:00	12/11/2021 7:05	19.1	0.63	0.03	0.24	25.8	12/10/2021 12:00	12/11/2021 19:05	31.2	0.99	2.41	111,522
12/12/2021 0:15	12/12/2021 0:35	0.3	0.05	0.15	0.12	21.4	12/12/2021 0:10	12/12/2021 12:35	12.5	0.79	0.92	35,685
12/12/2021 13:45	12/12/2021 18:55	5.2	0.15	0.03	0.24	13.4	12/12/2021 13:40	12/13/2021 0:30	10.9	0.73	0.84	28,833
12/13/2021 0:30	12/13/2021 4:55	4.4	0.07	0.02	0.12	6.4	12/13/2021 0:30	12/13/2021 14:00	13.6	0.70	0.76	34,329

Table D-2. Summary Statistics for Individual Storm Events at the MONMN Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
12/13/2021 14:05	12/13/2021 19:50	5.8	0.03	0.01	0.12	10.1	12/13/2021 14:00	12/14/2021 7:50	17.9	0.50	0.62	32,547
12/14/2021 14:25	12/14/2021 18:45	4.3	0.13	0.03	0.12	34.4	12/14/2021 14:25	12/15/2021 6:40	16.3	0.49	0.62	28,734
12/16/2021 6:05	12/16/2021 13:50	7.8	0.10	0.01	0.12	38.1	12/16/2021 6:00	12/17/2021 1:50	19.9	0.33	0.45	23,904
12/17/2021 19:05	12/18/2021 15:25	20.3	0.88	0.04	0.24	34.4	12/17/2021 19:05	12/19/2021 3:20	32.3	1.18	2.31	137,601
12/21/2021 20:05	12/22/2021 5:30	9.4	0.37	0.04	0.36	77.2	12/21/2021 20:00	12/22/2021 13:05	17.2	0.65	1.01	40,227
12/22/2021 13:05	12/23/2021 1:55	12.8	0.55	0.04	0.24	7.9	12/22/2021 13:05	12/23/2021 13:50	24.8	1.25	1.78	112,026
12/24/2021 1:45	12/24/2021 6:05	4.3	0.11	0.03	0.12	24.4	12/24/2021 1:40	12/24/2021 14:10	12.6	0.83	1.01	37,623
12/24/2021 14:10	12/25/2021 6:30	16.3	0.47	0.03	0.36	11.0	12/24/2021 14:10	12/25/2021 12:10	22.1	1.18	1.86	93,480
12/25/2021 12:15	12/25/2021 18:45	6.5	0.07	0.01	0.12	9.8	12/25/2021 12:10	12/26/2021 6:40	18.6	1.01	1.11	67,383
12/27/2021 12:30	12/27/2021 13:05	0.6	0.07	0.12	0.12	46.8	12/27/2021 12:30	12/28/2021 1:05	12.7	0.38	0.41	17,259
12/29/2021 12:10	12/29/2021 14:30	2.3	0.09	0.04	0.12	47.3	12/29/2021 12:10	12/30/2021 2:25	14.3	0.19	0.22	9,888
12/30/2021 10:55	12/30/2021 15:30	4.6	0.10	0.02	0.12	21.8	12/30/2021 10:55	12/31/2021 3:30	16.7	0.16	0.18	9,693
12/31/2021 12:30	12/31/2021 14:35	2.1	0.06	0.03	0.12	23.2	12/31/2021 12:30	1/1/2022 2:35	14.2	0.09	0.12	4,653
1/1/2022 13:15	1/1/2022 14:25	1.2	0.10	0.09	0.12	23.4	1/1/2022 13:15	1/2/2022 2:25	13.3	0.04	0.04	1,908
1/2/2022 12:40	1/3/2022 16:40	28.0	1.59	0.06	0.36	22.8	1/2/2022 12:40	1/3/2022 22:15	33.7	3.40	7.71	411,513
1/3/2022 22:20	1/4/2022 3:35	5.3	0.03	0.01	0.12	7.0	1/3/2022 22:15	1/4/2022 4:50	6.7	2.07	2.42	49,578
1/4/2022 4:55	1/4/2022 6:40	1.8	0.08	0.05	0.12	13.6	1/4/2022 4:50	1/4/2022 15:10	10.4	1.84	2.12	69,108
1/4/2022 15:15	1/4/2022 22:45	7.5	0.16	0.02	0.24	9.1	1/4/2022 15:10	1/5/2022 10:40	19.6	1.66	1.98	116,967
1/5/2022 16:15	1/7/2022 15:10	46.9	2.79	0.06	0.24	17.8	1/5/2022 16:15	1/8/2022 3:10	59.0	5.52	12.61	1,171,804
1/10/2022 9:15	1/10/2022 15:55	6.7	0.15	0.02	0.24	66.6	1/10/2022 9:10	1/11/2022 0:10	15.1	0.92	1.09	49,935
1/11/2022 0:10	1/12/2022 9:00	32.8	1.05	0.03	0.24	13.8	1/11/2022 0:10	1/12/2022 20:55	44.8	1.76	2.27	283,727
1/13/2022 3:15	1/13/2022 10:15	7.0	0.15	0.02	0.24	19.2	1/13/2022 3:10	1/13/2022 22:15	19.2	1.21	1.49	83,304
1/19/2022 18:20	1/20/2022 12:50	18.5	0.13	0.01	0.12	153.4	1/19/2022 18:20	1/20/2022 14:35	20.3	0.14	0.33	10,413
1/20/2022 14:40	1/20/2022 18:00	3.3	0.50	0.15	0.6	7.5	1/20/2022 14:35	1/21/2022 5:55	15.4	0.86	1.60	47,979
1/30/2022 11:05	1/30/2022 23:55	12.8	0.32	0.02	0.24	233.7	1/30/2022 11:00	1/31/2022 0:55	14.0	0.19	0.38	9,702
1/31/2022 0:55	1/31/2022 1:40	0.8	0.08	0.11	0.12	6.9	1/31/2022 0:55	1/31/2022 13:40	12.8	0.17	0.25	7,701
2/2/2022 17:40	2/2/2022 20:15	2.6	0.04	0.02	0.12	64.4	2/2/2022 17:40	2/3/2022 1:50	8.3	0.06	0.06	1,695
2/3/2022 1:55	2/3/2022 13:05	11.2	0.20	0.02	0.12	8.2	2/3/2022 1:50	2/4/2022 1:05	23.3	0.11	0.18	9,321
2/5/2022 5:20	2/5/2022 9:50	4.5	0.04	0.01	0.12	43.2	2/5/2022 5:15	2/5/2022 21:50	16.7	0.05	0.05	3,000
2/14/2022 6:05	2/14/2022 17:35	11.5	0.17	0.01	0.12	216.8	2/14/2022 6:00	2/15/2022 5:35	23.7	0.06	0.06	4,827
2/16/2022 6:30	2/16/2022 7:25	0.9	0.05	0.05	0.12	40.8	2/16/2022 6:30	2/16/2022 19:25	13.0	0.05	0.05	2,340
2/19/2022 20:55	2/20/2022 21:40	24.8	0.28	0.01	0.24	86.3	2/19/2022 20:55	2/21/2022 9:40	36.8	0.11	0.18	14,265
2/26/2022 18:40	3/1/2022 8:25	61.8	3.14	0.05	0.36	141.1	2/26/2022 18:40	3/1/2022 20:25	73.8	2.71	8.08	720,026
3/2/2022 10:35	3/2/2022 19:35	9.0	0.21	0.02	0.24	28.1	3/2/2022 10:35	3/3/2022 0:20	13.8	1.54	1.72	76,635
3/3/2022 0:25	3/3/2022 7:00	6.6	0.32	0.05	0.6	8.4	3/3/2022 0:20	3/3/2022 18:55	18.7	1.71	2.27	114,609
3/8/2022 5:10	3/8/2022 13:15	8.1	0.14	0.02	0.12	120.5	3/8/2022 5:10	3/9/2022 1:15	20.2	0.33	0.38	23,685
3/12/2022 19:00	3/12/2022 19:35	0.6	0.03	0.05	0.12	104.2	3/12/2022 18:55	3/13/2022 1:40	6.8	0.13	0.15	3,282
3/13/2022 1:40	3/13/2022 4:10	2.5	0.06	0.02	0.12	110.9	3/13/2022 1:40	3/13/2022 16:10	14.6	0.16	0.18	8,151
3/13/2022 18:15	3/14/2022 0:25	6.2	0.17	0.03	0.24	16.1	3/13/2022 18:10	3/14/2022 11:35	17.5	0.22	0.33	13,596
3/14/2022 11:35	3/15/2022 6:25	18.8	0.76	0.04	0.24	11.9	3/14/2022 11:35	3/16/2022 6:20	42.8	0.92	1.60	142,197
3/17/2022 15:50	3/18/2022 2:40	10.8	0.13	0.01	0.12	61.2	3/17/2022 15:45	3/18/2022 14:40	23.0	0.27	0.38	22,578
3/18/2022 19:35	3/19/2022 19:30	23.9	0.63	0.03	0.24	19.2	3/18/2022 19:30	3/20/2022 7:25	36.0	0.92	1.28	118,995
3/20/2022 16:00	3/21/2022 11:20	19.3	1.03	0.05	0.24	20.8	3/20/2022 15:55	3/21/2022 18:10	26.3	1.94	3.12	183,975
3/21/2022 18:15	3/21/2022 20:15	2.0	0.04	0.02	0.12	7.8	3/21/2022 18:10	3/22/2022 4:40	10.6	1.64	1.85	62,631
3/22/2022 4:40	3/22/2022 8:55	4.3	0.08	0.02	0.12	10.4	3/22/2022 4:40	3/22/2022 20:55	16.3	1.31	1.49	77,238
3/23/2022 13:15	3/23/2022 19:35	6.3	0.37	0.06	0.6	30.7	3/23/2022 13:15	3/24/2022 7:30	18.3	1.11	1.60	73,395

Table D-2. Summary Statistics for Individual Storm Events at the MONMN Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
3/30/2022 14:25	3/31/2022 6:20	15.9	0.66	0.04	0.24	164.7	3/30/2022 14:25	3/31/2022 18:20	28.0	0.72	1.28	72,561
4/1/2022 22:00	4/2/2022 9:00	11.0	0.37	0.03	0.6	43.8	4/1/2022 21:55	4/2/2022 20:55	23.1	0.63	1.09	52,209
4/3/2022 14:30	4/4/2022 7:40	17.2	0.63	0.04	0.24	34.9	4/3/2022 14:25	4/4/2022 19:40	29.3	0.98	1.98	103,539
4/5/2022 14:20	4/5/2022 18:35	4.3	0.14	0.03	0.36	35.1	4/5/2022 14:15	4/6/2022 6:30	16.3	0.37	0.43	21,729
4/8/2022 3:25	4/8/2022 4:20	0.9	0.09	0.10	0.24	58.2	4/8/2022 3:20	4/8/2022 16:15	13.0	0.26	0.33	12,285
4/8/2022 17:50	4/8/2022 22:05	4.3	0.05	0.01	0.24	14.1	4/8/2022 17:45	4/9/2022 10:05	16.4	0.22	0.25	13,068
4/9/2022 14:05	4/10/2022 10:15	20.2	0.61	0.03	0.24	20.2	4/9/2022 14:00	4/10/2022 16:50	26.9	0.67	1.28	64,965
4/10/2022 16:50	4/10/2022 18:45	1.9	0.08	0.04	0.24	7.6	4/10/2022 16:50	4/11/2022 6:40	13.9	0.84	1.00	42,324
4/12/2022 14:05	4/12/2022 15:20	1.3	0.06	0.05	0.24	45.0	4/12/2022 14:00	4/13/2022 3:20	13.4	0.34	0.38	16,239
4/18/2022 12:05	4/18/2022 19:00	6.9	0.25	0.04	0.24	141.9	4/18/2022 12:00	4/19/2022 18:55	31.0	0.27	0.49	30,507
4/21/2022 5:20	4/21/2022 8:00	2.7	0.03	0.01	0.12	58.7	4/21/2022 5:15	4/21/2022 15:00	9.8	0.18	0.18	6,372
4/21/2022 15:05	4/21/2022 20:10	5.1	0.04	0.01	0.12	68.4	4/21/2022 15:00	4/22/2022 5:25	14.5	0.18	0.18	9,234
4/22/2022 5:25	4/22/2022 5:50	0.4	0.03	0.07	0.12	14.3	4/22/2022 5:25	4/22/2022 17:50	12.5	0.17	0.18	7,659
4/25/2022 2:15	4/25/2022 7:20	5.1	0.18	0.04	0.24	83.2	4/25/2022 2:10	4/25/2022 15:55	13.8	0.22	0.28	11,154
4/25/2022 15:55	4/25/2022 19:10	3.3	0.04	0.01	0.12	10.0	4/25/2022 15:55	4/26/2022 7:05	15.3	0.17	0.21	9,459
4/27/2022 21:50	4/27/2022 22:40	0.8	0.05	0.06	0.12	53.9	4/27/2022 21:45	4/28/2022 10:40	13.0	0.13	0.15	6,060
4/30/2022 1:00	4/30/2022 11:00	10.0	0.29	0.03	0.12	51.0	4/30/2022 0:55	4/30/2022 23:00	22.2	0.23	0.38	18,636
5/2/2022 3:40	5/2/2022 13:50	10.2	0.42	0.04	0.24	42.0	5/2/2022 3:40	5/3/2022 1:50	22.3	0.52	0.89	41,439
5/3/2022 3:45	5/3/2022 9:25	5.7	0.03	0.01	0.12	17.7	5/3/2022 3:40	5/3/2022 21:20	17.8	0.26	0.28	16,326
5/5/2022 3:45	5/5/2022 22:15	18.5	0.43	0.02	0.12	65.7	5/5/2022 3:40	5/6/2022 10:15	30.7	0.42	0.71	46,029
5/6/2022 11:20	5/6/2022 18:05	6.8	0.21	0.03	0.12	15.5	5/6/2022 11:15	5/6/2022 20:10	9.0	0.67	0.89	21,789
5/6/2022 20:10	5/7/2022 21:00	24.8	0.56	0.02	0.36	6.9	5/6/2022 20:10	5/8/2022 8:45	36.7	0.95	1.49	124,770
5/8/2022 8:45	5/8/2022 9:30	0.8	0.06	0.08	0.12	17.3	5/8/2022 8:45	5/8/2022 21:30	12.8	0.57	0.71	26,226
5/9/2022 17:40	5/9/2022 23:55	6.3	0.21	0.03	0.36	32.8	5/9/2022 17:35	5/10/2022 11:55	18.4	0.47	0.71	31,173
5/12/2022 3:15	5/12/2022 17:05	13.8	0.45	0.03	0.24	56.9	5/12/2022 3:10	5/13/2022 5:00	25.9	0.50	1.18	47,019

This page intentionally left blank

Table D-3. Summary Statistics for Individual Storm Events at the MONMS Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
10/3/2021 6:05	10/3/2021 15:30	9.4	0.09	0.01	0.12	65.0	10/3/2021 6:00	10/3/2021 23:55	18.0	0.07	0.09	4,416
10/5/2021 6:15	10/5/2021 15:50	9.6	0.28	0.03	0.36	43.8	10/5/2021 6:10	10/6/2021 3:45	21.7	0.11	0.23	8,295
10/9/2021 16:45	10/9/2021 20:40	3.9	0.12	0.03	0.12	97.8	10/9/2021 16:40	10/10/2021 0:00	7.4	0.09	0.14	2,355
10/10/2021 1:30	10/10/2021 12:40	11.2	0.35	0.03	0.36	7.6	10/10/2021 1:30	10/10/2021 20:35	19.2	0.14	0.23	9,330
10/10/2021 20:40	10/11/2021 0:35	3.9	0.05	0.01	0.24	8.2	10/10/2021 20:35	10/11/2021 12:30	16.0	0.07	0.13	4,221
10/12/2021 17:25	10/12/2021 23:50	6.4	0.14	0.02	0.12	41.7	10/12/2021 17:25	10/13/2021 11:45	18.4	0.09	0.15	6,276
10/13/2021 21:55	10/14/2021 5:10	7.3	0.08	0.01	0.12	23.4	10/13/2021 21:55	10/14/2021 17:10	19.3	0.09	0.13	6,078
10/15/2021 2:25	10/15/2021 8:55	6.5	0.06	0.01	0.12	27.6	10/15/2021 2:25	10/15/2021 19:05	16.8	0.09	0.11	5,154
10/15/2021 19:05	10/16/2021 1:55	6.8	0.06	0.01	0.12	44.2	10/15/2021 19:05	10/16/2021 13:50	18.8	0.09	0.11	5,997
10/20/2021 4:50	10/20/2021 12:40	7.8	0.26	0.03	0.12	104.3	10/20/2021 4:50	10/21/2021 0:40	19.9	0.10	0.23	6,912
10/21/2021 19:05	10/22/2021 1:30	6.4	0.55	0.09	0.36	34.9	10/21/2021 19:05	10/22/2021 13:25	18.4	0.21	0.41	13,776
10/23/2021 3:35	10/23/2021 23:45	20.2	0.23	0.01	0.36	26.6	10/23/2021 3:30	10/24/2021 9:30	30.1	0.13	0.27	14,559
10/24/2021 9:30	10/24/2021 14:50	5.3	0.30	0.06	0.48	15.4	10/24/2021 9:30	10/25/2021 2:45	17.3	0.18	0.46	11,187
10/25/2021 13:45	10/25/2021 21:05	7.3	0.05	0.01	0.12	23.5	10/25/2021 13:40	10/26/2021 9:00	19.4	0.10	0.11	6,720
10/26/2021 10:20	10/26/2021 18:45	8.4	0.16	0.02	0.24	44.1	10/26/2021 10:15	10/27/2021 6:40	20.5	0.11	0.23	8,469
10/27/2021 18:55	10/29/2021 8:25	37.5	2.93	0.08	0.72	28.2	10/27/2021 18:55	10/29/2021 20:25	49.6	0.83	2.12	147,702
11/1/2021 13:30	11/1/2021 20:20	6.8	0.05	0.01	0.12	77.6	11/1/2021 13:30	11/2/2021 8:15	18.8	0.16	0.20	10,962
11/2/2021 12:05	11/2/2021 20:35	8.5	0.20	0.02	0.12	21.2	11/2/2021 12:00	11/3/2021 8:35	20.7	0.17	0.30	12,480
11/3/2021 18:40	11/4/2021 14:25	19.8	1.13	0.06	0.36	27.2	11/3/2021 18:40	11/5/2021 2:25	31.8	0.47	1.08	53,742
11/5/2021 3:40	11/5/2021 7:40	4.0	0.17	0.04	0.24	15.1	11/5/2021 3:40	11/5/2021 19:40	16.1	0.27	0.46	15,816
11/6/2021 7:05	11/7/2021 18:05	35.0	0.83	0.02	0.36	24.0	11/6/2021 7:05	11/8/2021 6:00	47.0	0.30	0.53	50,295
11/9/2021 1:15	11/9/2021 6:10	4.9	0.14	0.03	0.12	31.4	11/9/2021 1:15	11/9/2021 13:50	12.7	0.25	0.43	11,343
11/9/2021 13:55	11/9/2021 18:10	4.3	0.41	0.10	0.72	10.8	11/9/2021 13:50	11/10/2021 6:10	16.4	0.33	0.67	19,704
11/10/2021 20:10	11/12/2021 14:15	42.1	1.83	0.04	0.48	26.9	11/10/2021 20:10	11/13/2021 2:10	54.1	0.72	1.53	139,548
11/13/2021 17:10	11/13/2021 23:35	6.4	0.34	0.05	0.24	27.2	11/13/2021 17:10	11/14/2021 11:35	18.5	0.51	0.70	33,636
11/14/2021 12:35	11/15/2021 0:50	12.3	0.56	0.05	0.24	14.0	11/14/2021 12:30	11/15/2021 10:30	22.1	0.62	1.08	49,536
11/15/2021 10:35	11/15/2021 19:20	8.8	0.41	0.05	0.24	11.9	11/15/2021 10:30	11/16/2021 7:15	20.8	0.51	0.93	38,220
11/18/2021 14:40	11/19/2021 6:15	15.6	0.47	0.03	0.12	67.7	11/18/2021 14:40	11/19/2021 18:10	27.6	0.27	0.39	26,934
11/22/2021 14:30	11/22/2021 17:00	2.5	0.08	0.03	0.12	81.5	11/22/2021 14:25	11/23/2021 2:35	12.3	0.15	0.20	6,609
11/23/2021 2:35	11/23/2021 7:40	5.1	0.60	0.12	0.24	11.2	11/23/2021 2:35	11/23/2021 19:40	17.2	0.43	0.93	26,667
11/24/2021 21:35	11/26/2021 0:25	26.8	0.83	0.03	0.24	38.5	11/24/2021 21:30	11/26/2021 8:25	35.0	0.39	1.12	49,167
11/26/2021 8:30	11/26/2021 15:50	7.3	0.17	0.02	0.24	12.4	11/26/2021 8:25	11/27/2021 3:45	19.4	0.32	0.53	22,455
11/27/2021 7:05	11/27/2021 23:05	16.0	0.25	0.02	0.12	16.9	11/27/2021 7:05	11/28/2021 11:00	28.0	0.27	0.41	27,489
11/28/2021 12:25	11/28/2021 15:15	2.8	0.22	0.08	0.12	17.7	11/28/2021 12:20	11/29/2021 3:10	14.9	0.31	0.56	16,626
11/30/2021 1:30	11/30/2021 12:05	10.6	0.22	0.02	0.24	35.1	11/30/2021 1:25	11/30/2021 20:10	18.8	0.22	0.28	15,198
11/30/2021 20:10	11/30/2021 20:30	0.3	0.04	0.12	0.12	8.9	11/30/2021 20:10	12/1/2021 8:25	12.3	0.20	0.25	8,802
12/1/2021 22:50	12/2/2021 13:40	14.8	0.38	0.03	0.24	26.7	12/1/2021 22:50	12/3/2021 1:40	26.9	0.25	0.37	23,877
12/4/2021 5:25	12/4/2021 22:05	16.7	0.44	0.03	0.12	40.6	12/4/2021 5:25	12/5/2021 10:05	28.8	0.27	0.43	27,597
12/6/2021 14:25	12/7/2021 4:45	14.3	0.19	0.01	0.12	47.8	12/6/2021 14:25	12/7/2021 16:40	26.3	0.20	0.25	18,855
12/8/2021 5:35	12/8/2021 8:40	3.1	0.16	0.05	0.36	33.2	12/8/2021 5:35	12/8/2021 16:40	11.2	0.22	0.35	8,733
12/8/2021 16:45	12/8/2021 20:00	3.3	0.11	0.03	0.12	10.3	12/8/2021 16:40	12/9/2021 8:00	15.4	0.21	0.35	11,928
12/9/2021 10:10	12/9/2021 11:00	0.8	0.04	0.05	0.12	16.7	12/9/2021 10:10	12/9/2021 23:00	12.9	0.18	0.21	8,283
12/10/2021 12:00	12/11/2021 7:05	19.1	0.63	0.03	0.24	25.8	12/10/2021 12:00	12/11/2021 19:05	31.2	0.35	1.08	39,690
12/12/2021 0:15	12/12/2021 0:35	0.3	0.05	0.15	0.12	21.4	12/12/2021 0:10	12/12/2021 12:35	12.5	0.22	0.28	9,954
12/12/2021 13:45	12/12/2021 18:55	5.2	0.15	0.03	0.24	13.4	12/12/2021 13:40	12/13/2021 0:30	10.9	0.23	0.35	9,228

Table D-3. Summary Statistics for Individual Storm Events at the MONMS Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
12/13/2021 0:30	12/13/2021 4:55	4.4	0.07	0.02	0.12	6.4	12/13/2021 0:30	12/13/2021 14:00	13.6	0.23	0.28	11,055
12/13/2021 14:05	12/13/2021 19:50	5.8	0.03	0.01	0.12	10.1	12/13/2021 14:00	12/14/2021 7:50	17.9	0.19	0.21	12,054
12/14/2021 14:25	12/14/2021 18:45	4.3	0.13	0.03	0.12	34.4	12/14/2021 14:25	12/15/2021 6:40	16.3	0.20	0.27	11,685
12/16/2021 6:05	12/16/2021 13:50	7.8	0.10	0.01	0.12	38.1	12/16/2021 6:00	12/17/2021 1:50	19.9	0.17	0.23	12,534
12/17/2021 19:05	12/18/2021 15:25	20.3	0.88	0.04	0.24	34.4	12/17/2021 19:05	12/19/2021 3:20	32.3	0.47	1.04	54,963
12/21/2021 20:05	12/22/2021 5:30	9.4	0.37	0.04	0.36	77.2	12/21/2021 20:00	12/22/2021 13:05	17.2	0.30	0.48	18,552
12/22/2021 13:05	12/23/2021 1:55	12.8	0.55	0.04	0.24	7.9	12/22/2021 13:05	12/23/2021 13:50	24.8	0.50	0.90	45,123
12/24/2021 1:45	12/24/2021 6:05	4.3	0.11	0.03	0.12	24.4	12/24/2021 1:40	12/24/2021 14:10	12.6	0.28	0.41	12,558
12/24/2021 14:10	12/25/2021 6:30	16.3	0.47	0.03	0.36	11.0	12/24/2021 14:10	12/25/2021 12:10	22.1	0.43	0.83	34,239
12/25/2021 12:15	12/25/2021 18:45	6.5	0.07	0.01	0.12	9.8	12/25/2021 12:10	12/26/2021 6:40	18.6	0.29	0.39	19,473
12/27/2021 12:30	12/27/2021 13:05	0.6	0.07	0.12	0.12	46.8	12/27/2021 12:30	12/28/2021 1:05	12.7	0.17	0.18	7,821
12/29/2021 12:10	12/29/2021 14:30	2.3	0.09	0.04	0.12	47.3	12/29/2021 12:10	12/30/2021 2:25	14.3	0.14	0.15	7,260
12/30/2021 10:55	12/30/2021 15:30	4.6	0.10	0.02	0.12	21.8	12/30/2021 10:55	12/31/2021 3:30	16.7	0.14	0.15	8,424
12/31/2021 12:30	12/31/2021 14:35	2.1	0.06	0.03	0.12	23.2	12/31/2021 12:30	1/1/2022 2:35	14.2	0.13	0.13	6,630
1/1/2022 13:15	1/1/2022 14:25	1.2	0.10	0.09	0.12	23.4	1/1/2022 13:15	1/2/2022 2:25	13.3	0.13	0.13	6,201
1/2/2022 12:40	1/3/2022 16:40	28.0	1.59	0.06	0.36	22.8	1/2/2022 12:40	1/3/2022 22:15	33.7	1.11	2.68	134,358
1/3/2022 22:20	1/4/2022 3:35	5.3	0.03	0.01	0.12	7.0	1/3/2022 22:15	1/4/2022 4:50	6.7	0.46	0.53	11,091
1/4/2022 4:55	1/4/2022 6:40	1.8	0.08	0.05	0.12	13.6	1/4/2022 4:50	1/4/2022 15:10	10.4	0.45	0.56	16,875
1/4/2022 15:15	1/4/2022 22:45	7.5	0.16	0.02	0.24	9.1	1/4/2022 15:10	1/5/2022 10:40	19.6	0.45	0.67	31,665
1/5/2022 16:15	1/7/2022 15:10	46.9	2.79	0.06	0.24	17.8	1/5/2022 16:15	1/8/2022 3:10	46.3	1.54	2.56	256,085
1/10/2022 9:15	1/10/2022 15:55	6.7	0.15	0.02	0.24	66.6	1/10/2022 9:10	1/11/2022 0:10	15.1	0.35	0.53	18,807
1/11/2022 0:10	1/12/2022 9:00	32.8	1.05	0.03	0.24	13.8	1/11/2022 0:10	1/12/2022 20:55	44.8	0.69	1.00	111,438
1/13/2022 3:15	1/13/2022 10:15	7.0	0.15	0.02	0.24	19.2	1/13/2022 3:10	1/13/2022 22:15	19.2	0.31	0.53	21,729
1/19/2022 18:20	1/20/2022 12:50	18.5	0.13	0.01	0.12	153.4	1/19/2022 18:20	1/20/2022 14:35	20.3	0.13	0.23	9,624
1/20/2022 14:40	1/20/2022 18:00	3.3	0.50	0.15	0.60	7.5	1/20/2022 14:35	1/21/2022 5:55	15.4	0.37	0.86	20,598
1/30/2022 11:05	1/30/2022 23:55	12.8	0.32	0.02	0.24	233.7	1/30/2022 11:00	1/31/2022 0:55	14.0	0.13	0.30	6,324
1/31/2022 0:55	1/31/2022 1:40	0.8	0.08	0.11	0.12	6.9	1/31/2022 0:55	1/31/2022 13:40	12.8	0.10	0.17	4,644
2/2/2022 17:40	2/2/2022 20:15	2.6	0.04	0.02	0.12	64.4	2/2/2022 17:40	2/3/2022 1:50	8.3	0.05	0.08	1,629
2/3/2022 1:55	2/3/2022 13:05	11.2	0.20	0.02	0.12	8.2	2/3/2022 1:50	2/4/2022 1:05	23.3	0.11	0.15	9,087
2/5/2022 5:20	2/5/2022 9:50	4.5	0.04	0.01	0.12	43.2	2/5/2022 5:15	2/5/2022 21:50	16.7	0.10	0.13	6,183
2/14/2022 6:05	2/14/2022 17:35	11.5	0.17	0.01	0.12	216.8	2/14/2022 6:00	2/15/2022 5:35	23.7	0.10	0.17	8,412
2/16/2022 6:30	2/16/2022 7:25	0.9	0.05	0.05	0.12	40.8	2/16/2022 6:30	2/16/2022 19:25	13.0	0.09	0.10	4,278
2/19/2022 20:55	2/20/2022 21:40	24.8	0.28	0.01	0.24	86.3	2/19/2022 20:55	2/21/2022 9:40	36.8	0.10	0.15	13,539
2/26/2022 18:40	3/1/2022 8:25	61.8	3.14	0.05	0.36	141.1	2/26/2022 18:40	3/1/2022 20:25	73.8	0.79	1.91	209,310
3/2/2022 10:35	3/2/2022 19:35	9.0	0.21	0.02	0.24	28.1	3/2/2022 10:35	3/3/2022 0:20	13.8	0.40	0.53	20,040
3/3/2022 0:25	3/3/2022 7:00	6.6	0.32	0.05	0.60	8.4	3/3/2022 0:20	3/3/2022 18:55	18.7	0.49	0.80	32,862
3/8/2022 5:10	3/8/2022 13:15	8.1	0.14	0.02	0.12	120.5	3/8/2022 5:10	3/9/2022 1:15	20.2	0.17	0.20	12,318
3/12/2022 19:00	3/12/2022 19:35	0.6	0.03	0.05	0.12	104.2	3/12/2022 18:55	3/13/2022 1:40	6.8	0.13	0.14	3,171
3/13/2022 1:40	3/13/2022 4:10	2.5	0.06	0.02	0.12	110.9	3/13/2022 1:40	3/13/2022 16:10	14.6	0.12	0.17	6,513
3/13/2022 18:15	3/14/2022 0:25	6.2	0.17	0.03	0.24	16.1	3/13/2022 18:10	3/14/2022 11:35	17.5	0.15	0.23	9,549
3/14/2022 11:35	3/15/2022 6:25	18.8	0.76	0.04	0.24	11.9	3/14/2022 11:35	3/16/2022 6:20	42.8	0.32	0.65	49,776
3/17/2022 15:50	3/18/2022 2:40	10.8	0.13	0.01	0.12	61.2	3/17/2022 15:45	3/18/2022 14:40	23.0	0.17	0.21	13,992
3/18/2022 19:35	3/19/2022 19:30	23.9	0.63	0.03	0.24	19.2	3/18/2022 19:30	3/20/2022 7:25	36.0	0.30	0.51	38,997
3/20/2022 16:00	3/21/2022 11:20	19.3	1.03	0.05	0.24	20.8	3/20/2022 15:55	3/21/2022 18:10	26.3	0.64	1.08	60,477
3/21/2022 18:15	3/21/2022 20:15	2.0	0.04	0.02	0.12	7.8	3/21/2022 18:10	3/22/2022 4:40	10.6	0.41	0.48	15,429

Table D-3. Summary Statistics for Individual Storm Events at the MONMS Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
3/22/2022 4:40	3/22/2022 8:55	4.3	0.08	0.02	0.12	10.4	3/22/2022 4:40	3/22/2022 20:55	16.3	0.34	0.39	19,737
3/23/2022 13:15	3/23/2022 19:35	6.3	0.37	0.06	0.60	30.7	3/23/2022 13:15	3/24/2022 7:30	18.3	0.36	0.59	23,790
3/30/2022 14:25	3/31/2022 6:20	15.9	0.66	0.04	0.24	164.7	3/30/2022 14:25	3/31/2022 18:20	28.0	0.27	0.48	27,387
4/1/2022 22:00	4/2/2022 9:00	11.0	0.37	0.03	0.60	43.8	4/1/2022 21:55	4/2/2022 20:55	23.1	0.24	0.48	19,683
4/3/2022 14:30	4/4/2022 7:40	17.2	0.63	0.04	0.24	34.9	4/3/2022 14:25	4/4/2022 19:40	29.3	0.34	0.90	35,922
4/5/2022 14:20	4/5/2022 18:35	4.3	0.14	0.03	0.36	35.1	4/5/2022 14:15	4/6/2022 6:30	16.3	0.19	0.25	10,902
4/8/2022 3:25	4/8/2022 4:20	0.9	0.09	0.10	0.24	58.2	4/8/2022 3:20	4/8/2022 16:15	13.0	0.14	0.20	6,693
4/8/2022 17:50	4/8/2022 22:05	4.3	0.05	0.01	0.24	14.1	4/8/2022 17:45	4/9/2022 10:05	16.4	0.13	0.14	7,473
4/9/2022 14:05	4/10/2022 10:15	20.2	0.61	0.03	0.24	20.2	4/9/2022 14:00	4/10/2022 16:50	26.9	0.26	0.51	25,305
4/10/2022 16:50	4/10/2022 18:45	1.9	0.08	0.04	0.24	7.6	4/10/2022 16:50	4/11/2022 6:40	13.9	0.23	0.30	11,763
4/12/2022 14:05	4/12/2022 15:20	1.3	0.06	0.05	0.24	45.0	4/12/2022 14:00	4/13/2022 3:20	13.4	0.14	0.15	6,867
4/18/2022 12:05	4/18/2022 19:00	6.9	0.25	0.04	0.24	141.9	4/18/2022 12:00	4/19/2022 19:00	31.1	0.13	0.27	14,751
4/21/2022 5:20	4/21/2022 8:00	2.7	0.03	0.01	0.12	58.7	4/21/2022 5:15	4/21/2022 15:00	9.8	0.10	0.10	3,540
4/21/2022 15:05	4/21/2022 20:10	5.1	0.04	0.01	0.12	68.4	4/21/2022 15:00	4/22/2022 5:25	14.5	0.10	0.11	5,265
4/22/2022 5:25	4/22/2022 5:50	0.4	0.03	0.07	0.12	14.3	4/22/2022 5:25	4/22/2022 17:50	12.5	0.10	0.11	4,392
4/25/2022 2:15	4/25/2022 7:20	5.1	0.18	0.04	0.24	83.2	4/25/2022 2:10	4/25/2022 15:55	13.8	0.12	0.21	6,147
4/25/2022 15:55	4/25/2022 19:10	3.3	0.04	0.01	0.12	10.0	4/25/2022 15:55	4/26/2022 7:05	15.3	0.10	0.10	5,376
4/27/2022 21:50	4/27/2022 22:40	0.8	0.05	0.06	0.12	53.9	4/27/2022 21:45	4/28/2022 10:40	13.0	0.09	0.11	4,374
4/30/2022 1:00	4/30/2022 11:00	10.0	0.29	0.03	0.12	51.0	4/30/2022 0:55	4/30/2022 23:00	22.2	0.13	0.23	10,575
5/2/2022 3:40	5/2/2022 13:50	10.2	0.42	0.04	0.24	42.0	5/2/2022 3:40	5/3/2022 1:50	22.3	0.19	0.35	15,096
5/3/2022 3:45	5/3/2022 9:25	5.7	0.03	0.01	0.12	17.7	5/3/2022 3:40	5/3/2022 21:20	17.8	0.12	0.14	7,791
5/5/2022 3:45	5/5/2022 22:15	18.5	0.43	0.02	0.12	65.7	5/5/2022 3:40	5/6/2022 10:15	30.7	0.18	0.28	19,359
5/6/2022 11:20	5/6/2022 18:05	6.8	0.21	0.03	0.12	15.5	5/6/2022 11:15	5/6/2022 20:10	9.0	0.24	0.37	7,824
5/6/2022 20:10	5/7/2022 21:00	24.8	0.56	0.02	0.36	6.9	5/6/2022 20:10	5/8/2022 8:45	36.7	0.29	0.51	37,653
5/8/2022 8:45	5/8/2022 9:30	0.8	0.06	0.08	0.12	17.3	5/8/2022 8:45	5/8/2022 21:30	12.8	0.20	0.25	9,090
5/9/2022 17:40	5/9/2022 23:55	6.3	0.21	0.03	0.36	32.8	5/9/2022 17:35	5/10/2022 11:55	18.4	0.18	0.32	11,616
5/12/2022 3:15	5/12/2022 17:05	13.8	0.45	0.03	0.24	56.9	5/12/2022 3:10	5/13/2022 5:00	25.9	0.21	0.48	19,233
5/14/2022 1:50	5/14/2022 9:20	7.5	0.10	0.01	0.12	33.5	5/14/2022 1:50	5/14/2022 21:20	19.6	0.15	0.20	10,557
5/15/2022 2:30	5/15/2022 22:45	20.3	0.57	0.03	0.24	18.8	5/15/2022 2:30	5/16/2022 10:40	32.3	0.26	0.53	30,513
5/18/2022 3:10	5/18/2022 10:45	7.6	0.24	0.03	0.24	54.0	5/18/2022 3:10	5/18/2022 22:40	19.6	0.20	0.28	13,881
5/19/2022 2:50	5/19/2022 3:45	0.9	0.07	0.08	0.24	18.2	5/19/2022 2:50	5/19/2022 15:40	12.9	0.16	0.20	7,425
5/25/2022 2:15	5/25/2022 6:45	4.5	0.05	0.01	0.12	142.7	5/25/2022 2:10	5/25/2022 18:40	16.6	0.14	0.15	8,253
5/26/2022 16:55	5/27/2022 2:15	9.3	0.24	0.03	0.60	37.7	5/26/2022 16:50	5/27/2022 14:10	21.4	0.18	0.28	13,779
5/28/2022 17:30	5/30/2022 6:00	36.5	0.93	0.03	0.24	40.3	5/28/2022 17:25	5/30/2022 17:55	48.6	0.29	0.59	51,537
6/2/2022 16:35	6/2/2022 19:25	2.8	0.31	0.11	0.60	88.4	6/2/2022 16:35	6/3/2022 4:30	12.0	0.34	0.51	14,619
6/3/2022 4:30	6/3/2022 21:20	16.8	0.35	0.02	0.72	9.2	6/3/2022 4:30	6/4/2022 9:20	28.9	0.37	0.56	38,376
6/4/2022 19:10	6/5/2022 13:55	18.8	0.87	0.05	0.48	22.8	6/4/2022 19:05	6/6/2022 1:50	30.8	0.45	0.86	50,274
6/9/2022 6:35	6/10/2022 4:00	21.4	0.98	0.05	0.24	93.2	6/9/2022 6:30	6/10/2022 15:55	33.5	0.41	0.74	49,104
6/10/2022 17:25	6/11/2022 7:15	13.8	0.13	0.01	0.12	17.2	6/10/2022 17:25	6/11/2022 19:15	25.9	0.25	0.30	23,646
6/12/2022 1:35	6/12/2022 9:30	7.9	0.08	0.01	0.12	24.0	6/12/2022 1:30	6/12/2022 20:25	19.0	0.20	0.25	13,770
6/12/2022 20:30	6/13/2022 7:40	11.2	0.37	0.03	0.24	14.3	6/12/2022 20:25	6/13/2022 19:40	23.3	0.28	0.46	23,418
6/14/2022 3:25	6/14/2022 8:25	5.0	0.54	0.11	1.32	25.5	6/14/2022 3:20	6/14/2022 20:25	17.2	0.44	1.36	27,231
6/17/2022 10:50	6/17/2022 20:05	9.3	0.21	0.02	0.24	78.4	6/17/2022 10:50	6/18/2022 8:00	21.3	0.19	0.35	14,814
6/19/2022 0:35	6/19/2022 2:55	2.3	0.08	0.03	0.12	31.8	6/19/2022 0:30	6/19/2022 14:55	14.5	0.15	0.18	7,851
6/22/2022 8:00	6/22/2022 14:20	6.3	0.04	0.01	0.12	78.8	6/22/2022 8:00	6/23/2022 2:20	18.4	0.12	0.13	7,947

Table D-3. Summary Statistics for Individual Storm Events at the MONMS Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
7/3/2022 14:20	7/3/2022 19:15	4.9	0.17	0.03	0.24	349.1	7/3/2022 14:15	7/4/2022 7:15	17.1	0.11	0.23	6,543
7/18/2022 4:35	7/18/2022 6:30	1.9	0.07	0.04	0.12	345.9	7/18/2022 4:30	7/18/2022 18:30	14.1	0.05	0.09	2,616
8/27/2022 5:55	8/27/2022 8:50	2.9	0.05	0.02	0.12	960.8	8/27/2022 5:55	8/27/2022 20:45	14.9	0.03	0.04	1,398
9/4/2022 18:20	9/4/2022 23:05	4.8	0.14	0.03	0.24	204.1	9/4/2022 18:20	9/5/2022 11:05	16.8	0.04	0.09	2,151

Table D-4. Summary Statistics for Individual Storm Events at the TOSMO Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
10/3/2021 6:25	10/3/2021 12:20	5.9	0.04	0.01	0.12	65.3	10/3/2021 6:20	10/3/2021 23:55	17.7	0.38	0.43	24,252
10/5/2021 6:15	10/5/2021 16:55	10.7	0.35	0.03	0.48	47.8	10/5/2021 6:10	10/6/2021 4:50	22.8	0.73	1.57	60,048
10/9/2021 16:35	10/9/2021 20:25	3.8	0.10	0.03	0.12	97.6	10/9/2021 16:35	10/10/2021 0:00	7.5	0.55	0.85	14,718
10/10/2021 1:40	10/11/2021 1:00	23.3	0.56	0.02	0.60	8.0	10/10/2021 1:40	10/11/2021 12:55	35.3	0.74	1.94	94,005
10/12/2021 17:20	10/12/2021 23:20	6.0	0.13	0.02	0.12	41.0	10/12/2021 17:15	10/13/2021 11:15	18.1	0.55	0.99	35,982
10/13/2021 21:50	10/14/2021 4:25	6.6	0.07	0.01	0.12	23.3	10/13/2021 21:45	10/14/2021 16:25	18.8	0.45	0.73	30,174
10/15/2021 19:05	10/15/2021 23:50	4.8	0.05	0.01	0.12	44.2	10/15/2021 19:05	10/16/2021 11:45	16.8	0.39	0.43	23,319
10/20/2021 4:55	10/20/2021 12:20	7.4	0.25	0.03	0.24	104.7	10/20/2021 4:50	10/21/2021 0:20	19.6	0.60	1.21	42,165
10/21/2021 18:55	10/22/2021 1:30	6.6	0.49	0.07	0.36	34.8	10/21/2021 18:55	10/22/2021 12:20	17.5	1.05	1.69	66,132
10/22/2021 12:25	10/22/2021 16:30	4.1	0.03	0.01	0.12	11.6	10/22/2021 12:20	10/23/2021 4:25	16.2	0.48	0.61	28,005
10/23/2021 6:15	10/23/2021 22:50	16.6	0.25	0.02	0.36	29.4	10/23/2021 6:15	10/24/2021 9:15	27.1	0.66	1.69	63,987
10/24/2021 9:15	10/24/2021 14:25	5.2	0.26	0.05	0.36	15.2	10/24/2021 9:15	10/25/2021 2:25	17.3	0.92	2.84	56,856
10/25/2021 13:35	10/26/2021 1:50	12.3	0.07	0.01	0.12	23.4	10/25/2021 13:30	10/26/2021 5:00	15.6	0.62	0.73	34,725
10/26/2021 5:05	10/26/2021 17:05	12.0	0.17	0.01	0.24	15.5	10/26/2021 5:00	10/27/2021 5:00	24.1	0.68	1.14	58,737
10/27/2021 15:30	10/29/2021 8:20	40.8	2.71	0.07	0.60	25.0	10/27/2021 15:30	10/30/2021 8:15	64.8	2.35	8.30	548,211
11/1/2021 13:10	11/1/2021 20:10	7.0	0.08	0.01	0.12	77.2	11/1/2021 13:05	11/2/2021 8:10	19.2	0.53	0.79	36,645
11/2/2021 12:00	11/2/2021 20:15	8.3	0.20	0.02	0.12	20.9	11/2/2021 11:55	11/3/2021 8:15	20.4	0.69	1.45	50,763
11/3/2021 16:20	11/4/2021 14:10	21.8	1.16	0.05	0.48	24.8	11/3/2021 16:20	11/5/2021 2:10	33.9	1.79	5.51	218,079
11/5/2021 2:35	11/5/2021 7:35	5.0	0.17	0.03	0.24	13.4	11/5/2021 2:35	11/5/2021 19:30	17.0	1.00	1.81	61,122
11/6/2021 6:45	11/7/2021 20:05	37.3	1.00	0.03	0.36	23.8	11/6/2021 6:40	11/8/2021 8:00	49.4	1.22	2.68	216,867
11/9/2021 1:10	11/9/2021 6:05	4.9	0.15	0.03	0.12	31.2	11/9/2021 1:05	11/9/2021 13:25	12.4	0.85	1.37	38,148
11/9/2021 13:30	11/9/2021 19:45	6.3	0.43	0.07	0.48	10.3	11/9/2021 13:25	11/10/2021 7:40	18.3	1.33	3.19	87,609
11/10/2021 19:55	11/12/2021 14:15	42.3	1.79	0.04	0.96	26.0	11/10/2021 19:50	11/13/2021 2:10	54.4	2.00	5.76	391,958
11/13/2021 17:00	11/14/2021 0:15	7.3	0.47	0.06	0.36	27.2	11/13/2021 17:00	11/14/2021 7:50	14.9	1.78	2.68	95,760
11/14/2021 7:50	11/15/2021 0:05	16.3	0.65	0.04	0.24	8.8	11/14/2021 7:50	11/15/2021 10:30	26.8	1.74	3.75	167,583
11/15/2021 10:30	11/15/2021 13:00	2.5	0.24	0.10	0.24	12.4	11/15/2021 10:30	11/16/2021 0:55	14.5	1.35	2.68	70,320
11/18/2021 14:40	11/19/2021 6:45	16.1	0.55	0.03	0.24	74.4	11/18/2021 14:40	11/19/2021 18:40	28.1	1.11	1.69	111,729
11/22/2021 14:05	11/22/2021 15:50	1.8	0.10	0.06	0.12	80.9	11/22/2021 14:00	11/23/2021 2:10	12.3	0.72	1.21	31,845
11/23/2021 2:15	11/23/2021 9:10	6.9	0.69	0.10	0.36	10.8	11/23/2021 2:10	11/23/2021 21:10	19.1	1.90	4.80	130,437
11/24/2021 21:35	11/26/2021 0:35	27.0	0.85	0.03	0.24	38.4	11/24/2021 21:30	11/26/2021 8:25	35.0	1.53	3.75	192,330
11/26/2021 8:25	11/26/2021 15:05	6.7	0.08	0.01	0.12	12.3	11/26/2021 8:25	11/27/2021 3:05	18.8	1.09	1.57	73,686
11/27/2021 7:55	11/27/2021 22:15	14.3	0.29	0.02	0.12	19.0	11/27/2021 7:50	11/28/2021 10:15	26.5	1.11	1.69	105,927
11/28/2021 12:25	11/28/2021 14:55	2.5	0.24	0.10	0.12	15.3	11/28/2021 12:20	11/29/2021 2:55	14.7	1.27	2.37	66,834
11/30/2021 1:35	11/30/2021 12:05	10.5	0.17	0.02	0.12	35.2	11/30/2021 1:30	11/30/2021 20:00	18.6	0.91	1.21	60,963
11/30/2021 20:00	11/30/2021 20:25	0.4	0.09	0.22	0.24	8.6	11/30/2021 20:00	12/1/2021 8:25	12.5	0.87	1.45	39,345
12/1/2021 23:10	12/2/2021 13:30	14.3	0.51	0.04	0.24	26.8	12/1/2021 23:10	12/3/2021 1:25	26.3	1.36	3.19	129,357
12/4/2021 5:20	12/4/2021 18:00	12.7	0.46	0.04	0.24	40.9	12/4/2021 5:15	12/5/2021 5:55	24.8	1.28	2.08	113,805
12/6/2021 10:15	12/7/2021 4:55	18.7	0.20	0.01	0.12	42.8	12/6/2021 10:15	12/7/2021 16:50	30.7	0.89	1.29	98,376
12/7/2021 20:15	12/7/2021 20:35	0.3	0.03	0.09	0.12	20.6	12/7/2021 20:15	12/8/2021 6:00	9.8	0.78	0.99	27,573
12/8/2021 6:00	12/8/2021 9:15	3.3	0.12	0.04	0.36	30.3	12/8/2021 6:00	12/8/2021 13:15	7.3	1.01	1.45	26,703
12/8/2021 13:15	12/8/2021 17:20	4.1	0.11	0.03	0.24	6.6	12/8/2021 13:15	12/9/2021 5:20	16.2	0.92	1.57	53,433
12/9/2021 8:55	12/9/2021 10:35	1.7	0.05	0.03	0.12	16.0	12/9/2021 8:55	12/9/2021 22:30	13.7	0.78	1.06	38,499
12/10/2021 11:45	12/11/2021 5:50	18.1	0.59	0.03	0.24	25.7	12/10/2021 11:45	12/11/2021 14:55	27.3	1.34	3.75	130,968
12/11/2021 14:55	12/11/2021 15:00	0.1	0.03	0.36	0.24	12.1	12/11/2021 14:55	12/12/2021 0:10	9.3	0.89	1.14	29,772
12/12/2021 0:10	12/12/2021 0:35	0.4	0.08	0.19	0.24	21.3	12/12/2021 0:10	12/12/2021 12:35	12.5	0.84	1.29	37,923

Table D-4. Summary Statistics for Individual Storm Events at the TOSMO Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
12/12/2021 13:50	12/12/2021 18:30	4.7	0.17	0.04	0.12	13.5	12/12/2021 13:50	12/13/2021 0:20	10.6	1.05	1.94	40,059
12/13/2021 0:20	12/13/2021 4:45	4.4	0.10	0.02	0.12	6.2	12/13/2021 0:20	12/13/2021 13:40	13.4	0.91	1.37	44,046
12/13/2021 13:40	12/13/2021 18:50	5.2	0.03	0.01	0.12	9.7	12/13/2021 13:40	12/14/2021 6:50	17.3	0.72	0.79	44,955
12/14/2021 13:55	12/14/2021 21:00	7.1	0.10	0.01	0.12	33.9	12/14/2021 13:50	12/15/2021 8:55	19.2	0.74	1.14	51,219
12/16/2021 6:20	12/16/2021 13:35	7.3	0.11	0.02	0.12	39.0	12/16/2021 6:20	12/17/2021 1:30	19.3	0.72	1.21	49,620
12/17/2021 13:30	12/18/2021 16:00	26.5	0.90	0.03	0.24	28.6	12/17/2021 13:25	12/19/2021 3:55	38.6	1.42	3.01	196,566
12/20/2021 15:55	12/20/2021 18:25	2.5	0.04	0.02	0.12	48.8	12/20/2021 15:55	12/21/2021 6:25	14.6	0.69	0.85	36,417
12/21/2021 20:05	12/22/2021 9:15	13.2	0.38	0.03	0.36	28.2	12/21/2021 20:00	12/22/2021 12:55	17.0	1.20	1.94	73,635
12/22/2021 12:55	12/23/2021 2:05	13.2	0.60	0.05	0.24	7.8	12/22/2021 12:55	12/23/2021 14:00	25.2	1.66	3.55	150,225
12/24/2021 1:35	12/24/2021 4:50	3.3	0.16	0.05	0.24	24.2	12/24/2021 1:30	12/24/2021 12:30	11.1	1.19	2.22	47,451
12/24/2021 12:30	12/25/2021 6:00	17.5	0.42	0.02	0.24	9.4	12/24/2021 12:30	12/25/2021 11:00	22.6	1.39	2.52	112,716
12/25/2021 11:05	12/25/2021 16:30	5.4	0.06	0.01	0.12	8.9	12/25/2021 11:00	12/26/2021 4:25	17.5	1.00	1.21	62,919
12/30/2021 12:20	12/30/2021 14:00	1.7	0.06	0.04	0.12	119.6	12/30/2021 12:20	12/31/2021 2:00	13.8	0.72	0.73	35,487
1/2/2022 23:00	1/3/2022 16:40	17.7	1.21	0.07	0.36	82.1	1/2/2022 23:00	1/4/2022 4:40	29.8	4.64	10.82	496,482
1/4/2022 4:40	1/4/2022 23:15	18.6	0.41	0.02	0.24	12.8	1/4/2022 4:40	1/5/2022 10:15	29.7	2.43	3.19	259,254
1/5/2022 10:20	1/7/2022 14:40	52.3	3.36	0.06	0.36	12.0	1/5/2022 10:15	1/8/2022 2:35	64.4	5.54	15.67	1,283,866
1/10/2022 10:00	1/10/2022 11:30	1.5	0.16	0.11	0.84	67.7	1/10/2022 9:55	1/10/2022 20:35	10.8	1.10	1.81	42,456
1/10/2022 20:35	1/12/2022 12:05	39.5	1.21	0.03	0.24	10.3	1/10/2022 20:35	1/13/2022 0:00	51.5	1.79	3.01	332,487
1/13/2022 3:15	1/13/2022 9:50	6.6	0.16	0.02	0.24	19.3	1/13/2022 3:10	1/13/2022 21:45	18.7	1.12	2.08	75,228
1/18/2022 11:10	1/18/2022 15:25	4.3	0.04	0.01	0.12	122.4	1/18/2022 11:10	1/18/2022 20:00	8.9	0.67	0.73	21,363
1/18/2022 20:00	1/18/2022 21:25	1.4	0.07	0.05	0.72	8.8	1/18/2022 20:00	1/19/2022 9:20	13.4	0.61	0.61	29,463
1/19/2022 19:50	1/20/2022 18:15	22.4	0.35	0.02	0.36	23.8	1/19/2022 19:50	1/21/2022 6:15	34.5	0.86	3.01	106,905
1/30/2022 11:15	1/30/2022 18:40	7.4	0.30	0.04	0.24	233.1	1/30/2022 11:10	1/31/2022 0:55	13.8	0.93	2.22	46,173
1/31/2022 1:00	1/31/2022 1:45	0.8	0.08	0.11	0.24	7.1	1/31/2022 0:55	1/31/2022 13:40	12.8	0.68	1.21	31,338
2/2/2022 17:30	2/2/2022 20:35	3.1	0.04	0.01	0.12	64.2	2/2/2022 17:25	2/3/2022 2:25	9.1	0.53	0.55	17,355
2/3/2022 2:25	2/3/2022 12:20	9.9	0.12	0.01	0.12	8.9	2/3/2022 2:25	2/4/2022 0:20	22.0	0.61	0.99	48,612
2/7/2022 10:45	2/7/2022 11:50	1.1	0.06	0.06	0.12	96.8	2/7/2022 10:40	2/7/2022 23:45	13.2	0.56	0.92	26,769
2/10/2022 4:45	2/10/2022 9:35	4.8	0.03	0.01	0.12	65.5	2/10/2022 4:40	2/10/2022 21:30	16.9	0.51	0.61	31,146
2/14/2022 6:05	2/14/2022 17:55	11.8	0.21	0.02	0.24	162.8	2/14/2022 6:00	2/15/2022 5:55	24.0	0.63	1.21	54,357
2/16/2022 6:50	2/16/2022 9:10	2.3	0.06	0.03	0.12	40.4	2/16/2022 6:45	2/16/2022 21:10	14.5	0.54	0.79	28,161
2/20/2022 0:05	2/20/2022 6:55	6.8	0.21	0.03	0.24	89.1	2/20/2022 0:00	2/20/2022 15:30	15.6	0.75	1.37	42,009
2/20/2022 15:35	2/20/2022 21:45	6.2	0.06	0.01	0.12	9.5	2/20/2022 15:30	2/21/2022 9:40	18.3	0.51	0.99	33,435
2/22/2022 11:45	2/22/2022 12:05	0.3	0.04	0.12	0.24	39.9	2/22/2022 11:45	2/23/2022 0:00	12.3	0.44	0.50	19,596
2/26/2022 17:40	3/1/2022 11:00	65.3	3.60	0.06	0.24	101.9	2/26/2022 17:35	3/1/2022 23:00	77.5	3.15	9.90	878,787
3/2/2022 9:30	3/3/2022 11:10	25.7	0.64	0.02	0.48	25.3	3/2/2022 9:30	3/3/2022 23:10	37.8	1.47	3.37	199,755
3/8/2022 5:30	3/8/2022 11:45	6.3	0.12	0.02	0.12	119.8	3/8/2022 5:30	3/8/2022 23:45	18.3	0.61	0.85	40,530
3/12/2022 18:40	3/12/2022 20:40	2.0	0.06	0.03	0.12	105.6	3/12/2022 18:40	3/13/2022 1:40	7.1	0.56	0.79	14,403
3/13/2022 1:40	3/13/2022 3:50	2.2	0.06	0.03	0.12	6.4	3/13/2022 1:40	3/13/2022 15:10	13.6	0.56	0.79	27,144
3/13/2022 15:10	3/14/2022 0:50	9.7	0.19	0.02	0.24	13.1	3/13/2022 15:10	3/14/2022 11:35	20.5	0.65	1.06	47,622
3/14/2022 11:35	3/15/2022 15:45	28.2	0.80	0.03	0.36	12.0	3/14/2022 11:35	3/16/2022 3:40	40.2	1.15	3.01	165,576
3/17/2022 15:45	3/18/2022 2:50	11.1	0.18	0.02	0.12	49.2	3/17/2022 15:40	3/18/2022 14:45	23.2	0.68	1.14	56,700
3/18/2022 17:35	3/19/2022 19:15	25.7	0.70	0.03	0.36	17.1	3/18/2022 17:35	3/20/2022 7:15	37.8	1.09	2.22	148,137
3/20/2022 14:50	3/21/2022 11:15	20.4	0.98	0.05	0.12	19.8	3/20/2022 14:45	3/21/2022 17:50	27.2	1.95	3.01	190,806
3/21/2022 17:50	3/21/2022 21:00	3.2	0.04	0.01	0.12	7.3	3/21/2022 17:50	3/22/2022 4:50	11.1	1.14	1.45	45,660
3/22/2022 4:55	3/22/2022 10:00	5.1	0.09	0.02	0.12	11.1	3/22/2022 4:50	3/22/2022 22:00	17.3	0.97	1.29	60,012

Table D-4. Summary Statistics for Individual Storm Events at the TOSMO Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
3/23/2022 13:25	3/23/2022 19:35	6.2	0.29	0.05	0.60	29.9	3/23/2022 13:25	3/24/2022 7:30	18.2	1.01	2.22	66,336
3/30/2022 11:45	3/31/2022 5:15	17.5	0.65	0.04	0.24	161.8	3/30/2022 11:45	3/31/2022 17:15	29.6	1.14	2.37	121,686
4/1/2022 21:30	4/2/2022 8:15	10.8	0.23	0.02	0.24	43.4	4/1/2022 21:30	4/2/2022 20:10	22.8	0.71	1.37	57,927
4/3/2022 14:50	4/4/2022 5:25	14.6	0.65	0.04	0.24	35.4	4/3/2022 14:45	4/4/2022 15:20	24.7	1.38	3.37	122,931
4/4/2022 15:25	4/4/2022 16:35	1.2	0.04	0.03	0.12	12.1	4/4/2022 15:20	4/5/2022 4:30	13.3	0.71	0.99	33,930
4/5/2022 14:55	4/5/2022 19:05	4.2	0.11	0.03	0.24	23.5	4/5/2022 14:55	4/6/2022 7:05	16.3	0.76	1.45	44,298
4/8/2022 3:20	4/8/2022 4:10	0.8	0.08	0.10	0.12	56.8	4/8/2022 3:20	4/8/2022 16:05	12.8	0.63	1.06	28,935
4/8/2022 17:55	4/8/2022 18:15	0.3	0.08	0.24	0.36	14.2	4/8/2022 17:55	4/9/2022 6:10	12.3	0.61	1.06	27,072
4/9/2022 18:10	4/10/2022 12:00	17.8	0.45	0.03	0.36	24.1	4/9/2022 18:10	4/10/2022 23:55	29.8	0.84	1.45	90,360
4/14/2022 14:50	4/14/2022 15:55	1.1	0.08	0.07	0.12	101.3	4/14/2022 14:50	4/15/2022 3:55	13.2	0.70	1.37	33,198
4/16/2022 21:15	4/16/2022 21:40	0.4	0.10	0.24	0.36	54.1	4/16/2022 21:10	4/17/2022 9:40	12.6	0.58	0.99	26,253
4/18/2022 12:10	4/18/2022 18:50	6.7	0.23	0.03	0.12	38.8	4/18/2022 12:10	4/19/2022 3:20	15.3	0.78	1.45	43,083
4/19/2022 3:20	4/19/2022 5:15	1.9	0.06	0.03	0.12	9.2	4/19/2022 3:20	4/19/2022 17:10	13.9	0.56	0.92	27,864
4/20/2022 15:15	4/20/2022 20:05	4.8	0.05	0.01	0.12	35.3	4/20/2022 15:10	4/21/2022 5:00	13.9	0.48	0.61	24,072
4/21/2022 5:05	4/21/2022 6:05	1.0	0.04	0.04	0.12	13.3	4/21/2022 5:00	4/21/2022 15:10	10.3	0.50	0.61	18,270
4/21/2022 15:10	4/21/2022 19:50	4.7	0.05	0.01	0.12	10.1	4/21/2022 15:10	4/22/2022 4:30	13.4	0.50	0.85	24,078
4/22/2022 4:35	4/22/2022 6:55	2.3	0.03	0.01	0.12	9.7	4/22/2022 4:30	4/22/2022 18:55	14.5	0.46	0.55	24,081
4/25/2022 2:20	4/25/2022 7:15	4.9	0.18	0.04	0.36	79.4	4/25/2022 2:15	4/25/2022 19:15	17.1	0.62	1.37	37,917
4/27/2022 20:25	4/27/2022 22:10	1.8	0.06	0.03	0.12	62.8	4/27/2022 20:25	4/28/2022 9:40	13.3	0.46	0.73	22,083
4/28/2022 9:45	4/28/2022 10:00	0.3	0.03	0.12	0.12	11.9	4/28/2022 9:40	4/28/2022 21:55	12.3	0.50	0.92	22,056
4/30/2022 0:10	4/30/2022 10:30	10.3	0.37	0.04	0.12	50.3	4/30/2022 0:10	4/30/2022 22:30	22.4	0.75	1.57	60,669
5/2/2022 2:20	5/2/2022 12:25	10.1	0.46	0.05	0.24	41.1	5/2/2022 2:15	5/3/2022 0:20	22.2	0.95	2.08	75,666
5/5/2022 3:30	5/5/2022 20:30	17.0	0.48	0.03	0.12	65.5	5/5/2022 3:30	5/6/2022 8:25	29.0	0.80	1.37	83,157
5/6/2022 10:55	5/7/2022 19:25	32.5	0.83	0.03	0.36	14.8	5/6/2022 10:50	5/8/2022 7:25	44.7	1.04	2.08	167,142
5/11/2022 21:10	5/11/2022 21:35	0.4	0.03	0.07	0.12	102.3	5/11/2022 21:10	5/12/2022 4:05	7.0	0.48	0.55	12,000
5/12/2022 4:10	5/12/2022 16:45	12.6	0.47	0.04	0.24	109.3	5/12/2022 4:05	5/13/2022 4:40	24.7	0.86	2.68	76,323
5/14/2022 1:20	5/14/2022 9:15	7.9	0.11	0.01	0.12	33.3	5/14/2022 1:15	5/14/2022 21:10	20.0	0.56	0.92	40,317
5/15/2022 2:20	5/15/2022 22:35	20.3	0.61	0.03	0.24	18.2	5/15/2022 2:15	5/16/2022 10:30	32.3	0.99	2.68	115,017
5/18/2022 3:00	5/18/2022 10:55	7.9	0.27	0.03	0.24	54.1	5/18/2022 3:00	5/18/2022 22:50	19.9	0.75	1.21	53,460
5/19/2022 3:00	5/19/2022 3:55	0.9	0.05	0.05	0.12	17.2	5/19/2022 2:55	5/19/2022 15:55	13.1	0.54	0.67	25,272
5/21/2022 18:45	5/21/2022 20:15	1.5	0.37	0.25	3.00	63.2	5/21/2022 18:40	5/22/2022 8:10	13.6	0.69	1.94	33,654
5/26/2022 18:35	5/27/2022 2:25	7.8	0.37	0.05	1.32	119.5	5/26/2022 18:30	5/27/2022 14:25	20.0	0.81	2.22	58,191
5/28/2022 17:30	5/30/2022 1:10	31.7	1.15	0.04	0.48	40.1	5/28/2022 17:25	5/30/2022 13:05	43.8	1.19	2.84	187,764
6/2/2022 16:30	6/2/2022 19:15	2.8	0.20	0.07	0.48	89.6	6/2/2022 16:25	6/3/2022 4:25	12.1	0.76	1.37	33,000
6/3/2022 4:25	6/3/2022 20:20	15.9	0.24	0.02	0.72	9.3	6/3/2022 4:25	6/4/2022 8:15	27.9	0.67	1.45	67,257
6/4/2022 16:20	6/5/2022 9:45	17.4	0.98	0.06	0.84	25.7	6/4/2022 16:15	6/5/2022 21:40	29.5	1.55	5.27	164,748
6/9/2022 7:05	6/10/2022 2:55	19.8	1.10	0.06	0.36	93.6	6/9/2022 7:05	6/10/2022 14:55	31.9	1.60	3.75	183,345
6/10/2022 17:00	6/11/2022 3:45	10.8	0.15	0.01	0.12	16.7	6/10/2022 17:00	6/11/2022 15:40	22.8	0.81	1.14	66,276
6/12/2022 5:35	6/12/2022 7:25	1.8	0.07	0.04	0.12	28.2	6/12/2022 5:35	6/12/2022 18:30	13.0	0.72	2.08	33,522
6/12/2022 18:30	6/13/2022 7:05	12.6	0.17	0.01	0.12	12.5	6/12/2022 18:30	6/13/2022 19:05	24.7	0.82	2.08	73,101
6/14/2022 3:55	6/14/2022 5:15	1.3	0.35	0.26	0.84	26.8	6/14/2022 3:55	6/14/2022 17:10	13.3	1.30	3.55	62,529
6/17/2022 10:40	6/17/2022 19:10	8.5	0.26	0.03	0.24	77.8	6/17/2022 10:40	6/18/2022 7:10	20.6	0.78	1.57	57,450
6/22/2022 7:15	6/22/2022 11:25	4.2	0.11	0.03	0.12	109.9	6/22/2022 7:15	6/22/2022 23:25	16.3	0.60	0.92	35,376
7/3/2022 14:05	7/3/2022 19:35	5.5	0.20	0.04	0.24	268.2	7/3/2022 14:05	7/4/2022 7:30	17.5	0.67	1.37	42,366
7/18/2022 4:50	7/18/2022 5:50	1.0	0.04	0.04	0.12	346.4	7/18/2022 4:50	7/18/2022 17:45	13.0	0.45	0.55	20,901

Table D-4. Summary Statistics for Individual Storm Events at the TOSMO Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
8/4/2022 11:40	8/4/2022 12:05	0.4	0.03	0.07	0.12	414.8	8/4/2022 11:35	8/5/2022 0:00	12.5	0.23	0.37	10,425
8/27/2022 5:10	8/27/2022 8:20	3.2	0.07	0.02	0.12	960.3	8/27/2022 5:10	8/27/2022 20:15	15.2	0.27	0.50	14,811
9/4/2022 18:35	9/4/2022 20:35	2.0	0.17	0.09	0.36	204.2	9/4/2022 18:30	9/5/2022 8:35	14.2	0.43	1.21	21,822

Table D-5. Summary Statistics for Individual Storm Events at the TOSMI Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
10/3/2021 6:25	10/3/2021 12:20	5.9	0.04	0.01	0.12	65.3	10/3/2021 6:20	10/3/2021 23:55	17.7	0.11	0.15	7,071
10/5/2021 6:15	10/5/2021 16:55	10.7	0.35	0.03	0.48	47.8	10/5/2021 6:10	10/6/2021 4:50	22.8	0.46	1.73	37,263
10/9/2021 16:35	10/9/2021 20:25	3.8	0.10	0.03	0.12	97.6	10/9/2021 16:35	10/10/2021 0:00	7.5	0.26	0.56	6,945
10/10/2021 1:40	10/11/2021 1:00	23.3	0.56	0.02	0.60	8.0	10/10/2021 1:40	10/11/2021 12:55	35.3	0.49	2.20	62,622
10/12/2021 17:20	10/12/2021 23:20	6.0	0.13	0.02	0.12	41.0	10/12/2021 17:15	10/13/2021 11:15	18.1	0.27	0.89	17,634
10/13/2021 21:50	10/14/2021 4:25	6.6	0.07	0.01	0.12	23.3	10/13/2021 21:45	10/14/2021 16:25	18.8	0.16	0.40	10,779
10/15/2021 19:05	10/15/2021 23:50	4.8	0.05	0.01	0.12	44.2	10/15/2021 19:05	10/16/2021 11:45	16.8	0.13	0.15	7,572
10/20/2021 4:55	10/20/2021 12:20	7.4	0.25	0.03	0.24	104.7	10/20/2021 4:50	10/21/2021 0:20	19.6	0.28	1.02	19,524
10/21/2021 18:55	10/22/2021 1:30	6.6	0.49	0.07	0.36	34.8	10/21/2021 18:55	10/22/2021 12:20	17.5	0.69	1.46	43,587
10/22/2021 12:25	10/22/2021 16:30	4.1	0.03	0.01	0.12	11.6	10/22/2021 12:20	10/23/2021 4:25	16.2	0.11	0.19	6,543
10/23/2021 6:15	10/23/2021 22:50	16.6	0.25	0.02	0.36	29.4	10/23/2021 6:15	10/24/2021 9:15	27.1	0.30	1.46	29,622
10/24/2021 9:15	10/24/2021 14:25	5.2	0.26	0.05	0.36	15.2	10/24/2021 9:15	10/25/2021 2:25	17.3	0.59	2.55	36,399
10/25/2021 13:35	10/26/2021 1:50	12.3	0.07	0.01	0.12	23.4	10/25/2021 13:30	10/26/2021 5:00	15.6	0.19	0.28	10,422
10/26/2021 5:05	10/26/2021 17:05	12.0	0.17	0.01	0.24	15.5	10/26/2021 5:00	10/27/2021 5:00	24.1	0.24	0.89	20,844
10/27/2021 15:30	10/29/2021 8:20	40.8	2.71	0.07	0.60	25.0	10/27/2021 15:30	10/30/2021 8:15	64.8	1.64	5.47	382,911
11/1/2021 13:10	11/1/2021 20:10	7.0	0.08	0.01	0.12	77.2	11/1/2021 13:05	11/2/2021 8:10	19.2	0.09	0.23	6,366
11/2/2021 12:00	11/2/2021 20:15	8.3	0.20	0.02	0.12	20.9	11/2/2021 11:55	11/3/2021 8:15	20.4	0.20	0.89	14,823
11/3/2021 16:20	11/4/2021 14:10	21.8	1.16	0.05	0.48	24.8	11/3/2021 16:20	11/5/2021 2:10	33.9	1.18	3.82	143,949
11/5/2021 2:35	11/5/2021 7:35	5.0	0.17	0.03	0.24	13.4	11/5/2021 2:35	11/5/2021 19:30	17.0	0.43	1.34	26,055
11/6/2021 6:45	11/7/2021 20:05	37.3	1.00	0.03	0.36	23.8	11/6/2021 6:40	11/8/2021 8:00	49.4	0.67	2.03	118,434
11/9/2021 1:10	11/9/2021 6:05	4.9	0.15	0.03	0.12	31.2	11/9/2021 1:05	11/9/2021 13:25	12.4	0.31	0.89	13,749
11/9/2021 13:30	11/9/2021 19:45	6.3	0.43	0.07	0.48	10.3	11/9/2021 13:25	11/10/2021 7:40	18.3	0.72	2.20	47,676
11/10/2021 19:55	11/12/2021 14:15	42.3	1.79	0.04	0.96	26.0	11/10/2021 19:50	11/13/2021 2:10	54.4	1.12	3.82	219,037
11/13/2021 17:00	11/14/2021 0:15	7.3	0.47	0.06	0.36	27.2	11/13/2021 17:00	11/14/2021 7:50	14.9	0.99	1.46	53,406
11/14/2021 7:50	11/15/2021 0:05	16.3	0.65	0.04	0.24	8.8	11/14/2021 7:50	11/15/2021 10:30	26.8	0.95	2.03	91,023
11/15/2021 10:30	11/15/2021 13:00	2.5	0.24	0.10	0.24	12.4	11/15/2021 10:30	11/16/2021 0:55	14.5	0.64	1.46	33,651
11/18/2021 14:40	11/19/2021 6:45	16.1	0.55	0.03	0.24	74.4	11/18/2021 14:40	11/19/2021 18:40	28.1	0.43	0.89	43,782
11/22/2021 14:05	11/22/2021 15:50	1.8	0.10	0.06	0.12	80.9	11/22/2021 14:00	11/23/2021 2:10	12.3	0.14	0.48	6,249
11/23/2021 2:15	11/23/2021 9:10	6.9	0.69	0.10	0.36	10.8	11/23/2021 2:10	11/23/2021 21:10	19.1	0.98	2.74	67,194
11/24/2021 21:35	11/26/2021 0:35	27.0	0.85	0.03	0.24	38.4	11/24/2021 21:30	11/26/2021 8:25	35.0	0.72	2.03	90,891
11/26/2021 8:25	11/26/2021 15:05	6.7	0.08	0.01	0.12	12.3	11/26/2021 8:25	11/27/2021 3:05	18.8	0.32	0.89	21,522
11/27/2021 7:55	11/27/2021 22:15	14.3	0.29	0.02	0.12	19.0	11/27/2021 7:50	11/28/2021 10:15	26.5	0.33	0.76	31,512
11/28/2021 12:25	11/28/2021 14:55	2.5	0.24	0.10	0.12	15.3	11/28/2021 12:20	11/29/2021 2:55	14.7	0.43	1.17	22,680
11/30/2021 1:35	11/30/2021 12:05	10.5	0.17	0.02	0.12	35.2	11/30/2021 1:30	11/30/2021 20:00	18.6	0.19	0.48	12,492
11/30/2021 20:00	11/30/2021 20:25	0.4	0.09	0.22	0.24	8.6	11/30/2021 20:00	12/1/2021 8:25	12.5	0.19	0.76	8,424
12/1/2021 23:10	12/2/2021 13:30	14.3	0.51	0.04	0.24	26.8	12/1/2021 23:10	12/3/2021 1:25	26.3	0.54	1.88	51,318
12/4/2021 5:20	12/4/2021 18:00	12.7	0.46	0.04	0.24	40.9	12/4/2021 5:15	12/5/2021 5:55	24.8	0.46	1.02	41,355
12/6/2021 10:15	12/7/2021 4:55	18.7	0.20	0.01	0.12	42.8	12/6/2021 10:15	12/7/2021 16:50	30.7	0.18	0.48	19,344
12/7/2021 20:15	12/7/2021 20:35	0.3	0.03	0.09	0.12	20.6	12/7/2021 20:15	12/8/2021 6:00	9.8	0.11	0.23	3,966
12/8/2021 6:00	12/8/2021 9:15	3.3	0.12	0.04	0.36	30.3	12/8/2021 6:00	12/8/2021 13:15	7.3	0.24	0.66	6,447
12/8/2021 13:15	12/8/2021 17:20	4.1	0.11	0.03	0.24	6.6	12/8/2021 13:15	12/9/2021 5:20	16.2	0.18	0.66	10,683
12/9/2021 8:55	12/9/2021 10:35	1.7	0.05	0.03	0.12	16.0	12/9/2021 8:55	12/9/2021 22:30	13.7	0.11	0.28	5,427
12/10/2021 11:45	12/11/2021 5:50	18.1	0.59	0.03	0.24	25.7	12/10/2021 11:45	12/11/2021 14:55	27.3	0.52	1.88	51,294
12/11/2021 14:55	12/11/2021 15:00	0.1	0.03	0.36	0.24	12.1	12/11/2021 14:55	12/12/2021 0:10	9.3	0.20	0.40	6,609
12/12/2021 0:10	12/12/2021 0:35	0.4	0.08	0.19	0.24	21.3	12/12/2021 0:10	12/12/2021 12:35	12.5	0.19	0.66	8,529

Table D-5. Summary Statistics for Individual Storm Events at the TOSMI Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
12/12/2021 13:50	12/12/2021 18:30	4.7	0.17	0.04	0.12	13.5	12/12/2021 13:50	12/13/2021 0:20	10.6	0.34	1.02	13,098
12/13/2021 0:20	12/13/2021 4:45	4.4	0.10	0.02	0.12	6.2	12/13/2021 0:20	12/13/2021 13:40	13.4	0.22	0.66	10,785
12/13/2021 13:40	12/13/2021 18:50	5.2	0.03	0.01	0.12	9.7	12/13/2021 13:40	12/14/2021 6:50	17.3	0.11	0.15	7,122
12/14/2021 13:55	12/14/2021 21:00	7.1	0.10	0.01	0.12	33.9	12/14/2021 13:50	12/15/2021 8:55	19.2	0.12	0.40	8,610
12/16/2021 6:20	12/16/2021 13:35	7.3	0.11	0.02	0.12	39.0	12/16/2021 6:20	12/17/2021 1:30	19.3	0.12	0.48	8,346
12/17/2021 13:30	12/18/2021 16:00	26.5	0.90	0.03	0.24	28.6	12/17/2021 13:25	12/19/2021 3:55	38.6	0.60	1.59	83,094
12/20/2021 15:55	12/20/2021 18:25	2.5	0.04	0.02	0.12	48.8	12/20/2021 15:55	12/21/2021 6:25	14.6	0.07	0.15	3,765
12/21/2021 20:05	12/22/2021 9:15	13.2	0.38	0.03	0.36	28.2	12/21/2021 20:00	12/22/2021 12:55	17.0	0.38	0.89	23,307
12/22/2021 12:55	12/23/2021 2:05	13.2	0.60	0.05	0.24	7.8	12/22/2021 12:55	12/23/2021 14:00	25.2	0.72	1.73	64,788
12/24/2021 1:35	12/24/2021 4:50	3.3	0.16	0.05	0.24	24.2	12/24/2021 1:30	12/24/2021 12:30	11.1	0.34	1.02	13,473
12/24/2021 12:30	12/25/2021 6:00	17.5	0.42	0.02	0.24	9.4	12/24/2021 12:30	12/25/2021 11:00	22.6	0.46	1.17	37,005
12/25/2021 11:05	12/25/2021 16:30	5.4	0.06	0.01	0.12	8.9	12/25/2021 11:00	12/26/2021 4:25	17.5	0.20	0.34	12,813
12/30/2021 12:20	12/30/2021 14:00	1.7	0.06	0.04	0.12	119.6	12/30/2021 12:20	12/31/2021 2:00	13.8	0.06	0.08	3,162
1/2/2022 23:00	1/3/2022 16:40	17.7	1.21	0.07	0.36	82.1	1/2/2022 23:00	1/4/2022 4:40	29.8	2.37	7.01	253,840
1/4/2022 4:40	1/4/2022 23:15	18.6	0.41	0.02	0.24	12.8	1/4/2022 4:40	1/5/2022 10:15	29.7	1.07	1.59	114,402
1/5/2022 10:20	1/7/2022 14:40	52.3	3.36	0.06	0.36	12.0	1/5/2022 10:15	1/8/2022 2:35	64.4	3.15	10.43	729,869
1/10/2022 10:00	1/10/2022 11:30	1.5	0.16	0.11	0.84	67.7	1/10/2022 9:55	1/10/2022 20:35	10.8	0.56	1.17	21,813
1/10/2022 20:35	1/12/2022 12:05	39.5	1.21	0.03	0.24	10.3	1/10/2022 20:35	1/13/2022 0:00	51.5	1.44	2.55	267,121
1/13/2022 3:15	1/13/2022 9:50	6.6	0.16	0.02	0.24	19.3	1/13/2022 3:10	1/13/2022 21:45	18.7	0.70	1.73	47,328
1/18/2022 11:10	1/18/2022 15:25	4.3	0.04	0.01	0.12	122.4	1/18/2022 11:10	1/18/2022 20:00	8.9	0.16	0.23	5,148
1/18/2022 20:00	1/18/2022 21:25	1.4	0.07	0.05	0.72	8.8	1/18/2022 20:00	1/19/2022 9:20	13.4	0.12	0.12	5,796
1/19/2022 19:50	1/20/2022 18:15	22.4	0.35	0.02	0.36	23.8	1/19/2022 19:50	1/21/2022 6:15	34.5	0.39	2.55	48,465
1/30/2022 11:15	1/30/2022 18:40	7.4	0.30	0.04	0.24	233.1	1/30/2022 11:10	1/31/2022 0:55	13.8	0.61	1.88	30,198
1/31/2022 1:00	1/31/2022 1:45	0.8	0.08	0.11	0.24	7.1	1/31/2022 0:55	1/31/2022 13:40	12.8	0.27	1.17	12,411
2/2/2022 17:30	2/2/2022 20:35	3.1	0.04	0.01	0.12	64.2	2/2/2022 17:25	2/3/2022 2:25	9.1	0.12	0.15	3,996
2/3/2022 2:25	2/3/2022 12:20	9.9	0.12	0.01	0.12	8.9	2/3/2022 2:25	2/4/2022 0:20	22.0	0.18	0.66	14,421
2/7/2022 10:45	2/7/2022 11:50	1.1	0.06	0.06	0.12	96.8	2/7/2022 10:40	2/7/2022 23:45	13.2	0.15	0.56	7,278
2/10/2022 4:45	2/10/2022 9:35	4.8	0.03	0.01	0.12	65.5	2/10/2022 4:40	2/10/2022 21:30	16.9	0.08	0.15	5,022
2/14/2022 6:05	2/14/2022 17:55	11.8	0.21	0.02	0.24	162.8	2/14/2022 6:00	2/15/2022 5:55	24.0	0.18	0.89	15,132
2/16/2022 6:50	2/16/2022 9:10	2.3	0.06	0.03	0.12	40.4	2/16/2022 6:45	2/16/2022 21:10	14.5	0.09	0.34	4,818
2/20/2022 0:05	2/20/2022 6:55	6.8	0.21	0.03	0.24	89.1	2/20/2022 0:00	2/20/2022 15:30	15.6	0.42	1.46	23,412
2/20/2022 15:35	2/20/2022 21:45	6.2	0.06	0.01	0.12	9.5	2/20/2022 15:30	2/21/2022 9:40	18.3	0.18	0.89	11,793
2/22/2022 11:45	2/22/2022 12:05	0.3	0.04	0.12	0.24	39.9	2/22/2022 11:45	2/23/2022 0:00	12.3	0.11	0.15	4,926
2/26/2022 17:40	3/1/2022 11:00	65.3	3.60	0.06	0.24	101.9	2/26/2022 17:35	3/1/2022 23:00	77.5	2.65	7.22	739,512
3/2/2022 9:30	3/3/2022 11:10	25.7	0.64	0.02	0.48	25.3	3/2/2022 9:30	3/3/2022 23:10	37.8	1.34	3.36	181,563
3/8/2022 5:30	3/8/2022 11:45	6.3	0.12	0.02	0.12	119.8	3/8/2022 5:30	3/8/2022 23:45	18.3	0.22	0.56	14,274
3/12/2022 18:40	3/12/2022 20:40	2.0	0.06	0.03	0.12	105.6	3/12/2022 18:40	3/13/2022 1:40	7.1	0.19	0.48	4,734
3/13/2022 1:40	3/13/2022 3:50	2.2	0.06	0.03	0.12	6.4	3/13/2022 1:40	3/13/2022 15:10	13.6	0.17	0.48	8,136
3/13/2022 15:10	3/14/2022 0:50	9.7	0.19	0.02	0.24	13.1	3/13/2022 15:10	3/14/2022 11:35	20.5	0.26	0.89	19,446
3/14/2022 11:35	3/15/2022 15:45	28.2	0.80	0.03	0.36	12.0	3/14/2022 11:35	3/16/2022 3:40	40.2	0.86	2.55	123,846
3/17/2022 15:45	3/18/2022 2:50	11.1	0.18	0.02	0.12	49.2	3/17/2022 15:40	3/18/2022 14:45	23.2	0.25	0.76	21,108
3/18/2022 17:35	3/19/2022 19:15	25.7	0.70	0.03	0.36	17.1	3/18/2022 17:35	3/20/2022 7:15	37.8	0.83	2.20	113,427
3/20/2022 14:50	3/21/2022 11:15	20.4	0.98	0.05	0.12	19.8	3/20/2022 14:45	3/21/2022 17:50	27.2	1.82	2.74	177,561
3/21/2022 17:50	3/21/2022 21:00	3.2	0.04	0.01	0.12	7.3	3/21/2022 17:50	3/22/2022 4:50	11.1	0.83	1.34	33,114
3/22/2022 4:55	3/22/2022 10:00	5.1	0.09	0.02	0.12	11.1	3/22/2022 4:50	3/22/2022 22:00	17.3	0.61	1.02	38,088

Table D-5. Summary Statistics for Individual Storm Events at the TOSMI Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
3/23/2022 13:25	3/23/2022 19:35	6.2	0.29	0.05	0.60	29.9	3/23/2022 13:25	3/24/2022 7:30	18.2	0.69	2.37	45,321
3/30/2022 11:45	3/31/2022 5:15	17.5	0.65	0.04	0.24	161.8	3/30/2022 11:45	3/31/2022 17:15	29.6	1.04	2.55	111,072
4/1/2022 21:30	4/2/2022 8:15	10.8	0.23	0.02	0.24	43.4	4/1/2022 21:30	4/2/2022 20:10	22.8	0.40	1.59	33,042
4/3/2022 14:50	4/4/2022 5:25	14.6	0.65	0.04	0.24	35.4	4/3/2022 14:45	4/4/2022 15:20	24.7	1.36	3.59	121,047
4/4/2022 15:25	4/4/2022 16:35	1.2	0.04	0.03	0.12	12.1	4/4/2022 15:20	4/5/2022 4:30	13.3	0.44	1.02	20,838
4/5/2022 14:55	4/5/2022 19:05	4.2	0.11	0.03	0.24	23.5	4/5/2022 14:55	4/6/2022 7:05	16.3	0.51	2.03	29,580
4/8/2022 3:20	4/8/2022 4:10	0.8	0.08	0.10	0.12	56.8	4/8/2022 3:20	4/8/2022 16:05	12.8	0.28	1.17	13,095
4/8/2022 17:55	4/8/2022 18:15	0.3	0.08	0.24	0.36	14.2	4/8/2022 17:55	4/9/2022 6:10	12.3	0.25	1.02	10,941
4/9/2022 18:10	4/10/2022 12:00	17.8	0.45	0.03	0.36	24.1	4/9/2022 18:10	4/10/2022 23:55	29.8	0.62	1.88	66,522
4/14/2022 14:50	4/14/2022 15:55	1.1	0.08	0.07	0.12	101.3	4/14/2022 14:50	4/15/2022 3:55	13.2	0.38	1.59	18,237
4/16/2022 21:15	4/16/2022 21:40	0.4	0.10	0.24	0.36	54.1	4/16/2022 21:10	4/17/2022 9:40	12.6	0.25	1.02	11,277
4/18/2022 12:10	4/18/2022 18:50	6.7	0.23	0.03	0.12	38.8	4/18/2022 12:10	4/19/2022 3:20	15.3	0.56	1.73	30,948
4/19/2022 3:20	4/19/2022 5:15	1.9	0.06	0.03	0.12	9.2	4/19/2022 3:20	4/19/2022 17:10	13.9	0.25	0.89	12,450
4/20/2022 15:15	4/20/2022 20:05	4.8	0.05	0.01	0.12	35.3	4/20/2022 15:10	4/21/2022 5:00	13.9	0.20	0.34	10,191
4/21/2022 5:05	4/21/2022 6:05	1.0	0.04	0.04	0.12	13.3	4/21/2022 5:00	4/21/2022 15:10	10.3	0.20	0.40	7,305
4/21/2022 15:10	4/21/2022 19:50	4.7	0.05	0.01	0.12	10.1	4/21/2022 15:10	4/22/2022 4:30	13.4	0.21	0.76	10,071
4/22/2022 4:35	4/22/2022 6:55	2.3	0.03	0.01	0.12	9.7	4/22/2022 4:30	4/22/2022 18:55	14.5	0.15	0.28	7,611
4/25/2022 2:20	4/25/2022 7:15	4.9	0.18	0.04	0.36	79.4	4/25/2022 2:15	4/25/2022 19:15	17.1	0.31	1.73	19,050
4/27/2022 20:25	4/27/2022 22:10	1.8	0.06	0.03	0.12	62.8	4/27/2022 20:25	4/28/2022 9:40	13.3	0.17	0.89	8,316
4/28/2022 9:45	4/28/2022 10:00	0.3	0.03	0.12	0.12	11.9	4/28/2022 9:40	4/28/2022 21:55	12.3	0.16	0.76	7,125
4/30/2022 0:10	4/30/2022 10:30	10.3	0.37	0.04	0.12	50.3	4/30/2022 0:10	4/30/2022 22:30	22.4	0.49	1.88	39,582
5/2/2022 2:20	5/2/2022 12:25	10.1	0.46	0.05	0.24	41.1	5/2/2022 2:15	5/3/2022 0:20	22.2	0.77	2.20	61,362
5/5/2022 3:30	5/5/2022 20:30	17.0	0.48	0.03	0.12	65.5	5/5/2022 3:30	5/6/2022 8:25	29.0	0.57	1.59	59,976
5/6/2022 10:55	5/7/2022 19:25	32.5	0.83	0.03	0.36	14.8	5/6/2022 10:50	5/8/2022 7:25	44.7	0.94	2.37	150,567
5/11/2022 21:10	5/11/2022 21:35	0.4	0.03	0.07	0.12	102.3	5/11/2022 21:10	5/12/2022 4:05	7.0	0.15	0.23	3,795
5/12/2022 4:10	5/12/2022 16:45	12.6	0.47	0.04	0.24	109.3	5/12/2022 4:05	5/13/2022 4:40	24.7	0.65	2.94	57,846
5/14/2022 1:20	5/14/2022 9:15	7.9	0.11	0.01	0.12	33.3	5/14/2022 1:15	5/14/2022 21:10	20.0	0.24	0.89	17,343
5/15/2022 2:20	5/15/2022 22:35	20.3	0.61	0.03	0.24	18.2	5/15/2022 2:15	5/16/2022 10:30	32.3	0.81	2.94	94,122
5/18/2022 3:00	5/18/2022 10:55	7.9	0.27	0.03	0.24	54.1	5/18/2022 3:00	5/18/2022 22:50	19.9	0.44	1.34	31,341
5/19/2022 3:00	5/19/2022 3:55	0.9	0.05	0.05	0.12	17.2	5/19/2022 2:55	5/19/2022 15:55	13.1	0.18	0.34	8,406
5/21/2022 18:45	5/21/2022 20:15	1.5	0.37	0.25	3.00	63.2	5/21/2022 18:40	5/22/2022 8:10	13.6	0.33	1.46	15,912
5/26/2022 18:35	5/27/2022 2:25	7.8	0.37	0.05	1.32	119.5	5/26/2022 18:30	5/27/2022 14:25	20.0	0.52	2.74	37,524
5/28/2022 17:30	5/30/2022 1:10	31.7	1.15	0.04	0.48	40.1	5/28/2022 17:25	5/30/2022 13:05	43.8	1.02	2.94	159,993
6/2/2022 16:30	6/2/2022 19:15	2.8	0.20	0.07	0.48	89.6	6/2/2022 16:25	6/3/2022 4:25	12.1	0.43	1.73	18,681
6/3/2022 4:25	6/3/2022 20:20	15.9	0.24	0.02	0.72	9.3	6/3/2022 4:25	6/4/2022 8:15	27.9	0.34	1.73	33,831
6/4/2022 16:20	6/5/2022 9:45	17.4	0.98	0.06	0.84	25.7	6/4/2022 16:15	6/5/2022 21:40	29.5	1.50	5.79	159,624
6/9/2022 7:05	6/10/2022 2:55	19.8	1.10	0.06	0.36	93.6	6/9/2022 7:05	6/10/2022 14:55	31.9	1.59	4.07	182,712
6/10/2022 17:00	6/11/2022 3:45	10.8	0.15	0.01	0.12	16.7	6/10/2022 17:00	6/11/2022 15:40	22.8	0.51	1.17	41,910
6/12/2022 5:35	6/12/2022 7:25	1.8	0.07	0.04	0.12	28.2	6/12/2022 5:35	6/12/2022 18:30	13.0	0.47	3.14	21,825
6/12/2022 18:30	6/13/2022 7:05	12.6	0.17	0.01	0.12	12.5	6/12/2022 18:30	6/13/2022 19:05	24.7	0.51	1.73	44,919
6/14/2022 3:55	6/14/2022 5:15	1.3	0.35	0.26	0.84	26.8	6/14/2022 3:55	6/14/2022 17:10	13.3	1.12	3.59	53,565
6/17/2022 10:40	6/17/2022 19:10	8.5	0.26	0.03	0.24	77.8	6/17/2022 10:40	6/18/2022 7:10	20.6	0.52	1.88	38,352
6/22/2022 7:15	6/22/2022 11:25	4.2	0.11	0.03	0.12	109.9	6/22/2022 7:15	6/22/2022 23:25	16.3	0.22	0.56	13,083
7/3/2022 14:05	7/3/2022 19:35	5.5	0.20	0.04	0.24	268.2	7/3/2022 14:05	7/4/2022 7:30	17.5	0.35	1.34	21,858
7/18/2022 4:50	7/18/2022 5:50	1.0	0.04	0.04	0.12	346.4	7/18/2022 4:50	7/18/2022 17:45	13.0	0.13	0.28	5,919

Table D-5. Summary Statistics for Individual Storm Events at the TOSMI Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
8/4/2022 11:40	8/4/2022 12:05	0.4	0.03	0.07	0.12	414.8	8/4/2022 11:35	8/5/2022 0:00	12.5	0.11	0.23	4,947
8/27/2022 5:10	8/27/2022 8:20	3.2	0.07	0.02	0.12	960.3	8/27/2022 5:10	8/27/2022 20:15	15.2	0.13	0.40	7,206
9/4/2022 18:35	9/4/2022 20:35	2.0	0.17	0.09	0.36	204.2	9/4/2022 18:30	9/5/2022 8:35	14.2	0.32	1.59	16,071

Table D-6. Summary Statistics for Individual Storm Events at the COLM Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
10/5/2021 6:10	10/5/2021 15:40	9.5	0.27	0.03	0.36	45.8	10/5/2021 10:30	10/6/2021 3:40	17.3	0.01	0.01	621
10/9/2021 16:40	10/9/2021 20:40	4.0	0.14	0.04	0.12	97.3	10/9/2021 20:10	10/10/2021 0:00	3.9	0.01	0.01	141
10/10/2021 1:30	10/10/2021 7:45	6.3	0.17	0.03	0.36	7.3	10/10/2021 1:30	10/10/2021 10:30	9.1	0.02	0.03	603
10/10/2021 10:35	10/10/2021 13:00	2.4	0.05	0.02	0.12	6.3	10/10/2021 10:30	10/10/2021 23:35	13.2	0.02	0.03	1,119
10/10/2021 23:35	10/11/2021 2:40	3.1	0.08	0.03	0.12	12.8	10/10/2021 23:35	10/11/2021 14:35	15.1	0.02	0.03	1,236
10/12/2021 17:40	10/13/2021 4:35	10.9	0.17	0.02	0.12	40.8	10/12/2021 17:35	10/13/2021 16:30	23.0	0.03	0.04	2,382
10/13/2021 22:10	10/14/2021 8:10	10.0	0.12	0.01	0.12	23.3	10/13/2021 22:05	10/14/2021 20:10	22.2	0.04	0.04	3,126
10/15/2021 1:50	10/15/2021 9:20	7.5	0.13	0.02	0.12	21.2	10/15/2021 1:50	10/15/2021 19:40	17.9	0.05	0.07	3,072
10/15/2021 19:40	10/16/2021 1:55	6.3	0.05	0.01	0.12	11.2	10/15/2021 19:40	10/16/2021 13:50	18.3	0.06	0.07	4,077
10/20/2021 4:55	10/20/2021 9:30	4.6	0.29	0.06	0.24	104.6	10/20/2021 4:50	10/20/2021 21:30	16.8	0.10	0.12	6,237
10/21/2021 19:15	10/22/2021 4:05	8.8	0.51	0.06	0.24	35.1	10/21/2021 19:15	10/22/2021 12:45	17.6	0.24	0.28	15,387
10/22/2021 12:50	10/22/2021 16:45	3.9	0.07	0.02	0.36	11.7	10/22/2021 12:45	10/23/2021 4:40	16.0	0.26	0.26	14,916
10/23/2021 4:50	10/23/2021 18:45	13.9	0.14	0.01	0.24	15.9	10/23/2021 4:50	10/24/2021 6:40	25.9	0.25	0.26	23,568
10/24/2021 7:50	10/24/2021 14:55	7.1	0.32	0.05	0.36	14.2	10/24/2021 7:50	10/25/2021 2:55	19.2	0.30	0.35	20,874
10/25/2021 13:40	10/26/2021 5:25	15.8	0.10	0.01	0.12	23.3	10/25/2021 13:40	10/26/2021 10:15	20.7	0.30	0.30	22,320
10/26/2021 10:20	10/26/2021 19:05	8.8	0.16	0.02	0.24	15.6	10/26/2021 10:15	10/27/2021 7:05	20.9	0.34	0.35	25,863
10/27/2021 16:00	10/29/2021 8:25	40.4	2.73	0.07	0.48	24.9	10/27/2021 15:55	10/30/2021 8:25	64.6	0.98	1.71	228,909
11/1/2021 11:45	11/1/2021 20:30	8.8	0.15	0.02	0.12	75.8	11/1/2021 11:45	11/2/2021 8:25	20.8	0.50	0.54	37,596
11/2/2021 12:05	11/2/2021 19:20	7.3	0.18	0.02	0.12	20.8	11/2/2021 12:00	11/3/2021 7:15	19.3	0.45	0.47	31,596
11/3/2021 18:40	11/4/2021 14:25	19.8	1.10	0.06	0.36	27.2	11/3/2021 18:40	11/5/2021 2:25	31.8	0.77	0.99	88,638
11/5/2021 3:10	11/5/2021 7:50	4.7	0.17	0.04	0.12	14.2	11/5/2021 3:10	11/5/2021 19:50	16.8	0.92	0.99	55,314
11/6/2021 7:00	11/7/2021 18:15	35.3	0.89	0.03	0.36	23.8	11/6/2021 7:00	11/8/2021 6:10	47.3	0.99	1.25	168,663
11/9/2021 0:55	11/9/2021 5:20	4.4	0.16	0.04	0.12	30.9	11/9/2021 0:55	11/9/2021 13:50	13.0	0.84	0.88	39,414
11/9/2021 13:50	11/9/2021 18:20	4.5	0.36	0.08	0.36	10.8	11/9/2021 13:50	11/10/2021 6:20	16.6	0.98	1.11	58,515
11/10/2021 20:10	11/12/2021 14:20	42.2	1.92	0.05	0.60	26.3	11/10/2021 20:10	11/13/2021 2:20	54.3	3.54	7.83	692,000
11/13/2021 17:15	11/14/2021 0:45	7.5	0.34	0.05	0.24	27.2	11/13/2021 17:10	11/14/2021 12:40	19.6	4.19	4.78	295,719
11/14/2021 13:15	11/15/2021 1:35	12.3	0.58	0.05	0.24	14.4	11/14/2021 13:15	11/15/2021 10:40	21.5	4.76	5.91	368,748
11/15/2021 10:40	11/15/2021 20:10	9.5	1.07	0.11	0.72	10.2	11/15/2021 10:40	11/16/2021 8:10	21.6	6.40	8.06	497,145
11/18/2021 14:45	11/19/2021 6:15	15.5	0.47	0.03	0.36	67.7	11/18/2021 14:45	11/19/2021 18:10	27.5	2.12	2.29	209,475
12/2/2021 1:05	12/2/2021 12:35	11.5	0.25	0.02	0.24	308.2	12/2/2021 1:05	12/3/2021 0:30	23.5	2.11	2.29	178,524
12/4/2021 5:35	12/4/2021 17:50	12.3	0.48	0.04	0.24	46.8	12/4/2021 5:35	12/5/2021 5:45	24.3	2.00	2.29	174,738
12/6/2021 11:20	12/7/2021 5:15	17.9	0.23	0.01	0.12	43.8	12/6/2021 11:20	12/7/2021 17:10	29.9	1.61	1.71	173,073
12/7/2021 19:30	12/7/2021 20:45	1.3	0.03	0.02	0.12	23.9	12/7/2021 19:25	12/8/2021 4:55	9.6	1.61	1.63	55,398
12/8/2021 4:55	12/8/2021 6:55	2.0	0.21	0.11	0.48	33.3	12/8/2021 4:55	12/8/2021 16:50	12.0	1.93	2.09	83,205
12/8/2021 16:55	12/8/2021 18:45	1.8	0.03	0.02	0.12	10.5	12/8/2021 16:50	12/9/2021 6:40	13.9	2.46	2.52	123,270
12/9/2021 9:20	12/9/2021 11:05	1.8	0.08	0.05	0.12	26.9	12/9/2021 9:20	12/9/2021 23:00	13.8	2.40	2.52	118,707
12/10/2021 12:05	12/11/2021 3:25	15.3	0.47	0.03	0.24	25.3	12/10/2021 12:00	12/11/2021 15:20	27.4	2.18	2.64	214,972
12/12/2021 0:20	12/12/2021 0:40	0.3	0.06	0.18	0.24	21.6	12/12/2021 0:20	12/12/2021 12:40	12.4	2.22	2.40	99,405
12/12/2021 15:45	12/12/2021 19:15	3.5	0.12	0.03	0.12	15.3	12/12/2021 15:40	12/13/2021 3:45	12.2	1.88	1.99	82,323
12/13/2021 3:45	12/13/2021 5:25	1.7	0.06	0.04	0.12	9.5	12/13/2021 3:45	12/13/2021 17:25	13.8	1.74	1.80	86,022
12/14/2021 14:25	12/14/2021 16:55	2.5	0.11	0.04	0.12	34.2	12/14/2021 14:25	12/15/2021 4:50	14.5	1.36	1.39	70,773
12/15/2021 15:25	12/15/2021 22:15	6.8	0.06	0.01	0.12	23.2	12/15/2021 15:20	12/16/2021 6:10	14.9	1.12	1.18	59,964
12/16/2021 6:10	12/16/2021 17:30	11.3	0.19	0.02	0.12	12.2	12/16/2021 6:10	12/17/2021 5:25	23.3	1.06	1.11	89,388
12/17/2021 19:10	12/18/2021 15:50	20.7	0.82	0.04	0.24	27.1	12/17/2021 19:10	12/19/2021 3:45	32.7	1.99	3.02	234,043
12/21/2021 20:00	12/22/2021 5:55	9.9	0.30	0.03	0.24	77.0	12/21/2021 20:00	12/22/2021 13:05	17.2	1.36	1.46	84,012
12/22/2021 13:05	12/23/2021 1:50	12.8	0.54	0.04	0.24	8.0	12/22/2021 13:05	12/23/2021 13:50	24.8	2.90	3.64	259,085
12/24/2021 1:35	12/24/2021 4:40	3.1	0.15	0.05	0.24	24.2	12/24/2021 1:30	12/24/2021 12:55	11.5	2.89	3.15	119,643
12/24/2021 13:00	12/25/2021 6:30	17.5	0.58	0.03	0.24	9.8	12/24/2021 12:55	12/25/2021 11:30	22.7	3.73	4.78	304,701
12/25/2021 11:30	12/25/2021 14:10	2.7	0.05	0.02	0.12	8.6	12/25/2021 11:30	12/26/2021 2:10	14.8	4.19	4.37	222,537

Table D-6. Summary Statistics for Individual Storm Events at the COLM Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
12/27/2021 12:05	12/27/2021 12:55	0.8	0.08	0.10	0.24	47.6	12/27/2021 12:00	12/28/2021 0:55	13.0	1.65	1.80	77,190
12/29/2021 11:45	12/29/2021 13:45	2.0	0.11	0.06	0.24	47.2	12/29/2021 11:45	12/30/2021 1:40	14.0	0.86	0.94	43,179
12/30/2021 12:00	12/30/2021 15:05	3.1	0.06	0.02	0.12	23.4	12/30/2021 12:00	12/31/2021 3:00	15.1	0.75	0.78	40,506
12/31/2021 11:40	12/31/2021 14:15	2.6	0.29	0.11	0.24	22.5	12/31/2021 11:35	1/1/2022 2:10	14.7	0.59	0.61	31,302
1/1/2022 12:00	1/1/2022 12:40	0.7	0.06	0.09	0.12	22.1	1/1/2022 11:55	1/2/2022 0:40	12.8	0.50	0.50	22,911
1/2/2022 11:35	1/3/2022 15:55	28.3	1.42	0.05	0.36	23.2	1/2/2022 11:35	1/4/2022 3:55	40.4	3.29	6.10	478,923
1/4/2022 5:05	1/5/2022 2:05	21.0	0.49	0.02	0.36	14.1	1/4/2022 5:00	1/5/2022 10:40	29.8	5.12	5.72	548,124
1/5/2022 10:40	1/7/2022 14:00	51.3	3.17	0.06	0.48	12.9	1/5/2022 10:40	1/8/2022 2:00	63.4	12.06	20.00	2,753,166
1/10/2022 8:25	1/10/2022 10:50	2.4	0.14	0.06	0.24	66.7	1/10/2022 8:25	1/10/2022 22:50	14.5	4.16	4.58	217,230
1/10/2022 22:55	1/12/2022 8:05	33.2	1.19	0.04	0.24	13.6	1/10/2022 22:50	1/12/2022 20:00	45.3	6.34	7.83	1,032,585
1/13/2022 2:25	1/13/2022 9:35	7.2	0.10	0.01	0.12	19.2	1/13/2022 2:25	1/13/2022 21:30	19.2	5.64	6.30	389,478
1/17/2022 20:00	1/17/2022 23:20	3.3	0.03	0.01	0.12	108.2	1/17/2022 20:00	1/18/2022 10:10	14.3	1.34	1.39	68,598
1/18/2022 10:10	1/18/2022 17:55	7.8	0.06	0.01	0.12	122.4	1/18/2022 10:10	1/19/2022 5:55	19.8	1.21	1.25	86,268
1/19/2022 18:40	1/20/2022 16:55	22.3	0.93	0.04	0.48	30.8	1/19/2022 18:40	1/21/2022 4:50	34.3	1.78	3.15	219,351
1/30/2022 10:20	1/31/2022 0:40	14.3	0.37	0.03	0.24	233.5	1/30/2022 10:15	1/31/2022 12:40	26.5	0.58	0.65	55,695
2/1/2022 1:20	2/1/2022 1:35	0.3	0.03	0.12	0.12	25.0	2/1/2022 1:15	2/1/2022 8:10	7.0	0.61	0.61	15,360
2/1/2022 8:15	2/1/2022 10:25	2.2	0.17	0.08	0.24	31.9	2/1/2022 8:10	2/1/2022 22:25	14.3	0.62	0.65	31,872
2/2/2022 16:35	2/2/2022 21:40	5.1	0.07	0.01	0.12	30.5	2/2/2022 16:35	2/3/2022 2:35	10.1	0.57	0.61	20,715
2/3/2022 2:35	2/3/2022 12:45	10.2	0.22	0.02	0.12	7.5	2/3/2022 2:35	2/4/2022 0:40	22.2	0.66	0.69	52,806
2/5/2022 7:40	2/5/2022 8:30	0.8	0.03	0.04	0.12	45.2	2/5/2022 7:40	2/5/2022 20:25	12.8	0.61	0.65	28,194
2/7/2022 9:15	2/7/2022 10:30	1.3	0.03	0.02	0.12	94.8	2/7/2022 9:10	2/7/2022 22:25	13.3	0.51	0.54	24,264
2/10/2022 3:20	2/10/2022 7:55	4.6	0.03	0.01	0.12	160.9	2/10/2022 3:20	2/10/2022 19:50	16.6	0.44	0.44	26,268
2/14/2022 5:00	2/14/2022 12:05	7.1	0.13	0.02	0.12	258.6	2/14/2022 5:00	2/14/2022 12:30	7.6	0.35	0.35	9,531
2/14/2022 12:35	2/14/2022 14:50	2.3	0.03	0.01	0.12	6.5	2/14/2022 12:30	2/15/2022 2:45	14.3	0.35	0.35	18,060
2/19/2022 19:30	2/20/2022 21:00	25.5	0.89	0.03	0.48	127.4	2/19/2022 19:25	2/21/2022 8:55	37.6	0.45	0.50	60,723
2/22/2022 11:25	2/22/2022 11:25	0.0	0.02	0.00	0.24	38.6	2/22/2022 11:25	2/22/2022 23:25	12.1	0.38	0.38	16,530
2/24/2022 10:05	2/24/2022 10:05	0.0	0.02	0.00	0.24	85.2	2/24/2022 10:05	2/24/2022 22:05	12.1	0.33	0.33	14,355
2/26/2022 16:35	3/1/2022 7:25	62.8	3.56	0.06	0.36	139.8	2/26/2022 16:30	3/1/2022 19:25	75.0	5.02	11.32	1,355,769
3/2/2022 8:15	3/3/2022 13:40	29.4	0.72	0.02	0.24	26.8	3/2/2022 8:10	3/4/2022 1:40	41.6	6.98	8.81	1,045,477
3/8/2022 3:50	3/8/2022 14:30	10.7	0.20	0.02	0.12	112.7	3/8/2022 3:50	3/9/2022 2:25	22.7	1.17	1.25	95,574
3/12/2022 18:30	3/13/2022 2:20	7.8	0.10	0.01	0.12	102.4	3/12/2022 18:30	3/13/2022 13:50	19.4	0.57	0.61	39,585
3/13/2022 13:55	3/14/2022 2:00	12.1	0.28	0.02	0.12	12.6	3/13/2022 13:50	3/14/2022 10:40	20.9	0.59	0.61	44,592
3/14/2022 10:40	3/15/2022 5:30	18.8	0.85	0.05	0.24	10.8	3/14/2022 10:40	3/15/2022 13:30	26.9	1.48	2.09	143,103
3/15/2022 13:35	3/15/2022 14:30	0.9	0.04	0.04	0.36	11.1	3/15/2022 13:30	3/16/2022 2:30	13.1	2.22	2.29	104,499
3/17/2022 14:45	3/18/2022 1:50	11.1	0.15	0.01	0.12	49.2	3/17/2022 14:45	3/18/2022 13:50	23.2	1.11	1.18	92,952
3/18/2022 21:10	3/19/2022 19:20	22.2	0.74	0.03	0.24	21.8	3/18/2022 21:10	3/20/2022 7:15	34.2	1.64	2.09	201,135
3/20/2022 13:55	3/21/2022 10:35	20.7	0.95	0.05	0.12	19.3	3/20/2022 13:50	3/21/2022 17:35	27.8	4.05	6.93	406,257
3/21/2022 17:35	3/21/2022 19:10	1.6	0.03	0.02	0.12	7.9	3/21/2022 17:35	3/22/2022 2:10	8.7	6.72	7.14	209,784
3/22/2022 2:15	3/22/2022 8:35	6.3	0.11	0.02	0.12	16.6	3/22/2022 2:10	3/22/2022 20:35	18.5	5.35	6.30	356,082
3/23/2022 7:05	3/23/2022 18:25	11.3	0.28	0.02	0.36	25.5	3/23/2022 7:05	3/24/2022 6:20	23.3	2.95	3.31	247,690
3/30/2022 7:30	3/31/2022 5:05	21.6	0.64	0.03	0.36	158.8	3/30/2022 7:25	3/31/2022 17:00	33.7	0.66	0.78	80,190
4/1/2022 20:20	4/2/2022 8:25	12.1	0.35	0.03	0.36	44.9	4/1/2022 20:15	4/2/2022 20:25	24.3	0.82	0.88	71,148
4/3/2022 13:40	4/4/2022 6:30	16.8	0.51	0.03	0.12	33.4	4/3/2022 13:40	4/4/2022 18:30	28.9	1.01	1.25	105,180
4/5/2022 13:10	4/5/2022 13:30	0.3	0.05	0.15	0.24	34.8	4/5/2022 13:05	4/6/2022 1:25	12.4	0.83	0.88	37,206
4/8/2022 2:35	4/8/2022 3:15	0.7	0.05	0.08	0.12	61.2	4/8/2022 2:35	4/8/2022 15:10	12.7	0.54	0.57	24,681
4/8/2022 16:45	4/8/2022 17:10	0.4	0.05	0.12	0.12	14.0	4/8/2022 16:40	4/9/2022 5:10	12.6	0.50	0.54	22,728
4/9/2022 8:50	4/10/2022 16:00	31.2	0.87	0.03	0.36	15.9	4/9/2022 8:45	4/11/2022 3:55	43.3	0.62	0.78	96,486
4/14/2022 12:30	4/14/2022 13:55	1.4	0.05	0.04	0.12	93.3	4/14/2022 12:30	4/15/2022 1:50	13.4	0.46	0.47	22,026
4/18/2022 11:10	4/18/2022 18:25	7.3	0.26	0.04	0.12	94.1	4/18/2022 11:10	4/19/2022 4:05	17.0	0.35	0.38	21,690

Table D-6. Summary Statistics for Individual Storm Events at the COLM Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
4/19/2022 4:10	4/19/2022 4:30	0.3	0.03	0.09	0.12	10.5	4/19/2022 4:05	4/19/2022 16:25	12.4	0.35	0.38	15,699
4/21/2022 3:50	4/21/2022 4:35	0.8	0.04	0.05	0.12	58.2	4/21/2022 3:45	4/21/2022 12:10	8.5	0.30	0.30	9,180
4/21/2022 12:10	4/21/2022 19:10	7.0	0.06	0.01	0.12	8.3	4/21/2022 12:10	4/22/2022 4:40	16.6	0.30	0.30	17,898
4/22/2022 4:45	4/22/2022 5:40	0.9	0.03	0.03	0.12	14.5	4/22/2022 4:40	4/22/2022 17:35	13.0	0.30	0.30	14,034
4/25/2022 1:50	4/25/2022 9:10	7.3	0.14	0.02	0.24	83.6	4/25/2022 1:50	4/25/2022 15:10	13.4	0.26	0.26	12,558
4/25/2022 15:15	4/25/2022 18:20	3.1	0.03	0.01	0.12	10.3	4/25/2022 15:10	4/26/2022 6:20	15.3	0.26	0.26	14,040
4/30/2022 0:35	4/30/2022 9:40	9.1	0.28	0.03	0.12	115.7	4/30/2022 0:30	4/30/2022 21:40	21.3	0.22	0.24	16,668
5/2/2022 4:05	5/2/2022 11:25	7.3	0.40	0.05	0.24	44.8	5/2/2022 4:05	5/2/2022 23:25	19.4	0.28	0.33	19,536
5/3/2022 3:30	5/3/2022 7:05	3.6	0.03	0.01	0.12	18.4	5/3/2022 3:30	5/3/2022 19:05	15.7	0.26	0.26	14,664
5/5/2022 1:35	5/5/2022 19:35	18.0	0.51	0.03	0.12	64.5	5/5/2022 1:30	5/6/2022 7:30	30.1	0.29	0.35	31,326
5/6/2022 10:10	5/7/2022 19:00	32.8	0.89	0.03	0.36	15.2	5/6/2022 10:05	5/8/2022 6:55	44.9	0.64	0.83	104,061
5/9/2022 13:10	5/9/2022 22:15	9.1	0.12	0.01	0.24	42.4	5/9/2022 13:05	5/10/2022 10:15	21.3	0.67	0.74	51,246
5/10/2022 12:20	5/10/2022 12:25	0.1	0.09	1.08	0.60	18.7	5/10/2022 12:20	5/11/2022 0:20	12.1	0.59	0.61	25,455
5/11/2022 20:05	5/11/2022 20:50	0.8	0.04	0.05	0.12	31.7	5/11/2022 20:00	5/12/2022 3:20	7.4	0.47	0.50	12,540
5/12/2022 3:25	5/12/2022 15:55	12.5	0.38	0.03	0.24	7.3	5/12/2022 3:20	5/13/2022 3:55	24.7	0.54	0.65	47,763
5/14/2022 0:40	5/14/2022 13:25	12.8	0.12	0.01	0.24	33.2	5/14/2022 0:40	5/15/2022 0:55	24.3	0.48	0.50	41,820
5/15/2022 1:00	5/15/2022 21:15	20.3	0.58	0.03	0.24	18.3	5/15/2022 0:55	5/16/2022 9:10	32.3	0.64	0.78	75,012
5/18/2022 2:15	5/18/2022 10:10	7.9	0.26	0.03	0.12	54.1	5/18/2022 2:10	5/18/2022 22:05	20.0	0.60	0.65	43,227
5/18/2022 23:10	5/19/2022 11:45	12.6	0.22	0.02	0.36	14.5	5/18/2022 23:10	5/19/2022 23:45	24.7	0.56	0.61	49,467
5/24/2022 17:25	5/24/2022 19:10	1.8	0.05	0.03	0.12	127.1	5/24/2022 17:25	5/25/2022 1:15	7.9	0.26	0.26	7,410
5/25/2022 1:20	5/25/2022 6:20	5.0	0.10	0.02	0.12	7.5	5/25/2022 1:15	5/25/2022 18:20	17.2	0.26	0.28	16,134
5/26/2022 16:55	5/27/2022 1:35	8.7	0.40	0.05	0.60	35.5	5/26/2022 16:50	5/27/2022 13:30	20.8	0.28	0.35	20,952
5/28/2022 7:20	5/28/2022 7:40	0.3	0.03	0.09	0.12	29.8	5/28/2022 7:20	5/28/2022 16:15	9.0	0.25	0.26	7,992
5/28/2022 16:20	5/30/2022 4:00	35.7	1.24	0.03	0.24	38.8	5/28/2022 16:15	5/30/2022 15:55	47.8	0.63	1.05	107,670
6/2/2022 15:50	6/2/2022 18:30	2.7	0.10	0.04	0.36	88.2	6/2/2022 15:45	6/3/2022 0:55	9.3	0.54	0.57	17,988
6/3/2022 1:00	6/3/2022 20:35	19.6	0.50	0.03	1.08	6.7	6/3/2022 0:55	6/4/2022 8:35	31.8	0.74	0.94	84,591
6/4/2022 15:40	6/5/2022 9:00	17.3	0.87	0.05	0.48	20.1	6/4/2022 15:40	6/5/2022 15:40	24.1	1.66	3.02	144,006
6/5/2022 15:45	6/5/2022 15:45	0.0	0.04	0.00	0.48	7.0	6/5/2022 15:40	6/6/2022 3:40	12.1	2.32	2.52	101,043
6/9/2022 6:00	6/10/2022 2:20	20.3	1.04	0.05	0.24	86.2	6/9/2022 5:55	6/10/2022 14:15	32.4	1.73	2.76	202,326
6/10/2022 16:20	6/11/2022 6:20	14.0	0.17	0.01	0.12	16.8	6/10/2022 16:20	6/11/2022 18:20	26.1	2.14	2.40	201,093
6/12/2022 3:45	6/12/2022 6:45	3.0	0.07	0.02	0.12	26.6	6/12/2022 3:40	6/12/2022 18:40	15.1	1.27	1.39	69,030
6/12/2022 19:00	6/13/2022 7:05	12.1	0.40	0.03	0.36	13.7	6/12/2022 18:55	6/13/2022 14:55	20.1	1.55	1.89	111,879
6/13/2022 14:55	6/13/2022 18:10	3.3	0.10	0.03	0.48	14.8	6/13/2022 14:55	6/14/2022 2:30	11.7	1.45	1.54	60,708
6/14/2022 2:30	6/14/2022 4:15	1.8	0.33	0.19	0.72	11.4	6/14/2022 2:30	6/14/2022 16:15	13.8	2.29	2.76	114,120
6/17/2022 8:20	6/17/2022 18:20	10.0	0.29	0.03	0.12	76.8	6/17/2022 8:20	6/18/2022 6:20	22.1	0.89	1.05	70,776
6/18/2022 20:15	6/19/2022 6:20	10.1	0.17	0.02	0.24	28.1	6/18/2022 20:10	6/19/2022 18:20	22.3	0.77	0.83	61,980
6/22/2022 6:20	6/22/2022 9:10	2.8	0.05	0.02	0.12	75.2	6/22/2022 6:20	6/22/2022 21:10	14.9	0.47	0.47	25,050
6/22/2022 23:45	6/23/2022 0:50	1.1	0.03	0.03	0.12	16.5	6/22/2022 23:45	6/23/2022 12:45	13.1	0.43	0.44	20,094
7/3/2022 0:35	7/3/2022 8:55	8.3	0.12	0.01	0.24	257.3	7/3/2022 0:30	7/3/2022 14:45	14.3	0.14	0.15	7,182
7/3/2022 14:45	7/3/2022 18:10	3.4	0.16	0.05	0.12	8.5	7/3/2022 14:45	7/4/2022 6:10	15.5	0.16	0.18	8,970
7/18/2022 3:30	7/18/2022 4:20	0.8	0.05	0.06	0.12	345.9	7/18/2022 3:30	7/18/2022 16:20	12.9	0.06	0.10	2,655
8/4/2022 10:30	8/4/2022 11:50	1.3	0.03	0.02	0.12	414.8	8/4/2022 10:25	8/4/2022 23:50	13.5	0.04	0.04	1,938

This page intentionally left blank

Table D-7. Summary Statistics for Individual Storm Events at the SEIMN Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
10/3/2021 5:50	10/3/2021 11:10	5.3	0.09	0.02	0.12	64.7	10/3/2021 5:45	10/3/2021 23:10	17.5	0.16	0.16	10,080
10/5/2021 6:10	10/5/2021 15:40	9.5	0.27	0.03	0.36	45.8	10/5/2021 6:10	10/6/2021 3:40	21.6	0.17	0.24	13,392
10/9/2021 16:40	10/9/2021 20:40	4.0	0.14	0.04	0.12	97.3	10/9/2021 16:40	10/10/2021 0:00	7.4	0.16	0.20	4,320
10/10/2021 1:30	10/10/2021 7:45	6.3	0.17	0.03	0.36	7.3	10/10/2021 1:30	10/10/2021 10:30	9.1	0.19	0.20	6,048
10/10/2021 10:35	10/10/2021 13:00	2.4	0.05	0.02	0.12	6.3	10/10/2021 10:30	10/10/2021 23:35	13.2	0.17	0.20	8,268
10/10/2021 23:35	10/11/2021 2:40	3.1	0.08	0.03	0.12	12.8	10/10/2021 23:35	10/11/2021 14:35	15.1	0.17	0.20	9,156
10/12/2021 17:40	10/13/2021 4:35	10.9	0.17	0.02	0.12	40.8	10/12/2021 17:35	10/13/2021 16:30	23.0	0.16	0.20	13,254
10/13/2021 22:10	10/14/2021 8:10	10.0	0.12	0.01	0.12	23.3	10/13/2021 22:05	10/14/2021 20:10	22.2	0.16	0.16	12,768
10/15/2021 1:50	10/15/2021 9:20	7.5	0.13	0.02	0.12	21.2	10/15/2021 1:50	10/15/2021 19:40	17.9	0.17	0.20	10,920
10/15/2021 19:40	10/16/2021 1:55	6.3	0.05	0.01	0.12	11.2	10/15/2021 19:40	10/16/2021 13:50	18.3	0.16	0.20	10,344
10/20/2021 4:55	10/20/2021 9:30	4.6	0.29	0.06	0.24	104.6	10/20/2021 4:50	10/20/2021 21:30	16.8	0.19	0.29	11,466
10/21/2021 19:15	10/22/2021 4:05	8.8	0.51	0.06	0.24	35.1	10/21/2021 19:15	10/22/2021 12:45	17.6	0.24	0.35	15,006
10/22/2021 12:50	10/22/2021 16:45	3.9	0.07	0.02	0.36	11.7	10/22/2021 12:45	10/23/2021 4:40	16.0	0.20	0.20	11,448
10/23/2021 4:50	10/23/2021 18:45	13.9	0.14	0.01	0.24	15.9	10/23/2021 4:50	10/24/2021 6:40	25.9	0.19	0.20	17,628
10/24/2021 7:50	10/24/2021 14:55	7.1	0.32	0.05	0.36	14.2	10/24/2021 7:50	10/25/2021 2:55	19.2	0.20	0.29	13,566
10/25/2021 13:40	10/26/2021 5:25	15.8	0.10	0.01	0.12	23.3	10/25/2021 13:40	10/26/2021 10:15	20.7	0.20	0.20	14,844
10/26/2021 10:20	10/26/2021 19:05	8.8	0.16	0.02	0.24	15.6	10/26/2021 10:15	10/27/2021 7:05	20.9	0.21	0.24	15,468
10/27/2021 16:00	10/29/2021 8:25	40.4	2.73	0.07	0.48	24.9	10/27/2021 15:55	10/30/2021 8:25	64.6	0.73	2.17	170,746
11/1/2021 11:45	11/1/2021 20:30	8.8	0.15	0.02	0.12	75.8	11/1/2021 11:45	11/2/2021 8:25	20.8	0.41	0.49	30,303
11/2/2021 12:05	11/2/2021 19:20	7.3	0.18	0.02	0.12	20.8	11/2/2021 12:00	11/3/2021 7:15	19.3	0.42	0.49	29,505
11/3/2021 18:40	11/4/2021 14:25	19.8	1.10	0.06	0.36	27.2	11/3/2021 18:40	11/5/2021 2:25	31.8	0.35	0.68	40,503
11/5/2021 3:10	11/5/2021 7:50	4.7	0.17	0.04	0.12	14.2	11/5/2021 3:10	11/5/2021 19:50	16.8	0.34	0.42	20,463
11/6/2021 7:00	11/7/2021 18:15	35.3	0.89	0.03	0.36	23.8	11/6/2021 7:00	11/8/2021 6:10	47.3	0.44	0.63	74,964
11/9/2021 0:55	11/9/2021 5:20	4.4	0.16	0.04	0.12	30.9	11/9/2021 0:55	11/9/2021 13:50	13.0	0.53	0.53	24,588
11/9/2021 13:50	11/9/2021 18:20	4.5	0.36	0.08	0.36	10.8	11/9/2021 13:50	11/10/2021 6:20	16.6	0.63	0.68	37,356
11/10/2021 20:10	11/12/2021 14:20	42.2	1.92	0.05	0.60	26.3	11/10/2021 20:10	11/13/2021 2:20	54.3	1.11	2.47	216,738
11/13/2021 17:15	11/14/2021 0:45	7.5	0.34	0.05	0.24	27.2	11/13/2021 17:10	11/14/2021 12:40	19.6	1.04	1.10	73,278
11/14/2021 13:15	11/15/2021 1:35	12.3	0.58	0.05	0.24	14.4	11/14/2021 13:15	11/15/2021 10:40	21.5	1.21	1.39	93,912
11/15/2021 10:40	11/15/2021 20:10	9.5	1.07	0.11	0.72	10.2	11/15/2021 10:40	11/16/2021 8:10	21.6	1.38	1.54	106,860
11/18/2021 14:45	11/19/2021 6:15	15.5	0.47	0.03	0.36	67.7	11/18/2021 14:45	11/19/2021 18:10	27.5	0.91	0.97	90,288
12/2/2021 1:05	12/2/2021 12:35	11.5	0.25	0.02	0.24	308.2	12/2/2021 1:05	12/3/2021 0:30	23.5	0.97	1.03	81,756
12/4/2021 5:35	12/4/2021 17:50	12.3	0.48	0.04	0.24	46.8	12/4/2021 5:35	12/5/2021 5:45	24.3	0.99	1.03	86,769
12/6/2021 11:20	12/7/2021 5:15	17.9	0.23	0.01	0.12	43.8	12/6/2021 11:20	12/7/2021 17:10	29.9	0.95	0.97	102,309
12/7/2021 19:30	12/7/2021 20:45	1.3	0.03	0.02	0.12	23.9	12/7/2021 19:25	12/8/2021 4:55	9.6	0.91	0.91	31,395
12/8/2021 4:55	12/8/2021 6:55	2.0	0.21	0.11	0.48	33.3	12/8/2021 4:55	12/8/2021 16:50	12.0	0.96	1.03	41,652
12/8/2021 16:55	12/8/2021 18:45	1.8	0.03	0.02	0.12	10.5	12/8/2021 16:50	12/9/2021 6:40	13.9	1.03	1.10	51,648
12/9/2021 9:20	12/9/2021 11:05	1.8	0.08	0.05	0.12	26.9	12/9/2021 9:20	12/9/2021 23:00	13.8	1.00	1.03	49,473
12/10/2021 12:05	12/11/2021 3:25	15.3	0.47	0.03	0.24	25.3	12/10/2021 12:00	12/11/2021 15:20	27.4	1.00	1.17	98,733
12/12/2021 0:20	12/12/2021 0:40	0.3	0.06	0.18	0.24	21.6	12/12/2021 0:20	12/12/2021 12:40	12.4	0.88	0.97	39,435
12/12/2021 15:45	12/12/2021 19:15	3.5	0.12	0.03	0.12	15.3	12/12/2021 15:40	12/13/2021 3:45	12.2	0.76	0.91	33,501
12/13/2021 3:45	12/13/2021 5:25	1.7	0.06	0.04	0.12	9.5	12/13/2021 3:45	12/13/2021 17:25	13.8	0.71	0.79	35,328
12/14/2021 14:25	12/14/2021 16:55	2.5	0.11	0.04	0.12	34.2	12/14/2021 14:25	12/15/2021 4:50	14.5	0.63	0.68	33,111
12/15/2021 15:25	12/15/2021 22:15	6.8	0.06	0.01	0.12	23.2	12/15/2021 15:20	12/16/2021 6:10	14.9	0.58	0.63	31,131
12/16/2021 6:10	12/16/2021 17:30	11.3	0.19	0.02	0.12	12.2	12/16/2021 6:10	12/17/2021 5:25	23.3	0.57	0.58	47,580
12/17/2021 19:10	12/18/2021 15:50	20.7	0.82	0.04	0.24	27.1	12/17/2021 19:10	12/19/2021 3:45	32.7	0.78	1.03	91,893

Table D-7. Summary Statistics for Individual Storm Events at the SEIMN Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
12/21/2021 20:00	12/22/2021 5:55	9.9	0.30	0.03	0.24	77.0	12/21/2021 20:00	12/22/2021 13:05	17.2	0.63	0.68	38,739
12/22/2021 13:05	12/23/2021 1:50	12.8	0.54	0.04	0.24	8.0	12/22/2021 13:05	12/23/2021 13:50	24.8	0.95	1.10	84,936
12/24/2021 1:35	12/24/2021 4:40	3.1	0.15	0.05	0.24	24.2	12/24/2021 1:30	12/24/2021 12:55	11.5	0.83	0.91	34,164
12/24/2021 13:00	12/25/2021 6:30	17.5	0.58	0.03	0.24	9.8	12/24/2021 12:55	12/25/2021 11:30	22.7	0.95	1.10	77,526
12/25/2021 11:30	12/25/2021 14:10	2.7	0.05	0.02	0.12	8.6	12/25/2021 11:30	12/26/2021 2:10	14.8	0.92	0.97	48,717
12/27/2021 12:05	12/27/2021 12:55	0.8	0.08	0.10	0.24	47.6	12/27/2021 12:00	12/28/2021 0:55	13.0	0.61	0.63	28,704
12/29/2021 11:45	12/29/2021 13:45	2.0	0.11	0.06	0.24	47.2	12/29/2021 11:45	12/30/2021 1:40	14.0	0.52	0.53	26,124
12/30/2021 12:00	12/30/2021 15:05	3.1	0.06	0.02	0.12	23.4	12/30/2021 12:00	12/31/2021 3:00	15.1	0.49	0.49	26,607
12/31/2021 11:40	12/31/2021 14:15	2.6	0.29	0.11	0.24	22.5	12/31/2021 11:35	1/1/2022 2:10	14.7	0.48	0.49	25,599
1/1/2022 12:00	1/1/2022 12:40	0.7	0.06	0.09	0.12	22.1	1/1/2022 11:55	1/2/2022 0:40	12.8	0.42	0.49	19,446
1/2/2022 11:35	1/3/2022 15:55	28.3	1.42	0.05	0.36	23.2	1/2/2022 11:35	1/4/2022 3:55	40.4	0.89	1.24	129,393
1/4/2022 5:05	1/5/2022 2:05	21.0	0.49	0.02	0.36	14.1	1/4/2022 5:00	1/5/2022 10:40	29.8	0.87	0.97	93,357
1/5/2022 10:40	1/7/2022 14:00	51.3	3.17	0.06	0.48	12.9	1/5/2022 10:40	1/8/2022 2:00	63.4	4.60	8.52	1,050,724
1/10/2022 8:25	1/10/2022 10:50	2.4	0.14	0.06	0.24	66.7	1/10/2022 8:25	1/10/2022 22:50	14.5	0.91	1.03	47,736
1/10/2022 22:55	1/12/2022 8:05	33.2	1.19	0.04	0.24	13.6	1/10/2022 22:50	1/12/2022 20:00	45.3	1.37	1.98	222,625
1/13/2022 2:25	1/13/2022 9:35	7.2	0.10	0.01	0.12	19.2	1/13/2022 2:25	1/13/2022 21:30	19.2	0.94	1.10	65,175
1/17/2022 20:00	1/17/2022 23:20	3.3	0.03	0.01	0.12	108.2	1/17/2022 20:00	1/18/2022 10:10	14.3	0.49	0.53	25,149
1/18/2022 10:10	1/18/2022 17:55	7.8	0.06	0.01	0.12	122.4	1/18/2022 10:10	1/19/2022 5:55	19.8	0.49	0.49	34,986
1/19/2022 18:40	1/20/2022 16:55	22.3	0.93	0.04	0.48	30.8	1/19/2022 18:40	1/21/2022 4:50	34.3	0.68	1.03	83,985
1/30/2022 10:20	1/31/2022 0:40	14.3	0.37	0.03	0.24	233.5	1/30/2022 10:15	1/31/2022 12:40	26.5	0.46	0.53	43,881
2/1/2022 1:20	2/1/2022 1:35	0.3	0.03	0.12	0.12	25.0	2/1/2022 1:15	2/1/2022 8:10	7.0	0.49	0.49	12,222
2/1/2022 8:15	2/1/2022 10:25	2.2	0.17	0.08	0.24	31.9	2/1/2022 8:10	2/1/2022 22:25	14.3	0.49	0.49	25,179
2/2/2022 16:35	2/2/2022 21:40	5.1	0.07	0.01	0.12	30.5	2/2/2022 16:35	2/3/2022 2:35	10.1	0.48	0.49	17,514
2/3/2022 2:35	2/3/2022 12:45	10.2	0.22	0.02	0.12	7.5	2/3/2022 2:35	2/4/2022 0:40	22.2	0.48	0.49	38,241
2/5/2022 7:40	2/5/2022 8:30	0.8	0.03	0.04	0.12	45.2	2/5/2022 7:40	2/5/2022 20:25	12.8	0.45	0.49	20,895
2/7/2022 9:15	2/7/2022 10:30	1.3	0.03	0.02	0.12	94.8	2/7/2022 9:10	2/7/2022 22:25	13.3	0.42	0.42	20,160
2/10/2022 3:20	2/10/2022 7:55	4.6	0.03	0.01	0.12	160.9	2/10/2022 3:20	2/10/2022 19:50	16.6	0.35	0.42	20,937
2/14/2022 5:00	2/14/2022 12:05	7.1	0.13	0.02	0.12	258.6	2/14/2022 5:00	2/14/2022 12:30	7.6	0.31	0.35	8,349
2/14/2022 12:35	2/14/2022 14:50	2.3	0.03	0.01	0.12	6.5	2/14/2022 12:30	2/15/2022 2:45	14.3	0.31	0.35	15,765
2/19/2022 19:30	2/20/2022 21:00	25.5	0.89	0.03	0.48	127.4	2/19/2022 19:25	2/21/2022 8:55	37.6	0.53	0.58	71,589
2/22/2022 11:25	2/22/2022 11:25	0.0	0.02	0.00	0.24	38.6	2/22/2022 11:25	2/22/2022 23:25	12.1	0.49	0.49	21,315
2/24/2022 10:05	2/24/2022 10:05	0.0	0.02	0.00	0.24	85.2	2/24/2022 10:05	2/24/2022 22:05	12.1	0.49	0.53	21,327
2/26/2022 16:35	3/1/2022 7:25	62.8	3.56	0.06	0.36	139.8	2/26/2022 16:30	3/1/2022 19:25	75.0	2.21	6.41	595,978
3/2/2022 8:15	3/3/2022 13:40	29.4	0.72	0.02	0.24	26.8	3/2/2022 8:10	3/4/2022 1:40	41.6	1.22	1.31	183,233
3/8/2022 3:50	3/8/2022 14:30	10.7	0.20	0.02	0.12	112.7	3/8/2022 3:50	3/9/2022 2:25	22.7	0.66	0.68	53,748
3/12/2022 18:30	3/13/2022 2:20	7.8	0.10	0.01	0.12	102.4	3/12/2022 18:30	3/13/2022 13:50	19.4	0.52	0.53	36,579
3/13/2022 13:55	3/14/2022 2:00	12.1	0.28	0.02	0.12	12.6	3/13/2022 13:50	3/14/2022 10:40	20.9	0.52	0.53	39,177
3/14/2022 10:40	3/15/2022 5:30	18.8	0.85	0.05	0.24	10.8	3/14/2022 10:40	3/15/2022 13:30	26.9	0.76	0.91	73,347
3/15/2022 13:35	3/15/2022 14:30	0.9	0.04	0.04	0.36	11.1	3/15/2022 13:30	3/16/2022 2:30	13.1	0.67	0.73	31,473
3/17/2022 14:45	3/18/2022 1:50	11.1	0.15	0.01	0.12	49.2	3/17/2022 14:45	3/18/2022 13:50	23.2	0.58	0.58	48,057
3/18/2022 21:10	3/19/2022 19:20	22.2	0.74	0.03	0.24	21.8	3/18/2022 21:10	3/20/2022 7:15	34.2	0.70	0.85	86,535
3/20/2022 13:55	3/21/2022 10:35	20.7	0.95	0.05	0.12	19.3	3/20/2022 13:50	3/21/2022 17:35	27.8	1.14	1.80	114,246
3/21/2022 17:35	3/21/2022 19:10	1.6	0.03	0.02	0.12	7.9	3/21/2022 17:35	3/22/2022 2:10	8.7	1.34	1.54	41,955
3/22/2022 2:15	3/22/2022 8:35	6.3	0.11	0.02	0.12	16.6	3/22/2022 2:10	3/22/2022 20:35	18.5	1.00	1.17	66,564
3/23/2022 7:05	3/23/2022 18:25	11.3	0.28	0.02	0.36	25.5	3/23/2022 7:05	3/24/2022 6:20	23.3	0.73	0.79	60,966

Table D-7. Summary Statistics for Individual Storm Events at the SEIMN Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
3/30/2022 7:30	3/31/2022 5:05	21.6	0.64	0.03	0.36	158.8	3/30/2022 7:25	3/31/2022 17:00	33.7	0.60	0.68	72,186
4/1/2022 20:20	4/2/2022 8:25	12.1	0.35	0.03	0.36	44.9	4/1/2022 20:15	4/2/2022 20:25	24.3	0.62	0.63	54,294
4/3/2022 13:40	4/4/2022 6:30	16.8	0.51	0.03	0.12	33.4	4/3/2022 13:40	4/4/2022 18:30	28.9	0.71	0.85	73,782
4/5/2022 13:10	4/5/2022 13:30	0.3	0.05	0.15	0.24	34.8	4/5/2022 13:05	4/6/2022 1:25	12.4	0.73	0.73	32,421
4/8/2022 2:35	4/8/2022 3:15	0.7	0.05	0.08	0.12	61.2	4/8/2022 2:35	4/8/2022 15:10	12.7	0.66	0.68	30,273
4/8/2022 16:45	4/8/2022 17:10	0.4	0.05	0.12	0.12	14.0	4/8/2022 16:40	4/9/2022 5:10	12.6	0.65	0.68	29,634
4/9/2022 8:50	4/10/2022 16:00	31.2	0.87	0.03	0.36	15.9	4/9/2022 8:45	4/11/2022 3:55	43.3	0.70	0.85	109,221
4/14/2022 12:30	4/14/2022 13:55	1.4	0.05	0.04	0.12	93.3	4/14/2022 12:30	4/15/2022 1:50	13.4	0.58	0.58	27,909
4/18/2022 11:10	4/18/2022 18:25	7.3	0.26	0.04	0.12	94.1	4/18/2022 11:10	4/19/2022 4:05	17.0	0.47	0.53	28,755
4/19/2022 4:10	4/19/2022 4:30	0.3	0.03	0.09	0.12	10.5	4/19/2022 4:05	4/19/2022 16:25	12.4	0.50	0.53	22,428
4/21/2022 3:50	4/21/2022 4:35	0.8	0.04	0.05	0.12	58.2	4/21/2022 3:45	4/21/2022 12:10	8.5	0.39	0.42	11,844
4/21/2022 12:10	4/21/2022 19:10	7.0	0.06	0.01	0.12	8.3	4/21/2022 12:10	4/22/2022 4:40	16.6	0.42	0.49	25,095
4/22/2022 4:45	4/22/2022 5:40	0.9	0.03	0.03	0.12	14.5	4/22/2022 4:40	4/22/2022 17:35	13.0	0.42	0.42	19,656
4/25/2022 1:50	4/25/2022 9:10	7.3	0.14	0.02	0.24	83.6	4/25/2022 1:50	4/25/2022 15:10	13.4	0.39	0.42	18,915
4/25/2022 15:15	4/25/2022 18:20	3.1	0.03	0.01	0.12	10.3	4/25/2022 15:10	4/26/2022 6:20	15.3	0.42	0.42	22,953
4/30/2022 0:35	4/30/2022 9:40	9.1	0.28	0.03	0.12	115.7	4/30/2022 0:30	4/30/2022 21:40	21.3	0.46	0.53	35,538
5/2/2022 4:05	5/2/2022 11:25	7.3	0.40	0.05	0.24	44.8	5/2/2022 4:05	5/2/2022 23:25	19.4	0.61	0.73	42,528
5/3/2022 3:30	5/3/2022 7:05	3.6	0.03	0.01	0.12	18.4	5/3/2022 3:30	5/3/2022 19:05	15.7	0.51	0.53	28,536
5/5/2022 1:35	5/5/2022 19:35	18.0	0.51	0.03	0.12	64.5	5/5/2022 1:30	5/6/2022 7:30	30.1	0.56	0.68	60,747
5/6/2022 10:10	5/7/2022 19:00	32.8	0.89	0.03	0.36	15.2	5/6/2022 10:05	5/8/2022 6:55	44.9	0.79	1.03	127,444
5/9/2022 13:10	5/9/2022 22:15	9.1	0.12	0.01	0.24	42.4	5/9/2022 13:05	5/10/2022 10:15	21.3	0.59	0.63	44,985
5/10/2022 12:20	5/10/2022 12:25	0.1	0.09	1.08	0.60	18.7	5/10/2022 12:20	5/11/2022 0:20	12.1	0.57	0.58	24,675
5/11/2022 20:05	5/11/2022 20:50	0.8	0.04	0.05	0.12	31.7	5/11/2022 20:00	5/12/2022 3:20	7.4	0.53	0.53	14,151
5/12/2022 3:25	5/12/2022 15:55	12.5	0.38	0.03	0.24	7.3	5/12/2022 3:20	5/13/2022 3:55	24.7	0.57	0.63	50,889
5/14/2022 0:40	5/14/2022 13:25	12.8	0.12	0.01	0.24	33.2	5/14/2022 0:40	5/15/2022 0:55	24.3	0.50	0.53	43,731
5/15/2022 1:00	5/15/2022 21:15	20.3	0.58	0.03	0.24	18.3	5/15/2022 0:55	5/16/2022 9:10	32.3	0.58	0.73	67,503
5/18/2022 2:15	5/18/2022 10:10	7.9	0.26	0.03	0.12	54.1	5/18/2022 2:10	5/18/2022 22:05	20.0	0.51	0.53	36,651
5/18/2022 23:10	5/19/2022 11:45	12.6	0.22	0.02	0.36	14.5	5/18/2022 23:10	5/19/2022 23:45	24.7	0.49	0.53	43,455
5/24/2022 17:25	5/24/2022 19:10	1.8	0.05	0.03	0.12	127.1	5/24/2022 17:25	5/25/2022 1:15	7.9	0.35	0.35	9,975
5/25/2022 1:20	5/25/2022 6:20	5.0	0.10	0.02	0.12	7.5	5/25/2022 1:15	5/25/2022 18:20	17.2	0.34	0.35	21,306
5/26/2022 16:55	5/27/2022 1:35	8.7	0.40	0.05	0.60	35.5	5/26/2022 16:50	5/27/2022 13:30	20.8	0.45	0.63	33,537
5/28/2022 7:20	5/28/2022 7:40	0.3	0.03	0.09	0.12	29.8	5/28/2022 7:20	5/28/2022 16:15	9.0	0.36	0.42	11,592
5/28/2022 16:20	5/30/2022 4:00	35.7	1.24	0.03	0.24	38.8	5/28/2022 16:15	5/30/2022 15:55	47.8	0.66	0.97	114,301
6/2/2022 15:50	6/2/2022 18:30	2.7	0.10	0.04	0.36	88.2	6/2/2022 15:45	6/3/2022 0:55	9.3	0.49	0.49	16,317
6/3/2022 1:00	6/3/2022 20:35	19.6	0.50	0.03	1.08	6.7	6/3/2022 0:55	6/4/2022 8:35	31.8	0.57	0.79	65,172
6/4/2022 15:40	6/5/2022 9:00	17.3	0.87	0.05	0.48	20.1	6/4/2022 15:40	6/5/2022 15:40	24.1	0.87	1.31	75,093
6/5/2022 15:45	6/5/2022 15:45	0.0	0.04	0.00	0.48	7.0	6/5/2022 15:40	6/6/2022 3:40	12.1	0.94	1.10	40,863
6/9/2022 6:00	6/10/2022 2:20	20.3	1.04	0.05	0.24	86.2	6/9/2022 5:55	6/10/2022 14:15	32.4	0.87	1.17	101,142
6/10/2022 16:20	6/11/2022 6:20	14.0	0.17	0.01	0.12	16.8	6/10/2022 16:20	6/11/2022 18:20	26.1	0.78	0.91	72,993
6/12/2022 3:45	6/12/2022 6:45	3.0	0.07	0.02	0.12	26.6	6/12/2022 3:40	6/12/2022 18:40	15.1	0.68	0.68	36,774
6/12/2022 19:00	6/13/2022 7:05	12.1	0.40	0.03	0.36	13.7	6/12/2022 18:55	6/13/2022 14:55	20.1	0.75	0.79	53,964
6/13/2022 14:55	6/13/2022 18:10	3.3	0.10	0.03	0.48	14.8	6/13/2022 14:55	6/14/2022 2:30	11.7	0.73	0.79	30,810
6/14/2022 2:30	6/14/2022 4:15	1.8	0.33	0.19	0.72	11.4	6/14/2022 2:30	6/14/2022 16:15	13.8	0.98	1.31	49,029
6/17/2022 8:20	6/17/2022 18:20	10.0	0.29	0.03	0.12	76.8	6/17/2022 8:20	6/18/2022 6:20	22.1	0.65	0.68	51,645
6/18/2022 20:15	6/19/2022 6:20	10.1	0.17	0.02	0.24	28.1	6/18/2022 20:10	6/19/2022 18:20	22.3	0.64	0.68	51,588

Table D-7. Summary Statistics for Individual Storm Events at the SEIMN Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
6/22/2022 6:20	6/22/2022 9:10	2.8	0.05	0.02	0.12	75.2	6/22/2022 6:20	6/22/2022 21:10	14.9	0.54	0.58	29,226
6/22/2022 23:45	6/23/2022 0:50	1.1	0.03	0.03	0.12	16.5	6/22/2022 23:45	6/23/2022 12:45	13.1	0.53	0.58	24,978
7/3/2022 0:35	7/3/2022 8:55	8.3	0.12	0.01	0.24	257.3	7/3/2022 0:30	7/3/2022 14:45	14.3	0.41	0.42	21,357
7/3/2022 14:45	7/3/2022 18:10	3.4	0.16	0.05	0.12	8.5	7/3/2022 14:45	7/4/2022 6:10	15.5	0.42	0.42	23,268
7/18/2022 3:30	7/18/2022 4:20	0.8	0.05	0.06	0.12	345.9	7/18/2022 3:30	7/18/2022 16:20	12.9	0.35	0.42	16,359
8/4/2022 10:30	8/4/2022 11:50	1.3	0.03	0.02	0.12	414.8	8/4/2022 10:25	8/4/2022 23:50	13.5	0.27	0.29	13,164
8/27/2022 4:25	8/27/2022 6:05	1.7	0.03	0.02	0.12	960.7	8/27/2022 4:25	8/27/2022 18:00	13.7	0.24	0.24	11,808
9/4/2022 17:05	9/4/2022 22:05	5.0	0.23	0.05	0.36	1165.3	9/4/2022 17:00	9/5/2022 10:05	17.2	0.20	0.24	12,216

Table D-8. Summary Statistics for Individual Storm Events at the SEIMS Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
10/3/2021 5:50	10/3/2021 11:10	5.3	0.09	0.02	0.12	64.7	10/3/2021 5:45	10/3/2021 23:10	17.5	0.22	0.22	13,770
10/5/2021 6:10	10/5/2021 15:40	9.5	0.27	0.03	0.36	45.8	10/5/2021 6:10	10/6/2021 3:40	21.6	0.27	0.37	20,988
10/9/2021 16:40	10/9/2021 20:40	4.0	0.14	0.04	0.12	97.3	10/9/2021 16:40	10/10/2021 0:00	7.4	0.23	0.25	6,225
10/10/2021 1:30	10/10/2021 7:45	6.3	0.17	0.03	0.36	7.3	10/10/2021 1:30	10/10/2021 10:30	9.1	0.30	0.33	9,942
10/10/2021 10:35	10/10/2021 13:00	2.4	0.05	0.02	0.12	6.3	10/10/2021 10:30	10/10/2021 23:35	13.2	0.36	0.55	16,998
10/10/2021 23:35	10/11/2021 2:40	3.1	0.08	0.03	0.12	12.8	10/10/2021 23:35	10/11/2021 14:35	15.1	0.26	0.29	14,046
10/12/2021 17:40	10/13/2021 4:35	10.9	0.17	0.02	0.12	40.8	10/12/2021 17:35	10/13/2021 16:30	23.0	0.25	0.29	20,301
10/13/2021 22:10	10/14/2021 8:10	10.0	0.12	0.01	0.12	23.3	10/13/2021 22:05	10/14/2021 20:10	22.2	0.23	0.25	18,114
10/15/2021 1:50	10/15/2021 9:20	7.5	0.13	0.02	0.12	21.2	10/15/2021 1:50	10/15/2021 19:40	17.9	0.25	0.25	15,801
10/15/2021 19:40	10/16/2021 1:55	6.3	0.05	0.01	0.12	11.2	10/15/2021 19:40	10/16/2021 13:50	18.3	0.26	0.29	17,301
10/20/2021 4:55	10/20/2021 9:30	4.6	0.29	0.06	0.24	104.6	10/20/2021 4:50	10/20/2021 21:30	16.8	0.33	0.50	19,767
10/21/2021 19:15	10/22/2021 4:05	8.8	0.51	0.06	0.24	35.1	10/21/2021 19:15	10/22/2021 12:45	17.6	0.48	0.80	30,225
10/22/2021 12:50	10/22/2021 16:45	3.9	0.07	0.02	0.36	11.7	10/22/2021 12:45	10/23/2021 4:40	16.0	0.32	0.41	18,636
10/23/2021 4:50	10/23/2021 18:45	13.9	0.14	0.01	0.24	15.9	10/23/2021 4:50	10/24/2021 6:40	25.9	0.30	0.37	28,389
10/24/2021 7:50	10/24/2021 14:55	7.1	0.32	0.05	0.36	14.2	10/24/2021 7:50	10/25/2021 2:55	19.2	0.37	0.73	25,611
10/25/2021 13:40	10/26/2021 5:25	15.8	0.10	0.01	0.12	23.3	10/25/2021 13:40	10/26/2021 10:15	20.7	0.29	0.29	21,492
10/26/2021 10:20	10/26/2021 19:05	8.8	0.16	0.02	0.24	15.6	10/26/2021 10:15	10/27/2021 7:05	20.9	0.31	0.37	23,373
10/27/2021 16:00	10/29/2021 8:25	40.4	2.73	0.07	0.48	24.9	10/27/2021 15:55	10/30/2021 8:25	64.6	0.88	2.55	204,969
11/1/2021 11:45	11/1/2021 20:30	8.8	0.15	0.02	0.12	75.8	11/1/2021 11:45	11/2/2021 8:25	20.8	0.30	0.33	22,047
11/2/2021 12:05	11/2/2021 19:20	7.3	0.18	0.02	0.12	20.8	11/2/2021 12:00	11/3/2021 7:15	19.3	0.33	0.41	23,244
11/3/2021 18:40	11/4/2021 14:25	19.8	1.10	0.06	0.36	27.2	11/3/2021 18:40	11/5/2021 2:25	31.8	0.69	1.51	79,239
11/5/2021 3:10	11/5/2021 7:50	4.7	0.17	0.04	0.12	14.2	11/5/2021 3:10	11/5/2021 19:50	16.8	0.42	0.55	25,443
11/6/2021 7:00	11/7/2021 18:15	35.3	0.89	0.03	0.36	23.8	11/6/2021 7:00	11/8/2021 6:10	47.3	0.47	0.73	80,589
11/9/2021 0:55	11/9/2021 5:20	4.4	0.16	0.04	0.12	30.9	11/9/2021 0:55	11/9/2021 13:50	13.0	0.37	0.45	17,340
11/9/2021 13:50	11/9/2021 18:20	4.5	0.36	0.08	0.36	10.8	11/9/2021 13:50	11/10/2021 6:20	16.6	0.46	0.80	27,735
11/10/2021 20:10	11/12/2021 14:20	42.2	1.92	0.05	0.60	26.3	11/10/2021 20:10	11/13/2021 2:20	54.3	0.91	1.93	178,395
11/13/2021 17:15	11/14/2021 0:45	7.5	0.34	0.05	0.24	27.2	11/13/2021 17:10	11/14/2021 12:40	19.6	0.66	0.87	46,368
11/14/2021 13:15	11/15/2021 1:35	12.3	0.58	0.05	0.24	14.4	11/14/2021 13:15	11/15/2021 10:40	21.5	0.85	1.51	66,075
11/15/2021 10:40	11/15/2021 20:10	9.5	1.07	0.11	0.72	10.2	11/15/2021 10:40	11/16/2021 8:10	21.6	0.85	1.25	65,991
11/18/2021 14:45	11/19/2021 6:15	15.5	0.47	0.03	0.36	67.7	11/18/2021 14:45	11/19/2021 18:10	27.5	0.54	0.73	52,965
12/2/2021 1:05	12/2/2021 12:35	11.5	0.25	0.02	0.24	308.2	12/2/2021 1:05	12/3/2021 0:30	23.5	0.57	0.87	48,198
12/4/2021 5:35	12/4/2021 17:50	12.3	0.48	0.04	0.24	46.8	12/4/2021 5:35	12/5/2021 5:45	24.3	0.65	0.87	56,712
12/6/2021 11:20	12/7/2021 5:15	17.9	0.23	0.01	0.12	43.8	12/6/2021 11:20	12/7/2021 17:10	29.9	0.50	0.61	53,796
12/7/2021 19:30	12/7/2021 20:45	1.3	0.03	0.02	0.12	23.9	12/7/2021 19:25	12/8/2021 4:55	9.6	0.45	0.45	15,525
12/8/2021 4:55	12/8/2021 6:55	2.0	0.21	0.11	0.48	33.3	12/8/2021 4:55	12/8/2021 16:50	12.0	0.60	0.94	25,836
12/8/2021 16:55	12/8/2021 18:45	1.8	0.03	0.02	0.12	10.5	12/8/2021 16:50	12/9/2021 6:40	13.9	0.72	1.17	36,147
12/9/2021 9:20	12/9/2021 11:05	1.8	0.08	0.05	0.12	26.9	12/9/2021 9:20	12/9/2021 23:00	13.8	0.55	0.61	27,000
12/10/2021 12:05	12/11/2021 3:25	15.3	0.47	0.03	0.24	25.3	12/10/2021 12:00	12/11/2021 15:20	27.4	0.73	1.42	72,225
12/12/2021 0:20	12/12/2021 0:40	0.3	0.06	0.18	0.24	21.6	12/12/2021 0:20	12/12/2021 12:40	12.4	0.58	0.61	25,773
12/12/2021 15:45	12/12/2021 19:15	3.5	0.12	0.03	0.12	15.3	12/12/2021 15:40	12/13/2021 3:45	12.2	0.58	0.73	25,602
12/13/2021 3:45	12/13/2021 5:25	1.7	0.06	0.04	0.12	9.5	12/13/2021 3:45	12/13/2021 17:25	13.8	0.56	0.61	27,783
12/14/2021 14:25	12/14/2021 16:55	2.5	0.11	0.04	0.12	34.2	12/14/2021 14:25	12/15/2021 4:50	14.5	0.52	0.61	27,210
12/15/2021 15:25	12/15/2021 22:15	6.8	0.06	0.01	0.12	23.2	12/15/2021 15:20	12/16/2021 6:10	14.9	0.46	0.50	24,630
12/16/2021 6:10	12/16/2021 17:30	11.3	0.19	0.02	0.12	12.2	12/16/2021 6:10	12/17/2021 5:25	23.3	0.48	0.55	40,470
12/17/2021 19:10	12/18/2021 15:50	20.7	0.82	0.04	0.24	27.1	12/17/2021 19:10	12/19/2021 3:45	32.7	0.85	1.33	100,377

Table D-8. Summary Statistics for Individual Storm Events at the SEIMS Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
12/21/2021 20:00	12/22/2021 5:55	9.9	0.30	0.03	0.24	77.0	12/21/2021 20:00	12/22/2021 13:05	17.2	0.63	0.80	38,949
12/22/2021 13:05	12/23/2021 1:50	12.8	0.54	0.04	0.24	8.0	12/22/2021 13:05	12/23/2021 13:50	24.8	0.89	1.51	79,731
12/24/2021 1:35	12/24/2021 4:40	3.1	0.15	0.05	0.24	24.2	12/24/2021 1:30	12/24/2021 12:55	11.5	0.69	0.87	28,713
12/24/2021 13:00	12/25/2021 6:30	17.5	0.58	0.03	0.24	9.8	12/24/2021 12:55	12/25/2021 11:30	22.7	0.92	1.33	74,688
12/25/2021 11:30	12/25/2021 14:10	2.7	0.05	0.02	0.12	8.6	12/25/2021 11:30	12/26/2021 2:10	14.8	0.78	0.80	41,157
12/27/2021 12:05	12/27/2021 12:55	0.8	0.08	0.10	0.24	47.6	12/27/2021 12:00	12/28/2021 0:55	13.0	0.49	0.50	22,860
12/29/2021 11:45	12/29/2021 13:45	2.0	0.11	0.06	0.24	47.2	12/29/2021 11:45	12/30/2021 1:40	14.0	0.41	0.41	20,664
12/30/2021 12:00	12/30/2021 15:05	3.1	0.06	0.02	0.12	23.4	12/30/2021 12:00	12/31/2021 3:00	15.1	0.41	0.41	22,263
12/31/2021 11:40	12/31/2021 14:15	2.6	0.29	0.11	0.24	22.5	12/31/2021 11:35	1/1/2022 2:10	14.7	0.38	0.41	20,148
1/1/2022 12:00	1/1/2022 12:40	0.7	0.06	0.09	0.12	22.1	1/1/2022 11:55	1/2/2022 0:40	12.8	0.37	0.37	17,094
1/2/2022 11:35	1/3/2022 15:55	28.3	1.42	0.05	0.36	23.2	1/2/2022 11:35	1/4/2022 3:55	40.4	1.26	2.29	182,911
1/4/2022 5:05	1/5/2022 2:05	21.0	0.49	0.02	0.36	14.1	1/4/2022 5:00	1/5/2022 10:40	29.8	0.91	1.09	97,296
1/5/2022 10:40	1/7/2022 14:00	51.3	3.17	0.06	0.48	12.9	1/5/2022 10:40	1/8/2022 2:00	63.4	2.89	5.15	658,941
1/10/2022 8:25	1/10/2022 10:50	2.4	0.14	0.06	0.24	66.7	1/10/2022 8:25	1/10/2022 22:50	14.5	0.83	0.94	43,104
1/10/2022 22:55	1/12/2022 8:05	33.2	1.19	0.04	0.24	13.6	1/10/2022 22:50	1/12/2022 20:00	45.3	1.29	1.71	210,369
1/13/2022 2:25	1/13/2022 9:35	7.2	0.10	0.01	0.12	19.2	1/13/2022 2:25	1/13/2022 21:30	19.2	0.96	1.09	66,564
1/17/2022 20:00	1/17/2022 23:20	3.3	0.03	0.01	0.12	108.2	1/17/2022 20:00	1/18/2022 10:10	14.3	0.50	0.50	25,650
1/18/2022 10:10	1/18/2022 17:55	7.8	0.06	0.01	0.12	122.4	1/18/2022 10:10	1/19/2022 5:55	19.8	0.50	0.50	35,550
1/19/2022 18:40	1/20/2022 16:55	22.3	0.93	0.04	0.48	30.8	1/19/2022 18:40	1/21/2022 4:50	34.3	0.77	2.04	94,428
1/30/2022 10:20	1/31/2022 0:40	14.3	0.37	0.03	0.24	233.5	1/30/2022 10:15	1/31/2022 12:40	26.5	0.55	0.87	52,125
2/1/2022 1:20	2/1/2022 1:35	0.3	0.03	0.12	0.12	25.0	2/1/2022 1:15	2/1/2022 8:10	7.0	0.45	0.45	11,340
2/1/2022 8:15	2/1/2022 10:25	2.2	0.17	0.08	0.24	31.9	2/1/2022 8:10	2/1/2022 22:25	14.3	0.45	0.50	23,235
2/2/2022 16:35	2/2/2022 21:40	5.1	0.07	0.01	0.12	30.5	2/2/2022 16:35	2/3/2022 2:35	10.1	0.45	0.45	16,311
2/3/2022 2:35	2/3/2022 12:45	10.2	0.22	0.02	0.12	7.5	2/3/2022 2:35	2/4/2022 0:40	22.2	0.49	0.61	39,045
2/5/2022 7:40	2/5/2022 8:30	0.8	0.03	0.04	0.12	45.2	2/5/2022 7:40	2/5/2022 20:25	12.8	0.43	0.45	19,794
2/7/2022 9:15	2/7/2022 10:30	1.3	0.03	0.02	0.12	94.8	2/7/2022 9:10	2/7/2022 22:25	13.3	0.41	0.45	19,884
2/10/2022 3:20	2/10/2022 7:55	4.6	0.03	0.01	0.12	160.9	2/10/2022 3:20	2/10/2022 19:50	16.6	0.37	0.41	22,221
2/14/2022 5:00	2/14/2022 12:05	7.1	0.13	0.02	0.12	258.6	2/14/2022 5:00	2/14/2022 12:30	7.6	0.40	0.45	10,989
2/14/2022 12:35	2/14/2022 14:50	2.3	0.03	0.01	0.12	6.5	2/14/2022 12:30	2/15/2022 2:45	14.3	0.38	0.41	19,728
2/19/2022 19:30	2/20/2022 21:00	25.5	0.89	0.03	0.48	127.4	2/19/2022 19:25	2/21/2022 8:55	37.6	0.41	0.50	55,833
2/22/2022 11:25	2/22/2022 11:25	0.0	0.02	0.00	0.24	38.6	2/22/2022 11:25	2/22/2022 23:25	12.1	0.33	0.37	14,403
2/24/2022 10:05	2/24/2022 10:05	0.0	0.02	0.00	0.24	85.2	2/24/2022 10:05	2/24/2022 22:05	12.1	0.33	0.33	14,355
2/26/2022 16:35	3/1/2022 7:25	62.8	3.56	0.06	0.36	139.8	2/26/2022 16:30	3/1/2022 19:25	75.0	1.58	3.57	426,625
3/2/2022 8:15	3/3/2022 13:40	29.4	0.72	0.02	0.24	26.8	3/2/2022 8:10	3/4/2022 1:40	41.6	0.94	1.25	141,435
3/8/2022 3:50	3/8/2022 14:30	10.7	0.20	0.02	0.12	112.7	3/8/2022 3:50	3/9/2022 2:25	22.7	0.47	0.50	38,250
3/12/2022 18:30	3/13/2022 2:20	7.8	0.10	0.01	0.12	102.4	3/12/2022 18:30	3/13/2022 13:50	19.4	0.40	0.45	27,843
3/13/2022 13:55	3/14/2022 2:00	12.1	0.28	0.02	0.12	12.6	3/13/2022 13:50	3/14/2022 10:40	20.9	0.43	0.55	32,154
3/14/2022 10:40	3/15/2022 5:30	18.8	0.85	0.05	0.24	10.8	3/14/2022 10:40	3/15/2022 13:30	26.9	0.76	1.51	74,043
3/15/2022 13:35	3/15/2022 14:30	0.9	0.04	0.04	0.36	11.1	3/15/2022 13:30	3/16/2022 2:30	13.1	0.53	0.61	25,029
3/17/2022 14:45	3/18/2022 1:50	11.1	0.15	0.01	0.12	49.2	3/17/2022 14:45	3/18/2022 13:50	23.2	0.44	0.45	37,086
3/18/2022 21:10	3/19/2022 19:20	22.2	0.74	0.03	0.24	21.8	3/18/2022 21:10	3/20/2022 7:15	34.2	0.63	0.94	77,460
3/20/2022 13:55	3/21/2022 10:35	20.7	0.95	0.05	0.12	19.3	3/20/2022 13:50	3/21/2022 17:35	27.8	1.05	1.60	104,898
3/21/2022 17:35	3/21/2022 19:10	1.6	0.03	0.02	0.12	7.9	3/21/2022 17:35	3/22/2022 2:10	8.7	0.96	1.01	29,832
3/22/2022 2:15	3/22/2022 8:35	6.3	0.11	0.02	0.12	16.6	3/22/2022 2:10	3/22/2022 20:35	18.5	0.79	0.87	52,656
3/23/2022 7:05	3/23/2022 18:25	11.3	0.28	0.02	0.36	25.5	3/23/2022 7:05	3/24/2022 6:20	23.3	0.65	0.87	54,348

Table D-8. Summary Statistics for Individual Storm Events at the SEIMS Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
3/30/2022 7:30	3/31/2022 5:05	21.6	0.64	0.03	0.36	158.8	3/30/2022 7:25	3/31/2022 17:00	33.7	0.57	1.09	69,189
4/1/2022 20:20	4/2/2022 8:25	12.1	0.35	0.03	0.36	44.9	4/1/2022 20:15	4/2/2022 20:25	24.3	0.53	0.87	46,260
4/3/2022 13:40	4/4/2022 6:30	16.8	0.51	0.03	0.12	33.4	4/3/2022 13:40	4/4/2022 18:30	28.9	0.59	1.09	61,662
4/5/2022 13:10	4/5/2022 13:30	0.3	0.05	0.15	0.24	34.8	4/5/2022 13:05	4/6/2022 1:25	12.4	0.47	0.55	20,805
4/8/2022 2:35	4/8/2022 3:15	0.7	0.05	0.08	0.12	61.2	4/8/2022 2:35	4/8/2022 15:10	12.7	0.41	0.45	18,468
4/8/2022 16:45	4/8/2022 17:10	0.4	0.05	0.12	0.12	14.0	4/8/2022 16:40	4/9/2022 5:10	12.6	0.40	0.41	18,069
4/9/2022 8:50	4/10/2022 16:00	31.2	0.87	0.03	0.36	15.9	4/9/2022 8:45	4/11/2022 3:55	43.3	0.52	0.94	80,994
4/14/2022 12:30	4/14/2022 13:55	1.4	0.05	0.04	0.12	93.3	4/14/2022 12:30	4/15/2022 1:50	13.4	0.38	0.41	18,147
4/18/2022 11:10	4/18/2022 18:25	7.3	0.26	0.04	0.12	94.1	4/18/2022 11:10	4/19/2022 4:05	17.0	0.36	0.45	22,104
4/19/2022 4:10	4/19/2022 4:30	0.3	0.03	0.09	0.12	10.5	4/19/2022 4:05	4/19/2022 16:25	12.4	0.33	0.37	14,691
4/21/2022 3:50	4/21/2022 4:35	0.8	0.04	0.05	0.12	58.2	4/21/2022 3:45	4/21/2022 12:10	8.5	0.31	0.33	9,390
4/21/2022 12:10	4/21/2022 19:10	7.0	0.06	0.01	0.12	8.3	4/21/2022 12:10	4/22/2022 4:40	16.6	0.30	0.33	17,853
4/22/2022 4:45	4/22/2022 5:40	0.9	0.03	0.03	0.12	14.5	4/22/2022 4:40	4/22/2022 17:35	13.0	0.30	0.33	14,148
4/25/2022 1:50	4/25/2022 9:10	7.3	0.14	0.02	0.24	83.6	4/25/2022 1:50	4/25/2022 15:10	13.4	0.31	0.37	15,183
4/25/2022 15:15	4/25/2022 18:20	3.1	0.03	0.01	0.12	10.3	4/25/2022 15:10	4/26/2022 6:20	15.3	0.30	0.33	16,197
4/30/2022 0:35	4/30/2022 9:40	9.1	0.28	0.03	0.12	115.7	4/30/2022 0:30	4/30/2022 21:40	21.3	0.35	0.45	26,517
5/2/2022 4:05	5/2/2022 11:25	7.3	0.40	0.05	0.24	44.8	5/2/2022 4:05	5/2/2022 23:25	19.4	0.47	0.87	33,069
5/3/2022 3:30	5/3/2022 7:05	3.6	0.03	0.01	0.12	18.4	5/3/2022 3:30	5/3/2022 19:05	15.7	0.33	0.33	18,360
5/5/2022 1:35	5/5/2022 19:35	18.0	0.51	0.03	0.12	64.5	5/5/2022 1:30	5/6/2022 7:30	30.1	0.39	0.61	42,423
5/6/2022 10:10	5/7/2022 19:00	32.8	0.89	0.03	0.36	15.2	5/6/2022 10:05	5/8/2022 6:55	44.9	0.52	0.94	84,774
5/9/2022 13:10	5/9/2022 22:15	9.1	0.12	0.01	0.24	42.4	5/9/2022 13:05	5/10/2022 10:15	21.3	0.36	0.50	27,792
5/10/2022 12:20	5/10/2022 12:25	0.1	0.09	1.08	0.60	18.7	5/10/2022 12:20	5/11/2022 0:20	12.1	0.33	0.33	14,355
5/11/2022 20:05	5/11/2022 20:50	0.8	0.04	0.05	0.12	31.7	5/11/2022 20:00	5/12/2022 3:20	7.4	0.30	0.33	8,091
5/12/2022 3:25	5/12/2022 15:55	12.5	0.38	0.03	0.24	7.3	5/12/2022 3:20	5/13/2022 3:55	24.7	0.41	0.73	36,447
5/14/2022 0:40	5/14/2022 13:25	12.8	0.12	0.01	0.24	33.2	5/14/2022 0:40	5/15/2022 0:55	24.3	0.33	0.37	28,716
5/15/2022 1:00	5/15/2022 21:15	20.3	0.58	0.03	0.24	18.3	5/15/2022 0:55	5/16/2022 9:10	32.3	0.47	0.94	54,525
5/18/2022 2:15	5/18/2022 10:10	7.9	0.26	0.03	0.12	54.1	5/18/2022 2:10	5/18/2022 22:05	20.0	0.37	0.45	26,388
5/18/2022 23:10	5/19/2022 11:45	12.6	0.22	0.02	0.36	14.5	5/18/2022 23:10	5/19/2022 23:45	24.7	0.32	0.37	28,644
5/24/2022 17:25	5/24/2022 19:10	1.8	0.05	0.03	0.12	127.1	5/24/2022 17:25	5/25/2022 1:15	7.9	0.28	0.29	7,941
5/25/2022 1:20	5/25/2022 6:20	5.0	0.10	0.02	0.12	7.5	5/25/2022 1:15	5/25/2022 18:20	17.2	0.28	0.29	17,238
5/26/2022 16:55	5/27/2022 1:35	8.7	0.40	0.05	0.60	35.5	5/26/2022 16:50	5/27/2022 13:30	20.8	0.38	0.87	28,659
5/28/2022 7:20	5/28/2022 7:40	0.3	0.03	0.09	0.12	29.8	5/28/2022 7:20	5/28/2022 16:15	9.0	0.28	0.29	9,072
5/28/2022 16:20	5/30/2022 4:00	35.7	1.24	0.03	0.24	38.8	5/28/2022 16:15	5/30/2022 15:55	47.8	0.51	1.09	87,009
6/2/2022 15:50	6/2/2022 18:30	2.7	0.10	0.04	0.36	88.2	6/2/2022 15:45	6/3/2022 0:55	9.3	0.34	0.37	11,241
6/3/2022 1:00	6/3/2022 20:35	19.6	0.50	0.03	1.08	6.7	6/3/2022 0:55	6/4/2022 8:35	31.8	0.40	1.09	45,786
6/4/2022 15:40	6/5/2022 9:00	17.3	0.87	0.05	0.48	20.1	6/4/2022 15:40	6/5/2022 15:40	24.1	0.72	1.51	62,505
6/5/2022 15:45	6/5/2022 15:45	0.0	0.04	0.00	0.48	7.0	6/5/2022 15:40	6/6/2022 3:40	12.1	0.53	0.67	23,103
6/9/2022 6:00	6/10/2022 2:20	20.3	1.04	0.05	0.24	86.2	6/9/2022 5:55	6/10/2022 14:15	32.4	0.69	1.33	81,012
6/10/2022 16:20	6/11/2022 6:20	14.0	0.17	0.01	0.12	16.8	6/10/2022 16:20	6/11/2022 18:20	26.1	0.50	0.55	46,710
6/12/2022 3:45	6/12/2022 6:45	3.0	0.07	0.02	0.12	26.6	6/12/2022 3:40	6/12/2022 18:40	15.1	0.41	0.45	22,347
6/12/2022 19:00	6/13/2022 7:05	12.1	0.40	0.03	0.36	13.7	6/12/2022 18:55	6/13/2022 14:55	20.1	0.52	0.73	37,707
6/13/2022 14:55	6/13/2022 18:10	3.3	0.10	0.03	0.48	14.8	6/13/2022 14:55	6/14/2022 2:30	11.7	0.44	0.50	18,489
6/14/2022 2:30	6/14/2022 4:15	1.8	0.33	0.19	0.72	11.4	6/14/2022 2:30	6/14/2022 16:15	13.8	0.67	1.42	33,606
6/17/2022 8:20	6/17/2022 18:20	10.0	0.29	0.03	0.12	76.8	6/17/2022 8:20	6/18/2022 6:20	22.1	0.41	0.55	32,622
6/18/2022 20:15	6/19/2022 6:20	10.1	0.17	0.02	0.24	28.1	6/18/2022 20:10	6/19/2022 18:20	22.3	0.42	0.73	33,903

Table D-8. Summary Statistics for Individual Storm Events at the SEIMS Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
6/22/2022 6:20	6/22/2022 9:10	2.8	0.05	0.02	0.12	75.2	6/22/2022 6:20	6/22/2022 21:10	14.9	0.31	0.33	16,773
6/22/2022 23:45	6/23/2022 0:50	1.1	0.03	0.03	0.12	16.5	6/22/2022 23:45	6/23/2022 12:45	13.1	0.29	0.33	13,767
7/3/2022 0:35	7/3/2022 8:55	8.3	0.12	0.01	0.24	257.3	7/3/2022 0:30	7/3/2022 14:45	14.3	0.29	0.33	14,808
7/3/2022 14:45	7/3/2022 18:10	3.4	0.16	0.05	0.12	8.5	7/3/2022 14:45	7/4/2022 6:10	15.5	0.31	0.37	17,142
7/18/2022 3:30	7/18/2022 4:20	0.8	0.05	0.06	0.12	345.9	7/18/2022 3:30	7/18/2022 16:20	12.9	0.25	0.29	11,568
8/4/2022 10:30	8/4/2022 11:50	1.3	0.03	0.02	0.12	414.8	8/4/2022 10:25	8/4/2022 23:50	13.5	0.22	0.22	10,692
8/27/2022 4:25	8/27/2022 6:05	1.7	0.03	0.02	0.12	960.7	8/27/2022 4:25	8/27/2022 18:00	13.7	0.22	0.25	10,932
9/4/2022 17:05	9/4/2022 22:05	5.0	0.23	0.05	0.36	1165.3	9/4/2022 17:00	9/5/2022 10:05	17.2	0.24	0.33	14,883

Table D-9. Summary Statistics for Individual Storm Events at the COUMO Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
10/3/2021 6:25	10/3/2021 12:20	5.9	0.04	0.01	0.12	65.3	10/3/2021 6:20	10/3/2021 23:55	17.7	0.24	0.24	15,252
10/5/2021 6:15	10/5/2021 16:55	10.7	0.35	0.03	0.48	47.8	10/5/2021 6:10	10/6/2021 4:50	22.8	0.41	2.04	33,600
10/9/2021 16:35	10/9/2021 20:25	3.8	0.10	0.03	0.12	97.6	10/9/2021 16:35	10/10/2021 0:00	7.5	0.28	0.52	7,518
10/10/2021 1:40	10/11/2021 1:00	23.3	0.56	0.02	0.60	8.0	10/10/2021 1:40	10/11/2021 12:55	35.3	0.35	2.79	44,211
10/12/2021 17:20	10/12/2021 23:20	6.0	0.13	0.02	0.12	41.0	10/12/2021 17:15	10/13/2021 11:15	18.1	0.21	0.45	13,950
10/13/2021 21:50	10/14/2021 4:25	6.6	0.07	0.01	0.12	23.3	10/13/2021 21:45	10/14/2021 16:25	18.8	0.20	0.29	13,461
10/15/2021 19:05	10/15/2021 23:50	4.8	0.05	0.01	0.12	44.2	10/15/2021 19:05	10/16/2021 11:45	16.8	0.17	0.17	10,152
10/20/2021 4:55	10/20/2021 12:20	7.4	0.25	0.03	0.24	104.7	10/20/2021 4:50	10/21/2021 0:20	19.6	0.32	0.89	22,800
10/21/2021 18:55	10/22/2021 1:30	6.6	0.49	0.07	0.36	34.8	10/21/2021 18:55	10/22/2021 12:20	17.5	0.57	1.66	35,604
10/22/2021 12:25	10/22/2021 16:30	4.1	0.03	0.01	0.12	11.6	10/22/2021 12:20	10/23/2021 4:25	16.2	0.19	0.24	10,992
10/23/2021 6:15	10/23/2021 22:50	16.6	0.25	0.02	0.36	29.4	10/23/2021 6:15	10/24/2021 9:15	27.1	0.24	0.89	22,950
10/24/2021 9:15	10/24/2021 14:25	5.2	0.26	0.05	0.36	15.2	10/24/2021 9:15	10/25/2021 2:25	17.3	0.43	4.78	26,589
10/25/2021 13:35	10/26/2021 1:50	12.3	0.07	0.01	0.12	23.4	10/25/2021 13:30	10/26/2021 5:00	15.6	0.19	0.24	10,596
10/26/2021 5:05	10/26/2021 17:05	12.0	0.17	0.01	0.24	15.5	10/26/2021 5:00	10/27/2021 5:00	24.1	0.21	0.60	18,393
10/27/2021 15:30	10/29/2021 8:20	40.8	2.71	0.07	0.60	25.0	10/27/2021 15:30	10/30/2021 8:15	64.8	1.56	7.87	363,161
11/1/2021 13:10	11/1/2021 20:10	7.0	0.08	0.01	0.12	77.2	11/1/2021 13:05	11/2/2021 8:10	19.2	0.33	0.39	22,962
11/2/2021 12:00	11/2/2021 20:15	8.3	0.20	0.02	0.12	20.9	11/2/2021 11:55	11/3/2021 8:15	20.4	0.44	1.14	32,448
11/3/2021 16:20	11/4/2021 14:10	21.8	1.16	0.05	0.48	24.8	11/3/2021 16:20	11/5/2021 2:10	33.9	1.31	5.02	159,399
11/5/2021 2:35	11/5/2021 7:35	5.0	0.17	0.03	0.24	13.4	11/5/2021 2:35	11/5/2021 19:30	17.0	0.56	1.55	34,191
11/6/2021 6:45	11/7/2021 20:05	37.3	1.00	0.03	0.36	23.8	11/6/2021 6:40	11/8/2021 8:00	49.4	0.83	3.70	148,173
11/9/2021 1:10	11/9/2021 6:05	4.9	0.15	0.03	0.12	31.2	11/9/2021 1:05	11/9/2021 13:25	12.4	0.54	1.05	23,967
11/9/2021 13:30	11/9/2021 19:45	6.3	0.43	0.07	0.48	10.3	11/9/2021 13:25	11/10/2021 7:40	18.3	1.01	4.78	66,384
11/10/2021 19:55	11/12/2021 14:15	42.3	1.79	0.04	0.96	26.0	11/10/2021 19:50	11/13/2021 2:10	54.4	1.77	7.87	345,855
11/13/2021 17:00	11/14/2021 0:15	7.3	0.47	0.06	0.36	27.2	11/13/2021 17:00	11/14/2021 7:50	14.9	1.60	3.70	85,932
11/14/2021 7:50	11/15/2021 0:05	16.3	0.65	0.04	0.24	8.8	11/14/2021 7:50	11/15/2021 10:30	26.8	1.61	4.78	154,776
11/15/2021 10:30	11/15/2021 13:00	2.5	0.24	0.10	0.24	12.4	11/15/2021 10:30	11/16/2021 0:55	14.5	1.16	3.31	60,573
11/18/2021 14:40	11/19/2021 6:45	16.1	0.55	0.03	0.24	74.4	11/18/2021 14:40	11/19/2021 18:40	28.1	0.83	1.55	83,682
11/22/2021 14:05	11/22/2021 15:50	1.8	0.10	0.06	0.12	80.9	11/22/2021 14:00	11/23/2021 2:10	12.3	0.46	1.05	20,451
11/23/2021 2:15	11/23/2021 9:10	6.9	0.69	0.10	0.36	10.8	11/23/2021 2:10	11/23/2021 21:10	19.1	1.54	5.27	105,738
11/24/2021 21:35	11/26/2021 0:35	27.0	0.85	0.03	0.24	38.4	11/24/2021 21:30	11/26/2021 8:25	35.0	1.25	4.78	157,410
11/26/2021 8:25	11/26/2021 15:05	6.7	0.08	0.01	0.12	12.3	11/26/2021 8:25	11/27/2021 3:05	18.8	0.83	1.55	56,091
11/27/2021 7:55	11/27/2021 22:15	14.3	0.29	0.02	0.12	19.0	11/27/2021 7:50	11/28/2021 10:15	26.5	0.80	1.66	76,530
11/28/2021 12:25	11/28/2021 14:55	2.5	0.24	0.10	0.12	15.3	11/28/2021 12:20	11/29/2021 2:55	14.7	1.00	2.63	53,037
11/30/2021 1:35	11/30/2021 12:05	10.5	0.17	0.02	0.12	35.2	11/30/2021 1:30	11/30/2021 20:00	18.6	0.60	1.05	40,164
11/30/2021 20:00	11/30/2021 20:25	0.4	0.09	0.22	0.24	8.6	11/30/2021 20:00	12/1/2021 8:25	12.5	0.57	2.32	25,581
12/1/2021 23:10	12/2/2021 13:30	14.3	0.51	0.04	0.24	26.8	12/1/2021 23:10	12/3/2021 1:25	26.3	1.05	4.33	99,438
12/4/2021 5:20	12/4/2021 18:00	12.7	0.46	0.04	0.24	40.9	12/4/2021 5:15	12/5/2021 5:55	24.8	0.97	2.32	85,998
12/6/2021 10:15	12/7/2021 4:55	18.7	0.20	0.01	0.12	42.8	12/6/2021 10:15	12/7/2021 16:50	30.7	0.52	0.89	57,573
12/7/2021 20:15	12/7/2021 20:35	0.3	0.03	0.09	0.12	20.6	12/7/2021 20:15	12/8/2021 6:00	9.8	0.46	0.60	16,299
12/8/2021 6:00	12/8/2021 9:15	3.3	0.12	0.04	0.36	30.3	12/8/2021 6:00	12/8/2021 13:15	7.3	0.68	2.04	18,003
12/8/2021 13:15	12/8/2021 17:20	4.1	0.11	0.03	0.24	6.6	12/8/2021 13:15	12/9/2021 5:20	16.2	0.60	1.91	34,845
12/9/2021 8:55	12/9/2021 10:35	1.7	0.05	0.03	0.12	16.0	12/9/2021 8:55	12/9/2021 22:30	13.7	0.44	0.78	21,765
12/10/2021 11:45	12/11/2021 5:50	18.1	0.59	0.03	0.24	25.7	12/10/2021 11:45	12/11/2021 14:55	27.3	1.00	4.55	98,505
12/11/2021 14:55	12/11/2021 15:00	0.1	0.03	0.36	0.24	12.1	12/11/2021 14:55	12/12/2021 0:10	9.3	0.64	1.05	21,534
12/12/2021 0:10	12/12/2021 0:35	0.4	0.08	0.19	0.24	21.3	12/12/2021 0:10	12/12/2021 12:35	12.5	0.59	1.66	26,406
12/12/2021 13:50	12/12/2021 18:30	4.7	0.17	0.04	0.12	13.5	12/12/2021 13:50	12/13/2021 0:20	10.6	0.71	2.32	27,060

Table D-9. Summary Statistics for Individual Storm Events at the COUMO Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
12/13/2021 0:20	12/13/2021 4:45	4.4	0.10	0.02	0.12	6.2	12/13/2021 0:20	12/13/2021 13:40	13.4	0.59	1.34	28,554
12/13/2021 13:40	12/13/2021 18:50	5.2	0.03	0.01	0.12	9.7	12/13/2021 13:40	12/14/2021 6:50	17.3	0.45	0.52	27,639
12/14/2021 13:55	12/14/2021 21:00	7.1	0.10	0.01	0.12	33.9	12/14/2021 13:50	12/15/2021 8:55	19.2	0.42	0.78	28,923
12/16/2021 6:20	12/16/2021 13:35	7.3	0.11	0.02	0.12	39.0	12/16/2021 6:20	12/17/2021 1:30	19.3	0.36	0.78	24,771
12/17/2021 13:30	12/18/2021 16:00	26.5	0.90	0.03	0.24	28.6	12/17/2021 13:25	12/19/2021 3:55	38.6	1.02	3.70	142,176
12/20/2021 15:55	12/20/2021 18:25	2.5	0.04	0.02	0.12	48.8	12/20/2021 15:55	12/21/2021 6:25	14.6	0.34	0.39	17,757
12/21/2021 20:05	12/22/2021 9:15	13.2	0.38	0.03	0.36	28.2	12/21/2021 20:00	12/22/2021 12:55	17.0	0.71	2.47	43,653
12/22/2021 12:55	12/23/2021 2:05	13.2	0.60	0.05	0.24	7.8	12/22/2021 12:55	12/23/2021 14:00	25.2	1.35	4.55	121,968
12/24/2021 1:35	12/24/2021 4:50	3.3	0.16	0.05	0.24	24.2	12/24/2021 1:30	12/24/2021 12:30	11.1	0.75	2.32	29,739
12/24/2021 12:30	12/25/2021 6:00	17.5	0.42	0.02	0.24	9.4	12/24/2021 12:30	12/25/2021 11:00	22.6	0.94	3.13	76,473
12/25/2021 11:05	12/25/2021 16:30	5.4	0.06	0.01	0.12	8.9	12/25/2021 11:00	12/26/2021 4:25	17.5	0.60	0.89	37,671
12/30/2021 12:20	12/30/2021 14:00	1.7	0.06	0.04	0.12	119.6	12/30/2021 12:20	12/31/2021 2:00	13.8	0.31	0.33	15,531
1/2/2022 23:00	1/3/2022 16:40	17.7	1.21	0.07	0.36	82.1	1/2/2022 23:00	1/4/2022 4:40	29.8	2.92	9.46	313,170
1/4/2022 4:40	1/4/2022 23:15	18.6	0.41	0.02	0.24	12.8	1/4/2022 4:40	1/5/2022 10:15	29.7	1.30	2.18	138,579
1/5/2022 10:20	1/7/2022 14:40	52.3	3.36	0.06	0.36	12.0	1/5/2022 10:15	1/8/2022 2:35	64.4	4.19	20.18	972,574
1/10/2022 10:00	1/10/2022 11:30	1.5	0.16	0.11	0.84	67.7	1/10/2022 9:55	1/10/2022 20:35	10.8	0.80	1.24	30,897
1/10/2022 20:35	1/12/2022 12:05	39.5	1.21	0.03	0.24	10.3	1/10/2022 20:35	1/13/2022 0:00	51.5	1.66	3.50	308,678
1/13/2022 3:15	1/13/2022 9:50	6.6	0.16	0.02	0.24	19.3	1/13/2022 3:10	1/13/2022 21:45	18.7	1.16	2.18	77,781
1/18/2022 11:10	1/18/2022 15:25	4.3	0.04	0.01	0.12	122.4	1/18/2022 11:10	1/18/2022 20:00	8.9	0.36	0.39	11,475
1/18/2022 20:00	1/18/2022 21:25	1.4	0.07	0.05	0.72	8.8	1/18/2022 20:00	1/19/2022 9:20	13.4	0.33	0.33	15,939
1/19/2022 19:50	1/20/2022 18:15	22.4	0.35	0.02	0.36	23.8	1/19/2022 19:50	1/21/2022 6:15	34.5	0.52	3.70	64,653
1/30/2022 11:15	1/30/2022 18:40	7.4	0.30	0.04	0.24	233.1	1/30/2022 11:10	1/31/2022 0:55	13.8	0.57	2.18	28,560
1/31/2022 1:00	1/31/2022 1:45	0.8	0.08	0.11	0.24	7.1	1/31/2022 0:55	1/31/2022 13:40	12.8	0.34	1.05	15,612
2/2/2022 17:30	2/2/2022 20:35	3.1	0.04	0.01	0.12	64.2	2/2/2022 17:25	2/3/2022 2:25	9.1	0.29	0.29	9,483
2/3/2022 2:25	2/3/2022 12:20	9.9	0.12	0.01	0.12	8.9	2/3/2022 2:25	2/4/2022 0:20	22.0	0.34	0.69	26,655
2/7/2022 10:45	2/7/2022 11:50	1.1	0.06	0.06	0.12	96.8	2/7/2022 10:40	2/7/2022 23:45	13.2	0.27	0.60	12,831
2/10/2022 4:45	2/10/2022 9:35	4.8	0.03	0.01	0.12	65.5	2/10/2022 4:40	2/10/2022 21:30	16.9	0.24	0.24	14,352
2/14/2022 6:05	2/14/2022 17:55	11.8	0.21	0.02	0.24	162.8	2/14/2022 6:00	2/15/2022 5:55	24.0	0.32	0.89	27,933
2/16/2022 6:50	2/16/2022 9:10	2.3	0.06	0.03	0.12	40.4	2/16/2022 6:45	2/16/2022 21:10	14.5	0.24	0.33	12,657
2/20/2022 0:05	2/20/2022 6:55	6.8	0.21	0.03	0.24	89.1	2/20/2022 0:00	2/20/2022 15:30	15.6	0.43	1.34	24,255
2/20/2022 15:35	2/20/2022 21:45	6.2	0.06	0.01	0.12	9.5	2/20/2022 15:30	2/21/2022 9:40	18.3	0.28	0.52	18,609
2/22/2022 11:45	2/22/2022 12:05	0.3	0.04	0.12	0.24	39.9	2/22/2022 11:45	2/23/2022 0:00	12.3	0.20	0.24	8,904
2/26/2022 17:40	3/1/2022 11:00	65.3	3.60	0.06	0.24	101.9	2/26/2022 17:35	3/1/2022 23:00	77.5	2.89	8.90	805,011
3/2/2022 9:30	3/3/2022 11:10	25.7	0.64	0.02	0.48	25.3	3/2/2022 9:30	3/3/2022 23:10	37.8	1.57	5.53	213,355
3/8/2022 5:30	3/8/2022 11:45	6.3	0.12	0.02	0.12	119.8	3/8/2022 5:30	3/8/2022 23:45	18.3	0.70	0.97	46,059
3/12/2022 18:40	3/12/2022 20:40	2.0	0.06	0.03	0.12	105.6	3/12/2022 18:40	3/13/2022 1:40	7.1	0.58	0.89	14,715
3/13/2022 1:40	3/13/2022 3:50	2.2	0.06	0.03	0.12	6.4	3/13/2022 1:40	3/13/2022 15:10	13.6	0.56	0.78	27,240
3/13/2022 15:10	3/14/2022 0:50	9.7	0.19	0.02	0.24	13.1	3/13/2022 15:10	3/14/2022 11:35	20.5	0.68	1.14	49,812
3/14/2022 11:35	3/15/2022 15:45	28.2	0.80	0.03	0.36	12.0	3/14/2022 11:35	3/16/2022 3:40	40.2	1.20	3.31	174,028
3/17/2022 15:45	3/18/2022 2:50	11.1	0.18	0.02	0.12	49.2	3/17/2022 15:40	3/18/2022 14:45	23.2	0.69	1.05	57,675
3/18/2022 17:35	3/19/2022 19:15	25.7	0.70	0.03	0.36	17.1	3/18/2022 17:35	3/20/2022 7:15	37.8	1.15	3.31	156,585
3/20/2022 14:50	3/21/2022 11:15	20.4	0.98	0.05	0.12	19.8	3/20/2022 14:45	3/21/2022 17:50	27.2	1.97	3.13	192,777
3/21/2022 17:50	3/21/2022 21:00	3.2	0.04	0.01	0.12	7.3	3/21/2022 17:50	3/22/2022 4:50	11.1	1.36	1.55	54,096
3/22/2022 4:55	3/22/2022 10:00	5.1	0.09	0.02	0.12	11.1	3/22/2022 4:50	3/22/2022 22:00	17.3	1.17	1.34	72,669
3/23/2022 13:25	3/23/2022 19:35	6.2	0.29	0.05	0.60	29.9	3/23/2022 13:25	3/24/2022 7:30	18.2	1.20	3.70	78,468
3/30/2022 11:45	3/31/2022 5:15	17.5	0.65	0.04	0.24	161.8	3/30/2022 11:45	3/31/2022 17:15	29.6	1.12	2.79	118,827

Table D-9. Summary Statistics for Individual Storm Events at the COUMO Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
4/1/2022 21:30	4/2/2022 8:15	10.8	0.23	0.02	0.24	43.4	4/1/2022 21:30	4/2/2022 20:10	22.8	0.70	1.24	57,579
4/3/2022 14:50	4/4/2022 5:25	14.6	0.65	0.04	0.24	35.4	4/3/2022 14:45	4/4/2022 15:20	24.7	1.33	4.11	117,684
4/4/2022 15:25	4/4/2022 16:35	1.2	0.04	0.03	0.12	12.1	4/4/2022 15:20	4/5/2022 4:30	13.3	0.90	1.24	42,942
4/5/2022 14:55	4/5/2022 19:05	4.2	0.11	0.03	0.24	23.5	4/5/2022 14:55	4/6/2022 7:05	16.3	0.80	2.47	46,851
4/8/2022 3:20	4/8/2022 4:10	0.8	0.08	0.10	0.12	56.8	4/8/2022 3:20	4/8/2022 16:05	12.8	0.61	0.97	28,362
4/8/2022 17:55	4/8/2022 18:15	0.3	0.08	0.24	0.36	14.2	4/8/2022 17:55	4/9/2022 6:10	12.3	0.57	0.78	25,455
4/9/2022 18:10	4/10/2022 12:00	17.8	0.45	0.03	0.36	24.1	4/9/2022 18:10	4/10/2022 23:55	29.8	0.89	2.04	95,655
4/14/2022 14:50	4/14/2022 15:55	1.1	0.08	0.07	0.12	101.3	4/14/2022 14:50	4/15/2022 3:55	13.2	0.72	1.44	34,137
4/16/2022 21:15	4/16/2022 21:40	0.4	0.10	0.24	0.36	54.1	4/16/2022 21:10	4/17/2022 9:40	12.6	0.51	0.78	23,229
4/18/2022 12:10	4/18/2022 18:50	6.7	0.23	0.03	0.12	38.8	4/18/2022 12:10	4/19/2022 3:20	15.3	0.73	1.44	40,233
4/19/2022 3:20	4/19/2022 5:15	1.9	0.06	0.03	0.12	9.2	4/19/2022 3:20	4/19/2022 17:10	13.9	0.58	1.05	29,043
4/20/2022 15:15	4/20/2022 20:05	4.8	0.05	0.01	0.12	35.3	4/20/2022 15:10	4/21/2022 5:00	13.9	0.48	0.60	24,237
4/21/2022 5:05	4/21/2022 6:05	1.0	0.04	0.04	0.12	13.3	4/21/2022 5:00	4/21/2022 15:10	10.3	0.51	0.89	18,867
4/21/2022 15:10	4/21/2022 19:50	4.7	0.05	0.01	0.12	10.1	4/21/2022 15:10	4/22/2022 4:30	13.4	0.50	0.89	24,096
4/22/2022 4:35	4/22/2022 6:55	2.3	0.03	0.01	0.12	9.7	4/22/2022 4:30	4/22/2022 18:55	14.5	0.45	0.52	23,595
4/25/2022 2:20	4/25/2022 7:15	4.9	0.18	0.04	0.36	79.4	4/25/2022 2:15	4/25/2022 19:15	17.1	0.53	1.34	32,646
4/27/2022 20:25	4/27/2022 22:10	1.8	0.06	0.03	0.12	62.8	4/27/2022 20:25	4/28/2022 9:40	13.3	0.40	0.69	19,311
4/28/2022 9:45	4/28/2022 10:00	0.3	0.03	0.12	0.12	11.9	4/28/2022 9:40	4/28/2022 21:55	12.3	0.39	0.45	17,478
4/30/2022 0:10	4/30/2022 10:30	10.3	0.37	0.04	0.12	50.3	4/30/2022 0:10	4/30/2022 22:30	22.4	0.67	1.55	53,787
5/2/2022 2:20	5/2/2022 12:25	10.1	0.46	0.05	0.24	41.1	5/2/2022 2:15	5/3/2022 0:20	22.2	1.01	2.47	80,769
5/5/2022 3:30	5/5/2022 20:30	17.0	0.48	0.03	0.12	65.5	5/5/2022 3:30	5/6/2022 8:25	29.0	0.95	1.78	99,180
5/6/2022 10:55	5/7/2022 19:25	32.5	0.83	0.03	0.36	14.8	5/6/2022 10:50	5/8/2022 7:25	44.7	1.47	3.70	235,653
5/11/2022 21:10	5/11/2022 21:35	0.4	0.03	0.07	0.12	102.3	5/11/2022 21:10	5/12/2022 4:05	7.0	0.52	0.60	13,200
5/12/2022 4:10	5/12/2022 16:45	12.6	0.47	0.04	0.24	109.3	5/12/2022 4:05	5/13/2022 4:40	24.7	1.01	3.90	89,748
5/14/2022 1:20	5/14/2022 9:15	7.9	0.11	0.01	0.12	33.3	5/14/2022 1:15	5/14/2022 21:10	20.0	0.63	1.24	45,261
5/15/2022 2:20	5/15/2022 22:35	20.3	0.61	0.03	0.24	18.2	5/15/2022 2:15	5/16/2022 10:30	32.3	1.24	4.11	144,204
5/18/2022 3:00	5/18/2022 10:55	7.9	0.27	0.03	0.24	54.1	5/18/2022 3:00	5/18/2022 22:50	19.9	0.91	1.66	65,022
5/19/2022 3:00	5/19/2022 3:55	0.9	0.05	0.05	0.12	17.2	5/19/2022 2:55	5/19/2022 15:55	13.1	0.65	0.89	30,585
5/21/2022 18:45	5/21/2022 20:15	1.5	0.37	0.25	3.00	63.2	5/21/2022 18:40	5/22/2022 8:10	13.6	0.56	0.89	27,366
5/26/2022 18:35	5/27/2022 2:25	7.8	0.37	0.05	1.32	119.5	5/26/2022 18:30	5/27/2022 14:25	20.0	0.90	5.02	65,118
5/28/2022 17:30	5/30/2022 1:10	31.7	1.15	0.04	0.48	40.1	5/28/2022 17:25	5/30/2022 13:05	43.8	1.37	4.55	216,453
6/2/2022 16:30	6/2/2022 19:15	2.8	0.20	0.07	0.48	89.6	6/2/2022 16:25	6/3/2022 4:25	12.1	0.76	2.32	33,072
6/3/2022 4:25	6/3/2022 20:20	15.9	0.24	0.02	0.72	9.3	6/3/2022 4:25	6/4/2022 8:15	27.9	0.74	2.63	74,814
6/4/2022 16:20	6/5/2022 9:45	17.4	0.98	0.06	0.84	25.7	6/4/2022 16:15	6/5/2022 21:40	29.5	2.31	13.90	244,935
6/9/2022 7:05	6/10/2022 2:55	19.8	1.10	0.06	0.36	93.6	6/9/2022 7:05	6/10/2022 14:55	31.9	2.80	7.55	321,675
6/10/2022 17:00	6/11/2022 3:45	10.8	0.15	0.01	0.12	16.7	6/10/2022 17:00	6/11/2022 15:40	22.8	1.76	2.32	143,751
6/12/2022 5:35	6/12/2022 7:25	1.8	0.07	0.04	0.12	28.2	6/12/2022 5:35	6/12/2022 18:30	13.0	1.68	5.53	78,447
6/12/2022 18:30	6/13/2022 7:05	12.6	0.17	0.01	0.12	12.5	6/12/2022 18:30	6/13/2022 19:05	24.7	1.72	2.63	152,499
6/14/2022 3:55	6/14/2022 5:15	1.3	0.35	0.26	0.84	26.8	6/14/2022 3:55	6/14/2022 17:10	13.3	2.04	5.02	98,124
6/17/2022 10:40	6/17/2022 19:10	8.5	0.26	0.03	0.24	77.8	6/17/2022 10:40	6/18/2022 7:10	20.6	1.65	2.79	122,373
6/22/2022 7:15	6/22/2022 11:25	4.2	0.11	0.03	0.12	109.9	6/22/2022 7:15	6/22/2022 23:25	16.3	0.99	1.24	58,143
7/3/2022 14:05	7/3/2022 19:35	5.5	0.20	0.04	0.24	268.2	7/3/2022 14:05	7/4/2022 7:30	17.5	0.77	1.24	48,372
7/18/2022 4:50	7/18/2022 5:50	1.0	0.04	0.04	0.12	346.4	7/18/2022 4:50	7/18/2022 17:45	13.0	0.25	0.29	11,697
8/4/2022 11:40	8/4/2022 12:05	0.4	0.03	0.07	0.12	414.8	8/4/2022 11:35	8/5/2022 0:00	12.5	0.09	0.09	3,903
8/27/2022 5:10	8/27/2022 8:20	3.2	0.07	0.02	0.12	960.3	8/27/2022 5:10	8/27/2022 20:15	15.2	0.14	0.24	7,800
9/4/2022 18:35	9/4/2022 20:35	2.0	0.17	0.09	0.36	204.2	9/4/2022 18:30	9/5/2022 8:35	14.2	0.24	0.89	12,078

This page intentionally left blank

Table D-10. Summary Statistics for Individual Storm Events at the COUMI Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
10/3/2021 6:25	10/3/2021 12:20	5.9	0.04	0.01	0.12	65.3	10/3/2021 6:20	10/3/2021 23:55	17.7	0.03	0.03	1,908
10/5/2021 6:15	10/5/2021 16:55	10.7	0.35	0.03	0.48	47.8	10/5/2021 6:10	10/6/2021 4:50	22.8	0.06	0.35	5,307
10/9/2021 16:35	10/9/2021 20:25	3.8	0.10	0.03	0.12	97.6	10/9/2021 16:35	10/10/2021 0:00	7.5	0.04	0.07	1,170
10/10/2021 1:40	10/11/2021 1:00	23.3	0.56	0.02	0.60	8.0	10/10/2021 1:40	10/11/2021 12:55	35.3	0.07	0.73	9,168
10/12/2021 17:20	10/12/2021 23:20	6.0	0.13	0.02	0.12	41.0	10/12/2021 17:15	10/13/2021 11:15	18.1	0.05	0.10	3,117
10/13/2021 21:50	10/14/2021 4:25	6.6	0.07	0.01	0.12	23.3	10/13/2021 21:45	10/14/2021 16:25	18.8	0.04	0.06	2,778
10/15/2021 19:05	10/15/2021 23:50	4.8	0.05	0.01	0.12	44.2	10/15/2021 19:05	10/16/2021 11:45	16.8	0.03	0.04	1,959
10/20/2021 4:55	10/20/2021 12:20	7.4	0.25	0.03	0.24	104.7	10/20/2021 4:50	10/21/2021 0:20	19.6	0.06	0.17	4,563
10/21/2021 18:55	10/22/2021 1:30	6.6	0.49	0.07	0.36	34.8	10/21/2021 18:55	10/22/2021 12:20	17.5	0.16	0.44	10,125
10/22/2021 12:25	10/22/2021 16:30	4.1	0.03	0.01	0.12	11.6	10/22/2021 12:20	10/23/2021 4:25	16.2	0.08	0.10	4,377
10/23/2021 6:15	10/23/2021 22:50	16.6	0.25	0.02	0.36	29.4	10/23/2021 6:15	10/24/2021 9:15	27.1	0.09	0.28	9,180
10/24/2021 9:15	10/24/2021 14:25	5.2	0.26	0.05	0.36	15.2	10/24/2021 9:15	10/25/2021 2:25	17.3	0.15	0.89	9,072
10/25/2021 13:35	10/26/2021 1:50	12.3	0.07	0.01	0.12	23.4	10/25/2021 13:30	10/26/2021 5:00	15.6	0.09	0.12	5,106
10/26/2021 5:05	10/26/2021 17:05	12.0	0.17	0.01	0.24	15.5	10/26/2021 5:00	10/27/2021 5:00	24.1	0.11	0.22	9,723
10/27/2021 15:30	10/29/2021 8:20	40.8	2.71	0.07	0.60	25.0	10/27/2021 15:30	10/30/2021 8:15	64.8	0.36	1.55	84,408
11/1/2021 13:10	11/1/2021 20:10	7.0	0.08	0.01	0.12	77.2	11/1/2021 13:05	11/2/2021 8:10	19.2	0.06	0.08	4,464
11/2/2021 12:00	11/2/2021 20:15	8.3	0.20	0.02	0.12	20.9	11/2/2021 11:55	11/3/2021 8:15	20.4	0.09	0.22	6,342
11/3/2021 16:20	11/4/2021 14:10	21.8	1.16	0.05	0.48	24.8	11/3/2021 16:20	11/5/2021 2:10	33.9	0.23	0.89	28,233
11/5/2021 2:35	11/5/2021 7:35	5.0	0.17	0.03	0.24	13.4	11/5/2021 2:35	11/5/2021 19:30	17.0	0.12	0.28	7,062
11/6/2021 6:45	11/7/2021 20:05	37.3	1.00	0.03	0.36	23.8	11/6/2021 6:40	11/8/2021 8:00	49.4	0.18	0.81	32,670
11/9/2021 1:10	11/9/2021 6:05	4.9	0.15	0.03	0.12	31.2	11/9/2021 1:05	11/9/2021 13:25	12.4	0.10	0.19	4,527
11/9/2021 13:30	11/9/2021 19:45	6.3	0.43	0.07	0.48	10.3	11/9/2021 13:25	11/10/2021 7:40	18.3	0.18	0.81	11,691
11/10/2021 19:55	11/12/2021 14:15	42.3	1.79	0.04	0.96	26.0	11/10/2021 19:50	11/13/2021 2:10	54.4	0.33	1.42	64,635
11/13/2021 17:00	11/14/2021 0:15	7.3	0.47	0.06	0.36	27.2	11/13/2021 17:00	11/14/2021 7:50	14.9	0.31	0.60	16,419
11/14/2021 7:50	11/15/2021 0:05	16.3	0.65	0.04	0.24	8.8	11/14/2021 7:50	11/15/2021 10:30	26.8	0.30	0.81	28,983
11/15/2021 10:30	11/15/2021 13:00	2.5	0.24	0.10	0.24	12.4	11/15/2021 10:30	11/16/2021 0:55	14.5	0.23	0.54	11,892
11/18/2021 14:40	11/19/2021 6:45	16.1	0.55	0.03	0.24	74.4	11/18/2021 14:40	11/19/2021 18:40	28.1	0.14	0.25	14,316
11/22/2021 14:05	11/22/2021 15:50	1.8	0.10	0.06	0.12	80.9	11/22/2021 14:00	11/23/2021 2:10	12.3	0.07	0.14	3,156
11/23/2021 2:15	11/23/2021 9:10	6.9	0.69	0.10	0.36	10.8	11/23/2021 2:10	11/23/2021 21:10	19.1	0.26	0.81	17,580
11/24/2021 21:35	11/26/2021 0:35	27.0	0.85	0.03	0.24	38.4	11/24/2021 21:30	11/26/2021 8:25	35.0	0.22	0.73	28,119
11/26/2021 8:25	11/26/2021 15:05	6.7	0.08	0.01	0.12	12.3	11/26/2021 8:25	11/27/2021 3:05	18.8	0.18	0.31	11,814
11/27/2021 7:55	11/27/2021 22:15	14.3	0.29	0.02	0.12	19.0	11/27/2021 7:50	11/28/2021 10:15	26.5	0.15	0.31	14,484
11/28/2021 12:25	11/28/2021 14:55	2.5	0.24	0.10	0.12	15.3	11/28/2021 12:20	11/29/2021 2:55	14.7	0.18	0.39	9,579
11/30/2021 1:35	11/30/2021 12:05	10.5	0.17	0.02	0.12	35.2	11/30/2021 1:30	11/30/2021 20:00	18.6	0.10	0.19	6,951
11/30/2021 20:00	11/30/2021 20:25	0.4	0.09	0.22	0.24	8.6	11/30/2021 20:00	12/1/2021 8:25	12.5	0.10	0.39	4,587
12/1/2021 23:10	12/2/2021 13:30	14.3	0.51	0.04	0.24	26.8	12/1/2021 23:10	12/3/2021 1:25	26.3	0.18	0.66	17,244
12/4/2021 5:20	12/4/2021 18:00	12.7	0.46	0.04	0.24	40.9	12/4/2021 5:15	12/5/2021 5:55	24.8	0.18	0.35	15,690
12/6/2021 10:15	12/7/2021 4:55	18.7	0.20	0.01	0.12	42.8	12/6/2021 10:15	12/7/2021 16:50	30.7	0.10	0.17	11,334
12/7/2021 20:15	12/7/2021 20:35	0.3	0.03	0.09	0.12	20.6	12/7/2021 20:15	12/8/2021 6:00	9.8	0.08	0.12	2,976
12/8/2021 6:00	12/8/2021 9:15	3.3	0.12	0.04	0.36	30.3	12/8/2021 6:00	12/8/2021 13:15	7.3	0.12	0.44	3,258
12/8/2021 13:15	12/8/2021 17:20	4.1	0.11	0.03	0.24	6.6	12/8/2021 13:15	12/9/2021 5:20	16.2	0.12	0.28	7,119
12/9/2021 8:55	12/9/2021 10:35	1.7	0.05	0.03	0.12	16.0	12/9/2021 8:55	12/9/2021 22:30	13.7	0.09	0.14	4,578
12/10/2021 11:45	12/11/2021 5:50	18.1	0.59	0.03	0.24	25.7	12/10/2021 11:45	12/11/2021 14:55	27.3	0.17	0.66	16,590
12/11/2021 14:55	12/11/2021 15:00	0.1	0.03	0.36	0.24	12.1	12/11/2021 14:55	12/12/2021 0:10	9.3	0.13	0.17	4,281
12/12/2021 0:10	12/12/2021 0:35	0.4	0.08	0.19	0.24	21.3	12/12/2021 0:10	12/12/2021 12:35	12.5	0.12	0.28	5,445

Table D-10. Summary Statistics for Individual Storm Events at the COUMI Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
12/12/2021 13:50	12/12/2021 18:30	4.7	0.17	0.04	0.12	13.5	12/12/2021 13:50	12/13/2021 0:20	10.6	0.14	0.35	5,298
12/13/2021 0:20	12/13/2021 4:45	4.4	0.10	0.02	0.12	6.2	12/13/2021 0:20	12/13/2021 13:40	13.4	0.13	0.25	6,177
12/13/2021 13:40	12/13/2021 18:50	5.2	0.03	0.01	0.12	9.7	12/13/2021 13:40	12/14/2021 6:50	17.3	0.10	0.12	6,180
12/14/2021 13:55	12/14/2021 21:00	7.1	0.10	0.01	0.12	33.9	12/14/2021 13:50	12/15/2021 8:55	19.2	0.09	0.14	5,943
12/16/2021 6:20	12/16/2021 13:35	7.3	0.11	0.02	0.12	39.0	12/16/2021 6:20	12/17/2021 1:30	19.3	0.08	0.14	5,247
12/17/2021 13:30	12/18/2021 16:00	26.5	0.90	0.03	0.24	28.6	12/17/2021 13:25	12/19/2021 3:55	38.6	0.20	0.54	27,162
12/20/2021 15:55	12/20/2021 18:25	2.5	0.04	0.02	0.12	48.8	12/20/2021 15:55	12/21/2021 6:25	14.6	0.09	0.10	4,512
12/21/2021 20:05	12/22/2021 9:15	13.2	0.38	0.03	0.36	28.2	12/21/2021 20:00	12/22/2021 12:55	17.0	0.15	0.35	9,114
12/22/2021 12:55	12/23/2021 2:05	13.2	0.60	0.05	0.24	7.8	12/22/2021 12:55	12/23/2021 14:00	25.2	0.27	0.73	24,054
12/24/2021 1:35	12/24/2021 4:50	3.3	0.16	0.05	0.24	24.2	12/24/2021 1:30	12/24/2021 12:30	11.1	0.18	0.39	7,257
12/24/2021 12:30	12/25/2021 6:00	17.5	0.42	0.02	0.24	9.4	12/24/2021 12:30	12/25/2021 11:00	22.6	0.21	0.54	16,776
12/25/2021 11:05	12/25/2021 16:30	5.4	0.06	0.01	0.12	8.9	12/25/2021 11:00	12/26/2021 4:25	17.5	0.16	0.19	10,227
12/30/2021 12:20	12/30/2021 14:00	1.7	0.06	0.04	0.12	119.6	12/30/2021 12:20	12/31/2021 2:00	13.8	0.07	0.08	3,549
1/2/2022 23:00	1/3/2022 16:40	17.7	1.21	0.07	0.36	82.1	1/2/2022 23:00	1/4/2022 4:40	29.8	2.51	4.16	268,836
1/4/2022 4:40	1/4/2022 23:15	18.6	0.41	0.02	0.24	12.8	1/4/2022 4:40	1/5/2022 10:15	29.7	1.49	2.19	158,913
1/5/2022 10:20	1/7/2022 14:40	52.3	3.36	0.06	0.36	12.0	1/5/2022 10:15	1/8/2022 2:35	64.4	2.62	7.93	607,446
1/10/2022 10:00	1/10/2022 11:30	1.5	0.16	0.11	0.84	67.7	1/10/2022 9:55	1/10/2022 20:35	10.8	0.23	0.31	8,982
1/10/2022 20:35	1/12/2022 12:05	39.5	1.21	0.03	0.24	10.3	1/10/2022 20:35	1/13/2022 0:00	51.5	0.49	1.18	91,509
1/13/2022 3:15	1/13/2022 9:50	6.6	0.16	0.02	0.24	19.3	1/13/2022 3:10	1/13/2022 21:45	18.7	0.33	0.60	21,969
1/18/2022 11:10	1/18/2022 15:25	4.3	0.04	0.01	0.12	122.4	1/18/2022 11:10	1/18/2022 20:00	8.9	0.11	0.12	3,642
1/18/2022 20:00	1/18/2022 21:25	1.4	0.07	0.05	0.72	8.8	1/18/2022 20:00	1/19/2022 9:20	13.4	0.10	0.10	4,830
1/19/2022 19:50	1/20/2022 18:15	22.4	0.35	0.02	0.36	23.8	1/19/2022 19:50	1/21/2022 6:15	34.5	0.15	1.42	18,342
1/30/2022 11:15	1/30/2022 18:40	7.4	0.30	0.04	0.24	233.1	1/30/2022 11:10	1/31/2022 0:55	13.8	0.14	0.54	7,209
1/31/2022 1:00	1/31/2022 1:45	0.8	0.08	0.11	0.24	7.1	1/31/2022 0:55	1/31/2022 13:40	12.8	0.11	0.19	5,007
2/2/2022 17:30	2/2/2022 20:35	3.1	0.04	0.01	0.12	64.2	2/2/2022 17:25	2/3/2022 2:25	9.1	0.08	0.08	2,598
2/3/2022 2:25	2/3/2022 12:20	9.9	0.12	0.01	0.12	8.9	2/3/2022 2:25	2/4/2022 0:20	22.0	0.09	0.14	6,810
2/7/2022 10:45	2/7/2022 11:50	1.1	0.06	0.06	0.12	96.8	2/7/2022 10:40	2/7/2022 23:45	13.2	0.08	0.12	3,627
2/10/2022 4:45	2/10/2022 9:35	4.8	0.03	0.01	0.12	65.5	2/10/2022 4:40	2/10/2022 21:30	16.9	0.07	0.07	4,263
2/14/2022 6:05	2/14/2022 17:55	11.8	0.21	0.02	0.24	162.8	2/14/2022 6:00	2/15/2022 5:55	24.0	0.08	0.17	6,990
2/16/2022 6:50	2/16/2022 9:10	2.3	0.06	0.03	0.12	40.4	2/16/2022 6:45	2/16/2022 21:10	14.5	0.07	0.08	3,702
2/20/2022 0:05	2/20/2022 6:55	6.8	0.21	0.03	0.24	89.1	2/20/2022 0:00	2/20/2022 15:30	15.6	0.10	0.28	5,583
2/20/2022 15:35	2/20/2022 21:45	6.2	0.06	0.01	0.12	9.5	2/20/2022 15:30	2/21/2022 9:40	18.3	0.07	0.12	4,884
2/22/2022 11:45	2/22/2022 12:05	0.3	0.04	0.12	0.24	39.9	2/22/2022 11:45	2/23/2022 0:00	12.3	0.06	0.07	2,688
2/26/2022 17:40	3/1/2022 11:00	65.3	3.60	0.06	0.24	101.9	2/26/2022 17:35	3/1/2022 23:00	77.5	1.09	3.29	304,451
3/2/2022 9:30	3/3/2022 11:10	25.7	0.64	0.02	0.48	25.3	3/2/2022 9:30	3/3/2022 23:10	37.8	0.45	1.70	60,918
3/8/2022 5:30	3/8/2022 11:45	6.3	0.12	0.02	0.12	119.8	3/8/2022 5:30	3/8/2022 23:45	18.3	0.13	0.17	8,358
3/12/2022 18:40	3/12/2022 20:40	2.0	0.06	0.03	0.12	105.6	3/12/2022 18:40	3/13/2022 1:40	7.1	0.09	0.14	2,220
3/13/2022 1:40	3/13/2022 3:50	2.2	0.06	0.03	0.12	6.4	3/13/2022 1:40	3/13/2022 15:10	13.6	0.08	0.10	4,032
3/13/2022 15:10	3/14/2022 0:50	9.7	0.19	0.02	0.24	13.1	3/13/2022 15:10	3/14/2022 11:35	20.5	0.10	0.19	7,293
3/14/2022 11:35	3/15/2022 15:45	28.2	0.80	0.03	0.36	12.0	3/14/2022 11:35	3/16/2022 3:40	40.2	0.23	0.81	33,165
3/17/2022 15:45	3/18/2022 2:50	11.1	0.18	0.02	0.12	49.2	3/17/2022 15:40	3/18/2022 14:45	23.2	0.11	0.17	9,255
3/18/2022 17:35	3/19/2022 19:15	25.7	0.70	0.03	0.36	17.1	3/18/2022 17:35	3/20/2022 7:15	37.8	0.22	0.89	29,724
3/20/2022 14:50	3/21/2022 11:15	20.4	0.98	0.05	0.12	19.8	3/20/2022 14:45	3/21/2022 17:50	27.2	0.47	0.81	46,206
3/21/2022 17:50	3/21/2022 21:00	3.2	0.04	0.01	0.12	7.3	3/21/2022 17:50	3/22/2022 4:50	11.1	0.36	0.44	14,166
3/22/2022 4:55	3/22/2022 10:00	5.1	0.09	0.02	0.12	11.1	3/22/2022 4:50	3/22/2022 22:00	17.3	0.29	0.35	17,820

Table D-10. Summary Statistics for Individual Storm Events at the COUMI Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
3/23/2022 13:25	3/23/2022 19:35	6.2	0.29	0.05	0.60	29.9	3/23/2022 13:25	3/24/2022 7:30	18.2	0.27	0.98	17,412
3/30/2022 11:45	3/31/2022 5:15	17.5	0.65	0.04	0.24	161.8	3/30/2022 11:45	3/31/2022 17:15	29.6	0.22	0.66	23,721
4/1/2022 21:30	4/2/2022 8:15	10.8	0.23	0.02	0.24	43.4	4/1/2022 21:30	4/2/2022 20:10	22.8	0.13	0.25	10,389
4/3/2022 14:50	4/4/2022 5:25	14.6	0.65	0.04	0.24	35.4	4/3/2022 14:45	4/4/2022 15:20	24.7	0.27	1.08	23,979
4/4/2022 15:25	4/4/2022 16:35	1.2	0.04	0.03	0.12	12.1	4/4/2022 15:20	4/5/2022 4:30	13.3	0.18	0.22	8,376
4/5/2022 14:55	4/5/2022 19:05	4.2	0.11	0.03	0.24	23.5	4/5/2022 14:55	4/6/2022 7:05	16.3	0.15	0.66	8,727
4/8/2022 3:20	4/8/2022 4:10	0.8	0.08	0.10	0.12	56.8	4/8/2022 3:20	4/8/2022 16:05	12.8	0.10	0.14	4,404
4/8/2022 17:55	4/8/2022 18:15	0.3	0.08	0.24	0.36	14.2	4/8/2022 17:55	4/9/2022 6:10	12.3	0.10	0.12	4,416
4/9/2022 18:10	4/10/2022 12:00	17.8	0.45	0.03	0.36	24.1	4/9/2022 18:10	4/10/2022 23:55	29.8	0.16	0.44	16,782
4/14/2022 14:50	4/14/2022 15:55	1.1	0.08	0.07	0.12	101.3	4/14/2022 14:50	4/15/2022 3:55	13.2	0.12	0.22	5,556
4/16/2022 21:15	4/16/2022 21:40	0.4	0.10	0.24	0.36	54.1	4/16/2022 21:10	4/17/2022 9:40	12.6	0.08	0.12	3,780
4/18/2022 12:10	4/18/2022 18:50	6.7	0.23	0.03	0.12	38.8	4/18/2022 12:10	4/19/2022 3:20	15.3	0.12	0.28	6,504
4/19/2022 3:20	4/19/2022 5:15	1.9	0.06	0.03	0.12	9.2	4/19/2022 3:20	4/19/2022 17:10	13.9	0.09	0.17	4,680
4/20/2022 15:15	4/20/2022 20:05	4.8	0.05	0.01	0.12	35.3	4/20/2022 15:10	4/21/2022 5:00	13.9	0.08	0.08	4,008
4/21/2022 5:05	4/21/2022 6:05	1.0	0.04	0.04	0.12	13.3	4/21/2022 5:00	4/21/2022 15:10	10.3	0.08	0.14	2,874
4/21/2022 15:10	4/21/2022 19:50	4.7	0.05	0.01	0.12	10.1	4/21/2022 15:10	4/22/2022 4:30	13.4	0.08	0.14	3,990
4/22/2022 4:35	4/22/2022 6:55	2.3	0.03	0.01	0.12	9.7	4/22/2022 4:30	4/22/2022 18:55	14.5	0.07	0.08	3,882
4/25/2022 2:20	4/25/2022 7:15	4.9	0.18	0.04	0.36	79.4	4/25/2022 2:15	4/25/2022 19:15	17.1	0.08	0.28	4,767
4/27/2022 20:25	4/27/2022 22:10	1.8	0.06	0.03	0.12	62.8	4/27/2022 20:25	4/28/2022 9:40	13.3	0.06	0.08	2,952
4/28/2022 9:45	4/28/2022 10:00	0.3	0.03	0.12	0.12	11.9	4/28/2022 9:40	4/28/2022 21:55	12.3	0.06	0.06	2,664
4/30/2022 0:10	4/30/2022 10:30	10.3	0.37	0.04	0.12	50.3	4/30/2022 0:10	4/30/2022 22:30	22.4	0.10	0.28	8,160
5/2/2022 2:20	5/2/2022 12:25	10.1	0.46	0.05	0.24	41.1	5/2/2022 2:15	5/3/2022 0:20	22.2	0.15	0.39	11,808
5/5/2022 3:30	5/5/2022 20:30	17.0	0.48	0.03	0.12	65.5	5/5/2022 3:30	5/6/2022 8:25	29.0	0.12	0.25	12,144
5/6/2022 10:55	5/7/2022 19:25	32.5	0.83	0.03	0.36	14.8	5/6/2022 10:50	5/8/2022 7:25	44.7	0.22	0.66	35,037
5/11/2022 21:10	5/11/2022 21:35	0.4	0.03	0.07	0.12	102.3	5/11/2022 21:10	5/12/2022 4:05	7.0	0.07	0.07	1,758
5/12/2022 4:10	5/12/2022 16:45	12.6	0.47	0.04	0.24	109.3	5/12/2022 4:05	5/13/2022 4:40	24.7	0.14	0.60	12,060
5/14/2022 1:20	5/14/2022 9:15	7.9	0.11	0.01	0.12	33.3	5/14/2022 1:15	5/14/2022 21:10	20.0	0.08	0.14	5,622
5/15/2022 2:20	5/15/2022 22:35	20.3	0.61	0.03	0.24	18.2	5/15/2022 2:15	5/16/2022 10:30	32.3	0.18	0.66	20,730
5/18/2022 3:00	5/18/2022 10:55	7.9	0.27	0.03	0.24	54.1	5/18/2022 3:00	5/18/2022 22:50	19.9	0.11	0.22	8,061
5/19/2022 3:00	5/19/2022 3:55	0.9	0.05	0.05	0.12	17.2	5/19/2022 2:55	5/19/2022 15:55	13.1	0.08	0.10	3,600
5/21/2022 18:45	5/21/2022 20:15	1.5	0.37	0.25	3.00	63.2	5/21/2022 18:40	5/22/2022 8:10	13.6	0.07	0.10	3,531
5/26/2022 18:35	5/27/2022 2:25	7.8	0.37	0.05	1.32	119.5	5/26/2022 18:30	5/27/2022 14:25	20.0	0.12	1.30	8,433
5/28/2022 17:30	5/30/2022 1:10	31.7	1.15	0.04	0.48	40.1	5/28/2022 17:25	5/30/2022 13:05	43.8	0.19	0.81	29,634
6/2/2022 16:30	6/2/2022 19:15	2.8	0.20	0.07	0.48	89.6	6/2/2022 16:25	6/3/2022 4:25	12.1	0.09	0.39	3,843
6/3/2022 4:25	6/3/2022 20:20	15.9	0.24	0.02	0.72	9.3	6/3/2022 4:25	6/4/2022 8:15	27.9	0.09	0.48	9,330
6/4/2022 16:20	6/5/2022 9:45	17.4	0.98	0.06	0.84	25.7	6/4/2022 16:15	6/5/2022 21:40	29.5	0.30	3.29	31,674
6/9/2022 7:05	6/10/2022 2:55	19.8	1.10	0.06	0.36	93.6	6/9/2022 7:05	6/10/2022 14:55	31.9	0.29	0.98	33,447
6/10/2022 17:00	6/11/2022 3:45	10.8	0.15	0.01	0.12	16.7	6/10/2022 17:00	6/11/2022 15:40	22.8	0.16	0.22	12,957
6/12/2022 5:35	6/12/2022 7:25	1.8	0.07	0.04	0.12	28.2	6/12/2022 5:35	6/12/2022 18:30	13.0	0.14	0.98	6,417
6/12/2022 18:30	6/13/2022 7:05	12.6	0.17	0.01	0.12	12.5	6/12/2022 18:30	6/13/2022 19:05	24.7	0.14	0.25	12,138
6/14/2022 3:55	6/14/2022 5:15	1.3	0.35	0.26	0.84	26.8	6/14/2022 3:55	6/14/2022 17:10	13.3	0.19	0.60	8,949
6/17/2022 10:40	6/17/2022 19:10	8.5	0.26	0.03	0.24	77.8	6/17/2022 10:40	6/18/2022 7:10	20.6	0.11	0.28	8,409
6/22/2022 7:15	6/22/2022 11:25	4.2	0.11	0.03	0.12	109.9	6/22/2022 7:15	6/22/2022 23:25	16.3	0.07	0.08	4,170
7/3/2022 14:05	7/3/2022 19:35	5.5	0.20	0.04	0.24	268.2	7/3/2022 14:05	7/4/2022 7:30	17.5	0.07	0.12	4,134
7/18/2022 4:50	7/18/2022 5:50	1.0	0.04	0.04	0.12	346.4	7/18/2022 4:50	7/18/2022 17:45	13.0	0.04	0.05	1,944

Table D-10. Summary Statistics for Individual Storm Events at the COUMI Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
8/4/2022 11:40	8/4/2022 12:05	0.4	0.03	0.07	0.12	414.8	8/4/2022 11:35	8/5/2022 0:00	12.5	0.04	0.04	1,776
8/27/2022 5:10	8/27/2022 8:20	3.2	0.07	0.02	0.12	960.3	8/27/2022 5:10	8/27/2022 20:15	15.2	0.03	0.04	1,599
9/4/2022 18:35	9/4/2022 20:35	2.0	0.17	0.09	0.36	204.2	9/4/2022 18:30	9/5/2022 8:35	14.2	0.03	0.12	1,641

Table D-11. Summary Statistics for Individual Storm Events at the TYLMO Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
10/3/2021 6:05	10/3/2021 15:30	9.4	0.09	0.01	0.12	65.0	10/3/2021 6:00	10/3/2021 23:55	18.0	0.08	0.17	5,256
10/5/2021 6:15	10/5/2021 15:50	9.6	0.28	0.03	0.36	43.8	10/5/2021 6:10	10/6/2021 3:45	21.7	0.36	3.16	28,215
10/9/2021 16:45	10/9/2021 20:40	3.9	0.12	0.03	0.12	97.8	10/9/2021 16:40	10/10/2021 0:00	7.4	0.19	0.97	5,025
10/10/2021 1:30	10/10/2021 12:40	11.2	0.35	0.03	0.36	7.6	10/10/2021 1:30	10/10/2021 20:35	19.2	0.60	3.71	41,388
10/10/2021 20:40	10/11/2021 0:35	3.9	0.05	0.01	0.24	8.2	10/10/2021 20:35	10/11/2021 12:30	16.0	0.26	1.36	15,258
10/12/2021 17:25	10/12/2021 23:50	6.4	0.14	0.02	0.12	41.7	10/12/2021 17:25	10/13/2021 11:45	18.4	0.16	0.50	10,782
10/13/2021 21:55	10/14/2021 5:10	7.3	0.08	0.01	0.12	23.4	10/13/2021 21:55	10/14/2021 17:10	19.3	0.14	0.50	9,534
10/15/2021 2:25	10/15/2021 8:55	6.5	0.06	0.01	0.12	27.6	10/15/2021 2:25	10/15/2021 19:05	16.8	0.10	0.36	6,036
10/15/2021 19:05	10/16/2021 1:55	6.8	0.06	0.01	0.12	44.2	10/15/2021 19:05	10/16/2021 13:50	18.8	0.09	0.17	6,393
10/20/2021 4:50	10/20/2021 12:40	7.8	0.26	0.03	0.12	104.3	10/20/2021 4:50	10/21/2021 0:40	19.9	0.26	1.51	18,897
10/21/2021 19:05	10/22/2021 1:30	6.4	0.55	0.09	0.36	34.9	10/21/2021 19:05	10/23/2021 1:25	30.4	0.66	4.64	72,756
10/23/2021 3:35	10/23/2021 23:45	20.2	0.23	0.01	0.36	26.6	10/23/2021 3:30	10/24/2021 9:30	30.1	0.31	3.71	33,741
10/24/2021 9:30	10/24/2021 14:50	5.3	0.30	0.06	0.48	15.4	10/24/2021 9:30	10/25/2021 2:45	17.3	0.66	6.54	41,361
10/25/2021 13:45	10/25/2021 21:05	7.3	0.05	0.01	0.12	23.5	10/25/2021 13:40	10/26/2021 9:00	19.4	0.16	0.26	10,953
10/26/2021 10:20	10/26/2021 18:45	8.4	0.16	0.02	0.24	44.1	10/26/2021 10:15	10/27/2021 6:40	20.5	0.28	2.23	20,970
10/27/2021 18:55	10/29/2021 8:25	37.5	2.93	0.08	0.72	28.2	10/27/2021 18:55	10/30/2021 8:25	61.6	2.68	10.20	593,726
11/1/2021 13:30	11/1/2021 20:20	6.8	0.05	0.01	0.12	77.6	11/1/2021 13:30	11/2/2021 8:15	18.8	0.25	0.43	16,806
11/2/2021 12:05	11/2/2021 20:35	8.5	0.20	0.02	0.12	21.2	11/2/2021 12:00	11/3/2021 8:35	20.7	0.41	1.67	30,198
11/3/2021 18:40	11/4/2021 14:25	19.8	1.13	0.06	0.36	27.2	11/3/2021 18:40	11/5/2021 2:25	31.8	1.76	7.43	201,828
11/5/2021 3:40	11/5/2021 7:40	4.0	0.17	0.04	0.24	15.1	11/5/2021 3:40	11/5/2021 19:40	16.1	0.94	3.16	54,351
11/6/2021 7:05	11/7/2021 18:05	35.0	0.83	0.02	0.36	24.0	11/6/2021 7:05	11/8/2021 6:00	47.0	1.00	4.31	168,522
11/9/2021 1:15	11/9/2021 6:10	4.9	0.14	0.03	0.12	31.4	11/9/2021 1:15	11/9/2021 13:50	12.7	0.51	1.51	23,076
11/9/2021 13:55	11/9/2021 18:10	4.3	0.41	0.10	0.72	10.8	11/9/2021 13:50	11/10/2021 6:10	16.4	1.07	6.54	63,270
11/10/2021 20:10	11/12/2021 14:15	42.1	1.83	0.04	0.48	26.9	11/10/2021 20:10	11/13/2021 2:10	54.1	2.24	8.91	435,752
11/13/2021 17:10	11/13/2021 23:35	6.4	0.34	0.05	0.24	27.2	11/13/2021 17:10	11/14/2021 11:35	18.5	1.45	4.00	96,696
11/14/2021 12:35	11/15/2021 0:50	12.3	0.56	0.05	0.24	14.0	11/14/2021 12:30	11/15/2021 10:30	22.1	2.00	5.35	158,874
11/15/2021 10:35	11/15/2021 19:20	8.8	0.41	0.05	0.24	11.9	11/15/2021 10:30	11/16/2021 7:15	20.8	1.50	4.99	112,194
11/18/2021 14:40	11/19/2021 6:15	15.6	0.47	0.03	0.12	67.7	11/18/2021 14:40	11/19/2021 18:10	27.6	0.89	2.03	88,149
11/22/2021 14:30	11/22/2021 17:00	2.5	0.08	0.03	0.12	81.5	11/22/2021 14:25	11/23/2021 2:35	12.3	0.36	1.09	15,798
11/23/2021 2:35	11/23/2021 7:40	5.1	0.60	0.12	0.24	11.2	11/23/2021 2:35	11/23/2021 19:40	17.2	1.88	6.54	116,388
11/24/2021 21:35	11/26/2021 0:25	26.8	0.83	0.03	0.24	38.5	11/24/2021 21:30	11/26/2021 8:25	35.0	1.59	6.54	199,716
11/26/2021 8:30	11/26/2021 15:50	7.3	0.17	0.02	0.24	12.4	11/26/2021 8:25	11/27/2021 3:45	19.4	0.94	3.42	65,376
11/27/2021 7:05	11/27/2021 23:05	16.0	0.25	0.02	0.12	16.9	11/27/2021 7:05	11/28/2021 11:00	28.0	0.84	2.67	84,702
11/28/2021 12:25	11/28/2021 15:15	2.8	0.22	0.08	0.12	17.7	11/28/2021 12:20	11/29/2021 3:10	14.9	1.09	4.00	58,584
11/30/2021 1:30	11/30/2021 12:05	10.6	0.22	0.02	0.24	35.1	11/30/2021 1:25	11/30/2021 20:10	18.8	0.63	1.85	42,714
11/30/2021 20:10	11/30/2021 20:30	0.3	0.04	0.12	0.12	8.9	11/30/2021 20:10	12/1/2021 8:25	12.3	0.46	1.36	20,469
12/1/2021 22:50	12/2/2021 13:40	14.8	0.38	0.03	0.24	26.7	12/1/2021 22:50	12/3/2021 1:40	26.9	0.89	4.99	85,926
12/4/2021 5:25	12/4/2021 22:05	16.7	0.44	0.03	0.12	40.6	12/4/2021 5:25	12/5/2021 10:05	28.8	0.92	2.44	94,833
12/6/2021 14:25	12/7/2021 4:45	14.3	0.19	0.01	0.12	47.8	12/6/2021 14:25	12/7/2021 16:40	26.3	0.52	1.22	49,335
12/8/2021 5:35	12/8/2021 8:40	3.1	0.16	0.05	0.36	33.2	12/8/2021 5:35	12/8/2021 16:40	11.2	0.82	4.99	32,913
12/8/2021 16:45	12/8/2021 20:00	3.3	0.11	0.03	0.12	10.3	12/8/2021 16:40	12/9/2021 8:00	15.4	0.70	3.16	38,634
12/9/2021 10:10	12/9/2021 11:00	0.8	0.04	0.05	0.12	16.7	12/9/2021 10:10	12/9/2021 23:00	12.9	0.44	1.36	20,577
12/10/2021 12:00	12/11/2021 7:05	19.1	0.63	0.03	0.24	25.8	12/10/2021 12:00	12/11/2021 19:05	31.2	1.24	6.98	139,581
12/12/2021 0:15	12/12/2021 0:35	0.3	0.05	0.15	0.12	21.4	12/12/2021 0:10	12/12/2021 12:35	12.5	0.57	1.51	25,560
12/12/2021 13:45	12/12/2021 18:55	5.2	0.15	0.03	0.24	13.4	12/12/2021 13:40	12/13/2021 0:30	10.9	0.67	2.23	26,157

Table D-11. Summary Statistics for Individual Storm Events at the TYLMO Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
12/13/2021 0:30	12/13/2021 4:55	4.4	0.07	0.02	0.12	6.4	12/13/2021 0:30	12/13/2021 14:00	13.6	0.54	1.22	26,319
12/13/2021 14:05	12/13/2021 19:50	5.8	0.03	0.01	0.12	10.1	12/13/2021 14:00	12/14/2021 7:50	17.9	0.35	0.50	22,845
12/14/2021 14:25	12/14/2021 18:45	4.3	0.13	0.03	0.12	34.4	12/14/2021 14:25	12/15/2021 6:40	16.3	0.41	1.09	24,177
12/16/2021 6:05	12/16/2021 13:50	7.8	0.10	0.01	0.12	38.1	12/16/2021 6:00	12/17/2021 1:50	19.9	0.35	0.86	24,951
12/17/2021 19:05	12/18/2021 15:25	20.3	0.88	0.04	0.24	34.4	12/17/2021 19:05	12/19/2021 3:20	32.3	1.49	5.35	173,241
12/21/2021 20:05	12/22/2021 5:30	9.4	0.37	0.04	0.36	77.2	12/21/2021 20:00	12/22/2021 13:05	17.2	1.15	3.16	70,764
12/22/2021 13:05	12/23/2021 1:55	12.8	0.55	0.04	0.24	7.9	12/22/2021 13:05	12/23/2021 13:50	24.8	1.68	4.99	150,129
12/24/2021 1:45	12/24/2021 6:05	4.3	0.11	0.03	0.12	24.4	12/24/2021 1:40	12/24/2021 14:10	12.6	0.74	2.03	33,558
12/24/2021 14:10	12/25/2021 6:30	16.3	0.47	0.03	0.36	11.0	12/24/2021 14:10	12/25/2021 12:10	22.1	1.42	4.31	112,749
12/25/2021 12:15	12/25/2021 18:45	6.5	0.07	0.01	0.12	9.8	12/25/2021 12:10	12/26/2021 6:40	18.6	0.76	1.22	50,841
12/27/2021 12:30	12/27/2021 13:05	0.6	0.07	0.12	0.12	46.8	12/27/2021 12:30	12/28/2021 1:05	12.7	0.31	0.31	14,136
12/29/2021 12:10	12/29/2021 14:30	2.3	0.09	0.04	0.12	47.3	12/29/2021 12:10	12/30/2021 2:25	14.3	0.23	0.26	11,721
12/30/2021 10:55	12/30/2021 15:30	4.6	0.10	0.02	0.12	21.8	12/30/2021 10:55	12/31/2021 3:30	16.7	0.26	0.26	15,600
12/31/2021 12:30	12/31/2021 14:35	2.1	0.06	0.03	0.12	23.2	12/31/2021 12:30	1/1/2022 2:35	14.2	0.24	0.26	12,030
1/1/2022 13:15	1/1/2022 14:25	1.2	0.10	0.09	0.12	23.4	1/1/2022 13:15	1/2/2022 2:25	13.3	0.21	0.26	10,032
1/2/2022 12:40	1/3/2022 16:40	28.0	1.59	0.06	0.36	22.8	1/2/2022 12:40	1/3/2022 22:15	33.7	3.67	10.00	444,432
1/3/2022 22:20	1/4/2022 3:35	5.3	0.03	0.01	0.12	7.0	1/3/2022 22:15	1/4/2022 4:50	6.7	1.33	1.51	31,962
1/4/2022 4:55	1/4/2022 6:40	1.8	0.08	0.05	0.12	13.6	1/4/2022 4:50	1/4/2022 15:10	10.4	1.48	2.03	55,611
1/4/2022 15:15	1/4/2022 22:45	7.5	0.16	0.02	0.24	9.1	1/4/2022 15:10	1/5/2022 10:40	19.6	1.37	3.42	96,798
1/5/2022 16:15	1/7/2022 15:10	46.9	2.79	0.06	0.24	17.8	1/5/2022 16:15	1/8/2022 3:10	59.0	5.99	11.19	1,272,539
1/10/2022 9:15	1/10/2022 15:55	6.7	0.15	0.02	0.24	66.6	1/10/2022 9:10	1/11/2022 0:10	15.1	0.97	3.42	52,500
1/11/2022 0:10	1/12/2022 9:00	32.8	1.05	0.03	0.24	13.8	1/11/2022 0:10	1/12/2022 20:55	44.8	2.31	5.73	372,612
1/13/2022 3:15	1/13/2022 10:15	7.0	0.15	0.02	0.24	19.2	1/13/2022 3:10	1/13/2022 22:15	19.2	1.13	3.42	77,811
1/19/2022 18:20	1/20/2022 12:50	18.5	0.13	0.01	0.12	153.4	1/19/2022 18:20	1/20/2022 14:35	20.3	0.37	2.91	27,435
1/20/2022 14:40	1/20/2022 18:00	3.3	0.50	0.15	0.60	7.5	1/20/2022 14:35	1/21/2022 5:55	15.4	1.97	7.90	109,368
1/30/2022 11:05	1/30/2022 23:55	12.8	0.32	0.02	0.24	233.7	1/30/2022 11:00	1/31/2022 0:55	14.0	0.86	4.64	43,419
1/31/2022 0:55	1/31/2022 1:40	0.8	0.08	0.11	0.12	6.9	1/31/2022 0:55	1/31/2022 13:40	12.8	0.58	2.44	26,613
2/2/2022 17:40	2/2/2022 20:15	2.6	0.04	0.02	0.12	64.4	2/2/2022 17:40	2/3/2022 1:50	8.3	0.28	0.43	8,313
2/3/2022 1:55	2/3/2022 13:05	11.2	0.20	0.02	0.12	8.2	2/3/2022 1:50	2/4/2022 1:05	23.3	0.55	1.51	46,491
2/5/2022 5:20	2/5/2022 9:50	4.5	0.04	0.01	0.12	43.2	2/5/2022 5:15	2/5/2022 21:50	16.7	0.27	0.50	15,960
2/14/2022 6:05	2/14/2022 17:35	11.5	0.17	0.01	0.12	216.8	2/14/2022 6:00	2/15/2022 5:35	23.7	0.29	1.51	25,125
2/16/2022 6:30	2/16/2022 7:25	0.9	0.05	0.05	0.12	40.8	2/16/2022 6:30	2/16/2022 19:25	13.0	0.24	0.66	11,190
2/19/2022 20:55	2/20/2022 21:40	24.8	0.28	0.01	0.24	86.3	2/19/2022 20:55	2/21/2022 9:40	36.8	0.46	1.51	60,408
2/26/2022 18:40	3/1/2022 8:25	61.8	3.14	0.05	0.36	141.1	2/26/2022 18:40	3/1/2022 20:25	73.8	4.29	10.79	1,141,521
3/2/2022 10:35	3/2/2022 19:35	9.0	0.21	0.02	0.24	28.1	3/2/2022 10:35	3/3/2022 0:20	13.8	1.93	4.00	96,312
3/3/2022 0:25	3/3/2022 7:00	6.6	0.32	0.05	0.60	8.4	3/3/2022 0:20	3/3/2022 18:55	18.7	2.20	7.90	147,729
3/8/2022 5:10	3/8/2022 13:15	8.1	0.14	0.02	0.12	120.5	3/8/2022 5:10	3/9/2022 1:15	20.2	0.49	0.75	35,604
3/12/2022 19:00	3/12/2022 19:35	0.6	0.03	0.05	0.12	104.2	3/12/2022 18:55	3/13/2022 1:40	6.8	0.34	0.57	8,286
3/13/2022 1:40	3/13/2022 4:10	2.5	0.06	0.02	0.12	110.9	3/13/2022 1:40	3/13/2022 16:10	14.6	0.35	0.86	18,312
3/13/2022 18:15	3/14/2022 0:25	6.2	0.17	0.03	0.24	16.1	3/13/2022 18:10	3/14/2022 11:35	17.5	0.55	1.67	34,896
3/14/2022 11:35	3/15/2022 6:25	18.8	0.76	0.04	0.24	11.9	3/14/2022 11:35	3/15/2022 18:25	30.9	1.79	6.98	198,915
3/17/2022 15:50	3/18/2022 2:40	10.8	0.13	0.01	0.12	61.2	3/17/2022 15:45	3/18/2022 14:40	23.0	0.52	0.97	42,915
3/18/2022 19:35	3/19/2022 19:30	23.9	0.63	0.03	0.24	19.2	3/18/2022 19:30	3/20/2022 7:25	36.0	1.42	5.73	184,191
3/20/2022 16:00	3/21/2022 11:20	19.3	1.03	0.05	0.24	20.8	3/20/2022 15:55	3/21/2022 18:10	26.3	3.35	6.13	317,835
3/21/2022 18:15	3/21/2022 20:15	2.0	0.04	0.02	0.12	7.8	3/21/2022 18:10	3/22/2022 4:40	10.6	1.62	2.03	61,776

Table D-11. Summary Statistics for Individual Storm Events at the TYLMO Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
3/22/2022 4:40	3/22/2022 8:55	4.3	0.08	0.02	0.12	10.4	3/22/2022 4:40	3/22/2022 20:55	16.3	1.34	1.85	78,522
3/23/2022 13:15	3/23/2022 19:35	6.3	0.37	0.06	0.60	30.7	3/23/2022 13:15	3/24/2022 7:30	18.3	1.37	4.99	90,618
3/30/2022 14:25	3/31/2022 6:20	15.9	0.66	0.04	0.24	164.7	3/30/2022 14:25	3/31/2022 18:20	28.0	1.39	4.64	140,163
4/1/2022 22:00	4/2/2022 9:00	11.0	0.37	0.03	0.60	43.8	4/1/2022 21:55	4/2/2022 20:55	23.1	1.15	6.98	95,664
4/3/2022 14:30	4/4/2022 7:40	17.2	0.63	0.04	0.24	34.9	4/3/2022 14:25	4/4/2022 19:40	29.3	1.69	6.54	178,410
4/5/2022 14:20	4/5/2022 18:35	4.3	0.14	0.03	0.36	35.1	4/5/2022 14:15	4/6/2022 6:30	16.3	0.65	1.22	38,334
4/8/2022 3:25	4/8/2022 4:20	0.9	0.09	0.10	0.24	58.2	4/8/2022 3:20	4/8/2022 16:15	13.0	0.41	1.36	19,410
4/8/2022 17:50	4/8/2022 22:05	4.3	0.05	0.01	0.24	14.1	4/8/2022 17:45	4/9/2022 10:05	16.4	0.34	0.86	20,184
4/9/2022 14:05	4/10/2022 10:15	20.2	0.61	0.03	0.24	20.2	4/9/2022 14:00	4/10/2022 16:50	26.9	1.29	4.64	125,097
4/10/2022 16:50	4/10/2022 18:45	1.9	0.08	0.04	0.24	7.6	4/10/2022 16:50	4/11/2022 6:40	13.9	0.89	1.36	44,814
4/12/2022 14:05	4/12/2022 15:20	1.3	0.06	0.05	0.24	45.0	4/12/2022 14:00	4/13/2022 3:20	13.4	0.38	0.57	18,333
4/18/2022 12:05	4/18/2022 19:00	6.9	0.25	0.04	0.24	141.9	4/18/2022 12:00	4/19/2022 6:55	19.0	0.53	2.23	36,171
4/21/2022 5:20	4/21/2022 8:00	2.7	0.03	0.01	0.12	58.7	4/21/2022 5:15	4/21/2022 15:00	9.8	0.24	0.36	8,634
4/21/2022 15:05	4/21/2022 20:10	5.1	0.04	0.01	0.12	68.4	4/21/2022 15:00	4/22/2022 5:25	14.5	0.24	0.50	12,540
4/22/2022 5:25	4/22/2022 5:50	0.4	0.03	0.07	0.12	14.3	4/22/2022 5:25	4/22/2022 17:50	12.5	0.23	0.36	10,470
4/25/2022 2:15	4/25/2022 7:20	5.1	0.18	0.04	0.24	83.2	4/25/2022 2:10	4/25/2022 15:55	13.8	0.45	3.16	22,188
4/25/2022 15:55	4/25/2022 19:10	3.3	0.04	0.01	0.12	10.0	4/25/2022 15:55	4/26/2022 7:05	15.3	0.20	0.21	11,085
4/27/2022 21:50	4/27/2022 22:40	0.8	0.05	0.06	0.12	53.9	4/27/2022 21:45	4/28/2022 10:40	13.0	0.19	0.57	9,099
4/30/2022 1:00	4/30/2022 11:00	10.0	0.29	0.03	0.12	51.0	4/30/2022 0:55	4/30/2022 23:00	22.2	0.46	2.23	36,660
5/2/2022 3:40	5/2/2022 13:50	10.2	0.42	0.04	0.24	42.0	5/2/2022 3:40	5/3/2022 1:50	22.3	0.98	2.91	78,177
5/3/2022 3:45	5/3/2022 9:25	5.7	0.03	0.01	0.12	17.7	5/3/2022 3:40	5/3/2022 21:20	17.8	0.32	0.66	20,142
5/5/2022 3:45	5/5/2022 22:15	18.5	0.43	0.02	0.12	65.7	5/5/2022 3:40	5/6/2022 10:15	30.7	0.77	1.85	84,567
5/6/2022 11:20	5/6/2022 18:05	6.8	0.21	0.03	0.12	15.5	5/6/2022 11:15	5/6/2022 20:10	9.0	1.37	3.42	44,343
5/6/2022 20:10	5/7/2022 21:00	24.8	0.56	0.02	0.36	6.9	5/6/2022 20:10	5/8/2022 8:45	36.7	1.32	5.35	174,333
5/8/2022 8:45	5/8/2022 9:30	0.8	0.06	0.08	0.12	17.3	5/8/2022 8:45	5/8/2022 21:30	12.8	0.49	0.86	22,647
5/9/2022 17:40	5/9/2022 23:55	6.3	0.21	0.03	0.36	32.8	5/9/2022 17:35	5/10/2022 11:55	18.4	0.50	3.42	33,327
5/12/2022 3:15	5/12/2022 17:05	13.8	0.45	0.03	0.24	56.9	5/12/2022 3:10	5/13/2022 5:00	25.9	0.92	5.35	85,740
5/14/2022 1:50	5/14/2022 9:20	7.5	0.10	0.01	0.12	33.5	5/14/2022 1:50	5/14/2022 21:20	19.6	0.33	1.09	23,058
5/15/2022 2:30	5/15/2022 22:45	20.3	0.57	0.03	0.24	18.8	5/15/2022 2:30	5/16/2022 10:40	32.3	1.11	5.35	129,270
5/18/2022 3:10	5/18/2022 10:45	7.6	0.24	0.03	0.24	54.0	5/18/2022 3:10	5/18/2022 22:40	19.6	0.61	2.67	43,266
5/19/2022 2:50	5/19/2022 3:45	0.9	0.07	0.08	0.24	18.2	5/19/2022 2:50	5/19/2022 15:40	12.9	0.41	1.67	19,290
5/25/2022 2:15	5/25/2022 6:45	4.5	0.05	0.01	0.12	142.7	5/25/2022 2:10	5/25/2022 18:40	16.6	0.14	0.31	8,400
5/26/2022 16:55	5/27/2022 2:15	9.3	0.24	0.03	0.60	37.7	5/26/2022 16:50	5/27/2022 14:10	21.4	0.46	3.71	35,469
5/28/2022 17:30	5/30/2022 6:00	36.5	0.93	0.03	0.24	40.3	5/28/2022 17:25	5/30/2022 17:55	48.6	1.15	5.35	200,892
6/2/2022 16:35	6/2/2022 19:25	2.8	0.31	0.11	0.60	88.4	6/2/2022 16:35	6/3/2022 4:30	12.0	0.71	4.64	30,537
6/3/2022 4:30	6/3/2022 21:20	16.8	0.35	0.02	0.72	9.2	6/3/2022 4:30	6/4/2022 9:20	28.9	1.01	7.90	105,018
6/4/2022 19:10	6/5/2022 13:55	18.8	0.87	0.05	0.48	22.8	6/4/2022 19:05	6/6/2022 1:50	30.8	2.15	8.40	238,668
6/9/2022 6:35	6/10/2022 4:00	21.4	0.98	0.05	0.24	93.2	6/9/2022 6:30	6/10/2022 15:55	33.5	1.91	6.98	230,766
6/10/2022 17:25	6/11/2022 7:15	13.8	0.13	0.01	0.12	17.2	6/10/2022 17:25	6/11/2022 19:15	25.9	0.73	1.36	68,169
6/12/2022 1:35	6/12/2022 9:30	7.9	0.08	0.01	0.12	24.0	6/12/2022 1:30	6/12/2022 20:25	19.0	0.46	3.16	31,593
6/12/2022 20:30	6/13/2022 7:40	11.2	0.37	0.03	0.24	14.3	6/12/2022 20:25	6/13/2022 19:40	23.3	1.03	3.42	86,097
6/14/2022 3:25	6/14/2022 8:25	5.0	0.54	0.11	1.32	25.5	6/14/2022 3:20	6/14/2022 20:25	17.2	1.74	11.19	107,802
6/17/2022 10:50	6/17/2022 20:05	9.3	0.21	0.02	0.24	78.4	6/17/2022 10:50	6/18/2022 8:00	21.3	0.55	2.67	41,757
6/19/2022 0:35	6/19/2022 2:55	2.3	0.08	0.03	0.12	31.8	6/19/2022 0:30	6/19/2022 14:55	14.5	0.28	0.57	14,616
6/22/2022 8:00	6/22/2022 14:20	6.3	0.04	0.01	0.12	78.8	6/22/2022 8:00	6/23/2022 2:20	18.4	0.16	0.26	10,917

Table D-11. Summary Statistics for Individual Storm Events at the TYLMO Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
7/3/2022 14:20	7/3/2022 19:15	4.9	0.17	0.03	0.24	349.1	7/3/2022 14:15	7/4/2022 7:15	17.1	0.22	2.03	13,740
7/18/2022 4:35	7/18/2022 6:30	1.9	0.07	0.04	0.12	345.9	7/18/2022 4:30	7/18/2022 18:30	14.1	0.11	0.57	5,700
8/27/2022 5:55	8/27/2022 8:50	2.9	0.05	0.02	0.12	960.8	8/27/2022 5:55	8/27/2022 20:45	14.9	0.14	0.97	7,290
9/4/2022 18:20	9/4/2022 23:05	4.8	0.14	0.03	0.24	204.1	9/4/2022 18:20	9/5/2022 11:05	16.8	0.28	3.71	17,220

Table D-12. Summary Statistics for Individual Storm Events at the TYLMI Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
10/3/2021 6:05	10/3/2021 15:30	9.4	0.09	0.01	0.12	65.0	10/3/2021 6:00	10/4/2021 3:30	21.6	0.02	0.02	1,431
10/5/2021 6:15	10/5/2021 15:50	9.6	0.28	0.03	0.36	43.8	10/5/2021 6:10	10/6/2021 3:45	21.7	0.03	0.07	2,610
10/9/2021 16:45	10/9/2021 20:40	3.9	0.12	0.03	0.12	97.8	10/9/2021 16:40	10/10/2021 1:25	8.8	0.01	0.01	318
10/10/2021 1:30	10/10/2021 12:40	11.2	0.35	0.03	0.36	7.6	10/10/2021 1:25	10/10/2021 20:35	19.3	0.05	0.15	3,720
10/10/2021 20:40	10/11/2021 0:35	3.9	0.05	0.01	0.24	8.2	10/10/2021 20:35	10/11/2021 12:30	16.0	0.04	0.07	2,265
10/12/2021 17:25	10/12/2021 23:50	6.4	0.14	0.02	0.12	41.7	10/12/2021 17:25	10/13/2021 11:45	18.4	0.02	0.03	1,335
10/13/2021 21:55	10/14/2021 5:10	7.3	0.08	0.01	0.12	23.4	10/13/2021 21:55	10/14/2021 17:10	19.3	0.02	0.02	1,293
10/15/2021 2:25	10/15/2021 8:55	6.5	0.06	0.01	0.12	27.6	10/15/2021 2:25	10/15/2021 19:05	16.8	0.01	0.02	771
10/15/2021 19:05	10/16/2021 1:55	6.8	0.06	0.01	0.12	44.2	10/15/2021 19:05	10/16/2021 13:50	18.8	0.01	0.02	705
10/20/2021 4:50	10/20/2021 12:40	7.8	0.26	0.03	0.12	104.3	10/20/2021 4:50	10/21/2021 0:40	19.9	0.02	0.03	1,389
10/21/2021 19:05	10/22/2021 1:30	6.4	0.55	0.09	0.36	34.9	10/23/2021 3:30	10/24/2021 9:30	30.1	0.05	0.10	5,445
10/23/2021 3:35	10/23/2021 23:45	20.2	0.23	0.01	0.36	26.6	10/24/2021 9:30	10/25/2021 2:45	17.3	0.11	0.23	6,735
10/24/2021 9:30	10/24/2021 14:50	5.3	0.30	0.06	0.48	15.4	10/25/2021 13:40	10/26/2021 9:00	19.4	0.02	0.03	1,647
10/25/2021 13:45	10/25/2021 21:05	7.3	0.05	0.01	0.12	23.5	10/26/2021 10:15	10/27/2021 6:40	20.5	0.04	0.07	3,003
10/26/2021 10:20	10/26/2021 18:45	8.4	0.16	0.02	0.24	44.1	11/1/2021 13:30	11/2/2021 8:15	18.8	0.03	0.03	1,875
10/27/2021 18:55	10/29/2021 8:25	37.5	2.93	0.08	0.72	28.2	11/2/2021 12:00	11/3/2021 8:35	20.7	0.06	0.10	4,503
11/1/2021 13:30	11/1/2021 20:20	6.8	0.05	0.01	0.12	77.6	11/3/2021 18:40	11/5/2021 2:25	31.8	0.59	1.18	68,055
11/2/2021 12:05	11/2/2021 20:35	8.5	0.20	0.02	0.12	21.2	11/5/2021 3:40	11/5/2021 19:40	16.1	0.47	0.52	27,054
11/3/2021 18:40	11/4/2021 14:25	19.8	1.13	0.06	0.36	27.2	11/6/2021 7:05	11/8/2021 6:00	47.0	0.40	0.52	68,406
11/5/2021 3:40	11/5/2021 7:40	4.0	0.17	0.04	0.24	15.1	11/9/2021 1:15	11/9/2021 13:50	12.7	0.17	0.23	7,605
11/6/2021 7:05	11/7/2021 18:05	35.0	0.83	0.02	0.36	24.0	11/9/2021 13:50	11/10/2021 6:10	16.4	0.38	0.52	22,377
11/9/2021 1:15	11/9/2021 6:10	4.9	0.14	0.03	0.12	31.4	11/10/2021 20:10	11/13/2021 2:10	54.1	0.72	1.40	139,698
11/9/2021 13:55	11/9/2021 18:10	4.3	0.41	0.10	0.72	10.8	11/13/2021 17:10	11/14/2021 11:35	18.5	0.40	0.60	26,895
11/10/2021 20:10	11/12/2021 14:15	42.1	1.83	0.04	0.48	26.9	11/14/2021 12:30	11/15/2021 10:30	22.1	0.57	1.12	44,967
11/13/2021 17:10	11/13/2021 23:35	6.4	0.34	0.05	0.24	27.2	11/15/2021 10:30	11/16/2021 7:15	20.8	0.46	0.60	34,332
11/14/2021 12:35	11/15/2021 0:50	12.3	0.56	0.05	0.24	14.0	11/18/2021 14:35	11/19/2021 18:10	27.7	0.24	0.32	23,649
11/15/2021 10:35	11/15/2021 19:20	8.8	0.41	0.05	0.24	11.9	11/22/2021 14:30	11/23/2021 2:35	12.2	0.07	0.07	3,066
11/18/2021 14:40	11/19/2021 6:15	15.6	0.47	0.03	0.12	67.7	11/23/2021 2:35	11/23/2021 19:40	17.2	0.43	0.92	26,598
11/22/2021 14:30	11/22/2021 17:00	2.5	0.08	0.03	0.12	81.5	11/24/2021 21:30	11/26/2021 8:25	35.0	0.44	1.26	55,266
11/23/2021 2:35	11/23/2021 7:40	5.1	0.60	0.12	0.24	11.2	11/26/2021 8:25	11/27/2021 3:45	19.4	0.37	0.44	26,175
11/24/2021 21:35	11/26/2021 0:25	26.8	0.83	0.03	0.24	38.5	11/27/2021 7:05	11/28/2021 11:00	28.0	0.27	0.32	27,531
11/26/2021 8:30	11/26/2021 15:50	7.3	0.17	0.02	0.24	12.4	11/28/2021 12:20	11/29/2021 3:10	14.9	0.30	0.38	16,224
11/27/2021 7:05	11/27/2021 23:05	16.0	0.25	0.02	0.12	16.9	11/30/2021 1:30	11/30/2021 20:10	18.8	0.16	0.23	10,542
11/28/2021 12:25	11/28/2021 15:15	2.8	0.22	0.08	0.12	17.7	11/30/2021 20:10	12/1/2021 8:25	12.3	0.14	0.15	6,120
11/30/2021 1:30	11/30/2021 12:05	10.6	0.22	0.02	0.24	35.1	12/1/2021 22:50	12/3/2021 1:40	26.9	0.20	0.27	19,053
11/30/2021 20:10	11/30/2021 20:30	0.3	0.04	0.12	0.12	8.9	12/4/2021 5:25	12/5/2021 10:05	28.8	0.25	0.38	26,100
12/1/2021 22:50	12/2/2021 13:40	14.8	0.38	0.03	0.24	26.7	12/6/2021 14:25	12/7/2021 16:40	26.3	0.16	0.23	15,201
12/4/2021 5:25	12/4/2021 22:05	16.7	0.44	0.03	0.12	40.6	12/8/2021 5:35	12/8/2021 16:40	11.2	0.15	0.23	5,946
12/6/2021 14:25	12/7/2021 4:45	14.3	0.19	0.01	0.12	47.8	12/8/2021 16:40	12/9/2021 8:00	15.4	0.20	0.27	11,373
12/8/2021 5:35	12/8/2021 8:40	3.1	0.16	0.05	0.36	33.2	12/9/2021 10:05	12/9/2021 23:00	13.0	0.13	0.15	6,150
12/8/2021 16:45	12/8/2021 20:00	3.3	0.11	0.03	0.12	10.3	12/10/2021 12:00	12/11/2021 19:05	31.2	0.34	1.05	37,713
12/9/2021 10:10	12/9/2021 11:00	0.8	0.04	0.05	0.12	16.7	12/12/2021 0:10	12/12/2021 12:30	12.4	0.21	0.27	9,429
12/10/2021 12:00	12/11/2021 7:05	19.1	0.63	0.03	0.24	25.8	12/12/2021 13:40	12/13/2021 0:30	10.9	0.18	0.23	7,239
12/12/2021 0:15	12/12/2021 0:35	0.3	0.05	0.15	0.12	21.4	12/13/2021 0:30	12/13/2021 14:00	13.6	0.18	0.23	8,559
12/12/2021 13:45	12/12/2021 18:55	5.2	0.15	0.03	0.24	13.4	12/13/2021 14:00	12/14/2021 7:50	17.9	0.12	0.15	7,755

Table C-12. Summary Statistics for Individual Storm Events at the TYLMI Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
12/13/2021 0:30	12/13/2021 4:55	4.4	0.07	0.02	0.12	6.4	12/14/2021 14:25	12/15/2021 6:40	16.3	0.10	0.10	5,799
12/13/2021 14:05	12/13/2021 19:50	5.8	0.03	0.01	0.12	10.1	12/16/2021 6:00	12/17/2021 1:50	19.9	0.08	0.10	5,973
12/14/2021 14:25	12/14/2021 18:45	4.3	0.13	0.03	0.12	34.4	12/17/2021 19:05	12/19/2021 3:20	32.3	0.38	0.92	43,746
12/16/2021 6:05	12/16/2021 13:50	7.8	0.10	0.01	0.12	38.1	12/21/2021 20:00	12/22/2021 13:05	17.2	0.21	0.32	12,885
12/17/2021 19:05	12/18/2021 15:25	20.3	0.88	0.04	0.24	34.4	12/22/2021 13:05	12/23/2021 13:50	24.8	0.45	0.69	39,801
12/21/2021 20:05	12/22/2021 5:30	9.4	0.37	0.04	0.36	77.2	12/24/2021 1:40	12/24/2021 14:10	12.6	0.20	0.23	9,027
12/22/2021 13:05	12/23/2021 1:55	12.8	0.55	0.04	0.24	7.9	12/24/2021 14:10	12/25/2021 12:10	22.1	0.37	0.69	29,118
12/24/2021 1:45	12/24/2021 6:05	4.3	0.11	0.03	0.12	24.4	12/25/2021 12:10	12/26/2021 6:40	18.6	0.26	0.32	17,574
12/24/2021 14:10	12/25/2021 6:30	16.3	0.47	0.03	0.36	11.0	12/27/2021 12:30	12/28/2021 1:05	12.7	0.07	0.07	3,192
12/25/2021 12:15	12/25/2021 18:45	6.5	0.07	0.01	0.12	9.8	12/29/2021 12:10	12/30/2021 2:25	14.3	0.04	0.04	2,064
12/27/2021 12:30	12/27/2021 13:05	0.6	0.07	0.12	0.12	46.8	12/30/2021 10:50	12/31/2021 3:30	16.8	0.05	0.07	2,781
12/29/2021 12:10	12/29/2021 14:30	2.3	0.09	0.04	0.12	47.3	12/31/2021 12:30	1/1/2022 2:35	14.2	0.05	0.07	2,658
12/30/2021 10:55	12/30/2021 15:30	4.6	0.10	0.02	0.12	21.8	10/21/2021 19:05	10/22/2021 13:25	18.4	0.16	0.27	10,701
12/31/2021 12:30	12/31/2021 14:35	2.1	0.06	0.03	0.12	23.2	10/27/2021 18:55	10/29/2021 20:25	49.6	0.88	2.01	156,414
1/1/2022 13:15	1/1/2022 14:25	1.2	0.10	0.09	0.12	23.4	1/1/2022 13:15	1/2/2022 2:25	13.3	0.03	0.03	1,425
1/2/2022 12:40	1/3/2022 16:40	28.0	1.59	0.06	0.36	22.8	1/2/2022 12:40	1/3/2022 22:15	33.7	0.64	1.48	78,156
1/3/2022 22:20	1/4/2022 3:35	5.3	0.03	0.01	0.12	7.0	1/3/2022 22:15	1/4/2022 4:50	6.7	0.37	0.44	8,904
1/4/2022 4:55	1/4/2022 6:40	1.8	0.08	0.05	0.12	13.6	1/4/2022 4:50	1/4/2022 15:10	10.4	0.31	0.32	11,490
1/4/2022 15:15	1/4/2022 22:45	7.5	0.16	0.02	0.24	9.1	1/4/2022 15:10	1/5/2022 10:40	19.6	0.31	0.38	21,609
1/5/2022 16:15	1/7/2022 15:10	46.9	2.79	0.06	0.24	17.8	1/5/2022 16:15	1/8/2022 3:10	59.0	1.21	2.31	256,578
1/10/2022 9:15	1/10/2022 15:55	6.7	0.15	0.02	0.24	66.6	1/10/2022 9:10	1/11/2022 0:10	15.1	0.21	0.23	11,169
1/11/2022 0:10	1/12/2022 9:00	32.8	1.05	0.03	0.24	13.8	1/11/2022 0:10	1/12/2022 20:55	44.8	0.53	0.69	85,758
1/13/2022 3:15	1/13/2022 10:15	7.0	0.15	0.02	0.24	19.2	1/13/2022 3:10	1/13/2022 22:15	19.2	0.29	0.38	20,103
1/19/2022 18:20	1/20/2022 12:50	18.5	0.13	0.01	0.12	153.4	1/19/2022 18:20	1/20/2022 14:35	20.3	0.06	0.07	4,512
1/20/2022 14:40	1/20/2022 18:00	3.3	0.50	0.15	0.60	7.5	1/20/2022 14:35	1/21/2022 6:00	15.5	0.42	0.80	23,637
1/30/2022 11:05	1/30/2022 23:55	12.8	0.32	0.02	0.24	233.7	1/30/2022 11:00	1/31/2022 0:55	14.0	0.08	0.15	3,852
1/31/2022 0:55	1/31/2022 1:40	0.8	0.08	0.11	0.12	6.9	1/31/2022 0:55	1/31/2022 13:40	12.8	0.10	0.10	4,602
2/2/2022 17:40	2/2/2022 20:15	2.6	0.04	0.02	0.12	64.4	2/2/2022 17:35	2/3/2022 1:50	8.3	0.04	0.04	1,188
2/3/2022 1:55	2/3/2022 13:05	11.2	0.20	0.02	0.12	8.2	2/3/2022 1:50	2/4/2022 1:05	23.3	0.07	0.10	5,457
2/5/2022 5:20	2/5/2022 9:50	4.5	0.04	0.01	0.12	43.2	2/5/2022 5:20	2/5/2022 21:45	16.5	0.04	0.04	2,352
2/14/2022 6:05	2/14/2022 17:35	11.5	0.17	0.01	0.12	216.8	2/14/2022 6:00	2/15/2022 5:35	23.7	0.04	0.04	3,399
2/16/2022 6:30	2/16/2022 7:25	0.9	0.05	0.05	0.12	40.8	2/16/2022 6:30	2/16/2022 19:25	13.0	0.04	0.04	1,854
2/19/2022 20:55	2/20/2022 21:40	24.8	0.28	0.01	0.24	86.3	2/19/2022 20:55	2/21/2022 9:40	36.8	0.05	0.07	6,633
2/26/2022 18:40	3/1/2022 8:25	61.8	3.14	0.05	0.36	141.1	2/26/2022 18:40	3/1/2022 20:25	73.8	0.79	1.73	208,707
3/2/2022 10:35	3/2/2022 19:35	9.0	0.21	0.02	0.24	28.1	3/2/2022 10:30	3/3/2022 0:20	13.9	0.35	0.38	17,691
3/3/2022 0:25	3/3/2022 7:00	6.6	0.32	0.05	0.60	8.4	3/3/2022 0:20	3/3/2022 18:55	18.7	0.44	0.60	29,394
3/8/2022 5:10	3/8/2022 13:15	8.1	0.14	0.02	0.12	120.5	3/8/2022 5:10	3/9/2022 1:15	20.2	0.08	0.10	5,775
3/12/2022 19:00	3/12/2022 19:35	0.6	0.03	0.05	0.12	104.2	3/12/2022 19:00	3/13/2022 1:40	6.8	0.07	0.07	1,701
3/13/2022 1:40	3/13/2022 4:10	2.5	0.06	0.02	0.12	110.9	3/13/2022 1:40	3/13/2022 16:05	14.5	0.07	0.10	3,708
3/13/2022 18:15	3/14/2022 0:25	6.2	0.17	0.03	0.24	16.1	3/13/2022 18:10	3/14/2022 11:35	17.5	0.09	0.10	5,670
3/14/2022 11:35	3/15/2022 6:25	18.8	0.76	0.04	0.24	11.9	3/14/2022 11:35	3/15/2022 18:20	30.8	0.33	0.52	36,729
3/17/2022 15:50	3/18/2022 2:40	10.8	0.13	0.01	0.12	61.2	3/17/2022 15:50	3/18/2022 14:35	22.8	0.10	0.10	8,220
3/18/2022 19:35	3/19/2022 19:30	23.9	0.63	0.03	0.24	19.2	3/18/2022 19:30	3/20/2022 7:25	36.0	0.27	0.38	34,407
3/20/2022 16:00	3/21/2022 11:20	19.3	1.03	0.05	0.24	20.8	3/20/2022 16:00	3/21/2022 18:10	26.3	0.68	1.12	63,924
3/21/2022 18:15	3/21/2022 20:15	2.0	0.04	0.02	0.12	7.8	3/21/2022 18:10	3/22/2022 4:40	10.6	0.45	0.60	17,274


Table C-12. Summary Statistics for Individual Storm Events at the TYLMI Station.

Precipitation Start Time	Precipitation Stop Time	Precipitation Duration (hour)	Precipitation Depth (inch)	Precipitation Average Intensity (inch/hour)	Precipitation Maximum Intensity (inch/hour)	Precipitation Antecedent Dry Period (hour)	Flow Start Time	Flow Stop Time	Flow Duration (hour)	Average Flow Rate (feet ³ /second)	Maximum Flow Rate (feet ³ /second)	Flow Volume (feet ³)
3/22/2022 4:40	3/22/2022 8:55	4.3	0.08	0.02	0.12	10.4	3/22/2022 4:40	3/22/2022 20:55	16.3	0.34	0.38	20,058
3/23/2022 13:15	3/23/2022 19:35	6.3	0.37	0.06	0.60	30.7	3/23/2022 13:15	3/24/2022 7:30	18.3	0.29	0.38	18,969
3/30/2022 14:25	3/31/2022 6:20	15.9	0.66	0.04	0.24	164.7	3/30/2022 14:25	3/31/2022 18:20	28.0	0.24	0.44	24,042
4/1/2022 22:00	4/2/2022 9:00	11.0	0.37	0.03	0.60	43.8	4/1/2022 21:55	4/2/2022 20:55	23.1	0.25	0.38	21,009
4/3/2022 14:30	4/4/2022 7:40	17.2	0.63	0.04	0.24	34.9	4/3/2022 14:25	4/4/2022 19:40	29.3	0.37	0.92	39,396
4/5/2022 14:20	4/5/2022 18:35	4.3	0.14	0.03	0.36	35.1	4/5/2022 14:15	4/6/2022 6:30	16.3	0.15	0.15	8,820
4/8/2022 3:25	4/8/2022 4:20	0.9	0.09	0.10	0.24	58.2	4/8/2022 3:20	4/8/2022 16:15	13.0	0.10	0.10	4,680
4/8/2022 17:50	4/8/2022 22:05	4.3	0.05	0.01	0.24	14.1	4/8/2022 17:45	4/9/2022 10:05	16.4	0.10	0.10	5,910
4/9/2022 14:05	4/10/2022 10:15	20.2	0.61	0.03	0.24	20.2	4/9/2022 14:00	4/10/2022 16:50	26.9	0.23	0.52	22,089
4/10/2022 16:50	4/10/2022 18:45	1.9	0.08	0.04	0.24	7.6	4/10/2022 16:50	4/11/2022 6:40	13.9	0.29	0.32	14,502
4/12/2022 14:05	4/12/2022 15:20	1.3	0.06	0.05	0.24	45.0	4/12/2022 14:00	4/13/2022 3:20	13.4	0.15	0.15	7,215
4/18/2022 12:05	4/18/2022 19:00	6.9	0.25	0.04	0.24	141.9	4/18/2022 12:00	4/19/2022 6:55	19.0	0.09	0.15	6,405
4/21/2022 5:20	4/21/2022 8:00	2.7	0.03	0.01	0.12	58.7	4/21/2022 5:15	4/21/2022 15:00	9.8	0.07	0.10	2,523
4/21/2022 15:05	4/21/2022 20:10	5.1	0.04	0.01	0.12	68.4	4/21/2022 15:00	4/22/2022 5:25	14.5	0.07	0.07	3,654
4/22/2022 5:25	4/22/2022 5:50	0.4	0.03	0.07	0.12	14.3	4/22/2022 5:25	4/22/2022 17:45	12.4	0.07	0.07	3,129
4/25/2022 2:15	4/25/2022 7:20	5.1	0.18	0.04	0.24	83.2	4/25/2022 2:10	4/25/2022 15:55	13.8	0.06	0.07	3,144
4/25/2022 15:55	4/25/2022 19:10	3.3	0.04	0.01	0.12	10.0	4/25/2022 15:55	4/26/2022 7:05	15.3	0.07	0.07	3,843
4/27/2022 21:50	4/27/2022 22:40	0.8	0.05	0.06	0.12	53.9	4/27/2022 21:50	4/28/2022 10:40	12.9	0.04	0.04	1,860
4/30/2022 1:00	4/30/2022 11:00	10.0	0.29	0.03	0.12	51.0	4/30/2022 0:55	4/30/2022 23:00	22.2	0.06	0.07	5,019
5/2/2022 3:40	5/2/2022 13:50	10.2	0.42	0.04	0.24	42.0	5/2/2022 3:40	5/3/2022 1:50	22.3	0.14	0.23	11,139
5/3/2022 3:45	5/3/2022 9:25	5.7	0.03	0.01	0.12	17.7	5/3/2022 3:40	5/3/2022 21:20	17.8	0.10	0.10	6,291
5/5/2022 3:45	5/5/2022 22:15	18.5	0.43	0.02	0.12	65.7	5/5/2022 3:40	5/6/2022 10:15	30.7	0.12	0.23	13,398
5/6/2022 11:20	5/6/2022 18:05	6.8	0.21	0.03	0.12	15.5	5/6/2022 11:15	5/6/2022 20:10	9.0	0.21	0.23	6,741
5/6/2022 20:10	5/7/2022 21:00	24.8	0.56	0.02	0.36	6.9	5/6/2022 20:10	5/8/2022 8:45	36.7	0.31	0.52	41,370
5/8/2022 8:45	5/8/2022 9:30	0.8	0.06	0.08	0.12	17.3	5/8/2022 8:45	5/8/2022 21:30	12.8	0.18	0.23	8,370
5/9/2022 17:40	5/9/2022 23:55	6.3	0.21	0.03	0.36	32.8	5/9/2022 17:40	5/10/2022 11:55	18.3	0.10	0.10	6,600
5/12/2022 3:15	5/12/2022 17:05	13.8	0.45	0.03	0.24	56.9	5/12/2022 3:10	5/13/2022 5:00	25.9	0.15	0.27	13,533

This page intentionally left blank

APPENDIX E





Line Plots Showing Sampling Times Relative to the Storm Event Hydrograph











This page intentionally left blank

Monticello – Application Watershed – Sampled Hydrographs

Base Flow




Storm Flow




Tosh – Application Watershed – Sampled Hydrographs

Base Flow




Storm Flow




Colin – Application Watershed – Sampled Hydrographs

Base Flow















Storm Flow



Seidel – Application Watershed – Sampled Hydrographs

Base Flow













Storm Flow



Country – Application Watershed – Sampled Hydrographs


Base Flow

Storm Flow




Tyler's – Application Watershed – Sampled Hydrographs

Base Flow




Storm Flow



APPENDIX F

Laboratory Reports, Field Forms, and Data Quality Assurance Audit Forms for Water Quality Monitoring



This page intentionally left blank



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

November 2, 2021

Jess Brown
Herrera Environmental Consultants, Inc.
2200 6th Avenue, Suite 1100
Seattle, WA 98121

Re: Analytical Data for Project 14-05806-000
Laboratory Reference No. 2110-210

Dear Jess:

Enclosed are the analytical results and associated quality control data for samples submitted on October 22, 2021.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read "Blair Goodrow", enclosed within a large, loopy circular flourish.

Blair Goodrow
Project Manager

Enclosures



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: November 2, 2021
Samples Submitted: October 22, 2021
Laboratory Reference: 2110-210
Project: 14-05806-000

Case Narrative

Samples were collected on October 21 and 22, 2021 and received by the laboratory on October 22, 2021. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.



Date of Report: November 2, 2021
 Samples Submitted: October 22, 2021
 Laboratory Reference: 2110-210
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COLM-20211022					
Laboratory ID:	10-210-01					
Total Suspended Solids	63	5.0	SM 2540D	10-26-21	10-27-21	

Client ID:	COUMI-20211021					
Laboratory ID:	10-210-02					
Total Suspended Solids	60	5.0	SM 2540D	10-26-21	10-27-21	

Client ID:	COUMO-20211021					
Laboratory ID:	10-210-03					
Total Suspended Solids	52	5.0	SM 2540D	10-26-21	10-27-21	

Client ID:	EVAMS-20211021					
Laboratory ID:	10-210-04					
Total Suspended Solids	27	5.0	SM 2540D	10-26-21	10-27-21	

Client ID:	EVALSS-20211021					
Laboratory ID:	10-210-05					
Total Suspended Solids	40	5.0	SM 2540D	10-26-21	10-27-21	

Client ID:	MONMN-20211021					
Laboratory ID:	10-210-06					
Total Suspended Solids	48	5.0	SM 2540D	10-26-21	10-27-21	

Client ID:	MONMS-20211021					
Laboratory ID:	10-210-07					
Total Suspended Solids	11	1.0	SM 2540D	10-26-21	10-27-21	

Client ID:	MONM-20211021					
Laboratory ID:	10-210-08					
Total Suspended Solids	5.0	1.0	SM 2540D	10-26-21	10-27-21	

Client ID:	SEIMN-20211021					
Laboratory ID:	10-210-09					
Total Suspended Solids	110	5.0	SM 2540D	10-26-21	10-27-21	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: November 2, 2021
 Samples Submitted: October 22, 2021
 Laboratory Reference: 2110-210
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMS-20211021					
Laboratory ID:	10-210-10					
Total Suspended Solids	140	5.0	SM 2540D	10-26-21	10-27-21	

Client ID:	TOSMI-20211021					
Laboratory ID:	10-210-11					
Total Suspended Solids	120	5.0	SM 2540D	10-26-21	10-27-21	

Client ID:	TOSMO-20211021					
Laboratory ID:	10-210-12					
Total Suspended Solids	230	5.0	SM 2540D	10-26-21	10-27-21	

Client ID:	TYLMI-20211021					
Laboratory ID:	10-210-13					
Total Suspended Solids	57	5.0	SM 2540D	10-26-21	10-27-21	

Client ID:	TYLMO-20211021					
Laboratory ID:	10-210-14					
Total Suspended Solids	26	2.5	SM 2540D	10-26-21	10-27-21	

Client ID:	QA110-20211021					
Laboratory ID:	10-210-15					
Total Suspended Solids	36	5.0	SM 2540D	10-26-21	10-27-21	



Date of Report: November 2, 2021
 Samples Submitted: October 22, 2021
 Laboratory Reference: 2110-210
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1026W1					
Total Suspended Solids	ND	1.0	SM 2540D	10-26-21	10-27-21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	10-210-01							
	ORIG	DUP						
Total Suspended Solids	63.0	67.0	NA	NA	NA	NA	6	26

SPIKE BLANK								
Laboratory ID:	SB1026W1							
	SB	SB		SB				
Total Suspended Solids	92.0	100	NA	92	67-118	NA	NA	



Date of Report: November 2, 2021
 Samples Submitted: October 22, 2021
 Laboratory Reference: 2110-210
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COLM-20211022					
Laboratory ID:	10-210-01					
Turbidity	29	0.10	EPA 180.1	10-22-21	10-22-21	

Client ID:	COUMI-20211021					
Laboratory ID:	10-210-02					
Turbidity	29	0.10	EPA 180.1	10-22-21	10-22-21	

Client ID:	COUMO-20211021					
Laboratory ID:	10-210-03					
Turbidity	23	0.10	EPA 180.1	10-22-21	10-22-21	

Client ID:	EVAMS-20211021					
Laboratory ID:	10-210-04					
Turbidity	12	0.10	EPA 180.1	10-22-21	10-22-21	

Client ID:	EVALSS-20211021					
Laboratory ID:	10-210-05					
Turbidity	13	0.10	EPA 180.1	10-22-21	10-22-21	

Client ID:	MONMN-20211021					
Laboratory ID:	10-210-06					
Turbidity	29	0.10	EPA 180.1	10-22-21	10-22-21	

Client ID:	MONMS-20211021					
Laboratory ID:	10-210-07					
Turbidity	5.0	0.10	EPA 180.1	10-22-21	10-22-21	

Client ID:	MONM-20211021					
Laboratory ID:	10-210-08					
Turbidity	1.0	0.10	EPA 180.1	10-22-21	10-22-21	

Client ID:	SEIMN-20211021					
Laboratory ID:	10-210-09					
Turbidity	52	0.50	EPA 180.1	10-22-21	10-22-21	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: November 2, 2021
 Samples Submitted: October 22, 2021
 Laboratory Reference: 2110-210
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMS-20211021					
Laboratory ID:	10-210-10					
Turbidity	60	0.50	EPA 180.1	10-22-21	10-22-21	

Client ID:	TOSMI-20211021					
Laboratory ID:	10-210-11					
Turbidity	39	0.10	EPA 180.1	10-22-21	10-22-21	

Client ID:	TOSMO-20211021					
Laboratory ID:	10-210-12					
Turbidity	100	0.50	EPA 180.1	10-22-21	10-22-21	

Client ID:	TYLMI-20211021					
Laboratory ID:	10-210-13					
Turbidity	22	0.10	EPA 180.1	10-22-21	10-22-21	

Client ID:	TYLMO-20211021					
Laboratory ID:	10-210-14					
Turbidity	12	0.10	EPA 180.1	10-22-21	10-22-21	

Client ID:	QA110-20211021					
Laboratory ID:	10-210-15					
Turbidity	15	0.10	EPA 180.1	10-22-21	10-22-21	



Date of Report: November 2, 2021
 Samples Submitted: October 22, 2021
 Laboratory Reference: 2110-210
 Project: 14-05806-000

**TURBIDITY
 EPA 180.1
 QUALITY CONTROL**

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1022W1					
Turbidity	ND	0.10	EPA 180.1	10-22-21	10-22-21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	10-210-01							
	ORIG	DUP						
Turbidity	28.9	29.9	NA	NA	NA	NA	3	13



Date of Report: November 2, 2021
 Samples Submitted: October 22, 2021
 Laboratory Reference: 2110-210
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COLM-20211022					
Laboratory ID:	10-210-01					
Hardness	80	1.0	EPA 200.7/SM 2340B	10-26-21	10-26-21	

Client ID:	COUMI-20211021					
Laboratory ID:	10-210-02					
Hardness	75	1.0	EPA 200.7/SM 2340B	10-26-21	10-26-21	

Client ID:	COUMO-20211021					
Laboratory ID:	10-210-03					
Hardness	48	1.0	EPA 200.7/SM 2340B	10-26-21	10-26-21	

Client ID:	EVAMS-20211021					
Laboratory ID:	10-210-04					
Hardness	91	1.0	EPA 200.7/SM 2340B	10-26-21	10-26-21	

Client ID:	EVALSS-20211021					
Laboratory ID:	10-210-05					
Hardness	84	1.0	EPA 200.7/SM 2340B	10-26-21	10-26-21	

Client ID:	MONMN-20211021					
Laboratory ID:	10-210-06					
Hardness	82	1.0	EPA 200.7/SM 2340B	10-26-21	10-26-21	

Client ID:	MONMS-20211021					
Laboratory ID:	10-210-07					
Hardness	100	1.0	EPA 200.7/SM 2340B	10-26-21	10-26-21	



Date of Report: November 2, 2021
 Samples Submitted: October 22, 2021
 Laboratory Reference: 2110-210
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20211021					
Laboratory ID:	10-210-08					
Hardness	14	1.0	EPA 200.7/SM 2340B	10-26-21	10-26-21	

Client ID:	SEIMN-20211021					
Laboratory ID:	10-210-09					
Hardness	46	1.0	EPA 200.7/SM 2340B	10-26-21	10-26-21	

Client ID:	SEIMS-20211021					
Laboratory ID:	10-210-10					
Hardness	54	1.0	EPA 200.7/SM 2340B	10-26-21	10-26-21	

Client ID:	TOSMI-20211021					
Laboratory ID:	10-210-11					
Hardness	44	1.0	EPA 200.7/SM 2340B	10-26-21	10-26-21	

Client ID:	TOSMO-20211021					
Laboratory ID:	10-210-12					
Hardness	100	1.0	EPA 200.7/SM 2340B	10-26-21	10-26-21	

Client ID:	TYLMI-20211021					
Laboratory ID:	10-210-13					
Hardness	72	1.0	EPA 200.7/SM 2340B	10-26-21	10-26-21	

Client ID:	TYLMO-20211021					
Laboratory ID:	10-210-14					
Hardness	28	1.0	EPA 200.7/SM 2340B	10-26-21	10-26-21	



Date of Report: November 2, 2021
Samples Submitted: October 22, 2021
Laboratory Reference: 2110-210
Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	QA110-20211021					
Laboratory ID:	10-210-15					
Hardness	84	1.0	EPA 200.7/SM 2340B	10-26-21	10-26-21	



Date of Report: November 2, 2021
 Samples Submitted: October 22, 2021
 Laboratory Reference: 2110-210
 Project: 14-05806-000

**HARDNESS
 EPA 200.7/SM 2340B
 QUALITY CONTROL**

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1026WH1					
Hardness	ND	1.0	EPA 200.7/SM 2340B	10-26-21	10-26-21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	10-210-11							
	ORIG	DUP						
Hardness	44.1	44.2	NA	NA	NA	0	20	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags		
MATRIX SPIKES										
Laboratory ID:	10-210-11									
	MS	MSD	MS	MSD	MS	MSD				
Hardness	176	172	132	132	44.1	100	97	75-125	2	20

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
SPIKE BLANK								
Laboratory ID:	SB1026WH1							
	SB	SB			SB			
Hardness	132	132	NA	100	85-115	NA	NA	



Date of Report: November 2, 2021
 Samples Submitted: October 22, 2021
 Laboratory Reference: 2110-210
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COLM-20211022					
Laboratory ID:	10-210-01					
Dissolved Organic Carbon	9.9	1.0	SM 5310B	10-26-21	10-26-21	

Client ID:	COUMI-20211021					
Laboratory ID:	10-210-02					
Dissolved Organic Carbon	18	1.0	SM 5310B	10-26-21	10-26-21	

Client ID:	COUMO-20211021					
Laboratory ID:	10-210-03					
Dissolved Organic Carbon	12	1.0	SM 5310B	10-26-21	10-26-21	

Client ID:	EVAMS-20211021					
Laboratory ID:	10-210-04					
Dissolved Organic Carbon	7.3	1.0	SM 5310B	10-26-21	10-26-21	

Client ID:	EVALSS-20211021					
Laboratory ID:	10-210-05					
Dissolved Organic Carbon	6.2	1.0	SM 5310B	10-26-21	10-26-21	

Client ID:	MONMN-20211021					
Laboratory ID:	10-210-06					
Dissolved Organic Carbon	9.2	1.0	SM 5310B	10-26-21	10-26-21	

Client ID:	MONMS-20211021					
Laboratory ID:	10-210-07					
Dissolved Organic Carbon	6.5	1.0	SM 5310B	10-26-21	10-26-21	

Client ID:	MONM-20211021					
Laboratory ID:	10-210-08					
Dissolved Organic Carbon	11	1.0	SM 5310B	10-26-21	10-26-21	

Client ID:	SEIMN-20211021					
Laboratory ID:	10-210-09					
Dissolved Organic Carbon	5.5	1.0	SM 5310B	10-26-21	10-26-21	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: November 2, 2021
 Samples Submitted: October 22, 2021
 Laboratory Reference: 2110-210
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMS-20211021					
Laboratory ID:	10-210-10					
Dissolved Organic Carbon	13	1.0	SM 5310B	10-26-21	10-26-21	

Client ID:	TOSMI-20211021					
Laboratory ID:	10-210-11					
Dissolved Organic Carbon	15	1.0	SM 5310B	10-26-21	10-26-21	

Client ID:	TOSMO-20211021					
Laboratory ID:	10-210-12					
Dissolved Organic Carbon	8.9	1.0	SM 5310B	10-26-21	10-26-21	

Client ID:	TYLMI-20211021					
Laboratory ID:	10-210-13					
Dissolved Organic Carbon	6.3	1.0	SM 5310B	10-26-21	10-26-21	

Client ID:	TYLMO-20211021					
Laboratory ID:	10-210-14					
Dissolved Organic Carbon	7.5	1.0	SM 5310B	10-26-21	10-26-21	

Client ID:	QA110-20211021					
Laboratory ID:	10-210-15					
Dissolved Organic Carbon	6.1	1.0	SM 5310B	10-26-21	10-26-21	



Date of Report: November 2, 2021
 Samples Submitted: October 22, 2021
 Laboratory Reference: 2110-210
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1026D1					
Dissolved Organic Carbon	ND	1.0	SM 5310B	10-26-21	10-26-21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	10-210-01							
	ORIG	DUP						
Dissolved Organic Carbon	9.91	9.74	NA	NA	NA	2	15	

MATRIX SPIKE

Laboratory ID:	10-210-01							
	MS	MS		MS				
Dissolved Organic Carbon	20.0	10.0	9.91	101	91-117	NA	NA	

SPIKE BLANK

Laboratory ID:	SB1026D1							
	SB	SB		SB				
Dissolved Organic Carbon	11.3	10.0	NA	113	88-116	NA	NA	



Date of Report: November 2, 2021
 Samples Submitted: October 22, 2021
 Laboratory Reference: 2110-210
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COLM-20211022					
Laboratory ID:	10-210-01					
Total Phosphorus	0.21	0.010	EPA 365.1	10-26-21	10-26-21	

Client ID:	COUMI-20211021					
Laboratory ID:	10-210-02					
Total Phosphorus	0.37	0.010	EPA 365.1	10-26-21	10-26-21	

Client ID:	COUMO-20211021					
Laboratory ID:	10-210-03					
Total Phosphorus	0.23	0.010	EPA 365.1	10-26-21	10-26-21	

Client ID:	EVAMS-20211021					
Laboratory ID:	10-210-04					
Total Phosphorus	0.052	0.010	EPA 365.1	10-26-21	10-26-21	

Client ID:	EVALSS-20211021					
Laboratory ID:	10-210-05					
Total Phosphorus	0.084	0.010	EPA 365.1	10-26-21	10-26-21	

Client ID:	MONMN-20211021					
Laboratory ID:	10-210-06					
Total Phosphorus	0.21	0.010	EPA 365.1	10-26-21	10-26-21	

Client ID:	MONMS-20211021					
Laboratory ID:	10-210-07					
Total Phosphorus	0.11	0.010	EPA 365.1	10-26-21	10-26-21	

Client ID:	MONM-20211021					
Laboratory ID:	10-210-08					
Total Phosphorus	0.014	0.010	EPA 365.1	10-26-21	10-26-21	

Client ID:	SEIMN-20211021					
Laboratory ID:	10-210-09					
Total Phosphorus	0.36	0.010	EPA 365.1	10-26-21	10-26-21	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: November 2, 2021
 Samples Submitted: October 22, 2021
 Laboratory Reference: 2110-210
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMS-20211021					
Laboratory ID:	10-210-10					
Total Phosphorus	0.36	0.010	EPA 365.1	10-26-21	10-26-21	

Client ID:	TOSMI-20211021					
Laboratory ID:	10-210-11					
Total Phosphorus	0.40	0.010	EPA 365.1	10-26-21	10-26-21	

Client ID:	TOSMO-20211021					
Laboratory ID:	10-210-12					
Total Phosphorus	0.44	0.010	EPA 365.1	10-26-21	10-26-21	

Client ID:	TYLMI-20211021					
Laboratory ID:	10-210-13					
Total Phosphorus	0.28	0.010	EPA 365.1	10-26-21	10-26-21	

Client ID:	TYLMO-20211021					
Laboratory ID:	10-210-14					
Total Phosphorus	0.15	0.010	EPA 365.1	10-26-21	10-26-21	

Client ID:	QA110-20211021					
Laboratory ID:	10-210-15					
Total Phosphorus	0.085	0.010	EPA 365.1	10-26-21	10-26-21	



Date of Report: November 2, 2021
 Samples Submitted: October 22, 2021
 Laboratory Reference: 2110-210
 Project: 14-05806-000

**TOTAL PHOSPHORUS
 EPA 365.1
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1026W1					
Total Phosphorus	ND	0.010	EPA 365.1	10-26-21	10-26-21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	10-210-01							
	ORIG	DUP						
Total Phosphorus	0.210	0.213	NA	NA	NA	1	19	

MATRIX SPIKE								
Laboratory ID:	10-210-01							
	MS	MS		MS				
Total Phosphorus	0.445	0.250	0.210	94	83-110	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB1026W1							
	SB	SB		SB				
Total Phosphorus	0.257	0.250	NA	103	83-110	NA	NA	



Date of Report: November 2, 2021
 Samples Submitted: October 22, 2021
 Laboratory Reference: 2110-210
 Project: 14-05806-000

**TOTAL METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COLM-20211022					
Laboratory ID:	10-210-01					
Copper	3.8	1.0	EPA 200.8	10-27-21	11-1-21	
Zinc	66	5.0	EPA 200.8	10-27-21	11-1-21	

Client ID:	COUMI-20211021					
Laboratory ID:	10-210-02					
Copper	5.6	1.0	EPA 200.8	10-27-21	11-1-21	
Zinc	130	5.0	EPA 200.8	10-27-21	11-1-21	

Client ID:	COUMO-20211021					
Laboratory ID:	10-210-03					
Copper	6.4	1.0	EPA 200.8	10-27-21	11-1-21	
Zinc	1800	130	EPA 200.8	10-27-21	11-1-21	

Client ID:	EVAMS-20211021					
Laboratory ID:	10-210-04					
Copper	ND	1.0	EPA 200.8	10-27-21	11-1-21	
Zinc	ND	5.0	EPA 200.8	10-27-21	11-1-21	

Client ID:	EVALSS-20211021					
Laboratory ID:	10-210-05					
Copper	1.7	1.0	EPA 200.8	10-27-21	11-1-21	
Zinc	ND	5.0	EPA 200.8	10-27-21	11-1-21	

Client ID:	MONMN-20211021					
Laboratory ID:	10-210-06					
Copper	3.0	1.0	EPA 200.8	10-27-21	11-1-21	
Zinc	28	5.0	EPA 200.8	10-27-21	11-1-21	

Client ID:	MONMS-20211021					
Laboratory ID:	10-210-07					
Copper	2.3	1.0	EPA 200.8	10-27-21	11-1-21	
Zinc	ND	5.0	EPA 200.8	10-27-21	11-1-21	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: November 2, 2021
 Samples Submitted: October 22, 2021
 Laboratory Reference: 2110-210
 Project: 14-05806-000

**TOTAL METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20211021					
Laboratory ID:	10-210-08					
Copper	ND	1.0	EPA 200.8	10-27-21	11-1-21	
Zinc	ND	5.0	EPA 200.8	10-27-21	11-1-21	

Client ID:	SEIMN-20211021					
Laboratory ID:	10-210-09					
Copper	4.1	1.0	EPA 200.8	10-27-21	11-1-21	
Zinc	9.0	5.0	EPA 200.8	10-27-21	11-1-21	

Client ID:	SEIMS-20211021					
Laboratory ID:	10-210-10					
Copper	4.9	1.0	EPA 200.8	10-27-21	11-1-21	
Zinc	18	5.0	EPA 200.8	10-27-21	11-1-21	

Client ID:	TOSMI-20211021					
Laboratory ID:	10-210-11					
Copper	13	1.0	EPA 200.8	10-27-21	11-1-21	
Zinc	240	13	EPA 200.8	10-27-21	11-1-21	

Client ID:	TOSMO-20211021					
Laboratory ID:	10-210-12					
Copper	14	1.0	EPA 200.8	10-27-21	11-1-21	
Zinc	280	13	EPA 200.8	10-27-21	11-1-21	

Client ID:	TYLMI-20211021					
Laboratory ID:	10-210-13					
Copper	12	1.0	EPA 200.8	10-27-21	11-1-21	
Zinc	96	5.0	EPA 200.8	10-27-21	11-1-21	

Client ID:	TYLMO-20211021					
Laboratory ID:	10-210-14					
Copper	7.6	1.0	EPA 200.8	10-27-21	11-1-21	
Zinc	43	5.0	EPA 200.8	10-27-21	11-1-21	



Date of Report: November 2, 2021
 Samples Submitted: October 22, 2021
 Laboratory Reference: 2110-210
 Project: 14-05806-000

TOTAL METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	QA110-20211021					
Laboratory ID:	10-210-15					
Copper	1.4	1.0	EPA 200.8	10-27-21	11-1-21	
Zinc	ND	5.0	EPA 200.8	10-27-21	11-1-21	



Date of Report: November 2, 2021
 Samples Submitted: October 22, 2021
 Laboratory Reference: 2110-210
 Project: 14-05806-000

**TOTAL METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1027WH2					
Copper	ND	1.0	EPA 200.8	10-27-21	11-1-21	
Zinc	ND	5.0	EPA 200.8	10-27-21	11-1-21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	10-210-04							
	ORIG	DUP						
Copper	ND	1.00	NA	NA	NA	NA	NA	20
Zinc	ND	ND	NA	NA	NA	NA	NA	20

MATRIX SPIKES

Laboratory ID:	10-210-04									
	MS	MSD	MS	MSD		MS	MSD			
Copper	97.4	95.2	100	100	ND	97	95	75-125	2	20
Zinc	109	104	100	100	ND	109	104	75-125	5	20



Date of Report: November 2, 2021
 Samples Submitted: October 22, 2021
 Laboratory Reference: 2110-210
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COLM-20211022					
Laboratory ID:	10-210-01					
Copper	1.2	1.0	EPA 200.8		11-1-21	
Zinc	16	5.0	EPA 200.8		11-1-21	

Client ID:	COUMI-20211021					
Laboratory ID:	10-210-02					
Copper	3.1	1.0	EPA 200.8		11-1-21	
Zinc	58	5.0	EPA 200.8		11-1-21	

Client ID:	COUMO-20211021					
Laboratory ID:	10-210-03					
Copper	2.9	1.0	EPA 200.8		11-1-21	
Zinc	1500	130	EPA 200.8		11-1-21	

Client ID:	EVAMS-20211021					
Laboratory ID:	10-210-04					
Copper	ND	1.0	EPA 200.8		11-1-21	
Zinc	ND	5.0	EPA 200.8		11-1-21	

Client ID:	EVALSS-20211021					
Laboratory ID:	10-210-05					
Copper	ND	1.0	EPA 200.8		11-1-21	
Zinc	ND	5.0	EPA 200.8		11-1-21	

Client ID:	MONMN-20211021					
Laboratory ID:	10-210-06					
Copper	1.1	1.0	EPA 200.8		11-1-21	
Zinc	5.9	5.0	EPA 200.8		11-1-21	

Client ID:	MONMS-20211021					
Laboratory ID:	10-210-07					
Copper	1.7	1.0	EPA 200.8		11-1-21	
Zinc	ND	5.0	EPA 200.8		11-1-21	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: November 2, 2021
 Samples Submitted: October 22, 2021
 Laboratory Reference: 2110-210
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20211021					
Laboratory ID:	10-210-08					
Copper	ND	1.0	EPA 200.8		11-1-21	
Zinc	ND	5.0	EPA 200.8		11-1-21	

Client ID:	SEIMN-20211021					
Laboratory ID:	10-210-09					
Copper	ND	1.0	EPA 200.8		11-1-21	
Zinc	ND	5.0	EPA 200.8		11-1-21	

Client ID:	SEIMS-20211021					
Laboratory ID:	10-210-10					
Copper	ND	1.0	EPA 200.8		11-1-21	
Zinc	ND	5.0	EPA 200.8		11-1-21	

Client ID:	TOSMI-20211021					
Laboratory ID:	10-210-11					
Copper	6.0	1.0	EPA 200.8		11-1-21	
Zinc	52	5.0	EPA 200.8		11-1-21	

Client ID:	TOSMO-20211021					
Laboratory ID:	10-210-12					
Copper	2.8	1.0	EPA 200.8		11-1-21	
Zinc	24	5.0	EPA 200.8		11-1-21	

Client ID:	TYLMI-20211021					
Laboratory ID:	10-210-13					
Copper	3.3	1.0	EPA 200.8		11-1-21	
Zinc	14	5.0	EPA 200.8		11-1-21	

Client ID:	TYLMO-20211021					
Laboratory ID:	10-210-14					
Copper	4.5	1.0	EPA 200.8		11-1-21	
Zinc	19	5.0	EPA 200.8		11-1-21	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: November 2, 2021
 Samples Submitted: October 22, 2021
 Laboratory Reference: 2110-210
 Project: 14-05806-000

DISSOLVED METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	QA110-20211021					
Laboratory ID:	10-210-15					
Copper	ND	1.0	EPA 200.8		11-1-21	
Zinc	ND	5.0	EPA 200.8		11-1-21	



Date of Report: November 2, 2021
 Samples Submitted: October 22, 2021
 Laboratory Reference: 2110-210
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1101D1					
Copper	ND	1.0	EPA 200.8		11-1-21	
Zinc	ND	5.0	EPA 200.8		11-1-21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	10-210-01							
	ORIG	DUP						
Copper	1.24	1.28	NA	NA	NA	NA	3	20
Zinc	16.2	16.6	NA	NA	NA	NA	3	20

MATRIX SPIKES

Laboratory ID:	10-210-01									
	MS	MSD	MS	MSD		MS	MSD			
Copper	81.6	82.4	80.0	80.0	1.24	100	101	75-125	1	20
Zinc	105	107	80.0	80.0	16.2	111	114	75-125	2	20





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
 - B - The analyte indicated was also found in the blank sample.
 - C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
 - E - The value reported exceeds the quantitation range and is an estimate.
 - F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
 - H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
 - I - Compound recovery is outside of the control limits.
 - J - The value reported was below the practical quantitation limit. The value is an estimate.
 - K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
 - L - The RPD is outside of the control limits.
 - M - Hydrocarbons in the gasoline range are impacting the diesel range result.
 - M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
 - N - Hydrocarbons in the lube oil range are impacting the diesel range result.
 - N1 - Hydrocarbons in diesel range are impacting lube oil range results.
 - O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
 - P - The RPD of the detected concentrations between the two columns is greater than 40.
 - Q - Surrogate recovery is outside of the control limits.
 - S - Surrogate recovery data is not available due to the necessary dilution of the sample.
 - T - The sample chromatogram is not similar to a typical _____.
 - U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
 - U1 - The practical quantitation limit is elevated due to interferences present in the sample.
 - V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
 - W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
 - X - Sample extract treated with a mercury cleanup procedure.
 - X1 - Sample extract treated with a Sulfuric acid/Silica gel cleanup procedure.
 - Y - The calibration verification for this analyte exceeded the 20% drift specified in method 8260C, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
 - Z -
- ND - Not Detected at PQL
 PQL - Practical Quantitation Limit
 RPD - Relative Percent Difference





Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664

*Professional
Analytical
Services*

Nov 2 2021
On-Site Environmental
14648 NE 95th ST
Redmond, WA 98052
Attention: BLAIR GOODROW

Dear BLAIR GOODROW:

Enclosed please find the analytical data for your REDMOND PAIRED WATERSHED STUDY project.

The following is a cross correlation of client and laboratory identifications for your convenience.

CLIENT ID	MATRIX	AMTEST ID	TEST
COLM-20211022	Water	21-A016209	Micro, NUT
COUMI-20211022	Water	21-A016210	Micro, NUT
COUMO-20211022	Water	21-A016211	Micro, NUT
EVAMS-20211022	Water	21-A016212	Micro, NUT
EVALSS-20211022	Water	21-A016213	Micro, NUT
MONMN-20211022	Water	21-A016214	Micro, NUT
MONMS-20211022	Water	21-A016215	Micro, NUT
MONM-20211022	Water	21-A016216	Micro, NUT
SEIMN-20211022	Water	21-A016217	Micro, NUT
SEIMS-20211022	Water	21-A016218	Micro, NUT
TOSMI-20211022	Water	21-A016219	Micro, NUT
TOSMO-20211022	Water	21-A016220	Micro, NUT
TYLMI-20211022	Water	21-A016221	Micro, NUT
TYLMO-20211022	Water	21-A016222	Micro, NUT
QA-110-20211022	Water	21-A016223	Micro, NUT

Your samples were received on Friday, October 22, 2021. At the time of receipt, the samples were logged in and properly maintained prior to the subsequent analysis.

The analytical procedures used at AmTest are well documented and are typically derived from the protocols of the EPA, USDA, FDA or the Army Corps of Engineers.

Following the analytical data you will find the Quality Control (QC) results.

Please note that the detection limits that are listed in the body of the report refer to the Practical Quantitation Limits (PQL's), as opposed to the Method Detection Limits (MDL's).


Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664

**Professional
Analytical
Services**

Nov 2 2021
On-Site Environmental
continued . . .

If you should have any questions pertaining to the data package, please feel free to contact me.

Sincerely,


Aaron W. Young
Vice President

Project #: 14-05806-000
SDG #: 2121580
PO Number: 10-210

BACT = Bacteriological
CONV = Conventional

MET = Metals
ORG = Organics

NUT=Nutrients
DEM=Demand

MIN=Minerals

Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664
www.amtestlab.com



*Professional
Analytical
Services*

ANALYSIS REPORT

On-Site Environmental
14648 NE 95th ST
Redmond, WA 98052
Attention: BLAIR GOODROW
Project Name: REDMOND PAIRED WATERSHED STUDY
SDG Number: 2121580
Project #: 14-05806-000
PO Number: 10-210
All results reported on an as received basis.

Date Received: 10/22/21
Date Reported: 11/ 2/21

AMTEST Identification Number 21-A016209
Client Identification COLM-20211022
Sampling Date 10/22/21, 00:30

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	840	CFU/100 ml		20	SM 9222D	OB	10/22/21
Total Nitrogen (NOX&TKN)	1.30	mg/l		0.1			
Total Nitrogen (TKN)	1.07	mg/l		0.2	SM4500N	KS	10/27/21
Total Nitrate + Nitrite	0.23	mg/l		0.02	SM4500NO3	KS	10/28/21

AMTEST Identification Number 21-A016210
Client Identification COUMI-20211022
Sampling Date 10/21/21, 22:00

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	540	CFU/100 ml		20	SM 9222D	OB	10/22/21
Total Nitrogen (NOX&TKN)	1.56	mg/l		0.1			
Total Nitrogen (TKN)	1.38	mg/l		0.2	SM4500N	KS	10/27/21
Total Nitrate + Nitrite	0.18	mg/l		0.02	SM4500NO3	KS	10/28/21

AMTEST Identification Number 21-A016211
Client Identification COUMO-20211022
Sampling Date 10/21/21, 21:40

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	1600	CFU/100 ml		20	SM 9222D	OB	10/22/21
Total Nitrogen (NOX&TKN)	1.38	mg/l		0.1			
Total Nitrogen (TKN)	1.16	mg/l		0.2	SM4500N	KS	10/27/21
Total Nitrate + Nitrite	0.22	mg/l		0.02	SM4500NO3	KS	10/28/21

AMTEST Identification Number 21-A016212
Client Identification EVAMS-20211022
Sampling Date 10/21/21, 22:10

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	700	CFU/100 ml		20	SM 9222D	OB	10/22/21
Total Nitrogen (NOX&TKN)	2.35	mg/l		0.1			
Total Nitrogen (TKN)	0.852	mg/l		0.2	SM4500N	KS	10/27/21
Total Nitrate + Nitrite	1.5	mg/l		0.02	SM4500NO3	KS	10/28/21

AMTEST Identification Number 21-A016213
Client Identification EVALSS-20211022
Sampling Date 10/21/21, 22:30

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	150	CFU/100 ml		2	SM 9222D	OB	10/22/21
Total Nitrogen (NOX&TKN)	2.10	mg/l		0.1			
Total Nitrogen (TKN)	0.902	mg/l		0.2	SM4500N	KS	10/27/21
Total Nitrate + Nitrite	1.2	mg/l		0.02	SM4500NO3	KS	10/28/21

AMTEST Identification Number 21-A016214
Client Identification MONMN-20211022
Sampling Date 10/21/21, 23:15

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	320	CFU/100 ml		20	SM 9222D	OB	10/22/21
Total Nitrogen (NOX&TKN)	1.29	mg/l		0.1			
Total Nitrogen (TKN)	1.22	mg/l		0.2	SM4500N	KS	10/27/21
Total Nitrate + Nitrite	0.070	mg/l		0.02	SM4500NO3	KS	10/28/21

AMTEST Identification Number 21-A016215
Client Identification MONMS-20211022
Sampling Date 10/21/21, 23:30

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	170	CFU/100 ml		2	SM 9222D	OB	10/22/21
Total Nitrogen (NOX&TKN)	0.88	mg/l		0.1			
Total Nitrogen (TKN)	0.808	mg/l		0.2	SM4500N	KS	10/27/21
Total Nitrate + Nitrite	0.075	mg/l		0.02	SM4500NO3	KS	10/28/21

AMTEST Identification Number 21-A016216
Client Identification MONM-20211022
Sampling Date 10/21/21, 23:50

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	33.	CFU/100 ml		2	SM 9222D	OB	10/22/21
Total Nitrogen (NOX&TKN)	0.59	mg/l		0.1			
Total Nitrogen (TKN)	0.586	mg/l		0.2	SM4500N	KS	10/27/21
Total Nitrate + Nitrite	< 0.02	mg/l		0.02	SM4500NO3	KS	10/28/21

AMTEST Identification Number 21-A016217
Client Identification SEIMN-20211022
Sampling Date 10/21/21, 23:10

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	200	CFU/100 ml		100	SM 9222D	OB	10/22/21
Total Nitrogen (NOX&TKN)	1.21	mg/l		0.1			
Total Nitrogen (TKN)	1.02	mg/l		0.2	SM4500N	KS	10/27/21
Total Nitrate + Nitrite	0.19	mg/l		0.02	SM4500NO3	KS	10/28/21

AMTEST Identification Number 21-A016218
Client Identification SEIMS-20211022
Sampling Date 10/22/21, 00:00

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	100	CFU/100 ml		100	SM 9222D	OB	10/22/21
Total Nitrogen (NOX&TKN)	3.02	mg/l		0.1			
Total Nitrogen (TKN)	2.87	mg/l		0.2	SM4500N	KS	10/27/21
Total Nitrate + Nitrite	0.15	mg/l		0.02	SM4500NO3	KS	10/28/21

AMTEST Identification Number 21-A016219
Client Identification TOSMI-20211022
Sampling Date 10/21/21, 21:40

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	700	CFU/100 ml		100	SM 9222D	OB	10/22/21
Total Nitrogen (NOX&TKN)	2.05	mg/l		0.1			
Total Nitrogen (TKN)	1.80	mg/l		0.2	SM4500N	KS	10/27/21
Total Nitrate + Nitrite	0.25	mg/l		0.02	SM4500NO3	KS	10/28/21

AMTEST Identification Number 21-A016220
Client Identification TOSMO-20211022
Sampling Date 10/21/21, 22:10

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	1400	CFU/100 ml		100	SM 9222D	OB	10/22/21
Total Nitrogen (NOX&TKN)	2.07	mg/l		0.1			
Total Nitrogen (TKN)	1.68	mg/l		0.2	SM4500N	KS	10/27/21
Total Nitrate + Nitrite	0.39	mg/l		0.02	SM4500NO3	KS	10/28/21

AMTEST Identification Number 21-A016221
Client Identification TYLMI-20211022
Sampling Date 10/21/21, 22:50

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	300	CFU/100 ml		20	SM 9222D	OB	10/22/21
Total Nitrogen (NOX&TKN)	1.32	mg/l		0.1			
Total Nitrogen (TKN)	0.833	mg/l		0.2	SM4500N	KS	10/27/21
Total Nitrate + Nitrite	0.49	mg/l		0.02	SM4500NO3	KS	10/28/21

AMTEST Identification Number 21-A016222
Client Identification TYLMO-20211022
Sampling Date 10/21/21, 22:35


Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	1200	CFU/100 ml		20	SM 9222D	OB	10/22/21
Total Nitrogen (NOX&TKN)	0.95	mg/l		0.1			
Total Nitrogen (TKN)	0.806	mg/l		0.2	SM4500N	KS	10/27/21
Total Nitrate + Nitrite	0.14	mg/l		0.02	SM4500NO3	KS	10/28/21

AMTEST Identification Number 21-A016223
Client Identification QA-110-20211022
Sampling Date 10/21/21, 22:30

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	140	CFU/100 ml		20	SM 9222D	OB	10/22/21
Total Nitrogen (NOX&TKN)	2.03	mg/l		0.1			
Total Nitrogen (TKN)	0.829	mg/l		0.2	SM4500N	KS	10/27/21
Total Nitrate + Nitrite	1.2	mg/l		0.02	SM4500NO3	KS	10/28/21


Aaron W. Young
Vice President

QC Summary for sample numbers: 21-A016209 to 21-A016223

DUPLICATES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	DUP VALUE	RPD
21-A016172	Fecal Coliform	CFU/100 ml	31.	36.	15.
21-A016206	Fecal Coliform	CFU/100 ml	550	560	1.8
21-A016223	Fecal Coliform	CFU/100 ml	140	120	15.
21-A016018	Total Nitrogen (TKN)	mg/l	1.25	1.12	11.
21-A016047	Total Nitrogen (TKN)	mg/l	0.583	0.566	3.0
21-A016098	Total Nitrogen (TKN)	mg/l	1.25	1.15	8.3
21-A016214	Total Nitrogen (TKN)	mg/l	1.22	1.15	5.9
21-A016223	Total Nitrogen (TKN)	mg/l	0.829	0.815	1.7
21-A016088	Total Nitrate + Nitrite	mg/l	0.042	0.042	0.00
21-A016213	Total Nitrate + Nitrite	mg/l	1.2	1.2	0.00
21-A016223	Total Nitrate + Nitrite	mg/l	1.2	1.2	0.00
21-A016380	Total Nitrate + Nitrite	mg/l	0.17	0.17	0.00
21-A016471	Total Nitrate + Nitrite	mg/l	0.33	0.34	3.0

MATRIX SPIKES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	SMPL+ SPK	SPK AMT	RECOVERY
21-A016018	Total Nitrogen (TKN)	mg/l	1.25	3.26	2.00	100.50 %
21-A016047	Total Nitrogen (TKN)	mg/l	0.583	2.60	2.00	100.85 %
21-A016098	Total Nitrogen (TKN)	mg/l	1.25	3.27	2.00	101.00 %
21-A016214	Total Nitrogen (TKN)	mg/l	1.22	3.23	2.00	100.50 %
21-A016223	Total Nitrogen (TKN)	mg/l	0.829	2.97	2.00	107.05 %
21-A016088	Total Nitrate + Nitrite	mg/l	0.042	1.0	1.0	95.80 %
21-A016213	Total Nitrate + Nitrite	mg/l	1.2	2.2	1.0	100.00 %
21-A016223	Total Nitrate + Nitrite	mg/l	1.2	2.2	1.0	100.00 %
21-A016380	Total Nitrate + Nitrite	mg/l	0.17	1.2	1.0	103.00 %
21-A016471	Total Nitrate + Nitrite	mg/l	0.33	1.3	1.0	97.00 %

STANDARD REFERENCE MATERIALS

ANALYTE	UNITS	TRUE VALUE	MEASURED VALUE	RECOVERY
Total Nitrogen (TKN)	mg/l	1.00	1.00	100. %
Total Nitrogen (TKN)	mg/l	1.00	1.01	101. %
Total Nitrogen (TKN)	mg/l	1.00	1.01	101. %
Total Nitrogen (TKN)	mg/l	1.00	1.01	101. %
Total Nitrogen (TKN)	mg/l	1.00	1.03	103. %
Total Nitrate + Nitrite	mg/l	1.0	1.0	100. %
Total Nitrate + Nitrite	mg/l	1.0	1.0	100. %
Total Nitrate + Nitrite	mg/l	1.0	1.0	100. %

QC Summary for sample numbers: 21-A016209 to 21-A016223...

BLANKS

ANALYTE	UNITS	RESULT
Fecal Coliform	CFU/100 ml	< 1
Fecal Coliform	CFU/100 ml	< 1
Fecal Coliform	CFU/100 ml	< 1
Total Nitrogen (TKN)	mg/l	< 0.2
Total Nitrogen (TKN)	mg/l	< 0.2
Total Nitrogen (TKN)	mg/l	< 0.2
Total Nitrogen (TKN)	mg/l	< 0.2
Total Nitrogen (TKN)	mg/l	< 0.2
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02



14648 NE 95th Street, Redmond, WA 98052 · (425) 883-3881

Laboratory: AmTest Laboratories

Attention: Aaron Young

13600 NE 126th PI Kirkland, WA 98034

Phone Number: (425) 885-1664

Turnaround Request

1 Day 2 Day 3 Day

Standard

Other: _____

Laboratory Reference #: 10-210

Project Manager: Blair Goodrow

email: bgoodrow@onsite-env.com

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont	Requested Analyses
1	COLM-20211022 ^{10/21} 126 16209	10/22/21	0:30	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
2	COUMI-20211021 10	10/21/21	22:00	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
3	COUMO-20211021 11	10/21/21	21:40	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
4	EVAMS-20211021 12	10/21/21	22:10	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
5	EVALSS-20211021 13	10/21/21	22:30	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
6	MONMN-20211021 14	10/21/21	23:15	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
7	MONMS-20211021 15	10/21/21	23:30	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
8	MONM-20211021 16	10/21/21	23:50	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
9	SEIMN-20211021 17	10/21/21	23:10	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
10	SEIMS-20211021 18	10/21/21	24:00	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
Signature		Company	Date	Time	Comments/Special Instructions	
Relinquished by:		OnSite IA	10/22/21	1420	1505 PB	
Received by:		AMTEST T=78	10/22/21	1505	EDDs - CSV	
Relinquished by:					Reporting Limits:	
Received by:					Fecal Coliform - 1.0 cfu/100ml	
Relinquished by:					Total Nitrogen - .10 mg/L	
Received by:						



14648 NE 95th Street, Redmond, WA 98052 · (425) 883-3881

Laboratory: AmTest Laboratories

Attention: Aaron Young

13600 NE 126th PI Kirkland, WA 98034

Phone Number: (425) 885-1664

Turnaround Request
 1 Day 2 Day 3 Day
 Standard
 Other: _____

Laboratory Reference #: 10-210
 Project Manager: Blair Goodrow
 email: bgoodrow@onsite-env.com
 Project Number: 14-05806-000
 Project Name: Redmond Paired Watershed Study

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Requested Analyses																															
11	TOSMI-20211021 16219	10/21/21	21:40	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N																															
12	TOSMO-20211021 20	10/21/21	22:10	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N																															
13	TYLMI-20211021 21	10/21/21	22:50	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N																															
14	TYLMO-20211021 22	10/21/21	22:35	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N																															
15	QA-110-20211021 23	10/21/21	22:30	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N																															
<table border="1"> <thead> <tr> <th>Signature</th> <th>Company</th> <th>Date</th> <th>Time</th> <th>Comments/Special Instructions</th> </tr> </thead> <tbody> <tr> <td><i>[Signature]</i></td> <td>OnSite Env</td> <td>10/22/21</td> <td>1505</td> <td rowspan="5"> EDDs - CSV Reporting Limits: Fecal Coliform - 1.0 cfu/100ml Total Nitrogen - .10 mg/L </td> </tr> <tr> <td>Received by: <i>[Signature]</i></td> <td>AMTEST</td> <td>10/22/21</td> <td>1505</td> </tr> <tr> <td>Relinquished by:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Received by:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Relinquished by:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Received by:</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>							Signature	Company	Date	Time	Comments/Special Instructions	<i>[Signature]</i>	OnSite Env	10/22/21	1505	EDDs - CSV Reporting Limits: Fecal Coliform - 1.0 cfu/100ml Total Nitrogen - .10 mg/L	Received by: <i>[Signature]</i>	AMTEST	10/22/21	1505	Relinquished by:				Received by:				Relinquished by:				Received by:				
Signature	Company	Date	Time	Comments/Special Instructions																																	
<i>[Signature]</i>	OnSite Env	10/22/21	1505	EDDs - CSV Reporting Limits: Fecal Coliform - 1.0 cfu/100ml Total Nitrogen - .10 mg/L																																	
Received by: <i>[Signature]</i>	AMTEST	10/22/21	1505																																		
Relinquished by:																																					
Received by:																																					
Relinquished by:																																					
Received by:																																					

CHAIN OF CUSTODY

14648 NE 95th Street, Redmond, WA 98052
Telephone: 425.883.3881

Company: Herrera Environmental Consultants
Project No.: 14-05806-000
Project Name: Redmond Paired Watershed Study
Project Manager: George Iftner

Turnaround Requested:

_____ 1 Day
_____ 2 Day
_____ 3 Day
 Standard

Laboratory No. 10-210

Requested Analyses

Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *										
-----------------------------------	-----------------------	---------------------------------	-------------------------------------	---------------------------	------------------------------	------------------------------	-----------------------------	-----------------------------------	--	--	--	--	--	--	--	--	--	--

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.													
1	COLM-2020 1022	10/22/21	00:30	Water	7	X	X	X	X	X	X	X	X	X				
2	COUMI-2020 1021	10/21/21	22:00	Water	7	X	X	X	X	X	X	X	X	X				
3	COUMO-2020		21:40	Water	7	X	X	X	X	X	X	X	X	X				
4	EVAMS-2020		22:10	Water	7	X	X	X	X	X	X	X	X	X				
5	EVALSS-2020		22:30	Water	7	X	X	X	X	X	X	X	X	X				
6	MONMN-2020		23:15	Water	7	X	X	X	X	X	X	X	X	X				
7	MONMS-2020		23:30	Water	7	X	X	X	X	X	X	X	X	X				
8	MONM-2020		23:50	Water	7	X	X	X	X	X	X	X	X	X				
9	SEIMN-2020		23:10	Water	7	X	X	X	X	X	X	X	X	X				
10	SEIMS-2020		24:00	Water	7	X	X	X	X	X	X	X	X	X				
11	TOSMI-2020		21:40	Water	7	X	X	X	X	X	X	X	X	X				
12	TOSMO-2020		22:10	Water	7	X	X	X	X	X	X	X	X	X				
13	TYLMI-2020		22:50	Water	7	X	X	X	X	X	X	X	X	X				
14	TYLMO-2020		22:35	Water	7	X	X	X	X	X	X	X	X	X				
15	QA/10-2020-1021		22:30	Water	7	X	X	X	X	X	X	X	X	X				

Relinquished by David Garcia Date 10/22/21 Received by [Signature] Date 10/22/21
 Firm Herrera Environmental Time 1:15 Firm OBE Time 1315

Relinquished by _____ Date _____ Received by _____ Date _____
 Firm _____ Time _____ Firm _____ Time _____

Comments:
* - field filtered with 0.45 µm filter within 15 minutes of collecting sample

METER CALIBRATION LOG - Redmond Paired Watershed Study



Project Number:	14-05806-000		
Personnel Performing Calibration:	V. Bortik		
Meter:	ProDSS#1		
Date/Time:	10/12/21 16:00		
Barometric Pressure Start of Day:	mmHg: 765.4	Time: 16:00	
Barometric Pressure End of Day:	mmHg: 765.3	Time: 16:15	

Calibration Procedures:
Rinse Multimeter Sonde Between Each Operation
Rinse 3 times with tap water, 3 times with deionized water, then 3 times with the solution to be used for calibrating or testing.
Conductivity Calibration Notes:

PRE Field Run CALIBRATION	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	7.8	0	22.4	
Conductivity (µS/cm)	1046	1,000	22.8	
Conductivity (µS/cm)	102.7	100	22.5	
DO % Saturation	99.9	100	22.0	

POST Field Run CHECK	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	2.1	0	22.8	
Conductivity (µS/cm)	104.5	100	24.2	
DO % Saturation	100.2	100	22.6	

1. Dry the conductivity probe with a lab tissue (e.g., KimWipes®) and DI water.
2. Fill calibration cup to within a centimeter of the top of the calibration cup with DI water (0 µS).
3. Fill the calibration cup with 1,000 µS standard so that the temperature/conductivity probe is submerged.
4. Make sure there are no bubbles in the cell; wait 2 minutes.
5. Enter the appropriate standard value (1,000 µS/cm or 1.0 mS/cm) for Sp Cond.
6. Check conductivity using 100 µS/cm standard.

- Dissolved Oxygen Calibration Notes:**
1. Fill the calibration cup with about 1/2 inch of DI; it should be below the sensor cap.
 2. Use KimWipes® to dry any droplets from the sensor cap.
 3. Invert calibration cup's cap and gently rest it on the cup.
 4. Wait 5 minutes, making sure that temperature stabilizes.
 5. Determine local barometric pressure (mm Hg) and enter this value into the meter.
 6. Click "Calibrate". "Calibrate Successful" will be displayed.
 7. To retain calibration accuracy between measurements, store with the sensor immersed in water or within a water-saturated air environment such as a sealed storage cup with at least 10 ml of water.
 8. It is important to have the water-saturated air and the sensor at the same temperature. Therefore, store a jar of DI in the same environment as the sonde and calibrate in a similar air temperature as the water and sonde.
 9. Keep probe out of direct sun or wind.

METER CALIBRATION LOG - Redmond Paired Watershed Study



Project Number:	14-05806-000		
Personnel Performing Calibration:	N. Babin		
Meter:	ProDSS#2		
Date/Time:	10/12/21 16:00		
Barometric Pressure Start of Day:	mmHg: 765.5	Time: 16:00	
Barometric Pressure End of Day:	mmHg: 765.5	Time: 16:15	

Calibration Procedures:
Rinse Multimeter Sonde Between Each Operation
Rinse 3 times with tap water, 3 times with deionized water, then 3 times with the solution to be used for calibrating or testing.
Conductivity Calibration Notes:

PRE Field Run CALIBRATION	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	7.8	0	23.2	
Conductivity (µS/cm)	1010	1,000	23.5	
Conductivity (µS/cm)	1026	100	23.3	
DO % Saturation	100.6	100	22.8	

POST Field Run CHECK	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	1.8	0	23.6	
Conductivity (µS/cm)	106.2	100	23.3	
DO % Saturation	100.1	100	23.5	

1. Dry the conductivity probe with a lab tissue (e.g., KimWipes®) and DI water.
 2. Fill calibration cup to within a centimeter of the top of the calibration cup with DI water (0 µS).
 3. Fill the calibration cup with 1,000 µS standard so that the temperature/conductivity probe is submerged.
 4. Make sure there are no bubbles in the cell; wait 2 minutes.
 5. Enter the appropriate standard value (1,000 µS/cm or 1.0 mS/cm) for Sp Cond.
 6. Check conductivity using 100 µS/cm standard.
- Dissolved Oxygen Calibration Notes:**
1. Fill the calibration cup with about 1/2 inch of DI; it should be below the sensor cap.
 2. Use KimWipes® to dry any droplets from the sensor cap.
 3. Invert calibration cup's cap and gently rest it on the cup.
 4. Wait 5 minutes, making sure that temperature stabilizes.
 5. Determine local barometric pressure (mm Hg) and enter this value into the meter.
 6. Click "Calibrate". "Calibrate Successful" will be displayed.
 7. To retain calibration accuracy between measurements, store with the sensor immersed in water or within a water-saturated air environment such as a sealed storage cup with at least 10 ml of water.
 8. It is important to have the water-saturated air and the sensor at the same temperature. Therefore, store a jar of DI in the same environment as the sonde and calibrate in a similar air temperature as the water and sonde.
 9. Keep probe out of direct sun or wind.

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: ND, DG

Sample Date: 10/21/20

Sample Time: 22:10

Base Flow or Storm Event? Storm

Field filtered 5 minutes later N
(Must filter within 15 minutes of collection)

SITE ID: EVAMS

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Cloudy, 50

Water Quality Sampling

Sample ID: EVAMS20211021

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: X

Filter blank sample ID: X

Transfer blank sample ID: X

Visual and Olfactory Conditions:

Clarity: Clear

Color: none

Odor: _____

Sheen: _____

Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 3.74

Reference Point (description): 56

Water Quality Measurements

Temperature (°C) 10.8

Specific Conductivity (µs/cm) 207.1

Dissolved Oxygen (mg/L) 10.41

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB, DG
 Sample Date: 10/21/21 Sample Time: 21:40
 Base Flow or Storm Event? Storm Field filtered 5 minutes later: N
(Must filter within 15 minutes of collection)

SITE ID: TOSM1
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Light, 50°F

Water Quality Sampling

Sample ID: TOSM120211021

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	NO
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: No
 Filter blank sample ID: ↓
 Transfer blank sample ID: ↓

Visual and Olfactory Conditions:

Clarity: low
 Color: brown
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 _____
 YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.93
 Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 12.3
 Specific Conductivity (µs/cm) 106.3
 Dissolved Oxygen (mg/L) 10.5

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

 Field Personnel: EVANS NO. 06

 Sample Date: 10/21/21

 Sample Time: 22:30

PDT:

 SITE ID: EVALS5

 Base Flow or Storm Event? 0

 Field filtered 5 minutes later: N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)


HERRERA

Project Name: Redmond Paired Watershed Study

 Current Weather and Temp: Rainy, 50°F

Water Quality Sampling

Sample ID:

EVALS5 20211021

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	YES
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

 Duplicate sample ID: QA. 110 20211021

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

 Clarity: clear

 Color: none

Odor:

Sheen:

Floatables:

LABORATORY DELIVERY

Date:

Time:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

 Stream Stage (ft): 2.33

 Reference Point (description): S6

Water Quality Measurements

 Temperature (°C) 10.9

 Specific Conductivity (µs/cm) 190.1

 Dissolved Oxygen (mg/L) 11.0

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB, DG

Sample Date: 10/21/21

Sample Time: 23:10

PDT:

SITE

ID: SELMN

Base Flow or Storm Event? 0

Field filtered 5 minutes later: Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp:

Water Quality Sampling

Sample ID: SELMN 1021 1021

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<input checked="" type="checkbox"/>
DOC *	HDPE	250 ml	1	HCL	<input type="checkbox"/>
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	<input type="checkbox"/>
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	<input type="checkbox"/>
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	<input type="checkbox"/>
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	<input checked="" type="checkbox"/>
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<input type="checkbox"/>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: clear

Color:

Odor:

Sheen:

Floatables:

LABORATORY DELIVERY

Date:

Time:

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 10.5

Reference Point (description): Tap

Water Quality Measurements

Temperature (°C) 10.1

Specific Conductivity (µs/cm) ~~105.7~~ 105.7

Dissolved Oxygen (mg/L) 10.95

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB, DG
 Sample Date: 10/22/21 Sample Time: 00:30 PDT:
 Base Flow or Storm Event? 2 Field filtered 5 minutes later: Y N (Must filter within 15 minutes of collection) PST:

SITE ID: M0NM
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study
 Current Weather and Temp: Rainy, 50's

Water Quality Sampling

Sample ID: M0NM20211022

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>No</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: _____
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 _____
 YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): _____
 Reference Point (description): NA

Water Quality Measurements

Temperature (°C) 11.6
 Specific Conductivity (µs/cm) 196.3
 Dissolved Oxygen (mg/L) 10.55

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NO. 06
 Sample Date: 10/21/21 Sample Time: 28:5 PDT:
 Base Flow or Storm Event? 0 Field filtered 5 minutes later? Y N PST:
 (Must filter within 15 minutes of collection)

SITE ID: COLM
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Ray 40

Water Quality Sampling

Sample ID: COLM 20211021

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	No
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	No

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
 YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 _____
 YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): 5.42
 Reference Point (description): 56

Water Quality Measurements

Temperature (°C) 10.3
 Specific Conductivity (µs/cm) 54.6
 Dissolved Oxygen (mg/L) 8.67

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Thia F. Sloane P

SITE COUMO
ID:

Sample Date: 10/21/2021

Sample Time: 21:40

PDT:

Base Flow or Storm Event? (circled)

Field filtered 5 minutes later (Y N)

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 55° rain

Water Quality Sampling

Sample ID: COUMO

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____

Filter blank sample ID: _____

Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear
Color: _____
Odor: _____
Sheen: _____
Floatables: _____

LABORATORY DELIVERY

Date: _____

Time: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 1.45

Reference Point (description): stage staff ggc

Water Quality Measurements

Temperature (°C) 13.4

Specific Conductivity (µs/cm) 111.7

Dissolved Oxygen (mg/L) 9.96

Quality Assurance

Checked By: _____

Signature: _____

Date Checked: _____

Time: _____

Data Entered into Database? _____

YES

NO

initials: _____

Date Entered: _____

Time: _____

Notes: _____

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Theresa F Saloane D
 Sample Date: 10/21/21 Sample Time: RAIN 00:00 PDT:
 Base Flow or Storm Event? Field filtered 5 minutes later Y N PST:
 (Must filter within 15 minutes of collection)

SITE ID: SEIMS
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: SS° + rain

Water Quality Sampling

Sample ID: SEIMS

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	↑
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): 0.85
 Reference Point (description): Staff gauge

Water Quality Measurements

Temperature (°C) 11.0
 Specific Conductivity (µs/cm) 96.4
 Dissolved Oxygen (mg/L) 10.12

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Thia P Salome P
 Sample Date: 10/24/21 Sample Time: 11:30 PDT:
 Base Flow or Storm Event? (circled) Field filtered 5 minutes later: Y/N PST:
 (Must filter within 15 minutes of collection)

SITE ID: MONMS
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 55° rain

Water Quality Sampling

Sample ID: MONMS

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	X
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: crw
 Filter blank sample ID:
 Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: _____
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials:
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 6.1

Reference Point (description): measure down PVC pipe

Water Quality Measurements

Temperature (°C) 12.3

Specific Conductivity (µs/cm) 240.1

Dissolved Oxygen (mg/L) 7.22

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Thea F. Saloane P
 Sample Date: 10/21/21 Sample Time: 11:15
 Base Flow or Storm Event? Base Flow Field filtered 5 minutes later Y
 (Must filter within 15 minutes of collection)

SITE ID: MONMN
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study
 Current Weather and Temp: 55° rain

Water Quality Sampling

Sample ID: MONMN

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	↗
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: None
 Filter blank sample ID: None
 Transfer blank sample ID: None

Visual and Olfactory Conditions:
 Clarity: _____
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 _____
 YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.24
 Reference Point (description): Staff gauge

Water Quality Measurements

Temperature (°C) 12.1
 Specific Conductivity (µs/cm) 176.4
 Dissolved Oxygen (mg/L) 9.76

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Thea F Saloane P
 Sample Date: 10/21/12 Sample Time: 10:35
 Base Flow or Storm Event? (circled) Field filtered 5 minutes later? Y N
(Must filter within 15 minutes of collection)

SITE ID: TYLMO
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 55° rain

Water Quality Sampling

Sample ID: TYLMO

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<div style="font-size: 2em;">↑</div> <div style="font-size: 2em;">↓</div>
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: _____
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 _____
 YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 2.9

Reference Point (description): Top of culvert

Water Quality Measurements

Temperature (°C) 13.0

Specific Conductivity (µs/cm) 70.3

Dissolved Oxygen (mg/L) 10.12

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Mia F. Saloche P
 Sample Date: 10/21/21 Sample Time: 10:50
 Base Flow or Storm Event? (circled) Field filtered 5 minutes later Y N
(Must filter within 15 minutes of collection)

SITE ID: TYLMI

Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 55° rain

Water Quality Sampling

Sample ID: TYLMI

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: _____
 Color: Clear
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 _____
 YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 4.4

Reference Point (description): top of culvert

Water Quality Measurements

Temperature (°C) 13.2
 Specific Conductivity (µs/cm) 165.2
 Dissolved Oxygen (mg/L) 2.31

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Thia F. Salbanel
 Sample Date: 10/21/21 Sample Time: 10:10 PDT:
 Base Flow or Storm Event? Storm Field filtered 5 minutes later: Y N
 (Must filter within 15 minutes of collection) PST:

SITE ID: TO8MD
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 55° rain

Water Quality Sampling

Sample ID: TO8MD

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	X
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials:
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.71
 Reference Point (description): staff gauge

Water Quality Measurements

Temperature (°C) 12.2
 Specific Conductivity (µs/cm) 193.1
 Dissolved Oxygen (mg/L) 10.57

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: <u>Thea F. Sloane P</u>		SITE ID: <u>COUM1</u>
Sample Date: <u>09/10/21/21</u>	Sample Time: <u>10:00</u>	PDT: _____
Base Flow or Storm Event? <u>(circled)</u>	Field filtered 5 minutes later: <u>Y</u>	PST: _____
(Must filter within 15 minutes of collection)		Project Number: <u>14-05806-000</u>



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 55° rain

Water Quality Sampling

Sample ID: COUM1

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	↕
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____

Filter blank sample ID: _____

Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear

Color: _____

Odor: _____

Sheen: _____

Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 2.65

Reference Point (description): Staff gauge

Water Quality Measurements

Temperature (°C) 12.5

Specific Conductivity (µs/cm) 165.9

Dissolved Oxygen (mg/L) 10.36



HERRERA

Data Quality Assurance Worksheet

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 10/21/21-10/22/21 /All locations, QA110 (EVALSS) Lab Ref No 2110-210

By J. Brown

Date 11/4/21 Page 1 of 2

Checked: initials
JL

date 11/29/2021

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹		
TSS	OK / SM 2540D	NA	NA	6	≤7	≤1.0 mg/L	NA	NA	92	±20	6	≤25	11	≤25	OK	NONE
						1.0 mg/L										
Turbidity	OK / EPA 180.1	NA	NA	1	≤2	≤0.1 NTU	NA	NA	NA	±10	3	≤25	14	≤25	OK	NONE
						0.1 NTU										
Hardness	OK / SM 2340B	NA	NA	5	≤180	≤1.0 mg/L	100, 97	±25	100	±15	<1 MS 2	≤20	0	≤20	OK	NONE
						1.0 mg/L										
DOC	OK / SM 5310B	≤15	≤15	5	≤28	≤1.0 mg/L	101	±25	113	±15	2	≤20	2	≤20	OK	NONE
						1.0 mg/L										
Total Phosphorus	OK / EPA 365.1	NA	NA	5	≤28	≤0.01 mg/L	94	±25	103	±20	19	≤20	1	≤20	OK	NONE
						0.01 mg/L										
Total Nitrogen (TKN + N+N)	OK/ SM 4500 N-B	NA	NA	6, 7	≤28	≤0.1 mg/L	96-107	±25	100-103	±20	0-11, D=0-0.02	≤20	0, D=0.07	≤20	OK	NONE
						0.1 mg/L										

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.

NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported



HERRERA

Data Quality Assurance Worksheet

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 10/21/21-10/22/21 /All locations, QA110 (EVALSS) Lab Ref No 2110-210

By J. Brown

Date 11/4/21 Page 2 of 2

Checked: initials JL

date 11/29/2021

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal	Reported	Goal ¹	Reported	Goal ¹		
Total Copper	OK/ EPA 200.8	NA	NA	11	≤180	≤1.0 µg/L 1.0 µg/L	97, 95	±25	NR	±15	NC, MS 2	≤20	D=0.3	≤20	OK	NONE
Total Zinc	OK/ EPA 200.8	NA	NA	11	≤180	≤5.0 µg/L 5.0 µg/L	109, 104	±25	NR	±15	NC, MS 5	≤20	NC	≤20	OK	NONE
Dissolved Copper	OK/ EPA 200.8	≤15	≤15	11	≤180	≤1.0 µg/L 1.0 µg/L	100, 101	±25	NR	±15	D=0.04, MS 1	≤20	NC	≤20	OK	NONE
Dissolved Zinc	OK/ EPA 200.8	≤15	≤15	11	≤180	≤5.0 µg/L 5.0 µg/L	105, 107	±25	NR	±15	D=0.4, MS 2	≤20	NC	≤20	OK	NONE
Fecal Coliform	OK/ SM 9222D	NA	NA	1	≤1	≤1.0 cfu/ 100mL 10 cfu/ 100mL	NA	NA	NA	NA	2-15	≤35	7	≤50	OK	NONE

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.

NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

November 12, 2021

Jess Brown
Herrera Environmental Consultants, Inc.
2200 6th Avenue, Suite 1100
Seattle, WA 98121

Re: Analytical Data for Project 14-05806-000
Laboratory Reference No. 2110-282

Dear Jess:

Enclosed are the analytical results and associated quality control data for samples submitted on October 29, 2021.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read "Blair Goodrow", enclosed within a large, loopy circular flourish.

Blair Goodrow
Project Manager

Enclosures



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: November 12, 2021
Samples Submitted: October 29, 2021
Laboratory Reference: 2110-282
Project: 14-05806-000

Case Narrative

Samples were collected on October 28, 2021 and received by the laboratory on October 29, 2021. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.



Date of Report: November 12, 2021
 Samples Submitted: October 29, 2021
 Laboratory Reference: 2110-282
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-2021-1028					
Laboratory ID:	10-282-01					
Total Suspended Solids	23	2.5	SM 2540D	11-2-21	11-3-21	

Client ID:	COUMI-2021-1028					
Laboratory ID:	10-282-02					
Total Suspended Solids	74	5.0	SM 2540D	11-2-21	11-3-21	

Client ID:	TOSMO-2021-1028					
Laboratory ID:	10-282-03					
Total Suspended Solids	140	5.0	SM 2540D	11-2-21	11-3-21	

Client ID:	TYLMO-2021-1028					
Laboratory ID:	10-282-04					
Total Suspended Solids	340	5.0	SM 2540D	11-2-21	11-3-21	

Client ID:	TYLMI-2021-1028					
Laboratory ID:	10-282-05					
Total Suspended Solids	54	5.0	SM 2540D	11-2-21	11-3-21	

Client ID:	MONMN-2021-1028					
Laboratory ID:	10-282-06					
Total Suspended Solids	220	5.0	SM 2540D	11-2-21	11-3-21	

Client ID:	MONMS-2021-1028					
Laboratory ID:	10-282-07					
Total Suspended Solids	11	2.0	SM 2540D	11-2-21	11-3-21	

Client ID:	MONM-2021-1028					
Laboratory ID:	10-282-08					
Total Suspended Solids	170	5.0	SM 2540D	11-2-21	11-3-21	

Client ID:	TOSMI-2021-1028					
Laboratory ID:	10-282-09					
Total Suspended Solids	30	1.0	SM 2540D	11-2-21	11-3-21	



Date of Report: November 12, 2021
 Samples Submitted: October 29, 2021
 Laboratory Reference: 2110-282
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	EVAMS-2021-1028					
Laboratory ID:	10-282-10					
Total Suspended Solids	32	5.0	SM 2540D	11-2-21	11-3-21	

Client ID:	EVALSS-2021-1028					
Laboratory ID:	10-282-11					
Total Suspended Solids	210	5.0	SM 2540D	11-2-21	11-3-21	

Client ID:	SEIMN-2021-1028					
Laboratory ID:	10-282-12					
Total Suspended Solids	60	2.0	SM 2540D	11-2-21	11-3-21	

Client ID:	COLM-2021-1028					
Laboratory ID:	10-282-13					
Total Suspended Solids	6.0	1.0	SM 2540D	11-2-21	11-3-21	

Client ID:	SEIMS-2021-1028					
Laboratory ID:	10-282-14					
Total Suspended Solids	100	5.0	SM 2540D	11-2-21	11-3-21	

Client ID:	QA111-2021-1028					
Laboratory ID:	10-282-15					
Total Suspended Solids	78	5.0	SM 2540D	11-2-21	11-3-21	



Date of Report: November 12, 2021
 Samples Submitted: October 29, 2021
 Laboratory Reference: 2110-282
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1102W1					
Total Suspended Solids	ND	1.0	SM 2540D	11-2-21	11-3-21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	10-282-02							
	ORIG	DUP						
Total Suspended Solids	74.0	76.0	NA	NA	NA	3	26	

SPIKE BLANK								
Laboratory ID:	SB1102W1							
	SB	SB		SB				
Total Suspended Solids	94.0	100	NA	94	67-118	NA	NA	



Date of Report: November 12, 2021
 Samples Submitted: October 29, 2021
 Laboratory Reference: 2110-282
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-2021-1028					
Laboratory ID:	10-282-01					
Turbidity	18	0.10	EPA 180.1	10-29-21	10-29-21	

Client ID:	COUMI-2021-1028					
Laboratory ID:	10-282-02					
Turbidity	32	0.10	EPA 180.1	10-29-21	10-29-21	

Client ID:	TOSMO-2021-1028					
Laboratory ID:	10-282-03					
Turbidity	10	0.10	EPA 180.1	10-29-21	10-29-21	

Client ID:	TYLMO-2021-1028					
Laboratory ID:	10-282-04					
Turbidity	8.0	0.10	EPA 180.1	10-29-21	10-29-21	

Client ID:	TYLMI-2021-1028					
Laboratory ID:	10-282-05					
Turbidity	3.3	0.10	EPA 180.1	10-29-21	10-29-21	

Client ID:	MONMN-2021-1028					
Laboratory ID:	10-282-06					
Turbidity	21	0.10	EPA 180.1	10-29-21	10-29-21	

Client ID:	MONMS-2021-1028					
Laboratory ID:	10-282-07					
Turbidity	4.2	0.10	EPA 180.1	10-29-21	10-29-21	

Client ID:	MONM-2021-1028					
Laboratory ID:	10-282-08					
Turbidity	8.2	0.10	EPA 180.1	10-29-21	10-29-21	

Client ID:	TOSMI-2021-1028					
Laboratory ID:	10-282-09					
Turbidity	6.8	0.10	EPA 180.1	10-29-21	10-29-21	



Date of Report: November 12, 2021
 Samples Submitted: October 29, 2021
 Laboratory Reference: 2110-282
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	EVAMS-2021-1028					
Laboratory ID:	10-282-10					
Turbidity	2.5	0.10	EPA 180.1	10-29-21	10-29-21	

Client ID:	EVALSS-2021-1028					
Laboratory ID:	10-282-11					
Turbidity	6.6	0.10	EPA 180.1	10-29-21	10-29-21	

Client ID:	SEIMN-2021-1028					
Laboratory ID:	10-282-12					
Turbidity	8.0	0.10	EPA 180.1	10-29-21	10-29-21	

Client ID:	COLM-2021-1028					
Laboratory ID:	10-282-13					
Turbidity	0.95	0.10	EPA 180.1	10-29-21	10-29-21	

Client ID:	SEIMS-2021-1028					
Laboratory ID:	10-282-14					
Turbidity	5.5	0.10	EPA 180.1	10-29-21	10-29-21	

Client ID:	QA111-2021-1028					
Laboratory ID:	10-282-15					
Turbidity	5.7	0.10	EPA 180.1	10-29-21	10-29-21	



Date of Report: November 12, 2021
 Samples Submitted: October 29, 2021
 Laboratory Reference: 2110-282
 Project: 14-05806-000

**TURBIDITY
 EPA 180.1
 QUALITY CONTROL**

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1029W1					
Turbidity	ND	0.10	EPA 180.1	10-29-21	10-29-21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	10-278-01							
	ORIG	DUP						
Turbidity	1.07	1.22	NA	NA	NA	NA	13	13



Date of Report: November 12, 2021
 Samples Submitted: October 29, 2021
 Laboratory Reference: 2110-282
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO3/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-2021-1028					
Laboratory ID:	10-282-01					
Hardness	54	1.0	EPA 200.7/SM 2340B	11-1-21	11-3-21	

Client ID:	COUMI-2021-1028					
Laboratory ID:	10-282-02					
Hardness	76	1.0	EPA 200.7/SM 2340B	11-1-21	11-3-21	

Client ID:	TOSMO-2021-1028					
Laboratory ID:	10-282-03					
Hardness	58	1.0	EPA 200.7/SM 2340B	11-1-21	11-3-21	

Client ID:	TYLMO-2021-1028					
Laboratory ID:	10-282-04					
Hardness	34	1.0	EPA 200.7/SM 2340B	11-1-21	11-3-21	

Client ID:	TYLMI-2021-1028					
Laboratory ID:	10-282-05					
Hardness	48	1.0	EPA 200.7/SM 2340B	11-1-21	11-3-21	

Client ID:	MONMN-2021-1028					
Laboratory ID:	10-282-06					
Hardness	47	1.0	EPA 200.7/SM 2340B	11-1-21	11-3-21	

Client ID:	MONMS-2021-1028					
Laboratory ID:	10-282-07					
Hardness	61	1.0	EPA 200.7/SM 2340B	11-1-21	11-3-21	



Date of Report: November 12, 2021
 Samples Submitted: October 29, 2021
 Laboratory Reference: 2110-282
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-2021-1028					
Laboratory ID:	10-282-08					
Hardness	54	1.0	EPA 200.7/SM 2340B	11-1-21	11-3-21	

Client ID:	TOSMI-2021-1028					
Laboratory ID:	10-282-09					
Hardness	37	1.0	EPA 200.7/SM 2340B	11-1-21	11-3-21	

Client ID:	EVAMS-2021-1028					
Laboratory ID:	10-282-10					
Hardness	78	1.0	EPA 200.7/SM 2340B	11-1-21	11-3-21	

Client ID:	EVALSS-2021-1028					
Laboratory ID:	10-282-11					
Hardness	89	1.0	EPA 200.7/SM 2340B	11-1-21	11-3-21	

Client ID:	SEIMN-2021-1028					
Laboratory ID:	10-282-12					
Hardness	42	1.0	EPA 200.7/SM 2340B	11-1-21	11-3-21	

Client ID:	COLM-2021-1028					
Laboratory ID:	10-282-13					
Hardness	15	1.0	EPA 200.7/SM 2340B	11-1-21	11-3-21	

Client ID:	SEIMS-2021-1028					
Laboratory ID:	10-282-14					
Hardness	43	1.0	EPA 200.7/SM 2340B	11-1-21	11-3-21	



Date of Report: November 12, 2021
Samples Submitted: October 29, 2021
Laboratory Reference: 2110-282
Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	QA111-2021-1028					
Laboratory ID:	10-282-15					
Hardness	64	1.0	EPA 200.7/SM 2340B	11-1-21	11-3-21	



Date of Report: November 12, 2021
 Samples Submitted: October 29, 2021
 Laboratory Reference: 2110-282
 Project: 14-05806-000

**HARDNESS
 EPA 200.7/SM 2340B
 QUALITY CONTROL**

Matrix: Water
 Units: mg eqt. CaCO3/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1101WH1					
Hardness	ND	1.0	EPA 200.7/SM 2340B	11-1-21	11-3-21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	10-282-01							
	ORIG	DUP						
Hardness	53.9	55.3	NA	NA	NA	3	20	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags		
MATRIX SPIKES										
Laboratory ID:	10-282-01									
	MS	MSD	MS	MSD	MS	MSD				
Hardness	209	195	132	132	53.9	118	107	75-125	7	20

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
SPIKE BLANK								
Laboratory ID:	SB1101WH1							
	SB	SB	SB	SB	SB			
Hardness	141	132	NA	107	85-115	NA	NA	



Date of Report: November 12, 2021
 Samples Submitted: October 29, 2021
 Laboratory Reference: 2110-282
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-2021-1028					
Laboratory ID:	10-282-01					
Dissolved Organic Carbon	12	1.0	SM 5310B	11-4-21	11-4-21	

Client ID:	COUMI-2021-1028					
Laboratory ID:	10-282-02					
Dissolved Organic Carbon	16	1.0	SM 5310B	11-4-21	11-4-21	

Client ID:	TOSMO-2021-1028					
Laboratory ID:	10-282-03					
Dissolved Organic Carbon	11	1.0	SM 5310B	11-4-21	11-4-21	

Client ID:	TYLMO-2021-1028					
Laboratory ID:	10-282-04					
Dissolved Organic Carbon	7.4	1.0	SM 5310B	11-4-21	11-4-21	

Client ID:	TYLMI-2021-1028					
Laboratory ID:	10-282-05					
Dissolved Organic Carbon	9.7	1.0	SM 5310B	11-4-21	11-4-21	

Client ID:	MONMN-2021-1028					
Laboratory ID:	10-282-06					
Dissolved Organic Carbon	14	1.0	SM 5310B	11-4-21	11-4-21	

Client ID:	MONMS-2021-1028					
Laboratory ID:	10-282-07					
Dissolved Organic Carbon	8.8	1.0	SM 5310B	11-4-21	11-4-21	

Client ID:	MONM-2021-1028					
Laboratory ID:	10-282-08					
Dissolved Organic Carbon	12	1.0	SM 5310B	11-4-21	11-4-21	

Client ID:	TOSMI-2021-1028					
Laboratory ID:	10-282-09					
Dissolved Organic Carbon	9.4	1.0	SM 5310B	11-4-21	11-4-21	



Date of Report: November 12, 2021
 Samples Submitted: October 29, 2021
 Laboratory Reference: 2110-282
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	EVAMS-2021-1028					
Laboratory ID:	10-282-10					
Dissolved Organic Carbon	16	1.0	SM 5310B	11-4-21	11-4-21	

Client ID:	EVALSS-2021-1028					
Laboratory ID:	10-282-11					
Dissolved Organic Carbon	14	1.0	SM 5310B	11-4-21	11-4-21	

Client ID:	SEIMN-2021-1028					
Laboratory ID:	10-282-12					
Dissolved Organic Carbon	7.4	1.0	SM 5310B	11-4-21	11-4-21	

Client ID:	COLM-2021-1028					
Laboratory ID:	10-282-13					
Dissolved Organic Carbon	14	1.0	SM 5310B	11-4-21	11-4-21	

Client ID:	SEIMS-2021-1028					
Laboratory ID:	10-282-14					
Dissolved Organic Carbon	21	1.0	SM 5310B	11-4-21	11-4-21	

Client ID:	QA111-2021-1028					
Laboratory ID:	10-282-15					
Dissolved Organic Carbon	16	1.0	SM 5310B	11-4-21	11-4-21	



Date of Report: November 12, 2021
 Samples Submitted: October 29, 2021
 Laboratory Reference: 2110-282
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1104D1					
Dissolved Organic Carbon	ND	1.0	SM 5310B	11-4-21	11-4-21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	10-282-05							
	ORIG	DUP						
Dissolved Organic Carbon	9.73	9.60	NA	NA	NA	1	15	

MATRIX SPIKE

Laboratory ID:	10-282-05							
	MS	MS		MS				
Dissolved Organic Carbon	19.4	10.0	9.73	97	91-117	NA	NA	

SPIKE BLANK

Laboratory ID:	SB1104D1							
	SB	SB		SB				
Dissolved Organic Carbon	11.4	10.0	NA	114	88-116	NA	NA	



Date of Report: November 12, 2021
 Samples Submitted: October 29, 2021
 Laboratory Reference: 2110-282
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-2021-1028					
Laboratory ID:	10-282-01					
Total Phosphorus	0.12	0.010	EPA 365.1	11-5-21	11-8-21	

Client ID:	COUMI-2021-1028					
Laboratory ID:	10-282-02					
Total Phosphorus	0.22	0.010	EPA 365.1	11-5-21	11-8-21	

Client ID:	TOSMO-2021-1028					
Laboratory ID:	10-282-03					
Total Phosphorus	0.23	0.010	EPA 365.1	11-5-21	11-8-21	

Client ID:	TYLMO-2021-1028					
Laboratory ID:	10-282-04					
Total Phosphorus	0.47	0.010	EPA 365.1	11-5-21	11-8-21	

Client ID:	TYLMI-2021-1028					
Laboratory ID:	10-282-05					
Total Phosphorus	0.13	0.010	EPA 365.1	11-5-21	11-8-21	

Client ID:	MONMN-2021-1028					
Laboratory ID:	10-282-06					
Total Phosphorus	0.43	0.010	EPA 365.1	11-5-21	11-8-21	

Client ID:	MONMS-2021-1028					
Laboratory ID:	10-282-07					
Total Phosphorus	0.092	0.010	EPA 365.1	11-5-21	11-8-21	

Client ID:	MONM-2021-1028					
Laboratory ID:	10-282-08					
Total Phosphorus	0.42	0.010	EPA 365.1	11-5-21	11-8-21	

Client ID:	TOSMI-2021-1028					
Laboratory ID:	10-282-09					
Total Phosphorus	0.12	0.010	EPA 365.1	11-5-21	11-8-21	



Date of Report: November 12, 2021
 Samples Submitted: October 29, 2021
 Laboratory Reference: 2110-282
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	EVAMS-2021-1028					
Laboratory ID:	10-282-10					
Total Phosphorus	0.059	0.010	EPA 365.1	11-5-21	11-8-21	

Client ID:	EVALSS-2021-1028					
Laboratory ID:	10-282-11					
Total Phosphorus	0.22	0.010	EPA 365.1	11-5-21	11-8-21	

Client ID:	SEIMN-2021-1028					
Laboratory ID:	10-282-12					
Total Phosphorus	0.18	0.010	EPA 365.1	11-5-21	11-8-21	

Client ID:	COLM-2021-1028					
Laboratory ID:	10-282-13					
Total Phosphorus	0.026	0.010	EPA 365.1	11-5-21	11-8-21	

Client ID:	SEIMS-2021-1028					
Laboratory ID:	10-282-14					
Total Phosphorus	0.16	0.010	EPA 365.1	11-5-21	11-8-21	

Client ID:	QA111-2021-1028					
Laboratory ID:	10-282-15					
Total Phosphorus	0.24	0.010	EPA 365.1	11-5-21	11-8-21	



Date of Report: November 12, 2021
 Samples Submitted: October 29, 2021
 Laboratory Reference: 2110-282
 Project: 14-05806-000

**TOTAL PHOSPHORUS
 EPA 365.1
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1105W1					
Total Phosphorus	ND	0.010	EPA 365.1	11-5-21	11-8-21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	10-282-01							
	ORIG	DUP						
Total Phosphorus	0.122	0.128	NA	NA	NA	NA	5	19

MATRIX SPIKE								
Laboratory ID:	10-282-01							
	MS	MS		MS				
Total Phosphorus	0.352	0.250	0.122	92	83-110	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB1105W1							
	SB	SB		SB				
Total Phosphorus	0.217	0.250	NA	87	83-110	NA	NA	



Date of Report: November 12, 2021
 Samples Submitted: October 29, 2021
 Laboratory Reference: 2110-282
 Project: 14-05806-000

TOTAL METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-2021-1028					
Laboratory ID:	10-282-01					
Copper	5.0	1.0	EPA 200.8	11-4-21	11-8-21	
Zinc	77	5.0	EPA 200.8	11-4-21	11-8-21	

Client ID:	COUMI-2021-1028					
Laboratory ID:	10-282-02					
Copper	5.8	1.0	EPA 200.8	11-4-21	11-8-21	
Zinc	250	13	EPA 200.8	11-4-21	11-8-21	

Client ID:	TOSMO-2021-1028					
Laboratory ID:	10-282-03					
Copper	8.5	1.0	EPA 200.8	11-4-21	11-8-21	
Zinc	130	5.0	EPA 200.8	11-4-21	11-8-21	

Client ID:	TYLMO-2021-1028					
Laboratory ID:	10-282-04					
Copper	19	1.0	EPA 200.8	11-4-21	11-8-21	
Zinc	150	5.0	EPA 200.8	11-4-21	11-8-21	

Client ID:	TYLMI-2021-1028					
Laboratory ID:	10-282-05					
Copper	10	1.0	EPA 200.8	11-4-21	11-8-21	
Zinc	74	5.0	EPA 200.8	11-4-21	11-8-21	

Client ID:	MONMN-2021-1028					
Laboratory ID:	10-282-06					
Copper	8.5	1.0	EPA 200.8	11-4-21	11-8-21	
Zinc	73	5.0	EPA 200.8	11-4-21	11-8-21	

Client ID:	MONMS-2021-1028					
Laboratory ID:	10-282-07					
Copper	2.9	1.0	EPA 200.8	11-4-21	11-8-21	
Zinc	5.2	5.0	EPA 200.8	11-4-21	11-8-21	



Date of Report: November 12, 2021
 Samples Submitted: October 29, 2021
 Laboratory Reference: 2110-282
 Project: 14-05806-000

TOTAL METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-2021-1028					
Laboratory ID:	10-282-08					
Copper	7.4	1.0	EPA 200.8	11-4-21	11-8-21	
Zinc	110	5.0	EPA 200.8	11-4-21	11-8-21	

Client ID:	TOSMI-2021-1028					
Laboratory ID:	10-282-09					
Copper	5.0	1.0	EPA 200.8	11-4-21	11-8-21	
Zinc	100	5.0	EPA 200.8	11-4-21	11-8-21	

Client ID:	EVAMS-2021-1028					
Laboratory ID:	10-282-10					
Copper	2.0	1.0	EPA 200.8	11-4-21	11-8-21	
Zinc	5.9	5.0	EPA 200.8	11-4-21	11-8-21	

Client ID:	EVALSS-2021-1028					
Laboratory ID:	10-282-11					
Copper	5.2	1.0	EPA 200.8	11-4-21	11-8-21	
Zinc	14	5.0	EPA 200.8	11-4-21	11-8-21	

Client ID:	SEIMN-2021-1028					
Laboratory ID:	10-282-12					
Copper	2.6	1.0	EPA 200.8	11-4-21	11-8-21	
Zinc	ND	5.0	EPA 200.8	11-4-21	11-8-21	

Client ID:	COLM-2021-1028					
Laboratory ID:	10-282-13					
Copper	1.1	1.0	EPA 200.8	11-4-21	11-8-21	
Zinc	ND	5.0	EPA 200.8	11-4-21	11-8-21	

Client ID:	SEIMS-2021-1028					
Laboratory ID:	10-282-14					
Copper	2.9	1.0	EPA 200.8	11-4-21	11-8-21	
Zinc	8.3	5.0	EPA 200.8	11-4-21	11-8-21	



Date of Report: November 12, 2021
 Samples Submitted: October 29, 2021
 Laboratory Reference: 2110-282
 Project: 14-05806-000

TOTAL METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	QA111-2021-1028					
Laboratory ID:	10-282-15					
Copper	5.3	1.0	EPA 200.8	11-4-21	11-8-21	
Zinc	230	13	EPA 200.8	11-4-21	11-8-21	



Date of Report: November 12, 2021
 Samples Submitted: October 29, 2021
 Laboratory Reference: 2110-282
 Project: 14-05806-000

**TOTAL METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1104WH2					
Copper	ND	1.0	EPA 200.8	11-4-21	11-8-21	
Zinc	ND	5.0	EPA 200.8	11-4-21	11-8-21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	10-282-07							
	ORIG	DUP						
Copper	2.94	3.00	NA	NA	NA	NA	2	20
Zinc	5.22	ND	NA	NA	NA	NA	NA	20

MATRIX SPIKES

Laboratory ID:	MS	MSD	MS	MSD	MS	MSD	MSD	RPD	RPD Limit	Flags
10-282-07										
Copper	96.2	98.8	100	100	2.94	93	96	75-125	3	20
Zinc	99.2	101	100	100	5.22	94	96	75-125	2	20



Date of Report: November 12, 2021
 Samples Submitted: October 29, 2021
 Laboratory Reference: 2110-282
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-2021-1028					
Laboratory ID:	10-282-01					
Copper	3.2	1.0	EPA 200.8		11-8-21	
Zinc	51	5.0	EPA 200.8		11-8-21	

Client ID:	COUMI-2021-1028					
Laboratory ID:	10-282-02					
Copper	2.8	1.0	EPA 200.8		11-8-21	
Zinc	130	5.0	EPA 200.8		11-8-21	

Client ID:	TOSMO-2021-1028					
Laboratory ID:	10-282-03					
Copper	2.8	1.0	EPA 200.8		11-8-21	
Zinc	28	5.0	EPA 200.8		11-8-21	

Client ID:	TYLMO-2021-1028					
Laboratory ID:	10-282-04					
Copper	3.3	1.0	EPA 200.8		11-8-21	
Zinc	9.5	5.0	EPA 200.8		11-8-21	

Client ID:	TYLMI-2021-1028					
Laboratory ID:	10-282-05					
Copper	4.8	1.0	EPA 200.8		11-8-21	
Zinc	22	5.0	EPA 200.8		11-8-21	

Client ID:	MONMN-2021-1028					
Laboratory ID:	10-282-06					
Copper	2.0	1.0	EPA 200.8		11-8-21	
Zinc	5.7	5.0	EPA 200.8		11-8-21	

Client ID:	MONMS-2021-1028					
Laboratory ID:	10-282-07					
Copper	2.3	1.0	EPA 200.8		11-8-21	
Zinc	ND	5.0	EPA 200.8		11-8-21	



Date of Report: November 12, 2021
 Samples Submitted: October 29, 2021
 Laboratory Reference: 2110-282
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-2021-1028					
Laboratory ID:	10-282-08					
Copper	2.0	1.0	EPA 200.8		11-8-21	
Zinc	13	5.0	EPA 200.8		11-8-21	

Client ID:	TOSMI-2021-1028					
Laboratory ID:	10-282-09					
Copper	3.0	1.0	EPA 200.8		11-8-21	
Zinc	50	5.0	EPA 200.8		11-8-21	

Client ID:	EVAMS-2021-1028					
Laboratory ID:	10-282-10					
Copper	1.2	1.0	EPA 200.8		11-8-21	
Zinc	ND	5.0	EPA 200.8		11-8-21	

Client ID:	EVALSS-2021-1028					
Laboratory ID:	10-282-11					
Copper	1.2	1.0	EPA 200.8		11-8-21	
Zinc	ND	5.0	EPA 200.8		11-8-21	

Client ID:	SEIMN-2021-1028					
Laboratory ID:	10-282-12					
Copper	ND	1.0	EPA 200.8		11-8-21	
Zinc	ND	5.0	EPA 200.8		11-8-21	

Client ID:	COLM-2021-1028					
Laboratory ID:	10-282-13					
Copper	ND	1.0	EPA 200.8		11-8-21	
Zinc	ND	5.0	EPA 200.8		11-8-21	

Client ID:	SEIMS-2021-1028					
Laboratory ID:	10-282-14					
Copper	1.3	1.0	EPA 200.8		11-8-21	
Zinc	ND	5.0	EPA 200.8		11-8-21	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: November 12, 2021
Samples Submitted: October 29, 2021
Laboratory Reference: 2110-282
Project: 14-05806-000

DISSOLVED METALS
EPA 200.8

Matrix: Water
Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	QA111-2021-1028					
Laboratory ID:	10-282-15					
Copper	3.0	1.0	EPA 200.8		11-8-21	
Zinc	130	5.0	EPA 200.8		11-8-21	



Date of Report: November 12, 2021
 Samples Submitted: October 29, 2021
 Laboratory Reference: 2110-282
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1022F1					
Copper	ND	1.0	EPA 200.8	10-22-21	11-8-21	
Zinc	ND	5.0	EPA 200.8	10-22-21	11-8-21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	10-198-01							
	ORIG	DUP						
Copper	9.26	9.10	NA	NA	NA	NA	2	20
Zinc	71.2	70.4	NA	NA	NA	NA	1	20

MATRIX SPIKES

Laboratory ID:	10-198-01									
	MS	MSD	MS	MSD		MS	MSD			
Copper	92.2	89.6	80.0	80.0	9.26	104	100	75-125	3	20
Zinc	154	149	80.0	80.0	71.2	104	97	75-125	4	20





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
 - B - The analyte indicated was also found in the blank sample.
 - C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
 - E - The value reported exceeds the quantitation range and is an estimate.
 - F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
 - H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
 - I - Compound recovery is outside of the control limits.
 - J - The value reported was below the practical quantitation limit. The value is an estimate.
 - K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
 - L - The RPD is outside of the control limits.
 - M - Hydrocarbons in the gasoline range are impacting the diesel range result.
 - M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
 - N - Hydrocarbons in the lube oil range are impacting the diesel range result.
 - N1 - Hydrocarbons in diesel range are impacting lube oil range results.
 - O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
 - P - The RPD of the detected concentrations between the two columns is greater than 40.
 - Q - Surrogate recovery is outside of the control limits.
 - S - Surrogate recovery data is not available due to the necessary dilution of the sample.
 - T - The sample chromatogram is not similar to a typical _____.
 - U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
 - U1 - The practical quantitation limit is elevated due to interferences present in the sample.
 - V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
 - W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
 - X - Sample extract treated with a mercury cleanup procedure.
 - X1 - Sample extract treated with a Sulfuric acid/Silica gel cleanup procedure.
 - Y - The calibration verification for this analyte exceeded the 20% drift specified in method 8260C, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
 - Z -
- ND - Not Detected at PQL
 PQL - Practical Quantitation Limit
 RPD - Relative Percent Difference





Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664

*Professional
Analytical
Services*

Nov 12 2021
On-Site Environmental
14648 NE 95th ST
Redmond, WA 98052
Attention: David Baumeister

Dear David Baumeister:

Enclosed please find the analytical data for your REDMOND PAIRED WATERSHED STUDY project.

The following is a cross correlation of client and laboratory identifications for your convenience.

CLIENT ID	MATRIX	AMTEST ID	TEST
COUMO-20211028	Water	21-A016640	Micro, NUT
COUMI-20211028	Water	21-A016641	Micro, NUT
TOSMO-20211028	Water	21-A016642	Micro, NUT
TYLMO-20211028	Water	21-A016643	Micro, NUT
TYLMI-20211028	Water	21-A016644	Micro, NUT
MONMN-20211028	Water	21-A016645	Micro, NUT
MONMS-20211028	Water	21-A016646	Micro, NUT
MONM-20211028	Water	21-A016647	Micro, NUT
TOSMI-20211028	Water	21-A016648	Micro, NUT
EVAMS-20211028	Water	21-A016649	Micro, NUT
EVALSS-20211028	Water	21-A016650	Micro, NUT
SEIMN-20211028	Water	21-A016651	Micro, NUT
COLM-20211028	Water	21-A016652	Micro, NUT
SEIMS-20211028	Water	21-A016653	Micro, NUT
QA111-20211028	Water	21-A016654	Micro, NUT

Your samples were received on Friday, October 29, 2021. At the time of receipt, the samples were logged in and properly maintained prior to the subsequent analysis.

The analytical procedures used at AmTest are well documented and are typically derived from the protocols of the EPA, USDA, FDA or the Army Corps of Engineers.

Following the analytical data you will find the Quality Control (QC) results.

Please note that the detection limits that are listed in the body of the report refer to the Practical Quantitation Limits (PQL's), as opposed to the Method Detection Limits (MDL's).


Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664

**Professional
Analytical
Services**

Nov 12 2021
On-Site Environmental
continued . . .

If you should have any questions pertaining to the data package, please feel free to contact me.

Sincerely,


Aaron W. Young
Vice President

Project #: 14-05806-000
SDG #: 2121670
PO Number: 10-282

BACT = Bacteriological
CONV = Conventional

MET = Metals
ORG = Organics

NUT=Nutrients
DEM=Demand

MIN=Minerals

Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664
www.amtestlab.com



*Professional
Analytical
Services*

ANALYSIS REPORT

On-Site Environmental
14648 NE 95th ST
Redmond, WA 98052
Attention: David Baumeister
Project Name: REDMOND PAIRED WATERSHED STUDY
SDG Number: 2121670
Project #: 14-05806-000
PO Number: 10-282
All results reported on an as received basis.

Date Received: 10/29/21
Date Reported: 11/12/21

AMTEST Identification Number 21-A016640
Client Identification COUMO-20211028
Sampling Date 10/29/21, 13:40

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	600	CFU/100 ml		10	SM 9222D	OB	10/29/21
Total Nitrogen (NOX&TKN)	1.38	mg/l		0.1			
Total Nitrogen (TKN)	0.838	mg/l		0.2	SM4500N	KS	11/03/21
Total Nitrate + Nitrite	0.54	mg/l		0.02	SM4500NO3	KS	11/04/21

AMTEST Identification Number 21-A016641
Client Identification COUMI-20211028
Sampling Date 10/29/21, 14:00

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	6400	CFU/100 ml		100	SM 9222D	OB	10/29/21
Total Nitrogen (NOX&TKN)	1.69	mg/l		0.1			
Total Nitrogen (TKN)	1.34	mg/l		0.2	SM4500N	KS	11/03/21
Total Nitrate + Nitrite	0.35	mg/l		0.02	SM4500NO3	KS	11/04/21

AMTEST Identification Number 21-A016642
Client Identification TOSMO-20211028
Sampling Date 10/29/21, 14:50

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	540	CFU/100 ml		10	SM 9222D	OB	10/29/21
Total Nitrogen (NOX&TKN)	1.47	mg/l		0.1			
Total Nitrogen (TKN)	1.15	mg/l		0.2	SM4500N	KS	11/03/21
Total Nitrate + Nitrite	0.32	mg/l		0.02	SM4500NO3	KS	11/04/21

AMTEST Identification Number 21-A016643
Client Identification TYLMO-20211028
Sampling Date 10/29/21, 15:30

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	2300	CFU/100 ml		100	SM 9222D	OB	10/29/21
Total Nitrogen (NOX&TKN)	2.41	mg/l		0.1			
Total Nitrogen (TKN)	2.09	mg/l		0.2	SM4500N	KS	11/03/21
Total Nitrate + Nitrite	0.32	mg/l		0.02	SM4500NO3	KS	11/04/21

AMTEST Identification Number 21-A016644
Client Identification TYLMI-20211028
Sampling Date 10/29/21, 15:55

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	330	CFU/100 ml		10	SM 9222D	OB	10/29/21
Total Nitrogen (NOX&TKN)	1.86	mg/l		0.1			
Total Nitrogen (TKN)	0.990	mg/l		0.2	SM4500N	KS	11/03/21
Total Nitrate + Nitrite	0.87	mg/l		0.02	SM4500NO3	KS	11/04/21

AMTEST Identification Number 21-A016645
Client Identification MONMN-20211028
Sampling Date 10/29/21, 16:20

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	2100	CFU/100 ml		100	SM 9222D	OB	10/29/21
Total Nitrogen (NOX&TKN)	2.00	mg/l		0.1			
Total Nitrogen (TKN)	1.75	mg/l		0.2	SM4500N	KS	11/03/21
Total Nitrate + Nitrite	0.25	mg/l		0.02	SM4500NO3	KS	11/04/21

AMTEST Identification Number 21-A016646
Client Identification MONMS-20211028
Sampling Date 10/29/21, 16:55

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	480	CFU/100 ml		10	SM 9222D	OB	10/29/21
Total Nitrogen (NOX&TKN)	1.14	mg/l		0.1			
Total Nitrogen (TKN)	0.961	mg/l		0.2	SM4500N	KS	11/03/21
Total Nitrate + Nitrite	0.18	mg/l		0.02	SM4500NO3	KS	11/04/21

AMTEST Identification Number 21-A016647
Client Identification MONM-20211028
Sampling Date 10/29/21, 16:30

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	580	CFU/100 ml		10	SM 9222D	OB	10/29/21
Total Nitrogen (NOX&TKN)	2.61	mg/l		0.1			
Total Nitrogen (TKN)	2.15	mg/l		0.2	SM4500N	KS	11/03/21
Total Nitrate + Nitrite	0.46	mg/l		0.02	SM4500NO3	KS	11/04/21

AMTEST Identification Number 21-A016648
Client Identification TOSMI-20211028
Sampling Date 10/29/21, 13:40

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	2200	CFU/100 ml		100	SM 9222D	OB	10/29/21
Total Nitrogen (NOX&TKN)	1.03	mg/l		0.1			
Total Nitrogen (TKN)	0.727	mg/l		0.2	SM4500N	KS	11/03/21
Total Nitrate + Nitrite	0.30	mg/l		0.02	SM4500NO3	KS	11/04/21

AMTEST Identification Number 21-A016649
Client Identification EVAMS-20211028
Sampling Date 10/29/21, 14:20

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	460	CFU/100 ml		10	SM 9222D	OB	10/29/21
Total Nitrogen (NOX&TKN)	2.24	mg/l		0.1			
Total Nitrogen (TKN)	1.24	mg/l		0.2	SM4500N	KS	11/03/21
Total Nitrate + Nitrite	1.0	mg/l		0.02	SM4500NO3	KS	11/04/21

AMTEST Identification Number 21-A016650
Client Identification EVALSS-20211028
Sampling Date 10/29/21, 14:40

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	340	CFU/100 ml		10	SM 9222D	OB	10/29/21
Total Nitrogen (NOX&TKN)	2.93	mg/l		0.1			
Total Nitrogen (TKN)	2.12	mg/l		0.2	SM4500N	KS	11/03/21
Total Nitrate + Nitrite	0.81	mg/l		0.02	SM4500NO3	KS	11/04/21

AMTEST Identification Number 21-A016651
Client Identification SEIMN-20211028
Sampling Date 10/29/21, 15:10

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	28.	CFU/100 ml		1	SM 9222D	OB	10/29/21
Total Nitrogen (NOX&TKN)	1.10	mg/l		0.1			
Total Nitrogen (TKN)	0.804	mg/l		0.2	SM4500N	KS	11/03/21
Total Nitrate + Nitrite	0.30	mg/l		0.02	SM4500NO3	KS	11/04/21

AMTEST Identification Number 21-A016652
Client Identification COLM-20211028
Sampling Date 10/29/21, 15:50

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	65.	CFU/100 ml		1	SM 9222D	OB	10/29/21
Total Nitrogen (NOX&TKN)	1.06	mg/l		0.1			
Total Nitrogen (TKN)	0.780	mg/l		0.2	SM4500N	KS	11/03/21
Total Nitrate + Nitrite	0.28	mg/l		0.02	SM4500NO3	KS	11/04/21

AMTEST Identification Number 21-A016653
Client Identification SEIMS-20211028
Sampling Date 10/29/21, 17:30


Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	280	CFU/100 ml		10	SM 9222D	OB	10/29/21
Total Nitrogen (NOX&TKN)	1.85	mg/l		0.1			
Total Nitrogen (TKN)	1.46	mg/l		0.2	SM4500N	KS	11/03/21
Total Nitrate + Nitrite	0.39	mg/l		0.02	SM4500NO3	KS	11/04/21

AMTEST Identification Number 21-A016654
Client Identification QA111-20211028
Sampling Date 10/29/21, 14:05

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	3600	CFU/100 ml		100	SM 9222D	OB	10/29/21
Total Nitrogen (NOX&TKN)	1.48	mg/l		0.1			
Total Nitrogen (TKN)	1.19	mg/l		0.2	SM4500N	KS	11/03/21
Total Nitrate + Nitrite	0.29	mg/l		0.02	SM4500NO3	KS	11/04/21


Aaron W. Young
Vice President

QC Summary for sample numbers: 21-A016640 to 21-A016654

DUPLICATES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	DUP VALUE	RPD
21-A016641	Fecal Coliform	CFU/100 ml	6400	6800	6.1
21-A016658	Fecal Coliform	CFU/100 ml	3000	2400	22.
21-A016492	Total Nitrogen (TKN)	mg/l	0.553	0.521	6.0
21-A016643	Total Nitrogen (TKN)	mg/l	2.09	1.94	7.4
21-A016653	Total Nitrogen (TKN)	mg/l	1.46	1.59	8.5
21-A016662	Total Nitrogen (TKN)	mg/l	2.19	2.29	4.5
21-A016543	Total Nitrate + Nitrite	mg/l	0.11	0.12	8.7
21-A016641	Total Nitrate + Nitrite	mg/l	0.35	0.34	2.9
21-A016651	Total Nitrate + Nitrite	mg/l	0.30	0.30	0.00
21-A016866	Total Nitrate + Nitrite	mg/l	< 0.02	< 0.02	
21-A016873	Total Nitrate + Nitrite	mg/l	< 0.02	< 0.02	

MATRIX SPIKES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	SMPL+ SPK	SPK AMT	RECOVERY
21-A016492	Total Nitrogen (TKN)	mg/l	0.553	2.56	2.00	100.35 %
21-A016643	Total Nitrogen (TKN)	mg/l	2.09	4.14	2.00	102.50 %
21-A016653	Total Nitrogen (TKN)	mg/l	1.46	3.49	2.00	101.50 %
21-A016662	Total Nitrogen (TKN)	mg/l	2.19	4.31	2.00	106.00 %
21-A016543	Total Nitrate + Nitrite	mg/l	0.11	1.1	1.0	99.00 %
21-A016641	Total Nitrate + Nitrite	mg/l	0.35	1.4	1.0	105.00 %
21-A016651	Total Nitrate + Nitrite	mg/l	0.30	1.3	1.0	100.00 %
21-A016866	Total Nitrate + Nitrite	mg/l	< 0.02	1.0	1.0	100.00 %
21-A016873	Total Nitrate + Nitrite	mg/l	< 0.02	0.95	1.0	95.00 %

STANDARD REFERENCE MATERIALS

ANALYTE	UNITS	TRUE VALUE	MEASURED VALUE	RECOVERY
Total Nitrogen (TKN)	mg/l	1.00	1.00	100. %
Total Nitrogen (TKN)	mg/l	1.00	1.02	102. %
Total Nitrogen (TKN)	mg/l	1.00	1.02	102. %
Total Nitrogen (TKN)	mg/l	1.00	1.02	102. %
Total Nitrate + Nitrite	mg/l	1.0	0.98	98.0 %
Total Nitrate + Nitrite	mg/l	1.0	1.1	110. %

BLANKS

ANALYTE	UNITS	RESULT
Fecal Coliform	CFU/100 ml	< 1
Fecal Coliform	CFU/100 ml	< 1
Total Nitrogen (TKN)	mg/l	< 0.2

QC Summary for sample numbers: 21-A016640 to 21-A016654...

BLANKS continued....

ANALYTE	UNITS	RESULT
Total Nitrogen (TKN)	mg/l	< 0.2
Total Nitrogen (TKN)	mg/l	< 0.2
Total Nitrogen (TKN)	mg/l	< 0.2
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02



14648 NE 95th Street, Redmond, WA 98052 · (425) 883-3881

Laboratory: AmTest Laboratories

Attention: Aaron Young

13600 NE 126th PI Kirkland, WA 98034

Phone Number: (425) 885-1664

Turnaround Request

1 Day 2 Day 3 Day

Standard

Other: _____

Laboratory Reference #: 10-282

Project Manager: Blair Goodrow

email: bgoodrow@onsite-env.com

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Requested Analyses
1	COUMO-20211028 16640	10/28/21	13:40	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
2	COUMI-20211028 41	10/28/21	14:00	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
3	TOSMO-20211028 42	10/28/21	14:50	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
4	TYLMO-20211028 43	10/28/21	15:30	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
5	TYLMI-20211028 44	10/28/21	15:55	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
6	MONMN-20211028 45	10/28/21	16:20	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
7	MONMS-20211028 46	10/28/21	16:55	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
8	MONM-20211028 47	10/28/21	16:30	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
9	TOSMI-20211028 48	10/28/21	13:40	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
10	EVAMS-20211028 49	10/28/21	14:20	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
Signature		Company		Date	Time	Comments/Special Instructions
Relinquished by: <i>Naelli B...</i>		OSE		10/29/21	1155	EDDs - CSV Reporting Limits: Fecal Coliform - 1.0 cfu/100ml Total Nitrogen - .10 mg/L
Received by: <i>[Signature]</i>		AmTest		10/29/21	1155	
Relinquished by:						
Received by:						
Relinquished by:						
Received by:						

T=39

METER CALIBRATION LOG - Redmond Paired Watershed Study

Project Number:	14-05806-000		
Personnel Performing Calibration:	N. Barton		
Meter:	DROVSS #7		
Date/Time:	10/28/21		12:00
Barometric Pressure Start of Day:	mmHg: 764.0	Time: 12:00	
Barometric Pressure End of Day:	mmHg: 764.1	Time: 12:15	

Calibration Procedures:

Rinse Multimeter Sonde Between Each Operation

Rinse 3 times with tap water, 3 times with deionized water, then 3 times with the solution to be used for calibrating or testing.

Conductivity Calibration Notes:

1. Dry the conductivity probe with a lab tissue (e.g., KimWipes®) and DI water.
2. Fill calibration cup to within a centimeter of the top of the calibration cup with DI water (0 µS).
3. Fill the calibration cup with 1,000 µS standard so that the temperature/conductivity probe is submerged.
4. Make sure there are no bubbles in the cell; wait 2 minutes.
5. Enter the appropriate standard value (1,000 µS/cm or 1.0 mS/cm) for Sp Cond.
6. Check conductivity using 100 µS/cm standard.

Dissolved Oxygen Calibration Notes:

1. Fill the calibration cup with about 1/2 inch of DI; it should be below the sensor cap.
2. Use KimWipes® to dry any droplets from the sensor cap.
3. Invert calibration cup's cap and gently rest it on the cup.
4. Wait 5 minutes, making sure that temperature stabilizes.
5. Determine local barometric pressure (mm Hg) and enter this value into the meter.
6. Click "Calibrate". "Calibrate Successful" will be displayed.
7. To retain calibration accuracy between measurements, store with the sensor immersed in water or within a water-saturated air environment such as a sealed storage cup with at least 10 ml of water.
8. It is important to have the water-saturated air and the sensor at the same temperature. Therefore, store a jar of DI in the same environment as the sonde and calibrate in a similar air temperature as the water and sonde.
9. Keep probe out of direct sun or wind.



PRE Field Run CALIBRATION	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	4.8	0	23.5	
Conductivity (µS/cm)	967	1,000	23.7	
Conductivity (µS/cm)	1028	100	23.7	
DO % Saturation	100.6	100	23.5	
POST Field Run CHECK	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	1.0	0	23.3	
Conductivity (µS/cm)	97.8	100	23.3	
DO % Saturation	100.1	100	23.2	

METER CALIBRATION LOG - Redmond Paired Watershed Study

Project Number:	14-05806-000		
Personnel Performing Calibration:	N. Bortoni		
Meter:	Pro 055 #1		
Date/Time:	10/28/21	12:00	
Barometric Pressure Start of Day:	mmHg: 767.9	Time: 12:00	
Barometric Pressure End of Day:	mmHg: 763.9	Time: 12:15	

Calibration Procedures:
Rinse Multimeter Sonde Between Each Operation
Rinse 3 times with tap water, 3 times with deionized water, then 3 times with the solution to be used for calibrating or testing.
Conductivity Calibration Notes:



PRE Field Run CALIBRATION	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	3.2	0	22.6	
Conductivity (µS/cm)	1001	1,000	22.9	
Conductivity (µS/cm)	1024	100	22.9	
DO % Saturation	100.1	100	22.5	
POST Field Run CHECK				
Conductivity (µS/cm)	0.9	0	22.5	
Conductivity (µS/cm)	46.0	100	22.3	
DO % Saturation	100	100	22.7	

1. Dry the conductivity probe with a lab tissue (e.g., KimWipes®) and DI water.
 2. Fill calibration cup to within a centimeter of the top of the calibration cup with DI water (0 µS).
 3. Fill the calibration cup with 1,000 µS standard so that the temperature/conductivity probe is submerged.
 4. Make sure there are no bubbles in the cell; wait 2 minutes.
 5. Enter the appropriate standard value (1,000 µS/cm or 1.0 mS/cm) for Sp Cond.
 6. Check conductivity using 100 µS/cm standard.
- Dissolved Oxygen Calibration Notes:**
1. Fill the calibration cup with about 1/2 inch of DI; it should be below the sensor cap.
 2. Use KimWipes® to dry any droplets from the sensor cap.
 3. Invert calibration cup's cap and gently rest it on the cup.
 4. Wait 5 minutes, making sure that temperature stabilizes.
 5. Determine local barometric pressure (mm Hg) and enter this value into the meter.
 6. Click "Calibrate". "Calibrate Successful" will be displayed.
 7. To retain calibration accuracy between measurements, store with the sensor immersed in water or within a water-saturated air environment such as a sealed storage cup with at least 10 ml of water.
 8. It is important to have the water-saturated air and the sensor at the same temperature. Therefore, store a jar of DI in the same environment as the sonde and calibrate in a similar air temperature as the water and sonde.
 9. Keep probe out of direct sun or wind.

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Dina F Alison

Sample Date: 10/28/2021

Sample Time: 14:00

PDT:

SITE ID:

COUM1

Base Flow or Storm Event? (circled)

Field filtered 5 minutes later Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 60° + rain

Water Quality Sampling

Sample ID: COUM1

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>Yes</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity:

Color:

Odor:

Sheen:

Floatables:

LABORATORY DELIVERY

Date:

Time:

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 2.75

Reference Point (description): staff gauge

Water Quality Measurements

Temperature (°C) 12.8

Specific Conductivity (µs/cm) 140.1

Dissolved Oxygen (mg/L) 10.42

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Thea F Alison N
 Sample Date: 10/28/12 Sample Time: 14:00 PDT:
 Base Flow or Storm Event? Storm Field filtered 5 minutes later Y N
 (Must filter within 15 minutes of collection)

SITE ID: QA 111
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 60° + rain

Water Quality Sampling

Sample ID: QA111

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:
 Clarity: clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials:
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): 2.75
 Reference Point (description): staff gauge

Water Quality Measurements

Temperature (°C) 12.8
 Specific Conductivity (µs/cm) 140.1
 Dissolved Oxygen (mg/L) 10.42

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Thea F Allison N
 Sample Date: 10/28/21 Sample Time: 14:50
 Base Flow or Storm Event? (circled) Field filtered 5 minutes later? Y N
(Must filter within 15 minutes of collection)

SITE ID: TOSMO
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 60° rain

Water Quality Sampling

Sample ID: TOSMO

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	↗
DOC *	HDPE	250 ml	1	HCL	↕
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	↘

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: _____
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 _____
 YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.84
 Reference Point (description): Staff gage

Water Quality Measurements

Temperature (°C) 12.8
 Specific Conductivity (µs/cm) 110.0
 Dissolved Oxygen (mg/L) 10.43

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Tha F. Allison N
 Sample Date: 10/28/21 Sample Time: 15:55
 Base Flow or Storm Event? Y Field filtered 5 minutes later Y N
 (Must filter within 15 minutes of collection)

SITE ID: TYL&M1
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 60° rain

Water Quality Sampling

Sample ID: TYL&M1

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: OK
 Filter blank sample ID:
 Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: clear
 Color:
 Odor:
 Sheen:
 Floatables:

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials:
 Date Entered: _____ Time: _____
 Notes:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 _____
 YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): _____

Reference Point (description): staff gage

Water Quality Measurements

Temperature (°C) 12.8
 Specific Conductivity (µs/cm) 111.4
 Dissolved Oxygen (mg/L) 9.52

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Theresa F. Allison N
 Sample Date: 10/16/21 Sample Time: 15:30
 Base Flow or Storm Event? (circled) Field filtered 5 minutes later: Y N
 (Must filter within 15 minutes of collection)

SITE ID: TYLMO
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 60° + rain

Water Quality Sampling

Sample ID: TYLMO

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>Y</u>
DOC *	HDPE	250 ml	1	HCL	<u>Y</u>
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	<u>Y</u>
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	<u>Y</u>
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	<u>Y</u>
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	<u>Y</u>
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<u>Y</u>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: check
 Filter blank sample ID:
 Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: _____
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 _____
 YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): _____

Reference Point (description): top of current

Water Quality Measurements

Temperature (°C) 14.0
 Specific Conductivity (µs/cm) 47.9
 Dissolved Oxygen (mg/L) 9.99

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Theresa P. Allison
 Sample Date: 10/28/21 Sample Time: 16:20 PDT:
 Base Flow or Storm Event? 0 Field filtered 5 minutes later: Y N
 (Must filter within 15 minutes of collection)

SITE ID: MONMN
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 60° + rain

Water Quality Sampling

Sample ID: MONMN

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	X
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	↓

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: _____
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
 YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 _____
 YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): _____
 Reference Point (description): staff gauge

Water Quality Measurements

Temperature (°C) 12.3
 Specific Conductivity (µs/cm) 93.7
 Dissolved Oxygen (mg/L) 9.97

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Thia P Allison N
 Sample Date: 10/28/21 Sample Time: 16:55 PDT:
 Base Flow or Storm Event? Y Field filtered 5 minutes later: Y N
 (Must filter within 15 minutes of collection)

SITE ID: MONMS
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study
 Current Weather and Temp: 60° + rain

Water Quality Sampling

Sample ID: MONMS

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: _____
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 6.73
 Reference Point (description): PCP pipe

Water Quality Measurements

Temperature (°C) 13.4
 Specific Conductivity (µs/cm) 144.1
 Dissolved Oxygen (mg/L) 7.74

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Thia F Allison

Sample Date: 10/28/21

Sample Time: 17:30

SITE ID: SBIMS

PDT:

Base Flow or Storm Event? Storm

Field filtered 5 minutes later: N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 60° rain

Water Quality Sampling

Sample ID: SBIMS

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	↕
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	↕

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump.

Duplicate sample ID: copy

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: Clear

Color:

Odor:

Sheen:

Floatables:

LABORATORY DELIVERY

Date:

Time:

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.92

Reference Point (description): staff gauge

Water Quality Measurements

Temperature (°C) 11.3

Specific Conductivity (µs/cm) 86.2

Dissolved Oxygen (mg/L) 9.67

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Thea F Allison N
 Sample Date: 10/28/21 Sample Time: 13:40 PDT:
 Base Flow or Storm Event? Storm Field filtered 5 minutes later: Y PST:
 (Must filter within 15 minutes of collection)

SITE ID: COUMD
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 61° light rain

Water Quality Sampling

Sample ID: COUMD10282021

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clean
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
 YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 _____
 YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): 1.49
 Reference Point (description): staff gauge

Water Quality Measurements

Temperature (°C) 13.3
 Specific Conductivity (µs/cm) 127.0
 Dissolved Oxygen (mg/L) 9.98

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB, DG

Sample Date: 10/28/21

Sample Time: 14:20

PDT:

SITE ID: EVAMS

Base Flow or Storm Event? (Storm)

Field filtered 5 minutes later N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: rainy, 56°F

Water Quality Sampling

Sample ID: EVAMS 20211028

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>no</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	↓

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear
 Color: yellow
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 3.9

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 10.9

Specific Conductivity (µs/cm) 170.1

Dissolved Oxygen (mg/L) 10.49

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB, DG

Sample Date: 10/28/21

Sample Time: 14:40

Base Flow or Storm Event? (Storm)

Field filtered 5 minutes later: Y N

(Must filter within 15 minutes of collection)

SITE ID: EVALSS

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: rainy, 61°F



HERRERA

Water Quality Sampling

Sample ID: EVALSS20211028

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>no</u>
DOC *	HDPE	250 ml	1	HCL	<u>↓</u>
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	<u>↓</u>
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	<u>↓</u>
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	<u>↓</u>
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	<u>↓</u>
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<u>↓</u>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: low visibility

Color: brown

Odor:

Sheen:

Floatables: some visible

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 2.48

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 11.0°

Specific Conductivity (µs/cm) 155.9

Dissolved Oxygen (mg/L) 11.05

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB, DG

Sample Date: 10/28/21

Sample Time: 15:10

PDT:

SITE ID: SEIMN

Base Flow or Storm Event? (circled)

Field filtered 5 minutes later Y N
(Must filter within 15 minutes of collection)

PST:

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: rainy, 59°F

Water Quality Sampling

Sample ID: SEIMN20211028

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>no</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	↓

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____

Filter blank sample ID: _____

Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear

Color: _____

Odor: _____

Sheen: _____

Floatables: _____

LABORATORY DELIVERY

Date: _____

Time: _____

Quality Assurance

Checked By: _____

Signature: _____

Date Checked: _____

Time: _____

Data Entered into Database? _____

YES

NO

initials: _____

Date Entered: _____

Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 9.1 inches

Reference Point (description): type measure

Water Quality Measurements

Temperature (°C) 10.2

Specific Conductivity (µs/cm) 91.0

Dissolved Oxygen (mg/L) 10.88

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB, DG

Sample Date: 10/28/21

Sample Time: 15:50

PDT:

SITE ID: COLM

Base Flow or Storm Event? (circled)

Field filtered 5 minutes later: Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: rainy, 60°F

Water Quality Sampling

Sample ID: COLM20211028

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>no</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	↓
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	↓
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	↓
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	↓
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	↓

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear
 Color: yellow
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 5.64

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 10.3

Specific Conductivity (µs/cm) 50.3

Dissolved Oxygen (mg/L) 9.84

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB, DG

Sample Date: 10/28/21

Sample Time: 16:30

PDT:

SITE

ID: MONM

Base Flow or Storm Event?

Field filtered 5 minutes later Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Water Quality Sampling

Sample ID: MONM2021028

Current Weather and Temp: rainy, 59°F

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>no</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	↓

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: low visibility
 Color: brown
 Odor: _____
 Sheen: _____
 Floatables: present

LABORATORY DELIVERY

Date: _____ Time: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): _____

Reference Point (description): NA

Water Quality Measurements

Temperature (°C) 11.8

Specific Conductivity (µs/cm) 119.7

Dissolved Oxygen (mg/L) 99.2

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB, DG

Sample Date: 10/28/21

Sample Time: 13:40

PDT:

SITE ID: TOSMI

Base Flow or Storm/Event? (circled)

Field filtered 5 minutes later N

PST:

Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: rainy, 55° F

Water Quality Sampling

Sample ID: TOSMI 20211028

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	NO
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	↓

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Fair
 Color: yellow
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 _____
 YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.96
 Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 12.5
 Specific Conductivity (µs/cm) 84.0
 Dissolved Oxygen (mg/L) 10.41



CHAIN OF CUSTODY

14648 NE 95th Street, Redmond, WA 98052
Telephone: 425.883.3881

Company: Herrera Environmental Consultants

Project No.: 14-05806-000

Project Name: Redmond Paired Watershed Study

Project Manager: George Iftner

Turnaround Requested:

- 1 Day
 2 Day
 3 Day
 Standard

Laboratory No.

10-282

Requested Analyses

Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
-----------------------------------	-----------------------	---------------------------------	-------------------------------------	---------------------------	------------------------------	------------------------------	-----------------------------	-----------------------------------

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
1	COUMO-2021 -1028	10/28/21	13:40	Water	7	X	X	X	X	X	X	X	X	X
2	COUMI-2021 -1028	↓	14:00	Water	7	X	X	X	X	X	X	X	X	X
3	TOSMO-2021 -1028		14:50	Water	7	X	X	X	X	X	X	X	X	X
4	TYLMO-2021 -1028		15:30	Water	7	X	X	X	X	X	X	X	X	X
5	TYLMI-2021 -1028		15:55	Water	7	X	X	X	X	X	X	X	X	X
6	MONMN-2021 -1028		16:20	Water	7	X	X	X	X	X	X	X	X	X
7	MONMS-2021 -1028		16:55	Water	7	X	X	X	X	X	X	X	X	X
8	MONM-2021 -1028		16:30	Water	7	X	X	X	X	X	X	X	X	X
9	TOSMI-2021 -1028		13:40	Water	7	X	X	X	X	X	X	X	X	X
10	EVAMS-2021 -1028		14:20	Water	7	X	X	X	X	X	X	X	X	X
11	EVALSS-2021 -1028		14:40	Water	7	X	X	X	X	X	X	X	X	X
12	SEIMN-2021 -1028		15:10	Water	7	X	X	X	X	X	X	X	X	X
13	COLM-2021 -1028		15:50	Water	7	X	X	X	X	X	X	X	X	X
14	SEIMS-2021 -1028		17:30	Water	7	X	X	X	X	X	X	X	X	X
15	QA111 - 2021-1028		14:05	Water	7	X	X	X	X	X	X	X	X	X

Relinquished by Allison N Jacobs Date 10/29/21 Received by [Signature] Date 10/29/21
 Firm HEC Time 8:30 Firm [Signature] Time 8:30
 Relinquished by _____ Date _____ Received by _____ Date _____
 Firm _____ Time _____ Firm _____ Time _____

Comments:
* - field filtered with 0.45 µm filter within 15 minutes of collecting sample



HERRERA

Data Quality Assurance Worksheet

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 10/28/21 /All locations, QA111 (COUMI) Lab Ref No 2110-282

By J. Brown

Date 12/27/21 Page 1 of 2

Checked: initials
JL

date 12/28/2022

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹		
TSS	OK / SM 2540D	NA	NA	6	≤7	≤1.0 mg/L 1.0 mg/L	NA	NA	94	±20	3	≤25	5	≤25	OK	NONE
Turbidity	OK / EPA 180.1	NA	NA	1	≤2	≤0.1 NTU 0.1 NTU	NA	NA	NA	±10	13	≤25	140	≤25	OK	NONE
Hardness	OK / SM 2340B	NA	NA	6	≤180	≤1.0 mg/L 1.0 mg/L	118, 107	±25	107	±15	3 MS 7	≤20	17	≤20	OK	NONE
DOC	OK / SM 5310B	≤15	≤15	7	≤28	≤1.0 mg/L 1.0 mg/L	97	±25	114	±15	1	≤20	<1	≤20	OK	NONE
Total Phosphorus	OK / EPA 365.1	NA	NA	11	≤28	≤0.01 mg/L 0.01 mg/L	92	±25	87	±20	5	≤20	9	≤20	OK	NONE
Total Nitrogen (TKN + N+N)	OK/ SM 4500 N-B	NA	NA	6, 7	≤28	≤0.1 mg/L 0.1 mg/L	95-106	±25	98-110	±20	<1-9 D=0.03	≤20	12, 19	≤20	OK	NONE

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.

NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported



Data Quality Assurance Worksheet

HERRERA

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 10/28/21 /All locations, QA111 (COUMI) Lab Ref No 2110-282

By J. Brown

Date 12/27/21 Page 2 of 2

Checked: initials JL

date 12/28/2022

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal	Reported	Goal ¹	Reported	Goal ¹		
Total Copper	OK/ EPA 200.8	NA	NA	11	≤180	≤1.0 µg/L 1.0 µg/L	93, 96	±25	NR	±15	2 MS 3	≤20	9	≤20	OK	NONE
Total Zinc	OK/ EPA 200.8	NA	NA	11	≤180	≤5.0 µg/L 5.0 µg/L	94, 96	±25	NR	±15	NC MS 2	≤20	8	≤20	OK	NONE
Dissolved Copper	OK/ EPA 200.8	≤15	≤15	11	≤180	≤1.0 µg/L 1.0 µg/L	104, 100	±25	NR	±15	2 MS 3	≤20	D=0.2	≤20	OK	NONE
Dissolved Zinc	OK/ EPA 200.8	≤15	≤15	11	≤180	≤5.0 µg/L 5.0 µg/L	104, 97	±25	NR	±15	1 MS 4	≤20	<1	≤20	OK	NONE
Fecal Coliform	OK/ SM 9222D	NA	NA	11	≤1	≤1.0 cfu/ 100mL 10 cfu/ 100mL	NA	NA	NA	NA	6, 22	≤35	56	≤50	OK	FLAG COUMI J DUE TO FIELD DUPE EXCEEDANCE

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.

NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

November 24, 2021

Jess Brown
Herrera Environmental Consultants, Inc.
2200 6th Avenue, Suite 1100
Seattle, WA 98121

Re: Analytical Data for Project 14-05806-000
Laboratory Reference No. 2111-138

Dear Jess:

Enclosed are the analytical results and associated quality control data for samples submitted on November 12, 2021.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read "Blair Goodrow", enclosed within a large, loopy circular flourish.

Blair Goodrow
Project Manager

Enclosures



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: November 24, 2021
Samples Submitted: November 12, 2021
Laboratory Reference: 2111-138
Project: 14-05806-000

Case Narrative

Samples were collected on November 11, 2021 and received by the laboratory on November 12, 2021. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.



Date of Report: November 24, 2021
 Samples Submitted: November 12, 2021
 Laboratory Reference: 2111-138
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20211111					
Laboratory ID:	11-138-01					
Total Suspended Solids	77	2.5	SM 2540D	11-12-21	11-15-21	

Client ID:	COUMI-20211111					
Laboratory ID:	11-138-02					
Total Suspended Solids	240	5.0	SM 2540D	11-12-21	11-15-21	

Client ID:	TOSMO-20211111					
Laboratory ID:	11-138-03					
Total Suspended Solids	240	5.0	SM 2540D	11-12-21	11-15-21	

Client ID:	TYLMO-20211111					
Laboratory ID:	11-138-04					
Total Suspended Solids	17	1.0	SM 2540D	11-12-21	11-15-21	

Client ID:	TYLMI-20211111					
Laboratory ID:	11-138-05					
Total Suspended Solids	15	2.0	SM 2540D	11-12-21	11-15-21	

Client ID:	MONMN-20211111					
Laboratory ID:	11-138-06					
Total Suspended Solids	21	2.0	SM 2540D	11-12-21	11-15-21	

Client ID:	MONMS-20211111					
Laboratory ID:	11-138-07					
Total Suspended Solids	4.0	1.0	SM 2540D	11-12-21	11-15-21	

Client ID:	MONM-20211111					
Laboratory ID:	11-138-08					
Total Suspended Solids	22	2.0	SM 2540D	11-12-21	11-15-21	

Client ID:	TOSMI-20211111					
Laboratory ID:	11-138-09					
Total Suspended Solids	230	5.0	SM 2540D	11-12-21	11-15-21	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: November 24, 2021
 Samples Submitted: November 12, 2021
 Laboratory Reference: 2111-138
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	EVAMS-20211111					
Laboratory ID:	11-138-10					
Total Suspended Solids	5.8	1.0	SM 2540D	11-12-21	11-15-21	

Client ID:	EVALSS-20211111					
Laboratory ID:	11-138-11					
Total Suspended Solids	30	5.0	SM 2540D	11-12-21	11-15-21	

Client ID:	SEIMN-20211111					
Laboratory ID:	11-138-12					
Total Suspended Solids	38	2.5	SM 2540D	11-12-21	11-15-21	

Client ID:	COLM-20211111					
Laboratory ID:	11-138-13					
Total Suspended Solids	3.8	1.0	SM 2540D	11-12-21	11-15-21	

Client ID:	SEIMS-20211111					
Laboratory ID:	11-138-14					
Total Suspended Solids	18	2.5	SM 2540D	11-12-21	11-15-21	

Client ID:	QA112-20211111					
Laboratory ID:	11-138-15					
Total Suspended Solids	32	5.0	SM 2540D	11-12-21	11-15-21	



Date of Report: November 24, 2021
 Samples Submitted: November 12, 2021
 Laboratory Reference: 2111-138
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1112W1					
Total Suspended Solids	ND	1.0	SM 2540D	11-12-21	11-15-21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	11-138-02							
	ORIG	DUP						
Total Suspended Solids	236	247	NA	NA	NA	NA	5	26

SPIKE BLANK								
Laboratory ID:	SB1112W1							
	SB	SB		SB				
Total Suspended Solids	82.0	100	NA	82	67-118	NA	NA	



Date of Report: November 24, 2021
 Samples Submitted: November 12, 2021
 Laboratory Reference: 2111-138
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20211111					
Laboratory ID:	11-138-01					
Turbidity	30	0.10	EPA 180.1	11-12-21	11-12-21	

Client ID:	COUMI-20211111					
Laboratory ID:	11-138-02					
Turbidity	100	0.50	EPA 180.1	11-12-21	11-12-21	

Client ID:	TOSMO-20211111					
Laboratory ID:	11-138-03					
Turbidity	96	0.50	EPA 180.1	11-12-21	11-12-21	

Client ID:	TYLMO-20211111					
Laboratory ID:	11-138-04					
Turbidity	10	0.10	EPA 180.1	11-12-21	11-12-21	

Client ID:	TYLMI-20211111					
Laboratory ID:	11-138-05					
Turbidity	9.2	0.10	EPA 180.1	11-12-21	11-12-21	

Client ID:	MONMN-20211111					
Laboratory ID:	11-138-06					
Turbidity	7.9	0.10	EPA 180.1	11-12-21	11-12-21	

Client ID:	MONMS-20211111					
Laboratory ID:	11-138-07					
Turbidity	3.7	0.10	EPA 180.1	11-12-21	11-12-21	

Client ID:	MONM-20211111					
Laboratory ID:	11-138-08					
Turbidity	11	0.10	EPA 180.1	11-12-21	11-12-21	

Client ID:	TOSMI-20211111					
Laboratory ID:	11-138-09					
Turbidity	74	0.50	EPA 180.1	11-12-21	11-12-21	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: November 24, 2021
 Samples Submitted: November 12, 2021
 Laboratory Reference: 2111-138
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	EVAMS-20211111					
Laboratory ID:	11-138-10					
Turbidity	3.6	0.10	EPA 180.1	11-12-21	11-12-21	

Client ID:	EVALSS-20211111					
Laboratory ID:	11-138-11					
Turbidity	14	0.10	EPA 180.1	11-12-21	11-12-21	

Client ID:	SEIMN-20211111					
Laboratory ID:	11-138-12					
Turbidity	16	0.10	EPA 180.1	11-12-21	11-12-21	

Client ID:	COLM-20211111					
Laboratory ID:	11-138-13					
Turbidity	1.8	0.10	EPA 180.1	11-12-21	11-12-21	

Client ID:	SEIMS-20211111					
Laboratory ID:	11-138-14					
Turbidity	8.0	0.10	EPA 180.1	11-12-21	11-12-21	

Client ID:	QA112-20211111					
Laboratory ID:	11-138-15					
Turbidity	13	0.10	EPA 180.1	11-12-21	11-12-21	



Date of Report: November 24, 2021
 Samples Submitted: November 12, 2021
 Laboratory Reference: 2111-138
 Project: 14-05806-000

**TURBIDITY
 EPA 180.1
 QUALITY CONTROL**

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1112W1					
Turbidity	ND	0.10	EPA 180.1	11-12-21	11-12-21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	11-138-01							
	ORIG	DUP						
Turbidity	30.2	31.9	NA	NA	NA	NA	5	13



Date of Report: November 24, 2021
 Samples Submitted: November 12, 2021
 Laboratory Reference: 2111-138
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20211111					
Laboratory ID:	11-138-01					
Hardness	32	1.0	EPA 200.7/SM 2340B	11-17-21	11-17-21	

Client ID:	COUMI-20211111					
Laboratory ID:	11-138-02					
Hardness	75	1.0	EPA 200.7/SM 2340B	11-17-21	11-17-21	

Client ID:	TOSMO-20211111					
Laboratory ID:	11-138-03					
Hardness	49	1.0	EPA 200.7/SM 2340B	11-17-21	11-17-21	

Client ID:	TYLMO-20211111					
Laboratory ID:	11-138-04					
Hardness	26	1.0	EPA 200.7/SM 2340B	11-17-21	11-17-21	

Client ID:	TYLMI-20211111					
Laboratory ID:	11-138-05					
Hardness	40	1.0	EPA 200.7/SM 2340B	11-17-21	11-17-21	

Client ID:	MONMN-20211111					
Laboratory ID:	11-138-06					
Hardness	38	1.0	EPA 200.7/SM 2340B	11-17-21	11-17-21	

Client ID:	MONMS-20211111					
Laboratory ID:	11-138-07					
Hardness	60	1.0	EPA 200.7/SM 2340B	11-17-21	11-17-21	



Date of Report: November 24, 2021
 Samples Submitted: November 12, 2021
 Laboratory Reference: 2111-138
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20211111					
Laboratory ID:	11-138-08					
Hardness	51	1.0	EPA 200.7/SM 2340B	11-17-21	11-17-21	

Client ID:	TOSMI-20211111					
Laboratory ID:	11-138-09					
Hardness	37	1.0	EPA 200.7/SM 2340B	11-17-21	11-17-21	

Client ID:	EVAMS-20211111					
Laboratory ID:	11-138-10					
Hardness	70	1.0	EPA 200.7/SM 2340B	11-17-21	11-17-21	

Client ID:	EVALSS-20211111					
Laboratory ID:	11-138-11					
Hardness	69	1.0	EPA 200.7/SM 2340B	11-17-21	11-17-21	

Client ID:	SEIMN-20211111					
Laboratory ID:	11-138-12					
Hardness	27	1.0	EPA 200.7/SM 2340B	11-17-21	11-17-21	

Client ID:	COLM-20211111					
Laboratory ID:	11-138-13					
Hardness	16	1.0	EPA 200.7/SM 2340B	11-17-21	11-17-21	

Client ID:	SEIMS-20211111					
Laboratory ID:	11-138-14					
Hardness	40	1.0	EPA 200.7/SM 2340B	11-17-21	11-17-21	



Date of Report: November 24, 2021
Samples Submitted: November 12, 2021
Laboratory Reference: 2111-138
Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	QA112-20211111					
Laboratory ID:	11-138-15					
Hardness	70	1.0	EPA 200.7/SM 2340B	11-17-21	11-17-21	



Date of Report: November 24, 2021
 Samples Submitted: November 12, 2021
 Laboratory Reference: 2111-138
 Project: 14-05806-000

**HARDNESS
 EPA 200.7/SM 2340B
 QUALITY CONTROL**

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1117WH2					
Hardness	ND	1.0	EPA 200.7/SM 2340B	11-17-21	11-17-21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	11-138-01							
	ORIG	DUP						
Hardness	31.7	31.1	NA	NA	NA	2	20	

MATRIX SPIKES

Laboratory ID:	11-138-01									
	MS	MSD	MS	MSD	MS	MSD				
Hardness	170	171	132	132	31.7	105	106	75-125	1	20

SPIKE BLANK

Laboratory ID:	SB1117WH2									
	SB		SB		SB					
Hardness	141		132		107			85-115	NA	NA



Date of Report: November 24, 2021
 Samples Submitted: November 12, 2021
 Laboratory Reference: 2111-138
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20211111					
Laboratory ID:	11-138-01					
Dissolved Organic Carbon	4.3	1.0	SM 5310B	11-12-21	11/12//21	

Client ID:	COUMI-20211111					
Laboratory ID:	11-138-02					
Dissolved Organic Carbon	7.9	1.0	SM 5310B	11-12-21	11/12//21	

Client ID:	TOSMO-20211111					
Laboratory ID:	11-138-03					
Dissolved Organic Carbon	6.2	1.0	SM 5310B	11-12-21	11/12//21	

Client ID:	TYLMO-20211111					
Laboratory ID:	11-138-04					
Dissolved Organic Carbon	4.7	1.0	SM 5310B	11-12-21	11/12//21	

Client ID:	TYLMI-20211111					
Laboratory ID:	11-138-05					
Dissolved Organic Carbon	7.4	1.0	SM 5310B	11-12-21	11/12//21	

Client ID:	MONMN-20211111					
Laboratory ID:	11-138-06					
Dissolved Organic Carbon	5.8	1.0	SM 5310B	11-12-21	11/12//21	

Client ID:	MONMS-20211111					
Laboratory ID:	11-138-07					
Dissolved Organic Carbon	6.9	1.0	SM 5310B	11-12-21	11/12//21	

Client ID:	MONM-20211111					
Laboratory ID:	11-138-08					
Dissolved Organic Carbon	5.8	1.0	SM 5310B	11-12-21	11/12//21	

Client ID:	TOSMI-20211111					
Laboratory ID:	11-138-09					
Dissolved Organic Carbon	4.3	1.0	SM 5310B	11-12-21	11/12//21	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: November 24, 2021
 Samples Submitted: November 12, 2021
 Laboratory Reference: 2111-138
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	EVAMS-20211111					
Laboratory ID:	11-138-10					
Dissolved Organic Carbon	10	1.0	SM 5310B	11-12-21	11/12//21	

Client ID:	EVALSS-20211111					
Laboratory ID:	11-138-11					
Dissolved Organic Carbon	9.8	1.0	SM 5310B	11-12-21	11/12//21	

Client ID:	SEIMN-20211111					
Laboratory ID:	11-138-12					
Dissolved Organic Carbon	9.4	1.0	SM 5310B	11-12-21	11/12//21	

Client ID:	COLM-20211111					
Laboratory ID:	11-138-13					
Dissolved Organic Carbon	16	1.0	SM 5310B	11-12-21	11/12//21	

Client ID:	SEIMS-20211111					
Laboratory ID:	11-138-14					
Dissolved Organic Carbon	13	1.0	SM 5310B	11-12-21	11/12//21	

Client ID:	QA112-20211111					
Laboratory ID:	11-138-15					
Dissolved Organic Carbon	9.7	1.0	SM 5310B	11-12-21	11/12//21	



Date of Report: November 24, 2021
 Samples Submitted: November 12, 2021
 Laboratory Reference: 2111-138
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1112F1					
Dissolved Organic Carbon	ND	1.0	SM 5310B	11-12-21	11/12//21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	11-138-01							
	ORIG	DUP						
Dissolved Organic Carbon	4.28	4.48	NA	NA	NA	5	15	

MATRIX SPIKE

Laboratory ID:	11-138-01							
	MS	MS		MS				
Dissolved Organic Carbon	14.7	10.0	4.28	104	91-117	NA	NA	

SPIKE BLANK

Laboratory ID:	SB1112F1							
	SB	SB		SB				
Dissolved Organic Carbon	10.3	10.0	NA	103	88-116	NA	NA	



Date of Report: November 24, 2021
 Samples Submitted: November 12, 2021
 Laboratory Reference: 2111-138
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20211111					
Laboratory ID:	11-138-01					
Total Phosphorus	0.16	0.010	EPA 365.1	11-16-21	11-17-21	

Client ID:	COUMI-20211111					
Laboratory ID:	11-138-02					
Total Phosphorus	0.41	0.010	EPA 365.1	11-16-21	11-17-21	

Client ID:	TOSMO-20211111					
Laboratory ID:	11-138-03					
Total Phosphorus	0.33	0.010	EPA 365.1	11-16-21	11-17-21	

Client ID:	TYLMO-20211111					
Laboratory ID:	11-138-04					
Total Phosphorus	0.053	0.010	EPA 365.1	11-16-21	11-17-21	

Client ID:	TYLMI-20211111					
Laboratory ID:	11-138-05					
Total Phosphorus	0.061	0.010	EPA 365.1	11-16-21	11-17-21	

Client ID:	MONMN-20211111					
Laboratory ID:	11-138-06					
Total Phosphorus	0.048	0.010	EPA 365.1	11-16-21	11-17-21	

Client ID:	MONMS-20211111					
Laboratory ID:	11-138-07					
Total Phosphorus	0.035	0.010	EPA 365.1	11-16-21	11-17-21	

Client ID:	MONM-20211111					
Laboratory ID:	11-138-08					
Total Phosphorus	0.066	0.010	EPA 365.1	11-16-21	11-17-21	

Client ID:	TOSMI-20211111					
Laboratory ID:	11-138-09					
Total Phosphorus	0.28	0.010	EPA 365.1	11-16-21	11-17-21	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: November 24, 2021
 Samples Submitted: November 12, 2021
 Laboratory Reference: 2111-138
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	EVAMS-20211111					
Laboratory ID:	11-138-10					
Total Phosphorus	0.030	0.010	EPA 365.1	11-16-21	11-17-21	

Client ID:	EVALSS-20211111					
Laboratory ID:	11-138-11					
Total Phosphorus	0.059	0.010	EPA 365.1	11-16-21	11-17-21	

Client ID:	SEIMN-20211111					
Laboratory ID:	11-138-12					
Total Phosphorus	0.078	0.010	EPA 365.1	11-16-21	11-17-21	

Client ID:	COLM-20211111					
Laboratory ID:	11-138-13					
Total Phosphorus	0.019	0.010	EPA 365.1	11-16-21	11-17-21	

Client ID:	SEIMS-20211111					
Laboratory ID:	11-138-14					
Total Phosphorus	0.059	0.010	EPA 365.1	11-16-21	11-17-21	

Client ID:	QA112-20211111					
Laboratory ID:	11-138-15					
Total Phosphorus	0.063	0.010	EPA 365.1	11-16-21	11-17-21	



Date of Report: November 24, 2021
 Samples Submitted: November 12, 2021
 Laboratory Reference: 2111-138
 Project: 14-05806-000

**TOTAL PHOSPHORUS
 EPA 365.1
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1116W1					
Total Phosphorus	ND	0.010	EPA 365.1	11-16-21	11-17-21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	11-138-01							
	ORIG	DUP						
Total Phosphorus	0.162	0.164	NA	NA	NA	1	19	

MATRIX SPIKE								
Laboratory ID:	11-138-01							
	MS	MS		MS				
Total Phosphorus	0.393	0.250	0.162	92	83-110	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB1116W1							
	SB	SB		SB				
Total Phosphorus	0.215	0.250	NA	86	83-110	NA	NA	



Date of Report: November 24, 2021
 Samples Submitted: November 12, 2021
 Laboratory Reference: 2111-138
 Project: 14-05806-000

**TOTAL METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20211111					
Laboratory ID:	11-138-01					
Copper	4.7	1.0	EPA 200.8	11-15-21	11-17-21	
Zinc	86	5.0	EPA 200.8	11-15-21	11-17-21	

Client ID:	COUMI-20211111					
Laboratory ID:	11-138-02					
Copper	8.8	1.0	EPA 200.8	11-15-21	11-17-21	
Zinc	240	13	EPA 200.8	11-15-21	11-17-21	

Client ID:	TOSMO-20211111					
Laboratory ID:	11-138-03					
Copper	11	1.0	EPA 200.8	11-15-21	11-17-21	
Zinc	220	13	EPA 200.8	11-15-21	11-17-21	

Client ID:	TYLMO-20211111					
Laboratory ID:	11-138-04					
Copper	3.5	1.0	EPA 200.8	11-15-21	11-17-21	
Zinc	19	5.0	EPA 200.8	11-15-21	11-17-21	

Client ID:	TYLMI-20211111					
Laboratory ID:	11-138-05					
Copper	4.2	1.0	EPA 200.8	11-15-21	11-17-21	
Zinc	24	5.0	EPA 200.8	11-15-21	11-17-21	

Client ID:	MONMN-20211111					
Laboratory ID:	11-138-06					
Copper	1.7	1.0	EPA 200.8	11-15-21	11-17-21	
Zinc	8.3	5.0	EPA 200.8	11-15-21	11-17-21	

Client ID:	MONMS-20211111					
Laboratory ID:	11-138-07					
Copper	2.1	1.0	EPA 200.8	11-15-21	11-17-21	
Zinc	ND	5.0	EPA 200.8	11-15-21	11-17-21	



Date of Report: November 24, 2021
 Samples Submitted: November 12, 2021
 Laboratory Reference: 2111-138
 Project: 14-05806-000

**TOTAL METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20211111					
Laboratory ID:	11-138-08					
Copper	2.1	1.0	EPA 200.8	11-15-21	11-17-21	
Zinc	19	5.0	EPA 200.8	11-15-21	11-17-21	

Client ID:	TOSMI-20211111					
Laboratory ID:	11-138-09					
Copper	12	1.0	EPA 200.8	11-15-21	11-17-21	
Zinc	260	13	EPA 200.8	11-15-21	11-17-21	

Client ID:	EVAMS-20211111					
Laboratory ID:	11-138-10					
Copper	ND	1.0	EPA 200.8	11-15-21	11-17-21	
Zinc	ND	5.0	EPA 200.8	11-15-21	11-17-21	

Client ID:	EVALSS-20211111					
Laboratory ID:	11-138-11					
Copper	1.9	1.0	EPA 200.8	11-15-21	11-17-21	
Zinc	ND	5.0	EPA 200.8	11-15-21	11-17-21	

Client ID:	SEIMN-20211111					
Laboratory ID:	11-138-12					
Copper	1.9	1.0	EPA 200.8	11-15-21	11-17-21	
Zinc	ND	5.0	EPA 200.8	11-15-21	11-17-21	

Client ID:	COLM-20211111					
Laboratory ID:	11-138-13					
Copper	ND	1.0	EPA 200.8	11-15-21	11-17-21	
Zinc	ND	5.0	EPA 200.8	11-15-21	11-17-21	

Client ID:	SEIMS-20211111					
Laboratory ID:	11-138-14					
Copper	ND	1.0	EPA 200.8	11-15-21	11-17-21	
Zinc	ND	5.0	EPA 200.8	11-15-21	11-17-21	



Date of Report: November 24, 2021
 Samples Submitted: November 12, 2021
 Laboratory Reference: 2111-138
 Project: 14-05806-000

TOTAL METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	QA112-20211111					
Laboratory ID:	11-138-15					
Copper	1.9	1.0	EPA 200.8	11-15-21	11-17-21	
Zinc	6.0	5.0	EPA 200.8	11-15-21	11-17-21	



Date of Report: November 24, 2021
 Samples Submitted: November 12, 2021
 Laboratory Reference: 2111-138
 Project: 14-05806-000

**TOTAL METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1115WH2					
Copper	ND	1.0	EPA 200.8	11-15-21	11-17-21	
Zinc	ND	5.0	EPA 200.8	11-15-21	11-17-21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	11-138-13							
	ORIG	DUP						
Copper	ND	1.21	NA	NA	NA	NA	NA	20
Zinc	ND	ND	NA	NA	NA	NA	NA	20

MATRIX SPIKES

Laboratory ID:	11-138-13									
	MS	MSD	MS	MSD		MS	MSD		RPD	RPD Limit
Copper	98.6	101	100	100	ND	99	101	75-125	3	20
Zinc	102	104	100	100	ND	102	104	75-125	2	20



Date of Report: November 24, 2021
 Samples Submitted: November 12, 2021
 Laboratory Reference: 2111-138
 Project: 14-05806-000

DISSOLVED METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20211111					
Laboratory ID:	11-138-01					
Copper	1.4	1.0	EPA 200.8	11-12-21	11-17-21	
Zinc	25	5.0	EPA 200.8	11-12-21	11-17-21	

Client ID:	COUMI-20211111					
Laboratory ID:	11-138-02					
Copper	2.0	1.0	EPA 200.8	11-12-21	11-17-21	
Zinc	25	5.0	EPA 200.8	11-12-21	11-17-21	

Client ID:	TOSMO-20211111					
Laboratory ID:	11-138-03					
Copper	1.9	1.0	EPA 200.8	11-12-21	11-17-21	
Zinc	30	5.0	EPA 200.8	11-12-21	11-17-21	

Client ID:	TYLMO-20211111					
Laboratory ID:	11-138-04					
Copper	1.9	1.0	EPA 200.8	11-12-21	11-17-21	
Zinc	7.6	5.0	EPA 200.8	11-12-21	11-17-21	

Client ID:	TYLMI-20211111					
Laboratory ID:	11-138-05					
Copper	2.5	1.0	EPA 200.8	11-12-21	11-17-21	
Zinc	11	5.0	EPA 200.8	11-12-21	11-17-21	

Client ID:	MONMN-20211111					
Laboratory ID:	11-138-06					
Copper	1.2	1.0	EPA 200.8	11-12-21	11-17-21	
Zinc	ND	5.0	EPA 200.8	11-12-21	11-17-21	

Client ID:	MONMS-20211111					
Laboratory ID:	11-138-07					
Copper	1.8	1.0	EPA 200.8	11-12-21	11-17-21	
Zinc	ND	5.0	EPA 200.8	11-12-21	11-17-21	



Date of Report: November 24, 2021
 Samples Submitted: November 12, 2021
 Laboratory Reference: 2111-138
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20211111					
Laboratory ID:	11-138-08					
Copper	ND	1.0	EPA 200.8	11-12-21	11-17-21	
Zinc	6.4	5.0	EPA 200.8	11-12-21	11-17-21	

Client ID:	TOSMI-20211111					
Laboratory ID:	11-138-09					
Copper	1.2	1.0	EPA 200.8	11-12-21	11-17-21	
Zinc	36	5.0	EPA 200.8	11-12-21	11-17-21	

Client ID:	EVAMS-20211111					
Laboratory ID:	11-138-10					
Copper	ND	1.0	EPA 200.8	11-12-21	11-17-21	
Zinc	ND	5.0	EPA 200.8	11-12-21	11-17-21	

Client ID:	EVALSS-20211111					
Laboratory ID:	11-138-11					
Copper	ND	1.0	EPA 200.8	11-12-21	11-17-21	
Zinc	ND	5.0	EPA 200.8	11-12-21	11-17-21	

Client ID:	SEIMN-20211111					
Laboratory ID:	11-138-12					
Copper	ND	1.0	EPA 200.8	11-12-21	11-17-21	
Zinc	ND	5.0	EPA 200.8	11-12-21	11-17-21	

Client ID:	COLM-20211111					
Laboratory ID:	11-138-13					
Copper	ND	1.0	EPA 200.8	11-12-21	11-17-21	
Zinc	ND	5.0	EPA 200.8	11-12-21	11-17-21	

Client ID:	SEIMS-20211111					
Laboratory ID:	11-138-14					
Copper	ND	1.0	EPA 200.8	11-12-21	11-17-21	
Zinc	ND	5.0	EPA 200.8	11-12-21	11-17-21	



Date of Report: November 24, 2021
Samples Submitted: November 12, 2021
Laboratory Reference: 2111-138
Project: 14-05806-000

DISSOLVED METALS
EPA 200.8

Matrix: Water
Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	QA112-20211111					
Laboratory ID:	11-138-15					
Copper	1.2	1.0	EPA 200.8	11-12-21	11-17-21	
Zinc	ND	5.0	EPA 200.8	11-12-21	11-17-21	



Date of Report: November 24, 2021
 Samples Submitted: November 12, 2021
 Laboratory Reference: 2111-138
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1112F1					
Copper	ND	1.0	EPA 200.8	11-12-21	11-17-21	
Zinc	ND	5.0	EPA 200.8	11-12-21	11-17-21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	11-138-02							
	ORIG	DUP						
Copper	2.04	2.00	NA	NA	NA	NA	2	20
Zinc	25.0	26.2	NA	NA	NA	NA	5	20

MATRIX SPIKES

Analyte	MS	MSD	MS	MSD	MS	MSD	Recovery	RPD	RPD Limit
Laboratory ID:	11-138-02								
Copper	74.2	71.6	80.0	80.0	2.04	90	87	75-125	4
Zinc	98.0	94.8	80.0	80.0	25.0	91	87	75-125	3





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
 - B - The analyte indicated was also found in the blank sample.
 - C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
 - E - The value reported exceeds the quantitation range and is an estimate.
 - F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
 - H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
 - I - Compound recovery is outside of the control limits.
 - J - The value reported was below the practical quantitation limit. The value is an estimate.
 - K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
 - L - The RPD is outside of the control limits.
 - M - Hydrocarbons in the gasoline range are impacting the diesel range result.
 - M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
 - N - Hydrocarbons in the lube oil range are impacting the diesel range result.
 - N1 - Hydrocarbons in diesel range are impacting lube oil range results.
 - O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
 - P - The RPD of the detected concentrations between the two columns is greater than 40.
 - Q - Surrogate recovery is outside of the control limits.
 - S - Surrogate recovery data is not available due to the necessary dilution of the sample.
 - T - The sample chromatogram is not similar to a typical _____.
 - U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
 - U1 - The practical quantitation limit is elevated due to interferences present in the sample.
 - V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
 - W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
 - X - Sample extract treated with a mercury cleanup procedure.
 - X1 - Sample extract treated with a Sulfuric acid/Silica gel cleanup procedure.
 - Y - The calibration verification for this analyte exceeded the 20% drift specified in method 8260C, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
 - Z -
- ND - Not Detected at PQL
 PQL - Practical Quantitation Limit
 RPD - Relative Percent Difference





Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664

**Professional
Analytical
Services**

Nov 24 2021
On-Site Environmental
14648 NE 95th ST
Redmond, WA 98052
Attention: David Baumeister

Dear David Baumeister:

Enclosed please find the analytical data for your REDMOND PAIRED WATERSHED STUDY project.

The following is a cross correlation of client and laboratory identifications for your convenience.

CLIENT ID	MATRIX	AMTEST ID	TEST
COUMO-20211111	Water	21-A017303	Micro, NUT
COUMI-20211111	Water	21-A017304	Micro, NUT
TOSMO-20211111	Water	21-A017305	Micro, NUT
TYLMO-20211111	Water	21-A017306	Micro, NUT
TYLMI-20211111	Water	21-A017307	Micro, NUT
MONMN-20211111	Water	21-A017308	Micro, NUT
MONMS-20211111	Water	21-A017309	Micro, NUT
MONM-20211111	Water	21-A017310	Micro, NUT
TOSMI-20211111	Water	21-A017311	Micro, NUT
EVAMS-20211111	Water	21-A017312	Micro, NUT
EVALSS-20211111	Water	21-A017313	Micro, NUT
SEIMN-20211111	Water	21-A017314	Micro, NUT
COLM-20211111	Water	21-A017315	Micro, NUT
SEIMS-20211111	Water	21-A017316	Micro, NUT
QA111-20211111	Water	21-A017317	Micro, NUT

Your samples were received on Friday, November 12, 2021. At the time of receipt, the samples were logged in and properly maintained prior to the subsequent analysis.

The analytical procedures used at AmTest are well documented and are typically derived from the protocols of the EPA, USDA, FDA or the Army Corps of Engineers.

Following the analytical data you will find the Quality Control (QC) results.

Please note that the detection limits that are listed in the body of the report refer to the Practical Quantitation Limits (PQL's), as opposed to the Method Detection Limits (MDL's).


Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664

**Professional
Analytical
Services**

Nov 24 2021
On-Site Environmental
continued . . .

If you should have any questions pertaining to the data package, please feel free to contact me.

Sincerely,


Aaron W. Young
Vice President

Project #: 14-05806-000
SDG #: 2121830
PO Number: 10-282

BACT = Bacteriological
CONV = Conventional

MET = Metals
ORG = Organics

NUT=Nutrients
DEM=Demand

MIN=Minerals

Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664
www.amtestlab.com



**Professional
Analytical
Services**

ANALYSIS REPORT

On-Site Environmental
14648 NE 95th ST
Redmond, WA 98052
Attention: David Baumeister
Project Name: REDMOND PAIRED WATERSHED STUDY
SDG Number: 2121830
Project #: 14-05806-000
PO Number: 10-282
All results reported on an as received basis.

Date Received: 11/12/21
Date Reported: 11/24/21

AMTEST Identification Number 21-A017303
Client Identification COUMO-20211111
Sampling Date 11/11/21, 17:50

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	910	CFU/100 ml		10	SM 9222D	JM	11/12/21
Total Nitrogen (NOX&TKN)	1.29	mg/l		0.1			
Total Nitrogen (TKN)	1.03	mg/l		0.2	SM4500N	KS	11/17/21
Total Nitrate + Nitrite	0.26	mg/l		0.02	SM4500NO3	KS	11/18/21

AMTEST Identification Number 21-A017304
Client Identification COUMI-20211111
Sampling Date 11/11/21, 18:05

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	370	CFU/100 ml		10	SM 9222D	JM	11/12/21
Total Nitrogen (NOX&TKN)	2.09	mg/l		0.1			
Total Nitrogen (TKN)	1.84	mg/l		0.2	SM4500N	KS	11/17/21
Total Nitrate + Nitrite	0.25	mg/l		0.02	SM4500NO3	KS	11/18/21

AMTEST Identification Number 21-A017305
Client Identification TOSMO-20211111
Sampling Date 11/11/21, 18:20

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	580	CFU/100 ml		10	SM 9222D	JM	11/12/21
Total Nitrogen (NOX&TKN)	1.57	mg/l		0.1			
Total Nitrogen (TKN)	1.43	mg/l		0.2	SM4500N	KS	11/17/21
Total Nitrate + Nitrite	0.14	mg/l		0.02	SM4500NO3	KS	11/18/21

AMTEST Identification Number 21-A017306
Client Identification TYLMO-20211111
Sampling Date 11/11/21, 18:35

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	380	CFU/100 ml		10	SM 9222D	JM	11/12/21
Total Nitrogen (NOX&TKN)	0.80	mg/l		0.1			
Total Nitrogen (TKN)	0.625	mg/l		0.2	SM4500N	KS	11/17/21
Total Nitrate + Nitrite	0.17	mg/l		0.02	SM4500NO3	KS	11/18/21

AMTEST Identification Number 21-A017307
Client Identification TYLMI-20211111
Sampling Date 11/11/21, 18:50

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	520	CFU/100 ml		10	SM 9222D	JM	11/12/21
Total Nitrogen (NOX&TKN)	1.01	mg/l		0.1			
Total Nitrogen (TKN)	0.804	mg/l		0.2	SM4500N	KS	11/17/21
Total Nitrate + Nitrite	0.21	mg/l		0.02	SM4500NO3	KS	11/18/21

AMTEST Identification Number 21-A017308
Client Identification MONMN-20211111
Sampling Date 11/11/21, 19:05

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	94.	CFU/100 ml		1	SM 9222D	JM	11/12/21
Total Nitrogen (NOX&TKN)	0.82	mg/l		0.1			
Total Nitrogen (TKN)	0.662	mg/l		0.2	SM4500N	KS	11/17/21
Total Nitrate + Nitrite	0.16	mg/l		0.02	SM4500NO3	KS	11/18/21

AMTEST Identification Number 21-A017309
Client Identification MONMS-20211111
Sampling Date 11/11/21, 19:15

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	5600	CFU/100 ml		10	SM 9222D	JM	11/12/21
Total Nitrogen (NOX&TKN)	0.96	mg/l		0.1			
Total Nitrogen (TKN)	0.737	mg/l		0.2	SM4500N	KS	11/17/21
Total Nitrate + Nitrite	0.22	mg/l		0.02	SM4500NO3	KS	11/18/21

AMTEST Identification Number 21-A017310
Client Identification MONM-20211111
Sampling Date 11/11/21, 20:05

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	1900	CFU/100 ml		10	SM 9222D	JM	11/12/21
Total Nitrogen (NOX&TKN)	0.94	mg/l		0.1			
Total Nitrogen (TKN)	0.745	mg/l		0.2	SM4500N	KS	11/17/21
Total Nitrate + Nitrite	0.19	mg/l		0.02	SM4500NO3	KS	11/18/21

AMTEST Identification Number 21-A017311
Client Identification TOSMI-20211111
Sampling Date 11/11/21, 18:00

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	3200	CFU/100 ml		10	SM 9222D	JM	11/12/21
Total Nitrogen (NOX&TKN)	1.24	mg/l		0.1			
Total Nitrogen (TKN)	1.06	mg/l		0.2	SM4500N	KS	11/17/21
Total Nitrate + Nitrite	0.18	mg/l		0.02	SM4500NO3	KS	11/18/21

AMTEST Identification Number 21-A017312
Client Identification EVAMS-20211111
Sampling Date 11/11/21, 18:20

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	120	CFU/100 ml		1	SM 9222D	JM	11/12/21
Total Nitrogen (NOX&TKN)	1.78	mg/l		0.1			
Total Nitrogen (TKN)	0.777	mg/l		0.2	SM4500N	KS	11/17/21
Total Nitrate + Nitrite	1.0	mg/l		0.02	SM4500NO3	KS	11/18/21

AMTEST Identification Number 21-A017313
Client Identification EVALSS-20211111
Sampling Date 11/11/21, 18:30

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	730	CFU/100 ml		10	SM 9222D	JM	11/12/21
Total Nitrogen (NOX&TKN)	1.81	mg/l		0.1			
Total Nitrogen (TKN)	0.897	mg/l		0.2	SM4500N	KS	11/17/21
Total Nitrate + Nitrite	0.91	mg/l		0.02	SM4500NO3	KS	11/18/21

AMTEST Identification Number 21-A017314
Client Identification SEIMN-20211111
Sampling Date 11/11/21, 19:10

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	34.	CFU/100 ml		1	SM 9222D	JM	11/12/21
Total Nitrogen (NOX&TKN)	0.88	mg/l		0.1			
Total Nitrogen (TKN)	0.765	mg/l		0.2	SM4500N	KS	11/17/21
Total Nitrate + Nitrite	0.12	mg/l		0.02	SM4500NO3	KS	11/18/21

AMTEST Identification Number 21-A017315
Client Identification COLM-20211111
Sampling Date 11/11/21, 19:35

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	22.	CFU/100 ml		1	SM 9222D	JM	11/12/21
Total Nitrogen (NOX&TKN)	1.08	mg/l		0.1			
Total Nitrogen (TKN)	0.920	mg/l		0.2	SM4500N	KS	11/17/21
Total Nitrate + Nitrite	0.16	mg/l		0.02	SM4500NO3	KS	11/18/21

AMTEST Identification Number 21-A017316
Client Identification SEIMS-20211111
Sampling Date 11/11/21, 19:45


Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	130	CFU/100 ml		10	SM 9222D	JM	11/12/21
Total Nitrogen (NOX&TKN)	1.18	mg/l		0.1			
Total Nitrogen (TKN)	0.979	mg/l		0.2	SM4500N	KS	11/17/21
Total Nitrate + Nitrite	0.20	mg/l		0.02	SM4500NO3	KS	11/18/21

AMTEST Identification Number 21-A017317
Client Identification QA111-20211111
Sampling Date 11/11/21, 18:35

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	82.	CFU/100 ml		1	SM 9222D	JM	11/12/21
Total Nitrogen (NOX&TKN)	1.82	mg/l		0.1			
Total Nitrogen (TKN)	0.917	mg/l		0.2	SM4500N	KS	11/17/21
Total Nitrate + Nitrite	0.90	mg/l		0.02	SM4500NO3	KS	11/18/21


Aaron W. Young
Vice President

QC Summary for sample numbers: 21-A017303 to 21-A017317

DUPLICATES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	DUP VALUE	RPD
21-A017303	Fecal Coliform	CFU/100 ml	910	630	36.
21-A017317	Fecal Coliform	CFU/100 ml	82.	82.	0.00
21-A017311	Total Nitrogen (TKN)	mg/l	1.06	0.991	6.7
21-A017336	Total Nitrogen (TKN)	mg/l	1.01	0.998	1.2
21-A017381	Total Nitrogen (TKN)	mg/l	10.2	11.7	14.
21-A017311	Total Nitrate + Nitrite	mg/l	0.18	0.18	0.00
21-A017352	Total Nitrate + Nitrite	mg/l	0.37	0.38	2.7
21-A017514	Total Nitrate + Nitrite	mg/l	< 0.02	< 0.02	
21-A017559	Total Nitrate + Nitrite	mg/l	0.021	0.022	4.7
21-A017570	Total Nitrate + Nitrite	mg/l	< 0.02	< 0.02	

MATRIX SPIKES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	SMPL+ SPK	SPK AMT	RECOVERY
21-A017311	Total Nitrogen (TKN)	mg/l	1.06	3.16	2.00	105.00 %
21-A017336	Total Nitrogen (TKN)	mg/l	1.01	3.09	2.00	104.00 %
21-A017381	Total Nitrogen (TKN)	mg/l	10.2	49.8	40.0	99.00 %
21-A017311	Total Nitrate + Nitrite	mg/l	0.18	1.2	1.0	102.00 %
21-A017352	Total Nitrate + Nitrite	mg/l	0.37	1.4	1.0	103.00 %
21-A017514	Total Nitrate + Nitrite	mg/l	< 0.02	1.1	1.0	110.00 %
21-A017559	Total Nitrate + Nitrite	mg/l	0.021	1.0	1.0	97.90 %
21-A017570	Total Nitrate + Nitrite	mg/l	< 0.02	0.99	1.0	99.00 %

STANDARD REFERENCE MATERIALS

ANALYTE	UNITS	TRUE VALUE	MEASURED VALUE	RECOVERY
Total Nitrogen (TKN)	mg/l	1.00	1.03	103. %
Total Nitrogen (TKN)	mg/l	1.00	1.03	103. %
Total Nitrogen (TKN)	mg/l	1.00	1.02	102. %
Total Nitrate + Nitrite	mg/l	1.0	1.0	100. %
Total Nitrate + Nitrite	mg/l	1.0	1.0	100. %
Total Nitrate + Nitrite	mg/l	1.0	1.0	100. %

BLANKS

ANALYTE	UNITS	RESULT
Fecal Coliform	CFU/100 ml	< 1
Fecal Coliform	CFU/100 ml	< 1
Total Nitrogen (TKN)	mg/l	< 0.2
Total Nitrogen (TKN)	mg/l	< 0.2
Total Nitrogen (TKN)	mg/l	< 0.2

QC Summary for sample numbers: 21-A017303 to 21-A017317...

BLANKS continued....

ANALYTE	UNITS	RESULT
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02



14648 NE 95th Street, Redmond, WA 98052 · (425) 883-3881

Laboratory: AmTest Laboratories

Attention: Aaron Young

13600 NE 126th Pl Kirkland, WA 98034

Phone Number: (425) 885-1664

Turnaround Request

1 Day 2 Day 3 Day

Standard

Other: _____

Laboratory Reference #: 10-282

Project Manager: Blair Goodrow

email: bgoodrow@onsite-env.com

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Requested Analyses
1	COUMO-20211111 17303	11/11/21	17:50	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
2	COUMI-20211111 04	11/11/21	18:05	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
3	TOSMO-20211111 05	11/11/21	18:20	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
4	TYLMO-20211111 06	11/11/21	18:35	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
5	TYLMI-20211111 07	11/11/21	18:50	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
6	MONMN-20211111 08	11/11/21	19:05	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
7	MONMS-20211111 09	11/11/21	19:15	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
8	MONM-20211111 10	11/11/21	20:05	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
9	TOSMI-20211111 11	11/11/21	18:00	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
10	EVAMS-20211111 12	11/11/21	18:20	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
Signature		Company		Date	Time	Comments/Special Instructions
Relinquished by:		AMTEST T=4.0		11/12/21	1210	
Received by:				11/12/21	1210	
Relinquished by:						
Received by:						
Relinquished by:						EDDs - CSV Reporting Limits: Fecal Coliform - 1.0 cfu/100ml Total Nitrogen - .10 mg/L
Received by:						

CHAIN OF CUSTODY

11-138

Page 1 of 1

14648 NE 95th Street, Redmond, WA 98052
Telephone: 425.883.3881

Company: Herrera Environmental Consultants

Project No.: 14-05806-000

Project Name: Redmond Paired Watershed Study

Project Manager: George Iftner

Turnaround Requested:

- 1 Day
- 2 Day
- 3 Day
- Standard

Laboratory No.

Requested Analyses

Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
--------------------------------------	-----------------------	------------------------------------	--	------------------------------	---------------------------------	---------------------------------	--------------------------------	--------------------------------------

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.									
1	COUMO-2021 -1111	11/11/21	17:50	Water	7	X	X	X	X	X	X	X	X	X
2	COUMI-2021 -1111	↓	18:05	Water	7	X	X	X	X	X	X	X	X	X
3	TOSMO-2021 -1111		18:20	Water	7	X	X	X	X	X	X	X	X	X
4	TYLMO-2021 -1111		18:35	Water	7	X	X	X	X	X	X	X	X	X
5	TYLMI-2021		18:50	Water	7	X	X	X	X	X	X	X	X	X
6	MONMN-2021		19:05	Water	7	X	X	X	X	X	X	X	X	X
7	MONMS-2021		19:15	Water	7	X	X	X	X	X	X	X	X	X
8	MONM-2021		20:05	Water	7	X	X	X	X	X	X	X	X	X
9	TOSMI-2021		18:00	Water	7	X	X	X	X	X	X	X	X	X
10	EVAMS-2021		18:20	Water	7	X	X	X	X	X	X	X	X	X
11	EVALSS-2021		18:30	Water	7	X	X	X	X	X	X	X	X	X
12	SEIMN-2021		19:10	Water	7	X	X	X	X	X	X	X	X	X
13	COLM-2021		19:35	Water	7	X	X	X	X	X	X	X	X	X
14	SEIMS-2021		19:45	Water	7	X	X	X	X	X	X	X	X	X
15	QA -112-2021		↓	1835	Water	7	X	X	X	X	X	X	X	X

Relinquished by Allison Nichols Date 11/12 Received by Nicole Blum Date 11/24/21
 Firm Herrera Time 8:55 Firm CSE Time 0855
 Relinquished by _____ Date _____ Received by _____ Date _____
 Firm _____ Time _____ Firm _____ Time _____

Comments:
 * - field filtered with 0.45 um filter within 15 minutes of collecting sample
(Signature)
 Please filter for dissolved metals & DOC upon receipt

METER CALIBRATION LOG - Redmond Paired Watershed Study

Project Number:	14-05806-000		
Personnel Performing Calibration:	N. B. Baker		
Meter:	PMD55 #2		
Date/Time:	4/11/21 13:50		
Barometric Pressure Start of Day:	mmHg: 767.6	Time:	13:50
Barometric Pressure End of Day:	mmHg: 767.6	Time:	14:00

Calibration Procedures:
Rinse Multimeter Sonde Between Each Operation
Rinse 3 times with tap water, 3 times with deionized water, then 3 times with the solution to be used for calibrating or testing.
Conductivity Calibration Notes:



PRE Field Run CALIBRATION	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	1.5	0	23.3	
Conductivity (µS/cm)	986	1,000	23.5	
Conductivity (µS/cm)		100		
DO % Saturation	100.1	100	21.0	
POST Field Run CHECK	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	103	0	23.4	
Conductivity (µS/cm)	—	100	—	No solution
DO % Saturation	102.3	100	22.1	

1. Dry the conductivity probe with a lab tissue (e.g., KimWipes®) and DI water.
 2. Fill calibration cup to within a centimeter of the top of the calibration cup with DI water (0 µS).
 3. Fill the calibration cup with 1,000 µS standard so that the temperature/conductivity probe is submerged.
 4. Make sure there are no bubbles in the cell; wait 2 minutes.
 5. Enter the appropriate standard value (1,000 µS/cm or 1.0 mS/cm) for Sp Cond.
 6. Check conductivity using 100 µS/cm standard.
- Dissolved Oxygen Calibration Notes:**
1. Fill the calibration cup with about 1/2 inch of DI; it should be below the sensor cap.
 2. Use KimWipes® to dry any droplets from the sensor cap.
 3. Invert calibration cup's cap and gently rest it on the cup.
 4. Wait 5 minutes, making sure that temperature stabilizes.
 5. Determine local barometric pressure (mm Hg) and enter this value into the meter.
 6. Click "Calibrate". "Calibrate Successful" will be displayed.
 7. To retain calibration accuracy between measurements, store with the sensor immersed in water or within a water-saturated air environment such as a sealed storage cup with at least 10 ml of water.
 8. It is important to have the water-saturated air and the sensor at the same temperature. Therefore, store a jar of DI in the same environment as the sonde and calibrate in a similar air temperature as the water and sonde.
 9. Keep probe out of direct sun or wind.

METER CALIBRATION LOG - Redmond Paired Watershed Study

Project Number:	14-05806-000		
Personnel Performing Calibration:	N. Jordan		
Meter:	ProDSS A1		
Date/Time:	11/11/21	13:50	
Barometric Pressure Start of Day:	mmHg: 262.5	Time: 13:50	
Barometric Pressure End of Day:	mmHg: 262.5	Time: 14:00	

Calibration Procedures:
Rinse Multimeter Sonde Between Each Operation
Rinse 3 times with tap water, 3 times with deionized water, then 3 times with the solution to be used for calibrating or testing.
Conductivity Calibration Notes:



PRE Field Run CALIBRATION	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	2.5	0	22.0	
Conductivity (µS/cm)	985	1,000	22.5	
Conductivity (µS/cm)		100		
DO % Saturation	99.9	100	22.4	
POST Field Run CHECK	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	1.7	0	21.7	
Conductivity (µS/cm)	-	100	-	no 100 solution
DO % Saturation	101.5	100	18.5	

1. Dry the conductivity probe with a lab tissue (e.g., KimWipes®) and DI water.
 2. Fill calibration cup to within a centimeter of the top of the calibration cup with DI water (0 µS).
 3. Fill the calibration cup with 1,000 µS standard so that the temperature/conductivity probe is submerged.
 4. Make sure there are no bubbles in the cell; wait 2 minutes.
 5. Enter the appropriate standard value (1,000 µS/cm or 1.0 mS/cm) for Sp Cond.
 6. Check conductivity using 100 µS/cm standard.
- Dissolved Oxygen Calibration Notes:**
1. Fill the calibration cup with about 1/2 inch of DI; it should be below the sensor cap.
 2. Use KimWipes® to dry any droplets from the sensor cap.
 3. Invert calibration cup's cap and gently rest it on the cup.
 4. Wait 5 minutes, making sure that temperature stabilizes.
 5. Determine local barometric pressure (mm Hg) and enter this value into the meter.
 6. Click "Calibrate". "Calibrate Successful" will be displayed.
 7. To retain calibration accuracy between measurements, store with the sensor immersed in water or within a water-saturated air environment such as a sealed storage cup with at least 10 ml of water.
 8. It is important to have the water-saturated air and the sensor at the same temperature. Therefore, store a jar of DI in the same environment as the sonde and calibrate in a similar air temperature as the water and sonde.
 9. Keep probe out of direct sun or wind.

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: MB & AN

Sample Date: 11/11/21

Sample Time: 19:15

PDT:

SITE

ID: MONMS

Base Flow or Storm Event?

Field Filtered Time:
(Must filter within 15 minutes of collection)

PST:

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: cloudy 50° F

Water Quality Sampling

Sample ID: MONMS202111

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<div style="font-size: 2em;">N</div> <div style="font-size: 2em;">↓</div>
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:	
Filter blank sample ID:	
Transfer blank sample ID:	

Visual and Olfactory Conditions:

Clarity: clear

Color: _____

Odor: _____

Sheen: _____

Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 6.5

Reference Point (description): measure dam

Water Quality Measurements

Temperature (°C) 9.4

Specific Conductivity (µs/cm) 155.5

Dissolved Oxygen (mg/L) 8.89

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: AN & NB

Sample Date: 11/11/21

Sample Time: 10:45

PDT:

SITE

ID: SEIMS

Base Flow or Storm Event?

Field filtered 5 minutes later: Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)

Project Name: Redmond Paired Watershed Study



HERRERA

Current Weather and Temp: 50° cloudy

Water Quality Sampling

Sample ID: SEIAS20211111

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>N</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____

Filter blank sample ID: _____

Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear

Color: _____

Odor: _____

Sheen: _____

Floatables: _____

LABORATORY DELIVERY

Date: _____

Time: _____

Quality Assurance

Checked By: _____

Signature: _____

Date Checked: _____

Time: _____

Data Entered into Database? _____

YES

NO

initials: _____

Date Entered: _____

Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.92

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 8.3

Specific Conductivity (µs/cm) 81.5

Dissolved Oxygen (mg/L) 10.82

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB, AN
 Sample Date: 11/11/21 Sample Time: 18:35
 Base Flow or Storm Event? Field filtered 5 minutes later: Y
 (Must filter within 15 minutes of collection)

SITE ID: TYLMO
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Light rdn, 50°F

Water Quality Sampling

Sample ID: TYLMO 20211111

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>No</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
 YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 _____
 YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): 31.5
 Reference Point (description): Type

Water Quality Measurements

Temperature (°C) 9.6
 Specific Conductivity (µs/cm) 62.0
 Dissolved Oxygen (mg/L) 11.17

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB, AN
 Sample Date: 11/11/21 Sample Time: 18:50 PDT:
 Base Flow or Storm Event? Storm Field Filtered Time: — PST:
 (Must filter within 15 minutes of collection)

SITE ID: TYLMI

Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 50° F, cloudy

Water Quality Sampling

Sample ID: TYLMI20211111

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>No</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:
 Clarity: Clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials:
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 51 in.
 Reference Point (description): Tap

Water Quality Measurements

Temperature (°C) 9.1
 Specific Conductivity (µs/cm) ~~10.75~~ 94.1
 Dissolved Oxygen (mg/L) 10.75

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB, AN

Sample Date: 11/11/21

Sample Time: 19:05

PDT:

SITE

ID: MONM#1

Base Flow or Storm Event? (N)

Field filtered 5 minutes later: Y (N)

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Cloudy, 50°F

Water Quality Sampling

Sample ID: MONM2091111

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>No</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 9.45

Reference Point (description): 56

Water Quality Measurements

Temperature (°C) 9.1

Specific Conductivity (µs/cm) 94.2

Dissolved Oxygen (mg/L) 10.96

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NBEAN

Sample Date: 11/11/2024

Sample Time: 18:20

Base Flow or Storm Event? Storm

Field filtered 5 minutes later: Y N
(Must filter within 15 minutes of collection)

SITE ID: TOSMO

Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Partly ☁ 50°

Water Quality Sampling

Sample ID: _____

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	N ↓
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
Filter blank sample ID: _____
Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: murky
Color: brown
Odor: _____
Sheen: _____
Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
Date Checked: _____ Time: _____
Data Entered into Database? YES NO initials: _____
Date Entered: _____ Time: _____
Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____
YSI Pro DSS 1 _____
YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.92
Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 9.4°
Specific Conductivity (µs/cm) 81.2
Dissolved Oxygen (mg/L) 11.39

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB #AN

Sample Date: 11/11/21

Sample Time: 18:05

Base Flow or Storm Event?

Field filtered 5 minutes later: Y N

(Must filter within 15 minutes of collection)

SITE

ID: COUM1

PDT:

PST:

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Rainy & 50°

Water Quality Sampling

Sample ID: _____

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____

Filter blank sample ID: _____

Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: _____

Color: _____

Odor: _____

Sheen: _____

Floatables: _____

LABORATORY DELIVERY

Date: _____

Time: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 2.76

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 9.2

Specific Conductivity (µs/cm) 131.7

Dissolved Oxygen (mg/L) 11.47

Quality Assurance

Checked By: _____

Signature: _____

Date Checked: _____

Time: _____

Data Entered into Database? _____

YES

NO

initials: _____

Date Entered: _____

Time: _____

Notes: _____

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB&AN

Sample Date: 4/11/2021

Sample Time: 12:50

SITE ID: COUMO

Base Flow or Storm Event? Storm

Field filtered 5 minutes later: Y N

(Must filter within 15 minutes of collection)

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: rainy & 50°

Water Quality Sampling

Sample ID: COUMO-2021-1111

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>N</u>
DOC *	HDPE	250 ml	1	HCL	<u>N</u>
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	<u>N</u>
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	<u>N</u>
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	<u>N</u>
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	<u>N</u>
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<u>N</u>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____

Filter blank sample ID: _____

Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: low
 Color: brown
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 1.75

Reference Point (description): SB

Water Quality Measurements

Temperature (°C) 9.9

Specific Conductivity (µs/cm) 65.4

Dissolved Oxygen (mg/L) 11.10

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Ning M, David G
 Sample Date: 4/11/21 Sample Time: 20:05
 Base Flow or Storm Event? (circled) Field filtered 5 minutes later: Y N
 (Must filter within 15 minutes of collection)

SITE ID: MONM
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study
 Current Weather and Temp: light rain, 52°

Water Quality Sampling

Sample ID: MONM-2021111

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>No</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: none light turbid
 Color: none
 Odor: -
 Sheen: -
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2 ✓

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): -
 Reference Point (description): -

Water Quality Measurements

Temperature (°C) 10.1
 Specific Conductivity (µs/cm) 117.2
 Dissolved Oxygen (mg/L) 99.7

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Mina M. David G
 Sample Date: 11/11/21 Sample Time: 19:35 PDT:
 Base Flow or Storm Event? Field filtered 5 minutes later: Y(N) PST:
 (Must filter within 15 minutes of collection)

SITE ID: COLM
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: rainy, 51°F

Water Quality Sampling

Sample ID: COLM-20211111

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	no
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:
 Clarity: clear
 Color: none
 Odor: none
 Sheen: _____
 Floatables: none

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials:
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): .9
 Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 8.7
 Specific Conductivity (µs/cm) 61.6
 Dissolved Oxygen (mg/L) 11.46

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: <u>Nina M. David G.</u>		SITE ID: <u>SEIMN</u>	
Sample Date: <u>11/11/2021</u>	Sample Time: <u>19:10</u>	PDT:	
Base Flow or Storm Event? <u>(circled)</u>	Field filtered 5 minutes later: <u>Y N</u>	PST:	Project Number: <u>14-05806-000</u>
		(Must filter within 15 minutes of collection)	



Water Quality Sampling

Sample ID: SEIMN-20211111

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____

Filter blank sample ID: _____

Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear

Color: none

Odor: _____

Sheen: _____

Floatables: none

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: rainy, 51'

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2 ✓

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): _____

Reference Point (description): top of bank

Water Quality Measurements

Temperature (°C) 68.9 0.7

Specific Conductivity (µs/cm) 64.04 61.6

Dissolved Oxygen (mg/L) 11.03 11.46

11/11/2021

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Nina M, David G

Sample Date:

Sample Time: 19:30

PDT:

SITE ID: EVALSS

Base Flow or Storm Event?

Field filtered 5 minutes later: Y N
(Must filter within 15 minutes of collection)

PST:

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study



HERRERA

Current Weather and Temp: rainy, 50°F

Water Quality Sampling

Sample ID: EVALSS-2021111

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>yes</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: QA112-2021111

Filter blank sample ID: -

Transfer blank sample ID: -

Visual and Olfactory Conditions:

Clarity: turbid
 Color: light brown
 Odor: -
 Sheen: -
 Floatables: some

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: possible new bank erosion observed

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2 ✓

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 2.48

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 9.8

Specific Conductivity (µs/cm) 146.2

Dissolved Oxygen (mg/L) 100.7

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Nina M, David G.
 Sample Date: 11/11/2021 Sample Time: 18:20
 Base Flow or Storm Event? (circled) Field filtered 5 minutes later: Y (N)
(Must filter within 15 minutes of collection)

SITE ID: EVAMS
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study
 Current Weather and Temp: rainy, 52°F

Water Quality Sampling

Sample ID: EVAMS-20211111

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>no</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Slightly turbid
 Color: none
 Odor: -
 Sheen: -
 Floatables: na

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
 YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 _____
 YSI Pro DSS 2 ✓

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): 3.82
 Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 9.7°C
 Specific Conductivity (µs/cm) 155.4
 Dissolved Oxygen (mg/L) 94.7%

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Nina, David G
 Sample Date: 11/11/21 Sample Time: 18:00
 Base Flow or Storm Event? Field filtered 5 minutes later: Y (N)
(Must filter within 15 minutes of collection)

SITE ID: TOSM1
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Rainy, 52°

Water Quality Sampling

Sample ID: TOSM1-20211111

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	NO
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	↓

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: turbid
 Color: brown
 Odor: -
 Sheen: -
 Floatables: no

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
 YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 _____
 YSI Pro DSS 2 ✓

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): 1.02
 Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 10.6°c
 Specific Conductivity (µs/cm) 42.5
 Dissolved Oxygen (mg/L) 11.07



HERRERA

Data Quality Assurance Worksheet

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 11/11/21 /All locations, QA112 (EVALSS) Lab Ref No 2111-138

By J. Brown

Date 12/27/21 Page 1 of 2

Checked: initials
JL

date 12/28/2022

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹		
TSS	OK / SM 2540D	NA	NA	4	≤7	≤1.0 mg/L	NA	NA	82	±20	5	≤25	6	≤25	OK	NONE
						1.0 mg/L										
Turbidity	OK / EPA 180.1	NA	NA	1	≤2	≤0.1 NTU	NA	NA	NR	±10	5	≤25	7	≤25	OK	NONE
						0.1 NTU										
Hardness	OK / SM 2340B	NA	NA	6	≤180	≤1.0 mg/L	105, 106	±25	107	±15	2 MS 1	≤20	1	≤20	OK	NONE
						1.0 mg/L										
DOC	OK / SM 5310B	≤15	≤15	1	≤28	≤1.0 mg/L	104	±25	103	±15	D=0.2	≤20	1	≤20	OK	NONE
						1.0 mg/L										
Total Phosphorus	OK / EPA 365.1	NA	NA	6	≤28	≤0.01 mg/L	92	±25	86	±20	1	≤20	7	≤20	OK	NONE
						0.01 mg/L										
Total Nitrogen (TKN + N+N)	OK/ SM 4500 N-B	NA	NA	6,7	≤28	≤0.1 mg/L	100-103	±25	98-110	±20	<1-14, D=0.001- 0.07	≤20	1, D=0.02	≤20	OK	NONE
						0.1 mg/L										

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.

NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported



Data Quality Assurance Worksheet

HERRERA

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 11/11/21 /All locations, QA112 (EVALSS) Lab Ref No 2111-138

By J. Brown

Date 12/27/21 Page 2 of 2

Checked: initials JL

date 12/28/2022

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal	Reported	Goal ¹	Reported	Goal ¹		
Total Copper	OK/ EPA 200.8	NA	NA	6	≤180	≤1.0 µg/L 1.0 µg/L	99, 101	±25	NR	±15	NC MS 3	≤20	D=0	≤20	OK	NONE
Total Zinc	OK/ EPA 200.8	NA	NA	6	≤180	≤5.0 µg/L 5.0 µg/L	102, 104	±25	NR	±15	NC MS 2	≤20	NC	≤20	OK	NONE
Dissolved Copper	OK/ EPA 200.8	≤15	≤15	6	≤180	≤1.0 µg/L 1.0 µg/L	90, 87	±25	NR	±15	D=0.04 MS 4	≤20	NC	≤20	OK	NONE
Dissolved Zinc	OK/ EPA 200.8	≤15	≤15	6	≤180	≤5.0 µg/L 5.0 µg/L	91, 87	±25	NR	±15	5 MS 3	≤20	NC	≤20	OK	NONE
Fecal Coliform	OK/ SM 9222D	NA	NA	1	≤1	≤1.0 cfu/ 100mL 10 cfu/ 100mL	NA	NA	NA	NA	36, 0	≤35	160	≤50	OK	FLAG EVALSS J DUE TO FIELD DUPE, NO FLAG FOR MARGINAL LAB DUPE EXCEEDANCE

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.

NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

January 21, 2022

Jess Brown
Herrera Environmental Consultants, Inc.
2200 6th Avenue, Suite 1100
Seattle, WA 98121

Re: Analytical Data for Project 14-05806-000
Laboratory Reference No. 2112-270

Dear Jess:

Enclosed are the analytical results and associated quality control data for samples submitted on December 29, 2021.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read "Blair Goodrow", enclosed within a large, loopy circular flourish.

Blair Goodrow
Project Manager

Enclosures



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: January 21, 2022
Samples Submitted: December 29, 2021
Laboratory Reference: 2112-270
Project: 14-05806-000

Case Narrative

Samples were collected on December 29, 2021 and received by the laboratory on December 29, 2021. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.



Date of Report: January 21, 2022
 Samples Submitted: December 29, 2021
 Laboratory Reference: 2112-270
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20211229					
Laboratory ID:	12-270-01					
Total Suspended Solids	1.8	1.0	SM 2540D	1-3-22	1-4-22	

Client ID:	COUMI-20211229					
Laboratory ID:	12-270-02					
Total Suspended Solids	4.4	1.0	SM 2540D	1-3-22	1-4-22	

Client ID:	TOSMO-20211229					
Laboratory ID:	12-270-03					
Total Suspended Solids	13	1.0	SM 2540D	1-3-22	1-4-22	

Client ID:	TYLMO-20211229					
Laboratory ID:	12-270-04					
Total Suspended Solids	1.8	1.0	SM 2540D	1-3-22	1-4-22	

Client ID:	TYLMI-20211229					
Laboratory ID:	12-270-05					
Total Suspended Solids	4.2	1.0	SM 2540D	1-3-22	1-4-22	

Client ID:	MONMN-20211229					
Laboratory ID:	12-270-06					
Total Suspended Solids	3.0	1.0	SM 2540D	1-3-22	1-4-22	

Client ID:	MONMS-20211229					
Laboratory ID:	12-270-07					
Total Suspended Solids	1.2	1.0	SM 2540D	1-3-22	1-4-22	

Client ID:	MONM-20211229					
Laboratory ID:	12-270-08					
Total Suspended Solids	39	1.7	SM 2540D	1-3-22	1-4-22	

Client ID:	TOSMI-20211229					
Laboratory ID:	12-270-09					
Total Suspended Solids	5.0	1.0	SM 2540D	1-3-22	1-4-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: January 21, 2022
 Samples Submitted: December 29, 2021
 Laboratory Reference: 2112-270
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	EVAMS-20211229					
Laboratory ID:	12-270-10					
Total Suspended Solids	2.0	1.0	SM 2540D	1-3-22	1-4-22	

Client ID:	EVALSS-20211229					
Laboratory ID:	12-270-11					
Total Suspended Solids	18	1.7	SM 2540D	1-3-22	1-4-22	

Client ID:	SEIMN-20211229					
Laboratory ID:	12-270-12					
Total Suspended Solids	3.4	1.0	SM 2540D	1-3-22	1-4-22	

Client ID:	COLM-20211229					
Laboratory ID:	12-270-13					
Total Suspended Solids	1.2	1.0	SM 2540D	1-3-22	1-4-22	

Client ID:	SEIMS-20211229					
Laboratory ID:	12-270-14					
Total Suspended Solids	12	1.0	SM 2540D	1-3-22	1-4-22	

Client ID:	QA-113-20211229					
Laboratory ID:	12-270-15					
Total Suspended Solids	2.6	1.0	SM 2540D	1-3-22	1-4-22	



Date of Report: January 21, 2022
 Samples Submitted: December 29, 2021
 Laboratory Reference: 2112-270
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0103W1					
Total Suspended Solids	ND	1.0	SM 2540D	1-3-22	1-4-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	12-270-08							
	ORIG	DUP						
Total Suspended Solids	38.7	42.3	NA	NA	NA	NA	9	26

SPIKE BLANK								
Laboratory ID:	SB0103W1							
	SB	SB		SB				
Total Suspended Solids	90.0	100	NA	90	67-118	NA	NA	



Date of Report: January 21, 2022
 Samples Submitted: December 29, 2021
 Laboratory Reference: 2112-270
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20211229					
Laboratory ID:	12-270-01					
Turbidity	1.8	0.10	EPA 180.1	12-29-21	12-29-21	

Client ID:	COUMI-20211229					
Laboratory ID:	12-270-02					
Turbidity	2.5	0.10	EPA 180.1	12-29-21	12-29-21	

Client ID:	TOSMO-20211229					
Laboratory ID:	12-270-03					
Turbidity	2.4	0.10	EPA 180.1	12-29-21	12-29-21	

Client ID:	TYLMO-20211229					
Laboratory ID:	12-270-04					
Turbidity	1.7	0.10	EPA 180.1	12-29-21	12-29-21	

Client ID:	TYLMI-20211229					
Laboratory ID:	12-270-05					
Turbidity	2.3	0.10	EPA 180.1	12-29-21	12-29-21	

Client ID:	MONMN-20211229					
Laboratory ID:	12-270-06					
Turbidity	1.6	0.10	EPA 180.1	12-29-21	12-29-21	

Client ID:	MONMS-20211229					
Laboratory ID:	12-270-07					
Turbidity	0.94	0.10	EPA 180.1	12-29-21	12-29-21	

Client ID:	MONM-20211229					
Laboratory ID:	12-270-08					
Turbidity	11	0.10	EPA 180.1	12-29-21	12-29-21	

Client ID:	TOSMI-20211229					
Laboratory ID:	12-270-09					
Turbidity	2.3	0.10	EPA 180.1	12-29-21	12-29-21	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: January 21, 2022
 Samples Submitted: December 29, 2021
 Laboratory Reference: 2112-270
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	EVAMS-20211229					
Laboratory ID:	12-270-10					
Turbidity	0.99	0.10	EPA 180.1	12-29-21	12-29-21	

Client ID:	EVALSS-20211229					
Laboratory ID:	12-270-11					
Turbidity	5.6	0.10	EPA 180.1	12-29-21	12-29-21	

Client ID:	SEIMN-20211229					
Laboratory ID:	12-270-12					
Turbidity	1.7	0.10	EPA 180.1	12-29-21	12-29-21	

Client ID:	COLM-20211229					
Laboratory ID:	12-270-13					
Turbidity	0.92	0.10	EPA 180.1	12-29-21	12-29-21	

Client ID:	SEIMS-20211229					
Laboratory ID:	12-270-14					
Turbidity	3.5	0.10	EPA 180.1	12-29-21	12-29-21	

Client ID:	QA-113-20211229					
Laboratory ID:	12-270-15					
Turbidity	1.7	0.10	EPA 180.1	12-29-21	12-29-21	



Date of Report: January 21, 2022
 Samples Submitted: December 29, 2021
 Laboratory Reference: 2112-270
 Project: 14-05806-000

**TURBIDITY
 EPA 180.1
 QUALITY CONTROL**

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1229W1					
Turbidity	ND	0.10	EPA 180.1	12-29-21	12-29-21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	12-270-08							
	ORIG	DUP						
Turbidity	10.6	10.3	NA	NA	NA	NA	3	13



Date of Report: January 21, 2022
 Samples Submitted: December 29, 2021
 Laboratory Reference: 2112-270
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20211229					
Laboratory ID:	12-270-01					
Hardness	100	1.0	EPA 200.7/SM 2340B	1-3-22	1-6-22	

Client ID:	COUMI-20211229					
Laboratory ID:	12-270-02					
Hardness	130	1.0	EPA 200.7/SM 2340B	1-3-22	1-6-22	

Client ID:	TOSMO-20211229					
Laboratory ID:	12-270-03					
Hardness	110	1.0	EPA 200.7/SM 2340B	1-3-22	1-6-22	

Client ID:	TYLMO-20211229					
Laboratory ID:	12-270-04					
Hardness	68	1.0	EPA 200.7/SM 2340B	1-3-22	1-6-22	

Client ID:	TYLMI-20211229					
Laboratory ID:	12-270-05					
Hardness	67	1.0	EPA 200.7/SM 2340B	1-3-22	1-6-22	

Client ID:	MONMN-20211229					
Laboratory ID:	12-270-06					
Hardness	58	1.0	EPA 200.7/SM 2340B	1-3-22	1-6-22	

Client ID:	MONMS-20211229					
Laboratory ID:	12-270-07					
Hardness	110	1.0	EPA 200.7/SM 2340B	1-3-22	1-6-22	



Date of Report: January 21, 2022
 Samples Submitted: December 29, 2021
 Laboratory Reference: 2112-270
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20211229					
Laboratory ID:	12-270-08					
Hardness	79	1.0	EPA 200.7/SM 2340B	1-3-22	1-6-22	

Client ID:	TOSMI-20211229					
Laboratory ID:	12-270-09					
Hardness	120	1.0	EPA 200.7/SM 2340B	1-3-22	1-6-22	

Client ID:	EVAMS-20211229					
Laboratory ID:	12-270-10					
Hardness	81	1.0	EPA 200.7/SM 2340B	1-3-22	1-6-22	

Client ID:	EVALSS-20211229					
Laboratory ID:	12-270-11					
Hardness	78	1.0	EPA 200.7/SM 2340B	1-3-22	1-6-22	

Client ID:	SEIMN-20211229					
Laboratory ID:	12-270-12					
Hardness	22	1.0	EPA 200.7/SM 2340B	1-3-22	1-6-22	

Client ID:	COLM-20211229					
Laboratory ID:	12-270-13					
Hardness	10	1.0	EPA 200.7/SM 2340B	1-3-22	1-6-22	

Client ID:	SEIMS-20211229					
Laboratory ID:	12-270-14					
Hardness	43	1.0	EPA 200.7/SM 2340B	1-3-22	1-6-22	



Date of Report: January 21, 2022
Samples Submitted: December 29, 2021
Laboratory Reference: 2112-270
Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	QA-113-20211229					
Laboratory ID:	12-270-15					
Hardness	110	1.0	EPA 200.7/SM 2340B	1-3-22	1-6-22	



Date of Report: January 21, 2022
 Samples Submitted: December 29, 2021
 Laboratory Reference: 2112-270
 Project: 14-05806-000

**HARDNESS
 EPA 200.7/SM 2340B
 QUALITY CONTROL**

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0103WH2					
Hardness	ND	1.0	EPA 200.7/SM 2340B	1-3-22	1-6-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	12-270-02							
	ORIG	DUP						
Hardness	127	139	NA	NA	NA	9	20	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags		
MATRIX SPIKES										
Laboratory ID:	12-270-02									
	MS	MSD	MS	MSD	MS	MSD				
Hardness	271	258	132	132	127	109	99	75-125	5	20

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags		
SPIKE BLANK										
Laboratory ID:	SB0103WH2									
	SB		SB		SB					
Hardness	135		132		NA	102		85-115	NA	NA



Date of Report: January 21, 2022
 Samples Submitted: December 29, 2021
 Laboratory Reference: 2112-270
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20211229					
Laboratory ID:	12-270-01					
Dissolved Organic Carbon	3.6	1.0	SM 5310B	1-3-22	1-3-22	

Client ID:	COUMI-20211229					
Laboratory ID:	12-270-02					
Dissolved Organic Carbon	3.6	1.0	SM 5310B	1-3-22	1-3-22	

Client ID:	TOSMO-20211229					
Laboratory ID:	12-270-03					
Dissolved Organic Carbon	2.6	1.0	SM 5310B	1-3-22	1-3-22	

Client ID:	TYLMO-20211229					
Laboratory ID:	12-270-04					
Dissolved Organic Carbon	3.8	1.0	SM 5310B	1-3-22	1-3-22	

Client ID:	TYLMI-20211229					
Laboratory ID:	12-270-05					
Dissolved Organic Carbon	4.9	1.0	SM 5310B	1-3-22	1-3-22	

Client ID:	MONMN-20211229					
Laboratory ID:	12-270-06					
Dissolved Organic Carbon	3.6	1.0	SM 5310B	1-3-22	1-3-22	

Client ID:	MONMS-20211229					
Laboratory ID:	12-270-07					
Dissolved Organic Carbon	5.3	1.0	SM 5310B	1-3-22	1-3-22	

Client ID:	MONM-20211229					
Laboratory ID:	12-270-08					
Dissolved Organic Carbon	3.3	1.0	SM 5310B	1-3-22	1-3-22	

Client ID:	TOSMI-20211229					
Laboratory ID:	12-270-09					
Dissolved Organic Carbon	3.2	1.0	SM 5310B	1-3-22	1-3-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: January 21, 2022
 Samples Submitted: December 29, 2021
 Laboratory Reference: 2112-270
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	EVAMS-20211229					
Laboratory ID:	12-270-10					
Dissolved Organic Carbon	4.1	1.0	SM 5310B	1-3-22	1-3-22	

Client ID:	EVALSS-20211229					
Laboratory ID:	12-270-11					
Dissolved Organic Carbon	3.8	1.0	SM 5310B	1-3-22	1-3-22	

Client ID:	SEIMN-20211229					
Laboratory ID:	12-270-12					
Dissolved Organic Carbon	6.9	1.0	SM 5310B	1-3-22	1-3-22	

Client ID:	COLM-20211229					
Laboratory ID:	12-270-13					
Dissolved Organic Carbon	13	1.0	SM 5310B	1-3-22	1-3-22	

Client ID:	SEIMS-20211229					
Laboratory ID:	12-270-14					
Dissolved Organic Carbon	5.3	1.0	SM 5310B	1-3-22	1-3-22	

Client ID:	QA-113-20211229					
Laboratory ID:	12-270-15					
Dissolved Organic Carbon	2.8	1.0	SM 5310B	1-3-22	1-3-22	



Date of Report: January 21, 2022
 Samples Submitted: December 29, 2021
 Laboratory Reference: 2112-270
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1229F2					
Dissolved Organic Carbon	ND	1.0	SM 5310B	1-3-22	1-3-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	12-270-01							
	ORIG	DUP						
Dissolved Organic Carbon	3.63	3.73	NA	NA	NA	3	15	

MATRIX SPIKE

Laboratory ID:	12-270-01							
	MS	MS		MS				
Dissolved Organic Carbon	14.5	10.0	3.63	109	91-117	NA	NA	

SPIKE BLANK

Laboratory ID:	SB1229F2							
	SB	SB		SB				
Dissolved Organic Carbon	10.0	10.0	NA	100	88-116	NA	NA	



Date of Report: January 21, 2022
 Samples Submitted: December 29, 2021
 Laboratory Reference: 2112-270
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20211229					
Laboratory ID:	12-270-01					
Total Phosphorus	0.032	0.010	EPA 365.1	1-4-22	1-5-22	

Client ID:	COUMI-20211229					
Laboratory ID:	12-270-02					
Total Phosphorus	0.052	0.010	EPA 365.1	1-4-22	1-5-22	

Client ID:	TOSMO-20211229					
Laboratory ID:	12-270-03					
Total Phosphorus	0.051	0.010	EPA 365.1	1-4-22	1-5-22	

Client ID:	TYLMO-20211229					
Laboratory ID:	12-270-04					
Total Phosphorus	0.023	0.010	EPA 365.1	1-4-22	1-5-22	

Client ID:	TYLMI-20211229					
Laboratory ID:	12-270-05					
Total Phosphorus	0.065	0.010	EPA 365.1	1-4-22	1-5-22	

Client ID:	MONMN-20211229					
Laboratory ID:	12-270-06					
Total Phosphorus	0.017	0.010	EPA 365.1	1-4-22	1-5-22	

Client ID:	MONMS-20211229					
Laboratory ID:	12-270-07					
Total Phosphorus	0.016	0.010	EPA 365.1	1-4-22	1-5-22	

Client ID:	MONM-20211229					
Laboratory ID:	12-270-08					
Total Phosphorus	0.031	0.010	EPA 365.1	1-4-22	1-5-22	

Client ID:	TOSMI-20211229					
Laboratory ID:	12-270-09					
Total Phosphorus	0.048	0.010	EPA 365.1	1-4-22	1-5-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: January 21, 2022
 Samples Submitted: December 29, 2021
 Laboratory Reference: 2112-270
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	EVAMS-20211229					
Laboratory ID:	12-270-10					
Total Phosphorus	0.012	0.010	EPA 365.1	1-4-22	1-5-22	

Client ID:	EVALSS-20211229					
Laboratory ID:	12-270-11					
Total Phosphorus	0.020	0.010	EPA 365.1	1-4-22	1-5-22	

Client ID:	SEIMN-20211229					
Laboratory ID:	12-270-12					
Total Phosphorus	0.020	0.010	EPA 365.1	1-4-22	1-5-22	

Client ID:	COLM-20211229					
Laboratory ID:	12-270-13					
Total Phosphorus	ND	0.010	EPA 365.1	1-4-22	1-5-22	

Client ID:	SEIMS-20211229					
Laboratory ID:	12-270-14					
Total Phosphorus	0.035	0.010	EPA 365.1	1-4-22	1-5-22	

Client ID:	QA-113-20211229					
Laboratory ID:	12-270-15					
Total Phosphorus	0.041	0.010	EPA 365.1	1-4-22	1-5-22	



Date of Report: January 21, 2022
 Samples Submitted: December 29, 2021
 Laboratory Reference: 2112-270
 Project: 14-05806-000

**TOTAL PHOSPHORUS
 EPA 365.1
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0104W1					
Total Phosphorus	ND	0.010	EPA 365.1	1-4-22	1-5-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	12-270-01							
	ORIG	DUP						
Total Phosphorus	0.0323	0.0337	NA	NA	NA	4	19	

MATRIX SPIKE								
Laboratory ID:	12-270-01							
	MS	MS		MS				
Total Phosphorus	0.248	0.250	0.0323	86	83-110	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0104W1							
	SB	SB		SB				
Total Phosphorus	0.222	0.250	NA	89	83-110	NA	NA	



Date of Report: January 21, 2022
 Samples Submitted: December 29, 2021
 Laboratory Reference: 2112-270
 Project: 14-05806-000

**TOTAL METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20211229					
Laboratory ID:	12-270-01					
Copper	1.1	1.0	EPA 200.8	12-30-21	12-30-21	
Zinc	18	5.0	EPA 200.8	12-30-21	12-30-21	

Client ID:	COUMI-20211229					
Laboratory ID:	12-270-02					
Copper	ND	1.0	EPA 200.8	12-30-21	12-30-21	
Zinc	20	5.0	EPA 200.8	12-30-21	12-30-21	

Client ID:	TOSMO-20211229					
Laboratory ID:	12-270-03					
Copper	1.9	1.0	EPA 200.8	12-30-21	12-30-21	
Zinc	180	5.0	EPA 200.8	12-30-21	12-30-21	

Client ID:	TYLMO-20211229					
Laboratory ID:	12-270-04					
Copper	1.7	1.0	EPA 200.8	12-30-21	12-30-21	
Zinc	19	5.0	EPA 200.8	12-30-21	12-30-21	

Client ID:	TYLMI-20211229					
Laboratory ID:	12-270-05					
Copper	3.6	1.0	EPA 200.8	12-30-21	12-30-21	
Zinc	33	5.0	EPA 200.8	12-30-21	12-30-21	

Client ID:	MONMN-20211229					
Laboratory ID:	12-270-06					
Copper	1.0	1.0	EPA 200.8	12-30-21	12-30-21	
Zinc	ND	5.0	EPA 200.8	12-30-21	12-30-21	

Client ID:	MONMS-20211229					
Laboratory ID:	12-270-07					
Copper	1.5	1.0	EPA 200.8	12-30-21	12-30-21	
Zinc	ND	5.0	EPA 200.8	12-30-21	12-30-21	



Date of Report: January 21, 2022
 Samples Submitted: December 29, 2021
 Laboratory Reference: 2112-270
 Project: 14-05806-000

**TOTAL METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20211229					
Laboratory ID:	12-270-08					
Copper	1.4	1.0	EPA 200.8	12-30-21	12-30-21	
Zinc	15	5.0	EPA 200.8	12-30-21	12-30-21	

Client ID:	TOSMI-20211229					
Laboratory ID:	12-270-09					
Copper	1.7	1.0	EPA 200.8	12-30-21	12-30-21	
Zinc	230	13	EPA 200.8	12-30-21	12-30-21	

Client ID:	EVAMS-20211229					
Laboratory ID:	12-270-10					
Copper	ND	1.0	EPA 200.8	12-30-21	12-30-21	
Zinc	ND	5.0	EPA 200.8	12-30-21	12-30-21	

Client ID:	EVALSS-20211229					
Laboratory ID:	12-270-11					
Copper	1.4	1.0	EPA 200.8	12-30-21	12-30-21	
Zinc	5.0	5.0	EPA 200.8	12-30-21	12-30-21	

Client ID:	SEIMN-20211229					
Laboratory ID:	12-270-12					
Copper	ND	1.0	EPA 200.8	12-30-21	12-30-21	
Zinc	ND	5.0	EPA 200.8	12-30-21	12-30-21	

Client ID:	COLM-20211229					
Laboratory ID:	12-270-13					
Copper	ND	1.0	EPA 200.8	12-30-21	12-30-21	
Zinc	ND	5.0	EPA 200.8	12-30-21	12-30-21	

Client ID:	SEIMS-20211229					
Laboratory ID:	12-270-14					
Copper	ND	1.0	EPA 200.8	12-30-21	12-30-21	
Zinc	ND	5.0	EPA 200.8	12-30-21	12-30-21	



Date of Report: January 21, 2022
 Samples Submitted: December 29, 2021
 Laboratory Reference: 2112-270
 Project: 14-05806-000

TOTAL METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	QA-113-20211229					
Laboratory ID:	12-270-15					
Copper	1.3	1.0	EPA 200.8	12-30-21	12-30-21	
Zinc	160	5.0	EPA 200.8	12-30-21	12-30-21	



Date of Report: January 21, 2022
 Samples Submitted: December 29, 2021
 Laboratory Reference: 2112-270
 Project: 14-05806-000

**TOTAL METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1230WH1					
Copper	ND	1.0	EPA 200.8	12-30-21	12-30-21	
Zinc	ND	5.0	EPA 200.8	12-30-21	12-30-21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	12-270-14							
	ORIG	DUP						
Copper	ND	ND	NA	NA	NA	NA	NA	20
Zinc	ND	ND	NA	NA	NA	NA	NA	20

MATRIX SPIKES

Laboratory ID:	MS	MSD	MS	MSD	MS	MSD	MSD	RPD	RPD Limit	Flags
Laboratory ID:	12-270-14									
Copper	107	103	100	100	ND	107	103	75-125	4	20
Zinc	109	105	100	100	ND	109	105	75-125	4	20



Date of Report: January 21, 2022
 Samples Submitted: December 29, 2021
 Laboratory Reference: 2112-270
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20211229					
Laboratory ID:	12-270-01					
Copper	ND	1.0	EPA 200.8	12-29-21	12-30-21	
Zinc	14	5.0	EPA 200.8	12-29-21	12-30-21	

Client ID:	COUMI-20211229					
Laboratory ID:	12-270-02					
Copper	ND	1.0	EPA 200.8	12-29-21	12-30-21	
Zinc	14	5.0	EPA 200.8	12-29-21	12-30-21	

Client ID:	TOSMO-20211229					
Laboratory ID:	12-270-03					
Copper	1.6	1.0	EPA 200.8	12-29-21	12-30-21	
Zinc	120	5.0	EPA 200.8	12-29-21	12-30-21	

Client ID:	TYLMO-20211229					
Laboratory ID:	12-270-04					
Copper	1.7	1.0	EPA 200.8	12-29-21	12-30-21	
Zinc	18	5.0	EPA 200.8	12-29-21	12-30-21	

Client ID:	TYLMI-20211229					
Laboratory ID:	12-270-05					
Copper	3.5	1.0	EPA 200.8	12-29-21	12-30-21	
Zinc	18	5.0	EPA 200.8	12-29-21	12-30-21	

Client ID:	MONMN-20211229					
Laboratory ID:	12-270-06					
Copper	ND	1.0	EPA 200.8	12-29-21	12-30-21	
Zinc	ND	5.0	EPA 200.8	12-29-21	12-30-21	

Client ID:	MONMS-20211229					
Laboratory ID:	12-270-07					
Copper	1.2	1.0	EPA 200.8	12-29-21	12-30-21	
Zinc	ND	5.0	EPA 200.8	12-29-21	12-30-21	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: January 21, 2022
 Samples Submitted: December 29, 2021
 Laboratory Reference: 2112-270
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20211229					
Laboratory ID:	12-270-08					
Copper	1.3	1.0	EPA 200.8	12-29-21	12-30-21	
Zinc	6.4	5.0	EPA 200.8	12-29-21	12-30-21	

Client ID:	TOSMI-20211229					
Laboratory ID:	12-270-09					
Copper	1.3	1.0	EPA 200.8	12-29-21	12-30-21	
Zinc	180	5.0	EPA 200.8	12-29-21	12-30-21	

Client ID:	EVAMS-20211229					
Laboratory ID:	12-270-10					
Copper	ND	1.0	EPA 200.8	12-29-21	12-30-21	
Zinc	ND	5.0	EPA 200.8	12-29-21	12-30-21	

Client ID:	EVALSS-20211229					
Laboratory ID:	12-270-11					
Copper	ND	1.0	EPA 200.8	12-29-21	12-30-21	
Zinc	ND	5.0	EPA 200.8	12-29-21	12-30-21	

Client ID:	SEIMN-20211229					
Laboratory ID:	12-270-12					
Copper	ND	1.0	EPA 200.8	12-30-21	12-30-21	
Zinc	ND	5.0	EPA 200.8	12-30-21	12-30-21	

Client ID:	COLM-20211229					
Laboratory ID:	12-270-13					
Copper	ND	1.0	EPA 200.8	12-30-21	12-30-21	
Zinc	ND	5.0	EPA 200.8	12-30-21	12-30-21	

Client ID:	SEIMS-20211229					
Laboratory ID:	12-270-14					
Copper	ND	1.0	EPA 200.8	12-29-21	12-30-21	
Zinc	ND	5.0	EPA 200.8	12-29-21	12-30-21	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: January 21, 2022
 Samples Submitted: December 29, 2021
 Laboratory Reference: 2112-270
 Project: 14-05806-000

DISSOLVED METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	QA-113-20211229					
Laboratory ID:	12-270-15					
Copper	1.2	1.0	EPA 200.8	12-29-21	12-30-21	
Zinc	110	5.0	EPA 200.8	12-29-21	12-30-21	



Date of Report: January 21, 2022
 Samples Submitted: December 29, 2021
 Laboratory Reference: 2112-270
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1230F1					
Copper	ND	1.0	EPA 200.8	12-30-21	12-30-21	
Zinc	ND	5.0	EPA 200.8	12-30-21	12-30-21	
METHOD BLANK						
Laboratory ID:	MB1229F1					
Copper	ND	1.0	EPA 200.8	12-29-21	12-30-21	
Zinc	ND	5.0	EPA 200.8	12-29-21	12-30-21	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	12-270-01							
	ORIG	DUP						
Copper	ND	ND	NA	NA	NA	NA	NA	20
Zinc	14.1	12.4	NA	NA	NA	NA	13	20

MATRIX SPIKES

Laboratory ID:	12-270-01									
	MS	MSD	MS	MSD		MS	MSD			
Copper	77.2	76.6	80.0	80.0	ND	97	96	75-125	1	20
Zinc	92.8	90.6	80.0	80.0	14.1	98	96	75-125	2	20
MATRIX SPIKES										
Laboratory ID:	12-270-01									
	MS	MSD	MS	MSD		MS	MSD			
Copper	77.2	76.6	80.0	80.0	ND	97	96	75-125	1	20
Zinc	92.8	90.6	80.0	80.0	14.1	98	96	75-125	2	20





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
 - B - The analyte indicated was also found in the blank sample.
 - C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
 - E - The value reported exceeds the quantitation range and is an estimate.
 - F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
 - H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
 - I - Compound recovery is outside of the control limits.
 - J - The value reported was below the practical quantitation limit. The value is an estimate.
 - K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
 - L - The RPD is outside of the control limits.
 - M - Hydrocarbons in the gasoline range are impacting the diesel range result.
 - M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
 - N - Hydrocarbons in the lube oil range are impacting the diesel range result.
 - N1 - Hydrocarbons in diesel range are impacting lube oil range results.
 - O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
 - P - The RPD of the detected concentrations between the two columns is greater than 40.
 - Q - Surrogate recovery is outside of the control limits.
 - S - Surrogate recovery data is not available due to the necessary dilution of the sample.
 - T - The sample chromatogram is not similar to a typical _____.
 - U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
 - U1 - The practical quantitation limit is elevated due to interferences present in the sample.
 - V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
 - W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
 - X - Sample extract treated with a mercury cleanup procedure.
 - X1 - Sample extract treated with a Sulfuric acid/Silica gel cleanup procedure.
 - Y - The calibration verification for this analyte exceeded the 20% drift specified in method 8260C, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
 - Z -
- ND - Not Detected at PQL
 PQL - Practical Quantitation Limit
 RPD - Relative Percent Difference





Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664

*Professional
Analytical
Services*

Jan 21 2022
On-Site Environmental
14648 NE 95th ST
Redmond, WA 98052
Attention: David Baumeister

Dear David Baumeister:

Enclosed please find the analytical data for your REDMOND PAIRED WATERSHED STUDY project.

The following is a cross correlation of client and laboratory identifications for your convenience.

CLIENT ID	MATRIX	AMTEST ID	TEST
COUMO-20211229	Water	22-A000030	NUT
COUMI-20211229	Water	22-A000031	NUT
TOSMO-20211229	Water	22-A000032	NUT
TYLMO-20211229	Water	22-A000033	NUT
TYLMI-20211229	Water	22-A000034	NUT
MONMN-20211229	Water	22-A000035	NUT
MONMS-20211229	Water	22-A000036	NUT
MONM-20211229	Water	22-A000037	NUT
TOSMI-20211229	Water	22-A000038	NUT
EVAMS-20211229	Water	22-A000039	NUT
EVALSS-20211229	Water	22-A000040	NUT
SEIMN-20211229	Water	22-A000041	NUT
COLM-20211229	Water	22-A000042	NUT
SEIMS-20211229	Water	22-A000043	NUT
QA113-20211229	Water	22-A000044	NUT

Your samples were received on Monday, January 3, 2022. At the time of receipt, the samples were logged in and properly maintained prior to the subsequent analysis.

The analytical procedures used at AmTest are well documented and are typically derived from the protocols of the EPA, USDA, FDA or the Army Corps of Engineers.

Following the analytical data you will find the Quality Control (QC) results.

Please note that the detection limits that are listed in the body of the report refer to the Practical Quantitation Limits (PQL's), as opposed to the Method Detection Limits (MDL's).


Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664

**Professional
Analytical
Services**

Jan 21 2022
On-Site Environmental
continued . . .

If you should have any questions pertaining to the data package, please feel free to contact me.

Sincerely,


Aaron W. Young
Vice President

Project #: 14-05806-000
SDG #: 2222310
PO Number: 12-270

BACT = Bacteriological
CONV = Conventional

MET = Metals
ORG = Organics

NUT=Nutrients
DEM=Demand

MIN=Minerals

Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664
www.amtestlab.com



**Professional
Analytical
Services**

ANALYSIS REPORT

On-Site Environmental
14648 NE 95th ST
Redmond, WA 98052
Attention: David Baumeister
Project Name: REDMOND PAIRED WATERSHED STUDY
SDG Number: 2222310
Project #: 14-05806-000
PO Number: 12-270
All results reported on an as received basis.

Date Received: 01/03/22
Date Reported: 1/21/22

AMTEST Identification Number 22-A000030
Client Identification COUMO-20211229
Sampling Date 12/29/21, 10:40

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	0.94	mg/l		0.1			
Total Nitrogen (TKN)	0.453	mg/l		0.2	SM4500N	KS	01/06/22
Total Nitrate + Nitrite	0.49	mg/l		0.02	SM4500NO3	KS	01/05/22

AMTEST Identification Number 22-A000031
Client Identification COUMI-20211229
Sampling Date 12/29/21, 10:55

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	0.75	mg/l		0.1			
Total Nitrogen (TKN)	0.424	mg/l		0.2	SM4500N	KS	01/06/22
Total Nitrate + Nitrite	0.33	mg/l		0.02	SM4500NO3	KS	01/05/22

AMTEST Identification Number 22-A000032
Client Identification TOSMO-20211229
Sampling Date 12/29/21, 11:05

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	0.98	mg/l		0.1			
Total Nitrogen (TKN)	0.418	mg/l		0.2	SM4500N	KS	01/06/22
Total Nitrate + Nitrite	0.56	mg/l		0.02	SM4500NO3	KS	01/05/22

AMTEST Identification Number 22-A000033
Client Identification TYLMO-20211229
Sampling Date 12/29/21, 11:25

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	0.95	mg/l		0.1			
Total Nitrogen (TKN)	0.399	mg/l		0.2	SM4500N	KS	01/06/22
Total Nitrate + Nitrite	0.55	mg/l		0.02	SM4500NO3	KS	01/05/22

AMTEST Identification Number 22-A000034
Client Identification TYLMI-20211229
Sampling Date 12/29/21, 11:45

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	0.97	mg/l		0.1			
Total Nitrogen (TKN)	0.448	mg/l		0.2	SM4500N	KS	01/06/22
Total Nitrate + Nitrite	0.52	mg/l		0.02	SM4500NO3	KS	01/05/22

AMTEST Identification Number 22-A000035
Client Identification MONMN-20211229
Sampling Date 12/29/21, 11:55

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	0.80	mg/l		0.1			
Total Nitrogen (TKN)	0.476	mg/l		0.2	SM4500N	KS	01/06/22
Total Nitrate + Nitrite	0.32	mg/l		0.02	SM4500NO3	KS	01/05/22

AMTEST Identification Number 22-A000036
Client Identification MONMS-20211229
Sampling Date 12/29/21, 12:05

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	1.00	mg/l		0.1			
Total Nitrogen (TKN)	0.424	mg/l		0.2	SM4500N	KS	01/06/22
Total Nitrate + Nitrite	0.58	mg/l		0.02	SM4500NO3	KS	01/05/22

AMTEST Identification Number 22-A000037
Client Identification MONM-20211229
Sampling Date 12/29/21, 13:05

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	0.87	mg/l		0.1			
Total Nitrogen (TKN)	0.462	mg/l		0.2	SM4500N	KS	01/06/22
Total Nitrate + Nitrite	0.41	mg/l		0.02	SM4500NO3	KS	01/05/22

AMTEST Identification Number 22-A000038
Client Identification TOSMI-20211229
Sampling Date 12/29/21, 10:40

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	1.16	mg/l		0.1			
Total Nitrogen (TKN)	0.423	mg/l		0.2	SM4500N	KS	01/06/22
Total Nitrate + Nitrite	0.74	mg/l		0.02	SM4500NO3	KS	01/05/22

AMTEST Identification Number 22-A000039
Client Identification EVAMS-20211229
Sampling Date 12/29/21, 11:10

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	2.45	mg/l		0.1			
Total Nitrogen (TKN)	0.454	mg/l		0.2	SM4500N	KS	01/06/22
Total Nitrate + Nitrite	2.0	mg/l		0.02	SM4500NO3	KS	01/05/22

AMTEST Identification Number 22-A000040
Client Identification EVALSS-20211229
Sampling Date 12/29/21, 11:30

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	2.06	mg/l		0.1			
Total Nitrogen (TKN)	0.460	mg/l		0.2	SM4500N	KS	01/06/22
Total Nitrate + Nitrite	1.6	mg/l		0.02	SM4500NO3	KS	01/05/22

AMTEST Identification Number 22-A000041
Client Identification SEIMN-20211229
Sampling Date 12/29/21, 12:00

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	0.77	mg/l		0.1			
Total Nitrogen (TKN)	0.521	mg/l		0.2	SM4500N	KS	01/06/22
Total Nitrate + Nitrite	0.25	mg/l		0.02	SM4500NO3	KS	01/05/22

AMTEST Identification Number 22-A000042
Client Identification COLM-20211229
Sampling Date 12/29/21, 12:30

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	0.68	mg/l		0.1			
Total Nitrogen (TKN)	0.634	mg/l		0.2	SM4500N	KS	01/06/22
Total Nitrate + Nitrite	0.049	mg/l		0.02	SM4500NO3	KS	01/05/22

AMTEST Identification Number 22-A000043
Client Identification SEIMS-20211229
Sampling Date 12/29/21, 12:35


Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	0.82	mg/l		0.1			
Total Nitrogen (TKN)	0.545	mg/l		0.2	SM4500N	KS	01/06/22
Total Nitrate + Nitrite	0.28	mg/l		0.02	SM4500NO3	KS	01/05/22

AMTEST Identification Number 22-A000044
Client Identification QA113-20211229
Sampling Date 12/29/21, 11:10

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	1.14	mg/l		0.1			
Total Nitrogen (TKN)	0.573	mg/l		0.2	SM4500N	KS	01/06/22
Total Nitrate + Nitrite	0.57	mg/l		0.02	SM4500NO3	KS	01/05/22


Aaron W. Young
Vice President

QC Summary for sample numbers: 22-A000030 to 22-A000044

DUPLICATES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	DUP VALUE	RPD
22-A000035	Total Nitrogen (TKN)	mg/l	0.476	0.458	3.9
22-A000044	Total Nitrogen (TKN)	mg/l	0.573	0.551	3.9
22-A000036	Total Nitrate + Nitrite	mg/l	0.58	0.58	0.00
22-A000075	Total Nitrate + Nitrite	mg/l	0.75	0.74	1.3
22-A000098	Total Nitrate + Nitrite	mg/l	1.8	1.8	0.00

MATRIX SPIKES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	SMPL+ SPK	SPK AMT	RECOVERY
22-A000035	Total Nitrogen (TKN)	mg/l	0.476	2.53	2.00	102.70 %
22-A000044	Total Nitrogen (TKN)	mg/l	0.573	2.62	2.00	102.35 %
22-A000036	Total Nitrate + Nitrite	mg/l	0.58	1.6	1.0	102.00 %
22-A000075	Total Nitrate + Nitrite	mg/l	0.75	1.7	1.0	95.00 %
22-A000098	Total Nitrate + Nitrite	mg/l	1.8	2.8	1.0	100.00 %

STANDARD REFERENCE MATERIALS

ANALYTE	UNITS	TRUE VALUE	MEASURED VALUE	RECOVERY
Total Nitrogen (TKN)	mg/l	1.00	0.995	99.5 %
Total Nitrogen (TKN)	mg/l	1.00	0.998	99.8 %
Total Nitrate + Nitrite	mg/l	1.0	1.0	100. %
Total Nitrate + Nitrite	mg/l	1.0	1.0	100. %
Total Nitrate + Nitrite	mg/l	1.0	0.99	99.0 %

BLANKS

ANALYTE	UNITS	RESULT
Total Nitrogen (TKN)	mg/l	< 0.2
Total Nitrogen (TKN)	mg/l	< 0.2
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02



14648 NE 95th Street, Redmond, WA 98052 - (425) 883-3881

Laboratory: AmTest Laboratories

Attention: Aaron Young

13600 NE 126th Pl Kirkland, WA 98034

Phone Number: (425) 885-1664

Laboratory Reference #: 12-270

Project Manager: Blair Goodrow

email: bgoodrow@onsite-env.com

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study

Turnaround Request

1 Day 2 Day 3 Day

Standard

Other: _____

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Requested Analyses
1	COUMO-20211229	12/29/21	10:40	Water	1	Total Nitrogen SM 4500-N
2	COULM-20211229	12/29/21	10:55	Water	1	Total Nitrogen SM 4500-N
3	TOSMO-20211229	12/29/21	11:05	Water	1	Total Nitrogen SM 4500-N
4	TYLMO-20211229	12/29/21	11:25	Water	1	Total Nitrogen SM 4500-N
5	TYLMI-20211229	12/29/21	11:45	Water	1	Total Nitrogen SM 4500-N
6	MONMN-20211229	12/29/21	11:55	Water	1	Total Nitrogen SM 4500-N
7	MONMS-20211229	12/29/21	12:05	Water	1	Total Nitrogen SM 4500-N
8	MONM-20211229	12/29/21	13:05	Water	1	Total Nitrogen SM 4500-N
9	TOSMI-20211229	12/29/21	10:40	Water	1	Total Nitrogen SM 4500-N
10	EVAMS-20211229	12/29/21	11:10	Water	1	Total Nitrogen SM 4500-N
Signature		Company		Date	Time	Comments/Special Instructions
[Handwritten Signature]		[Handwritten Company]		12/29/21	12:45	
Relinquished by:		Company		Date	Time	
[Handwritten Signature]		[Handwritten Company]		12/29/21	13:15	
Received by:		Company		Date	Time	
[Handwritten Signature]		[Handwritten Company]		12/29/21	13:55	
Relinquished by:		Company		Date	Time	
[Handwritten Signature]		[Handwritten Company]		12/29/21	13:55	
Received by:		Company		Date	Time	
[Handwritten Signature]		[Handwritten Company]		12/29/21	13:55	
Relinquished by:		Company		Date	Time	
[Handwritten Signature]		[Handwritten Company]		12/29/21	13:55	
Received by:		Company		Date	Time	
[Handwritten Signature]		[Handwritten Company]		12/29/21	13:55	
Relinquished by:		Company		Date	Time	
[Handwritten Signature]		[Handwritten Company]		12/29/21	13:55	
Received by:		Company		Date	Time	
[Handwritten Signature]		[Handwritten Company]		12/29/21	13:55	
Relinquished by:		Company		Date	Time	
[Handwritten Signature]		[Handwritten Company]		12/29/21	13:55	

EDDs - CSV
Reporting Limits:
Total Nitrogen - .10 mg/L



IEH
**Laboratories &
 Consulting Group**

CERTIFICATE OF ANALYSIS

OnSite Environmental Inc.

Contact: David A. Baumeister
 14648 NE 95th Street
 Redmond, WA 98052
 Phone: 425-883-3881 Fax: 425-885-4603

IEH Laboratories & Consulting Group

IEH-Lake Forest Park
 13741 Lake City Way NE
 Seattle, WA 98125

Phone: 206-466-1758 Fax: 206-524-4639

www.iehinc.com

TRADE SECRET / CONFIDENTIAL COMMERCIAL INFORMATION

WO: 1183854

Rec. Date: 12/30/2021 12:04 Report Date: 1/3/2022

Report No: LFP-274601

Lab Sample No	Customer Sample No	Sample Desc	Collection Date & Time	Fecal Coliform (CFU/100ml)
1183854-001	COUMO-20211229	Water	12/29/2021 10:40:00 AM	13
1183854-002	COUMI-20211229	Water	12/29/2021 10:55:00 AM	14
1183854-003	TOSMO-20211229	Water	12/29/2021 11:05:00 AM	19
1183854-004	TYLMO-20211229	Water	12/29/2021 11:25:00 AM	9
1183854-005	TYLMI-20211229	Water	12/29/2021 11:45:00 AM	14
1183854-006	MONMN-20211229	Water	12/29/2021 11:55:00 AM	2
1183854-007	MONMS-20211229	Water	12/29/2021 12:05:00 PM	8
1183854-008	MONM-20211229	Water	12/29/2021 1:05:00 PM	3
1183854-009	TOSMI-20211229	Water	12/29/2021 10:40:00 AM	18
1183854-010	EVAMS-20211229	Water	12/29/2021 11:10:00 AM	17
1183854-011	EVALSS-20211229	Water	12/29/2021 11:30:00 AM	6
1183854-012	SEIMN-20211229	Water	12/29/2021 12:00:00 PM	1
1183854-013	COLM-20211229	Water	12/29/2021 12:39:00 PM	13
1183854-014	SEIMS-20211229	Water	12/29/2021 12:35:00 PM	27
1183854-015	QA-113-20211229	Water	12/29/2021 11:10:00 AM	18

Test Method: Fecal Coliform = Fecal Coliform SM, Ch 9222D (Membrane Filtration)

UNLESS OTHERWISE NOTED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION. THE RESULT(S) IN THIS REPORT RELATE ONLY TO THE PORTION OF THE SAMPLE(S) TESTED. THIS REPORT DOES NOT CONSTITUTE A RELEASE OF PRODUCT FOR CONSUMPTION. THIS REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL OF THE LABORATORY. THIS DOCUMENT CONTAINS CONFIDENTIAL COMMERCIAL INFORMATION PURSUANT TO 5 U.S.C. SEC. 552(b)(4).

Authorized Analyst: Kristina Tenney

CHAIN OF CUSTODY

14648 NE 95th Street, Redmond, WA 98052
Telephone: 425.883.3881

Company: Herrera Environmental Consultants

Project No.: 14-05806-000

Project Name: Redmond Paired Watershed Study

Project Manager: George Iftner

Turnaround Requested:

- 1 Day
 2 Day
 3 Day
 Standard

Laboratory No. 12-270

Requested Analyses

Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
-----------------------------------	-----------------------	---------------------------------	-------------------------------------	---------------------------	------------------------------	------------------------------	-----------------------------	-----------------------------------

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
1	COUMO-2021 1229	12/29/21	10:40	Water	7	X	X	X	X	X	X	X	X	X
2	COUMI-2021		10:55	Water	7	X	X	X	X	X	X	X	X	X
3	TOSMO-2021		11:05	Water	7	X	X	X	X	X	X	X	X	X
4	TYLMO-2021		11:25	Water	7	X	X	X	X	X	X	X	X	X
5	TYLMI-2021		11:45	Water	7	X	X	X	X	X	X	X	X	X
6	MONMN-2021		11:55	Water	7	X	X	X	X	X	X	X	X	X
7	MONMS-2021		12:05	Water	7	X	X	X	X	X	X	X	X	X
8	MONM-2021		13:05	Water	7	X	X	X	X	X	X	X	X	X
9	TOSMI-2021		10:40	Water	7	X	X	X	X	X	X	X	X	X
10	EVAMS-2021		11:10	Water	7	X	X	X	X	X	X	X	X	X
11	EVALSS-2021		11:30	Water	7	X	X	X	X	X	X	X	X	X
12	SEIMN-2021		12:00	Water	7	X	X	X	X	X	X	X	X	X
13	COLM-2021		12:30	Water	7	X	X	X	X	X	X	X	X	X
14	SEIMS-2021		12:35	Water	7	X	X	X	X	X	X	X	X	X
15	QA - 113-20211229		11:10	Water	7	X	X	X	X	X	X	X	X	X

Relinquished by N. Barbish Date 12/29/21 Received by NB [Signature] Date 12/29/21
 Firm HEL Time 13:40 Firm OSE Time 13:40
 Relinquished by _____ Date _____ Received by _____ Date _____
 Firm _____ Time _____ Firm _____ Time _____

please filter
 for dissolved
 metals + DOC
 upon receipt

Comments:
 field filtered with 0.45 um filter within 15 minutes of collecting sample

METER CALIBRATION LOG - Redmond Paired Watershed Study

Project Number:	14-05806-000		
Personnel Performing Calibration:	N. Bartish		
Meter:	Dra 255 #1		
Date/Time:	12/20/21		
Barometric Pressure Start of Day:	mmHg: 760.2	Time:	12:40
Barometric Pressure End of Day:	mmHg: 760.0	Time:	12:55

Calibration Procedures:
Rinse Multimeter Sonde Between Each Operation
Rinse 3 times with tap water, 3 times with deionized water, then 3 times with the solution to be used for calibrating or testing.
Conductivity Calibration Notes:



PRE Field Run CALIBRATION	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	3.1	0	21.0	
Conductivity (µS/cm)	998	1,000	22.4	
Conductivity (µS/cm)	—	100	—	Delay in 100 shipment
DO % Saturation	98.4	100	21.1	

POST Field Run CHECK	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	2.3	0	21.2	
Conductivity (µS/cm)	—	100	—	
DO % Saturation	101.0	100	21.2	

1. Dry the conductivity probe with a lab tissue (e.g., KimWipes®) and DI water.
2. Fill calibration cup to within a centimeter of the top of the calibration cup with DI water (0 µS).
3. Fill the calibration cup with 1,000 µS standard so that the temperature/conductivity probe is submerged.
4. Make sure there are no bubbles in the cell; wait 2 minutes.
5. Enter the appropriate standard value (1,000 µS/cm or 1.0 mS/cm) for Sp Cond.
6. Check conductivity using 100 µS/cm standard.

- Dissolved Oxygen Calibration Notes:**
1. Fill the calibration cup with about 1/2 inch of DI; it should be below the sensor cap.
 2. Use KimWipes® to dry any droplets from the sensor cap.
 3. Invert calibration cup's cap and gently rest it on the cup.
 4. Wait 5 minutes, making sure that temperature stabilizes.
 5. Determine local barometric pressure (mm Hg) and enter this value into the meter.
 6. Click "Calibrate". "Calibrate Successful" will be displayed.
 7. To retain calibration accuracy between measurements, store with the sensor immersed in water or within a water-saturated air environment such as a sealed storage cup with at least 10 ml of water.
 8. It is important to have the water-saturated air and the sensor at the same temperature. Therefore, store a jar of DI in the same environment as the sonde and calibrate in a similar air temperature as the water and sonde.
 9. Keep probe out of direct sun or wind.

METER CALIBRATION LOG - Redmond Paired Watershed Study

Project Number:	14-05806-000		
Personnel Performing Calibration:	N. Batista		
Meter:	ProDSS # 2		
Date/Time:	12/28/21 12:40		
Barometric Pressure Start of Day:	mmHg: 760.3	Time:	12:40
Barometric Pressure End of Day:	mmHg: 760.0	Time:	12:55

PRE Field Run CALIBRATION	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	5.3	0	22.1	
Conductivity (µS/cm)	988	1,000	23.2	
Conductivity (µS/cm)	—	100	—	"
DO % Saturation	109.7	100	22.8	

POST Field Run CHECK	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	0.6	0	22.0	
Conductivity (µS/cm)	—	100	—	"
DO % Saturation	106.9	100	22.1	

Calibration Procedures:
Rinse Multimeter Sonde Between Each Operation
Rinse 3 times with tap water, 3 times with deionized water, then 3 times with the solution to be used for calibrating or testing.
Conductivity Calibration Notes:



1. Dry the conductivity probe with a lab tissue (e.g., KimWipes®) and DI water.
2. Fill calibration cup to within a centimeter of the top of the calibration cup with DI water (0 µS).
3. Fill the calibration cup with 1,000 µS standard so that the temperature/conductivity probe is submerged.
4. Make sure there are no bubbles in the cell; wait 2 minutes.
5. Enter the appropriate standard value (1,000 µS/cm or 1.0 mS/cm) for Sp Cond.
6. Check conductivity using 100 µS/cm standard.

- Dissolved Oxygen Calibration Notes:**
1. Fill the calibration cup with about 1/2 inch of DI; it should be below the sensor cap.
 2. Use KimWipes® to dry any droplets from the sensor cap.
 3. Invert calibration cup's cap and gently rest it on the cup.
 4. Wait 5 minutes, making sure that temperature stabilizes.
 5. Determine local barometric pressure (mm Hg) and enter this value into the meter.
 6. Click "Calibrate". "Calibrate Successful" will be displayed.
 7. To retain calibration accuracy between measurements, store with the sensor immersed in water or within a water-saturated air environment such as a sealed storage cup with at least 10 ml of water.
 8. It is important to have the water-saturated air and the sensor at the same temperature. Therefore, store a jar of DI in the same environment as the sonde and calibrate in a similar air temperature as the water and sonde.
 9. Keep probe out of direct sun or wind.

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



HERRERA

Field Personnel: NO, ML

Sample Date: 12/24/21

Sample Time: 13:05

PDT:

SITE ID: MONM

Base Flow or Storm Event?

Field filtered 5 minutes later: Y
(Must filter within 15 minutes of collection)

PST:

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: clear, 25°F

Water Quality Sampling

Sample ID: MONM20211224

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	No
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: X

Filter blank sample ID: X

Transfer blank sample ID: X

Visual and Olfactory Conditions:

Clarity: clear

Color: _____

Odor: _____

Sheen: _____

Floatables: _____

LABORATORY DELIVERY

Date: _____

Time: _____

Quality Assurance

Checked By: _____

Signature: _____

Date Checked: _____

Time: _____

Data Entered into Database? _____

YES

NO

initials: _____

Date Entered: _____

Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): _____

Reference Point (description): _____

Water Quality Measurements

Temperature (°C) 2.0

Specific Conductivity (µs/cm) 200.4

Dissolved Oxygen (mg/L) 13.77

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



HERRERA

Field Personnel: NR, ML

Sample Date: 12/29/21

Sample Time: 12:30

PDT:

SITE ID:

COLM

Base Flow or Storm Event?

Field filtered 5 minutes later: Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Clear, 25°F

Water Quality Sampling

Sample ID: COLM 20211229

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	No
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____

Filter blank sample ID: _____

Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear

Color: _____

Odor: _____

Sheen: _____

Floatables: _____

LABORATORY DELIVERY

Date: _____

Time: _____

Quality Assurance

Checked By: _____

Signature: _____

Date Checked: _____

Time: _____

Data Entered into Database? _____

YES

NO

initials: _____

Date Entered: _____

Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 5.00

Reference Point (description): 56

Water Quality Measurements

Temperature (°C) -0.3

Specific Conductivity (µs/cm) 36.8

Dissolved Oxygen (mg/L) 14.18

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



HERRERA

Field Personnel: NB, ML

Sample Date: 12/21/21

Sample Time: 12:00

PDT:

SITE ID: SEIMN

Base Flow or Storm Event?

Field filtered 5 minutes later: Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Clear, 25°F

Water Quality Sampling

Sample ID: SEIMN 20211229

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>No</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 μm filter and vacuum hand pump

Duplicate sample ID:

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: Clear

Color:

Odor:

Sheen:

Floatables:

LABORATORY DELIVERY

Date:

Time:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 8 inches

Reference Point (description): Top

Water Quality Measurements

Temperature (°C) 1.2

Specific Conductivity (μs/cm) 55.9

Dissolved Oxygen (mg/L) 14.05

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



HERRERA

Field Personnel: NB, ML

Sample Date: 12/29/21

Sample Time: 11:30

PDT:

SITE ID: EVALSS

Base Flow or Storm Event? (circled)

Field filtered 5 minutes later: Y (circled)

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: clear, 27°F

Water Quality Sampling

Sample ID: EVALSS 20211229

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>No</u>
DOC *	HDPE	250 ml	1	HCL	<u>Yes</u>
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	<u>Yes</u>
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	<u>Yes</u>
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	<u>Yes</u>
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	<u>Yes</u>
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<u>Yes</u>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____

Filter blank sample ID: _____

Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: _____
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____

Time: _____

Quality Assurance

Checked By: _____

Signature: _____

Date Checked: _____

Time: _____

Data Entered into Database? _____

YES

NO

initials: _____

Date Entered: _____

Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 2.34

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 0.7

Specific Conductivity (µs/cm) 184.0

Dissolved Oxygen (mg/L) 14.51

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB, MC

Sample Date: 12/29/21

Sample Time: 11:10

PDT:

SITE ID: EVAMS

Base Flow or Storm Event?

Field filtered 5 minutes later:
(Must filter within 15 minutes of collection)

PST: >

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 27° F, clear

Water Quality Sampling

Sample ID: EVAMS 20211228

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	No ↓
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 _____
 YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 3.74
 Reference Point (description): 56

Water Quality Measurements

Temperature (°C) 1.2
 Specific Conductivity (µs/cm) 194.8
 Dissolved Oxygen (mg/L) 13.84

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



HERRERA

Field Personnel: NB, ML

Sample Date: 12/29/21

Sample Time: 10:40

SITE ID: TOSM 1

Base Flow or Storm Event?

Field filtered 5 minutes later: Y N
(Must filter within 15 minutes of collection)

PDT: _____
PST: X

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: clear, 27° F

Water Quality Sampling

Sample ID: TOSM120211229

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>No</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____

Filter blank sample ID: _____

Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear

Color: _____

Odor: _____

Sheen: _____

Floatables: _____

LABORATORY DELIVERY

Date: _____

Time: _____

Quality Assurance

Checked By: _____

Signature: _____

Date Checked: _____

Time: _____

Data Entered into Database? _____

YES

NO

initials: _____

Date Entered: _____

Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.79

Reference Point (description): 56

Water Quality Measurements

Temperature (°C) 1.9

Specific Conductivity (µs/cm) 386.0

Dissolved Oxygen (mg/L) 13.71

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



HERRERA

Field Personnel: TF, DG

Sample Date: 12/29/2021

Sample Time: 10:40

PDT:

SITE ID: COUMO

Base Flow or Storm Event? (circled)

Field filtered 5 minutes later: Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Sunny, 20° F

Water Quality Sampling

Sample ID: 2021-COUMO

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	↓
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	↓
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	↓
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	↓
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	↓

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: clear

Color:

Odor:

Sheen:

Floatables:

LABORATORY DELIVERY

Date:

Time:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2 ✓

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 1.33

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 3.0°

Specific Conductivity (µs/cm) 285.8

Dissolved Oxygen (mg/L) 14.34

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: TF, DG

Sample Date: 12/29/2021

Sample Time: 10:55

PDT:

SITE

ID: COUMI

Base Flow or Storm Event?

Field filtered 5 minutes later: Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Sunny, 24° F

Water Quality Sampling

Sample ID: COUMI-~~1229~~2021-1229

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: clear

Color:

Odor:

Sheen:

Floatables:

LABORATORY DELIVERY

Date:

Time:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 2.65

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 1°

Specific Conductivity (µs/cm) 40.7

Dissolved Oxygen (mg/L) 15.84

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



HERRERA

Field Personnel: TF, DG

Sample Date: 12/29/21

Sample Time: 11:05

PDT:

SITE ID: TOSMO

Base Flow or Storm Event? (circled)

Field filtered 5 minutes later: Y (N)
(Must filter within 15 minutes of collection)

PST:

Project Number: 14-05806-000

Water Quality Sampling

Sample ID: TOSMO-20211229

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>yes</u>
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____


Filter blank sample ID: _____

Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: _____
Color: _____
Odor: _____
Sheen: _____
Floatables: _____

clear



LABORATORY DELIVERY

Date: _____

Time: _____

Quality Assurance

Checked By: _____

Signature: _____

Date Checked: _____

Time: _____

Data Entered into Database? _____

YES NO initials: _____

Date Entered: _____

Time: _____

Notes: _____

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Sunny, 24°F

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2 ✓

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.58

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 2.2°

Specific Conductivity (µs/cm) 316.5

Dissolved Oxygen (mg/L) 15.08

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



HERRERA

Field Personnel: TF, DG

SITE ID: QA113

Sample Date: 12/29/21

Sample Time: 11:10

PDT:

Base Flow or Storm Event?

Field filtered 5 minutes later: Y N
(Must filter within 15 minutes of collection)

PST:

Project Number: 14-05806-000

Water Quality Sampling

Sample ID: QA13-2021-1229

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Sunny, 24°F

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>no</u>
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	<u>Y</u>
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____

Filter blank sample ID: _____

Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.58

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 2.2°

Specific Conductivity (µs/cm) 316.5

Dissolved Oxygen (mg/L) 15.08

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



HERRERA

Field Personnel: TF, DG

SITE ID: TYLMO

Sample Date: 12/29/21

Sample Time: 11:25

PDT:

Project Number: 14-05806-000

Base Flow or Storm Event?

Field filtered 5 minutes later: Y/N
(Must filter within 15 minutes of collection)

PST:

Water Quality Sampling

Sample ID: TYLMO-2021-1229

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Sunny, 25° F

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NG</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	↓

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____

Filter blank sample ID: _____

Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear

Color: _____

Odor: _____

Sheen: _____

Floatables: _____

LABORATORY DELIVERY

Date: _____

Time: _____

Quality Assurance

Checked By: _____

Signature: _____

Date Checked: _____

Time: _____

Data Entered into Database? _____

YES

NO

initials: _____

Date Entered: _____

Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 2ft, 10 inches

Reference Point (description): top of culvert

Water Quality Measurements

Temperature (°C) 1.6°

Specific Conductivity (µs/cm) 196.9

Dissolved Oxygen (mg/L) 15.22

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



Field Personnel: TF, DG

Sample Date: 12/29/21 Sample Time: 11:45 PDT: _____

Base Flow or Storm Event? (circled) Field filtered 5 minutes later: Y (N) PST: _____
(Must filter within 15 minutes of collection)

SITE ID: TYLMI

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Sunny, 25°F

Water Quality Sampling

Sample ID: TYLMI-20211229

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>no</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____

Filter blank sample ID: _____

Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear

Color: _____

Odor: _____

Sheen: _____

Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 4ft, 4.5 in

Reference Point (description): top of culvert

Water Quality Measurements

Temperature (°C) 3.0°

Specific Conductivity (µs/cm) 191.3

Dissolved Oxygen (mg/L) 14.06

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



HERRERA

Field Personnel: TE, NG

Sample Date: 12/29/21

Sample Time: 11:55

PDT:

SITE ID: MONMN

Base Flow or Storm Event? (circled)

Field filtered 5 minutes later: Y
(Must filter within 15 minutes of collection)

PST:

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Sunny, 26°F

Water Quality Sampling

Sample ID: MONMN-20211229

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>no</u>
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____

Filter blank sample ID: _____

Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____

Time: _____

Quality Assurance

Checked By: _____

Signature: _____

Date Checked: _____

Time: _____

Data Entered into Database? _____

YES NO initials: _____

Date Entered: _____

Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2 ✓

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.2

Reference Point (description): top of pipe SG

Water Quality Measurements

Temperature (°C) 2.3°

Specific Conductivity (µs/cm) 148.1

Dissolved Oxygen (mg/L) 14.54

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



Field Personnel: TF, DG
Sample Date: 12/29/21 **Sample Time:** 12:05 PDT: _____
Base Flow or Storm Event? _____ **Field filtered 5 minutes later:** Y N PST: _____
(Must filter within 15 minutes of collection)
SITE ID: MONMS
Project Number: 14-05806-000

Water Quality Sampling

Sample ID: MONMS-20211229

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>no</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 μm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ **Time:** _____

Quality Assurance

Checked By: _____ **Signature:** _____
Date Checked: _____ **Time:** _____
Data Entered into Database? YES NO initials: _____
Date Entered: _____ **Time:** _____
Notes: _____

Project Name: Redmond Paired Watershed Study
Current Weather and Temp: Sunny, 27'

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2 ✓

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
Stream Stage (ft): 7.1
Reference Point (description): top of pipe

Water Quality Measurements

Temperature (°C) 2.3°
Specific Conductivity (μs/cm) 332.7
Dissolved Oxygen (mg/L) 12.65

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



HERRERA

Field Personnel: TF, DG

Sample Date: 12/29/21

Sample Time: 12:35

PDT:

SITE ID: SEIMS

Base Flow or Storm Event? (circled)

Field filtered 5 minutes later: Y (N)

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)

Project Name: Redmond Paired Watershed Study

Water Quality Sampling

Sample ID: SEIMS-20211229

Current Weather and Temp: Sunny, 28°

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>no</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____

Filter blank sample ID: _____

Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear

Color: _____

Odor: _____

Sheen: _____

Floatables: _____

LABORATORY DELIVERY

Date: _____

Time: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.74

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 1.8°

Specific Conductivity (µs/cm) 98.6

Dissolved Oxygen (mg/L) 14.93

Quality Assurance

Checked By: _____

Signature: _____

Date Checked: _____

Time: _____

Data Entered into Database? _____

YES

NO

initials: _____

Date Entered: _____

Time: _____

Notes: _____

CHAIN OF CUSTODY

14648 NE 95th Street, Redmond, WA 98052
Telephone: 425.883.3881

Turnaround Requested:

- 1 Day
- 2 Day
- 3 Day
- Standard

Laboratory No. 12-270

Requested Analyses

Company: Herrera Environmental Consultants
Project No.: 14-05806-000
Project Name: Redmond Paired Watershed Study
Project Manager: George Iftner

Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2940B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
-----------------------------------	-----------------------	---------------------------------	-------------------------------------	---------------------------	------------------------------	------------------------------	-----------------------------	-----------------------------------

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2940B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
	COUMO-2021 <u>1229</u>	<u>12/29/21</u>	<u>10:40</u>	Water	7	X	X	X	X	X	X	X	X	X
	COUMI-2021		<u>10:55</u>	Water	7	X	X	X	X	X	X	X	X	X
	TOSMO-2021		<u>11:05</u>	Water	7	X	X	X	X	X	X	X	X	X
	TYLMO-2021		<u>11:25</u>	Water	7	X	X	X	X	X	X	X	X	X
	TYLMI-2021		<u>11:45</u>	Water	7	X	X	X	X	X	X	X	X	X
	MONMN-2021		<u>11:55</u>	Water	7	X	X	X	X	X	X	X	X	X
	MONMS-2021		<u>12:05</u>	Water	7	X	X	X	X	X	X	X	X	X
	MONM-2021		<u>13:05</u>	Water	7	X	X	X	X	X	X	X	X	X
	TOSMI-2021		<u>10:40</u>	Water	7	X	X	X	X	X	X	X	X	X
	EVAMS-2021		<u>11:10</u>	Water	7	X	X	X	X	X	X	X	X	X
	EVALSS-2021		<u>11:30</u>	Water	7	X	X	X	X	X	X	X	X	X
	SEIMN-2021		<u>12:00</u>	Water	7	X	X	X	X	X	X	X	X	X
	COLM-2021		<u>12:30</u>	Water	7	X	X	X	X	X	X	X	X	X
	SEIMS-2021		<u>12:35</u>	Water	7	X	X	X	X	X	X	X	X	X
	QA - <u>113-20211229</u>		<u>11:10</u>	Water	7	X	X	X	X	X	X	X	X	X

Relinquished by N. Bartish Date 12/29/21 Received by [Signature] Date 12/29/21
 Firm HEL Time 13:40 Firm OSE Time 13:10

Relinquished by _____ Date _____ Received by _____ Date _____
 Firm _____ Time _____ Firm _____ Time _____

please filter for dissolved metals + DOC upon receipt

Comments:
~~7- field filtered with 0.45 µm filter within 15 minutes of collecting sample~~



HERRERA

Data Quality Assurance Worksheet

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 12/29/21 /All locations, QA113 (TOSMO) Lab Ref No 2112-270

By J. Brown

Date 3/1/22 Page 1 of 2

Checked: initials
JL

date 3/31/2022

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹		
TSS	OK / SM 2540D	NA	NA	6	≤7	≤1.0 mg/L 1.0 mg/L	NA	NA	90	±20	9	≤25	D=10	≤25	OK	FLAG TOSMO J DUE TO HIGH FIELD DUPE DIFFERENCE
Turbidity	OK / EPA 180.1	NA	NA	<1	≤2	≤0.1 NTU 0.1 NTU	NA	NA	NA	±10	3	≤25	34	≤25	OK	FLAG TOSMO J DUE TO HIGH FIELD DUPE RPD
Hardness	OK / SM 2340B	NA	NA	8	≤180	≤1.0 mg/L 1.0 mg/L	109, 99	±25	102	±15	9 MS 5	≤20	<1	≤20	OK	NONE
DOC	OK / SM 5310B	≤15	≤15	5	≤28	≤1.0 mg/L 1.0 mg/L	109	±25	100	±15	D=0.1	≤20	D=0.2	≤20	OK	NONE
Total Phosphorus	OK / EPA 365.1	NA	NA	7	≤28	≤0.01 mg/L 0.01 mg/L	86	±25	89	±20	D=0.001	≤20	D=0.01	≤20	OK	NONE
Total Nitrogen (TKN + N+N)	OK/ SM 4500 N-B	NA	NA	7, 8	≤28	≤0.1 mg/L 0.1 mg/L	95-103	±25	99-100	±20	<1, 1 D=0.02, 0.02	≤20	2, D=0.2	≤20	OK	NONE

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.

NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported



Data Quality Assurance Worksheet

HERRERA

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 12/29/21 /All locations, QA113 (TOSMO) Lab Ref No 2112-270

By J. Brown

Date 3/1/22 Page 2 of 2

Checked: initials JL

date 3/31/2022

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal	Reported	Goal ¹	Reported	Goal ¹		
Total Copper	OK/ EPA 200.8	NA	NA	1	≤180	≤1.0 µg/L 1.0 µg/L	107, 103	±25	NR	±15	NC MS 4	≤20	D=0.6	≤20	OK	NONE
Total Zinc	OK/ EPA 200.8	NA	NA	1	≤180	≤5.0 µg/L 5.0 µg/L	109, 105	±25	NR	±15	NC MS 4	≤20	12	≤20	OK	NONE
Dissolved Copper	OK/ EPA 200.8	≤15	≤15	1	≤180	≤1.0 µg/L 1.0 µg/L	97, 96	±25	NR	±15	NC MS 1	≤20	D=0.4	≤20	OK	NONE
Dissolved Zinc	OK/ EPA 200.8	≤15	≤15	1	≤180	≤5.0 µg/L 5.0 µg/L	98, 96	±25	NR	±15	13 MS 2	≤20	9	≤20	OK	NONE
Fecal Coliform	OK/ SM 9222D	NA	NA	1	≤1	≤1.0 cfu/ 100mL 10 cfu/ 100mL	NA	NA	NA	NA	NR	≤35	5	≤50	OK	NONE

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.

NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

January 21, 2022

Jess Brown
Herrera Environmental Consultants, Inc.
2200 6th Avenue, Suite 1100
Seattle, WA 98121

Re: Analytical Data for Project 14-05806-000
Laboratory Reference No. 2201-042

Dear Jess:

Enclosed are the analytical results and associated quality control data for samples submitted on January 6, 2022.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read "Blair Goodrow", enclosed within a large, loopy circular flourish.

Blair Goodrow
Project Manager

Enclosures



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: January 21, 2022
Samples Submitted: January 6, 2022
Laboratory Reference: 2201-042
Project: 14-05806-000

Case Narrative

Samples were collected on January 6, 2022 and received by the laboratory on January 6, 2022. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.



Date of Report: January 21, 2022
 Samples Submitted: January 6, 2022
 Laboratory Reference: 2201-042
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220106					
Laboratory ID:	01-042-01					
Total Suspended Solids	30	2.0	SM 2540D	1-11-22	1-12-22	

Client ID:	COUMI-20220106					
Laboratory ID:	01-042-02					
Total Suspended Solids	42	2.0	SM 2540D	1-11-22	1-12-22	

Client ID:	TOSMO-20220106					
Laboratory ID:	01-042-03					
Total Suspended Solids	110	2.5	SM 2540D	1-11-22	1-12-22	

Client ID:	TYLMO-20220106					
Laboratory ID:	01-042-04					
Total Suspended Solids	11	1.0	SM 2540D	1-11-22	1-12-22	

Client ID:	TYLMI-20220106					
Laboratory ID:	01-042-05					
Total Suspended Solids	4.8	1.0	SM 2540D	1-11-22	1-12-22	

Client ID:	MONMN-20220106					
Laboratory ID:	01-042-06					
Total Suspended Solids	13	1.0	SM 2540D	1-11-22	1-12-22	

Client ID:	MONMS-20220106					
Laboratory ID:	01-042-07					
Total Suspended Solids	3.8	1.0	SM 2540D	1-11-22	1-12-22	

Client ID:	MONM-20220106					
Laboratory ID:	01-042-08					
Total Suspended Solids	18	2.0	SM 2540D	1-11-22	1-12-22	

Client ID:	TOSMI-20220106					
Laboratory ID:	01-042-09					
Total Suspended Solids	48	2.5	SM 2540D	1-11-22	1-12-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: January 21, 2022
 Samples Submitted: January 6, 2022
 Laboratory Reference: 2201-042
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	EVAMS-20220106					
Laboratory ID:	01-042-10					
Total Suspended Solids	8.6	1.0	SM 2540D	1-11-22	1-12-22	

Client ID:	EVALSS-20220106					
Laboratory ID:	01-042-11					
Total Suspended Solids	48	2.5	SM 2540D	1-11-22	1-12-22	

Client ID:	SEIMN-20220106					
Laboratory ID:	01-042-12					
Total Suspended Solids	260	5.0	SM 2540D	1-11-22	1-12-22	

Client ID:	COLM-20220106					
Laboratory ID:	01-042-13					
Total Suspended Solids	31	2.5	SM 2540D	1-11-22	1-12-22	

Client ID:	SEIMS-20220106					
Laboratory ID:	01-042-14					
Total Suspended Solids	52	5.0	SM 2540D	1-11-22	1-12-22	

Client ID:	QA-114-20220106					
Laboratory ID:	01-042-15					
Total Suspended Solids	12	1.0	SM 2540D	1-11-22	1-12-22	



Date of Report: January 21, 2022
 Samples Submitted: January 6, 2022
 Laboratory Reference: 2201-042
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0111W2					
Total Suspended Solids	ND	1.0	SM 2540D	1-11-22	1-12-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	01-042-03							
	ORIG	DUP						
Total Suspended Solids	109	112	NA	NA	NA	3	26	

SPIKE BLANK

Laboratory ID:	SB0111W2							
	SB	SB		SB				
Total Suspended Solids	92.0	100	NA	92	67-118	NA	NA	



Date of Report: January 21, 2022
 Samples Submitted: January 6, 2022
 Laboratory Reference: 2201-042
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220106					
Laboratory ID:	01-042-01					
Turbidity	6.3	0.10	EPA 180.1	1-7-22	1-7-22	

Client ID:	COUMI-20220106					
Laboratory ID:	01-042-02					
Turbidity	5.5	0.10	EPA 180.1	1-7-22	1-7-22	

Client ID:	TOSMO-20220106					
Laboratory ID:	01-042-03					
Turbidity	10	0.10	EPA 180.1	1-7-22	1-7-22	

Client ID:	TYLMO-20220106					
Laboratory ID:	01-042-04					
Turbidity	4.6	0.10	EPA 180.1	1-7-22	1-7-22	

Client ID:	TYLMI-20220106					
Laboratory ID:	01-042-05					
Turbidity	6.2	0.10	EPA 180.1	1-7-22	1-7-22	

Client ID:	MONMN-20220106					
Laboratory ID:	01-042-06					
Turbidity	3.7	0.10	EPA 180.1	1-7-22	1-7-22	

Client ID:	MONMS-20220106					
Laboratory ID:	01-042-07					
Turbidity	4.4	0.10	EPA 180.1	1-7-22	1-7-22	

Client ID:	MONM-20220106					
Laboratory ID:	01-042-08					
Turbidity	4.6	0.10	EPA 180.1	1-7-22	1-7-22	

Client ID:	TOSMI-20220106					
Laboratory ID:	01-042-09					
Turbidity	9.1	0.10	EPA 180.1	1-7-22	1-7-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: January 21, 2022
 Samples Submitted: January 6, 2022
 Laboratory Reference: 2201-042
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	EVAMS-20220106					
Laboratory ID:	01-042-10					
Turbidity	3.7	0.10	EPA 180.1	1-7-22	1-7-22	

Client ID:	EVALSS-20220106					
Laboratory ID:	01-042-11					
Turbidity	5.4	0.10	EPA 180.1	1-7-22	1-7-22	

Client ID:	SEIMN-20220106					
Laboratory ID:	01-042-12					
Turbidity	20	0.10	EPA 180.1	1-7-22	1-7-22	

Client ID:	COLM-20220106					
Laboratory ID:	01-042-13					
Turbidity	1.9	0.10	EPA 180.1	1-7-22	1-7-22	

Client ID:	SEIMS-20220106					
Laboratory ID:	01-042-14					
Turbidity	5.0	0.10	EPA 180.1	1-7-22	1-7-22	

Client ID:	QA-114-20220106					
Laboratory ID:	01-042-15					
Turbidity	3.4	0.10	EPA 180.1	1-7-22	1-7-22	



Date of Report: January 21, 2022
 Samples Submitted: January 6, 2022
 Laboratory Reference: 2201-042
 Project: 14-05806-000

**TURBIDITY
 EPA 180.1
 QUALITY CONTROL**

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0107W1					
Turbidity	ND	0.10	EPA 180.1	1-7-22	1-7-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	01-039-01							
	ORIG	DUP						
Turbidity	2.93	3.01	NA	NA	NA	NA	3	13



Date of Report: January 21, 2022
 Samples Submitted: January 6, 2022
 Laboratory Reference: 2201-042
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220106					
Laboratory ID:	01-042-01					
Hardness	40	1.0	EPA 200.7/SM 2340B	1-12-22	1-12-22	

Client ID:	COUMI-20220106					
Laboratory ID:	01-042-02					
Hardness	51	1.0	EPA 200.7/SM 2340B	1-12-22	1-12-22	

Client ID:	TOSMO-20220106					
Laboratory ID:	01-042-03					
Hardness	38	1.0	EPA 200.7/SM 2340B	1-12-22	1-12-22	

Client ID:	TYLMO-20220106					
Laboratory ID:	01-042-04					
Hardness	34	1.0	EPA 200.7/SM 2340B	1-12-22	1-12-22	

Client ID:	TYLMI-20220106					
Laboratory ID:	01-042-05					
Hardness	32	1.0	EPA 200.7/SM 2340B	1-12-22	1-12-22	

Client ID:	MONMN-20220106					
Laboratory ID:	01-042-06					
Hardness	34	1.0	EPA 200.7/SM 2340B	1-12-22	1-12-22	

Client ID:	MONMS-20220106					
Laboratory ID:	01-042-07					
Hardness	63	1.0	EPA 200.7/SM 2340B	1-12-22	1-12-22	



Date of Report: January 21, 2022
 Samples Submitted: January 6, 2022
 Laboratory Reference: 2201-042
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20220106					
Laboratory ID:	01-042-08					
Hardness	40	1.0	EPA 200.7/SM 2340B	1-12-22	1-12-22	

Client ID:	TOSMI-20220106					
Laboratory ID:	01-042-09					
Hardness	43	1.0	EPA 200.7/SM 2340B	1-12-22	1-12-22	

Client ID:	EVAMS-20220106					
Laboratory ID:	01-042-10					
Hardness	55	1.0	EPA 200.7/SM 2340B	1-12-22	1-12-22	

Client ID:	EVALSS-20220106					
Laboratory ID:	01-042-11					
Hardness	45	1.0	EPA 200.7/SM 2340B	1-12-22	1-12-22	

Client ID:	SEIMN-20220106					
Laboratory ID:	01-042-12					
Hardness	18	1.0	EPA 200.7/SM 2340B	1-12-22	1-12-22	

Client ID:	COLM-20220106					
Laboratory ID:	01-042-13					
Hardness	9.2	1.0	EPA 200.7/SM 2340B	1-12-22	1-12-22	

Client ID:	SEIMS-20220106					
Laboratory ID:	01-042-14					
Hardness	20	1.0	EPA 200.7/SM 2340B	1-12-22	1-12-22	



Date of Report: January 21, 2022
Samples Submitted: January 6, 2022
Laboratory Reference: 2201-042
Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	QA-114-20220106					
Laboratory ID:	01-042-15					
Hardness	37	1.0	EPA 200.7/SM 2340B	1-12-22	1-12-22	



Date of Report: January 21, 2022
 Samples Submitted: January 6, 2022
 Laboratory Reference: 2201-042
 Project: 14-05806-000

**HARDNESS
 EPA 200.7/SM 2340B
 QUALITY CONTROL**

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0112WH1					
Hardness	ND	1.0	EPA 200.7/SM 2340B	1-12-22	1-12-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	01-042-02							
	ORIG	DUP						
Hardness	51.3	50.7	NA	NA	NA	1	20	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags		
MATRIX SPIKES										
Laboratory ID:	01-042-02									
	MS	MSD	MS	MSD	MS	MSD				
Hardness	192	189	132	132	51.3	107	104	75-125	2	20

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
SPIKE BLANK								
Laboratory ID:	SB0112WH1							
	SB	SB			SB			
Hardness	131	132	NA	99	85-115	NA	NA	



Date of Report: January 21, 2022
 Samples Submitted: January 6, 2022
 Laboratory Reference: 2201-042
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220106					
Laboratory ID:	01-042-01					
Dissolved Organic Carbon	5.7	1.0	SM 5310B	1-11-22	1-11-22	

Client ID:	COUMI-20220106					
Laboratory ID:	01-042-02					
Dissolved Organic Carbon	7.1	1.0	SM 5310B	1-11-22	1-11-22	

Client ID:	TOSMO-20220106					
Laboratory ID:	01-042-03					
Dissolved Organic Carbon	6.2	1.0	SM 5310B	1-11-22	1-11-22	

Client ID:	TYLMO-20220106					
Laboratory ID:	01-042-04					
Dissolved Organic Carbon	6.0	1.0	SM 5310B	1-11-22	1-11-22	

Client ID:	TYLMI-20220106					
Laboratory ID:	01-042-05					
Dissolved Organic Carbon	8.4	1.0	SM 5310B	1-11-22	1-11-22	

Client ID:	MONMN-20220106					
Laboratory ID:	01-042-06					
Dissolved Organic Carbon	5.3	1.0	SM 5310B	1-11-22	1-11-22	

Client ID:	MONMS-20220106					
Laboratory ID:	01-042-07					
Dissolved Organic Carbon	7.5	1.0	SM 5310B	1-14-22	1-14-22	

Client ID:	MONM-20220106					
Laboratory ID:	01-042-08					
Dissolved Organic Carbon	6.2	1.0	SM 5310B	1-14-22	1-14-22	

Client ID:	TOSMI-20220106					
Laboratory ID:	01-042-09					
Dissolved Organic Carbon	7.8	1.0	SM 5310B	1-14-22	1-14-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: January 21, 2022
 Samples Submitted: January 6, 2022
 Laboratory Reference: 2201-042
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	EVAMS-20220106					
Laboratory ID:	01-042-10					
Dissolved Organic Carbon	12	1.0	SM 5310B	1-11-22	1-11-22	

Client ID:	EVALSS-20220106					
Laboratory ID:	01-042-11					
Dissolved Organic Carbon	13	1.0	SM 5310B	1-11-22	1-11-22	

Client ID:	SEIMN-20220106					
Laboratory ID:	01-042-12					
Dissolved Organic Carbon	12	1.0	SM 5310B	1-11-22	1-11-22	

Client ID:	COLM-20220106					
Laboratory ID:	01-042-13					
Dissolved Organic Carbon	12	1.0	SM 5310B	1-11-22	1-11-22	

Client ID:	SEIMS-20220106					
Laboratory ID:	01-042-14					
Dissolved Organic Carbon	10	1.0	SM 5310B	1-14-22	1-14-22	

Client ID:	QA-114-20220106					
Laboratory ID:	01-042-15					
Dissolved Organic Carbon	5.7	1.0	SM 5310B	1-14-22	1-14-22	



Date of Report: January 21, 2022
 Samples Submitted: January 6, 2022
 Laboratory Reference: 2201-042
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0111D1					
Dissolved Organic Carbon	ND	1.0	SM 5310B	1-11-22	1-11-22	
Laboratory ID:	MB0114D1					
Dissolved Organic Carbon	ND	1.0	SM 5310B	1-14-22	1-14-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	01-042-01							
	ORIG	DUP						
Dissolved Organic Carbon	5.69	5.05	NA	NA	NA	12	15	
Laboratory ID:	01-042-07							
	ORIG	DUP						
Dissolved Organic Carbon	7.50	7.70	NA	NA	NA	3	15	

MATRIX SPIKE

Laboratory ID:	01-042-01							
	MS	MS		MS				
Dissolved Organic Carbon	16.0	10.0	5.69	103	91-117	NA	NA	
Laboratory ID:	01-042-07							
	MS	MS		MS				
Dissolved Organic Carbon	17.4	10.0	7.50	99	91-117	NA	NA	

SPIKE BLANK

Laboratory ID:	SB0111D1							
	SB	SB		SB				
Dissolved Organic Carbon	10.8	10.0	NA	108	88-116	NA	NA	
Laboratory ID:	SB0114D1							
	SB	SB		SB				
Dissolved Organic Carbon	10.2	10.0	NA	102	88-116	NA	NA	



Date of Report: January 21, 2022
 Samples Submitted: January 6, 2022
 Laboratory Reference: 2201-042
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220106					
Laboratory ID:	01-042-01					
Total Phosphorus	0.080	0.010	EPA 365.1	1-12-22	1-13-22	

Client ID:	COUMI-20220106					
Laboratory ID:	01-042-02					
Total Phosphorus	0.072	0.010	EPA 365.1	1-12-22	1-13-22	

Client ID:	TOSMO-20220106					
Laboratory ID:	01-042-03					
Total Phosphorus	0.11	0.010	EPA 365.1	1-12-22	1-13-22	

Client ID:	TYLMO-20220106					
Laboratory ID:	01-042-04					
Total Phosphorus	0.039	0.010	EPA 365.1	1-12-22	1-13-22	

Client ID:	TYLMI-20220106					
Laboratory ID:	01-042-05					
Total Phosphorus	0.039	0.010	EPA 365.1	1-12-22	1-13-22	

Client ID:	MONMN-20220106					
Laboratory ID:	01-042-06					
Total Phosphorus	0.034	0.010	EPA 365.1	1-12-22	1-13-22	

Client ID:	MONMS-20220106					
Laboratory ID:	01-042-07					
Total Phosphorus	0.060	0.010	EPA 365.1	1-12-22	1-13-22	

Client ID:	MONM-20220106					
Laboratory ID:	01-042-08					
Total Phosphorus	0.043	0.010	EPA 365.1	1-12-22	1-13-22	

Client ID:	TOSMI-20220106					
Laboratory ID:	01-042-09					
Total Phosphorus	0.080	0.010	EPA 365.1	1-12-22	1-13-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: January 21, 2022
 Samples Submitted: January 6, 2022
 Laboratory Reference: 2201-042
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	EVAMS-20220106					
Laboratory ID:	01-042-10					
Total Phosphorus	0.029	0.010	EPA 365.1	1-12-22	1-13-22	

Client ID:	EVALSS-20220106					
Laboratory ID:	01-042-11					
Total Phosphorus	0.064	0.010	EPA 365.1	1-12-22	1-13-22	

Client ID:	SEIMN-20220106					
Laboratory ID:	01-042-12					
Total Phosphorus	0.26	0.010	EPA 365.1	1-12-22	1-13-22	

Client ID:	COLM-20220106					
Laboratory ID:	01-042-13					
Total Phosphorus	0.039	0.010	EPA 365.1	1-12-22	1-13-22	

Client ID:	SEIMS-20220106					
Laboratory ID:	01-042-14					
Total Phosphorus	0.069	0.010	EPA 365.1	1-12-22	1-13-22	

Client ID:	QA-114-20220106					
Laboratory ID:	01-042-15					
Total Phosphorus	0.034	0.010	EPA 365.1	1-12-22	1-13-22	



Date of Report: January 21, 2022
 Samples Submitted: January 6, 2022
 Laboratory Reference: 2201-042
 Project: 14-05806-000

**TOTAL PHOSPHORUS
 EPA 365.1
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0112W1					
Total Phosphorus	ND	0.010	EPA 365.1	1-12-22	1-13-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	01-042-01							
	ORIG	DUP						
Total Phosphorus	0.0801	0.0713	NA	NA	NA	NA	12	19

MATRIX SPIKE								
Laboratory ID:	01-042-01							
	MS	MS		MS				
Total Phosphorus	0.309	0.250	0.0801	92	83-110	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0112W1							
	SB	SB		SB				
Total Phosphorus	0.228	0.250	NA	91	83-110	NA	NA	



Date of Report: January 21, 2022
 Samples Submitted: January 6, 2022
 Laboratory Reference: 2201-042
 Project: 14-05806-000

TOTAL METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220106					
Laboratory ID:	01-042-01					
Copper	3.7	1.0	EPA 200.8	1-10-22	1-10-22	
Zinc	37	5.0	EPA 200.8	1-10-22	1-10-22	

Client ID:	COUMI-20220106					
Laboratory ID:	01-042-02					
Copper	3.4	1.0	EPA 200.8	1-10-22	1-10-22	
Zinc	30	5.0	EPA 200.8	1-10-22	1-10-22	

Client ID:	TOSMO-20220106					
Laboratory ID:	01-042-03					
Copper	5.9	1.0	EPA 200.8	1-10-22	1-10-22	
Zinc	130	5.0	EPA 200.8	1-10-22	1-10-22	

Client ID:	TYLMO-20220106					
Laboratory ID:	01-042-04					
Copper	3.5	1.0	EPA 200.8	1-10-22	1-10-22	
Zinc	23	5.0	EPA 200.8	1-10-22	1-10-22	

Client ID:	TYLMI-20220106					
Laboratory ID:	01-042-05					
Copper	2.3	1.0	EPA 200.8	1-10-22	1-10-22	
Zinc	14	5.0	EPA 200.8	1-10-22	1-10-22	

Client ID:	MONMN-20220106					
Laboratory ID:	01-042-06					
Copper	2.0	1.0	EPA 200.8	1-10-22	1-10-22	
Zinc	7.0	5.0	EPA 200.8	1-10-22	1-10-22	

Client ID:	MONMS-20220106					
Laboratory ID:	01-042-07					
Copper	2.6	1.0	EPA 200.8	1-10-22	1-10-22	
Zinc	6.5	5.0	EPA 200.8	1-10-22	1-10-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: January 21, 2022
 Samples Submitted: January 6, 2022
 Laboratory Reference: 2201-042
 Project: 14-05806-000

TOTAL METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20220106					
Laboratory ID:	01-042-08					
Copper	2.2	1.0	EPA 200.8	1-10-22	1-10-22	
Zinc	13	5.0	EPA 200.8	1-10-22	1-10-22	

Client ID:	TOSMI-20220106					
Laboratory ID:	01-042-09					
Copper	6.5	1.0	EPA 200.8	1-10-22	1-10-22	
Zinc	100	5.0	EPA 200.8	1-10-22	1-10-22	

Client ID:	EVAMS-20220106					
Laboratory ID:	01-042-10					
Copper	1.7	1.0	EPA 200.8	1-10-22	1-10-22	
Zinc	5.9	5.0	EPA 200.8	1-10-22	1-10-22	

Client ID:	EVALSS-20220106					
Laboratory ID:	01-042-11					
Copper	2.9	1.0	EPA 200.8	1-10-22	1-10-22	
Zinc	6.1	5.0	EPA 200.8	1-10-22	1-10-22	

Client ID:	SEIMN-20220106					
Laboratory ID:	01-042-12					
Copper	7.6	1.0	EPA 200.8	1-10-22	1-10-22	
Zinc	12	5.0	EPA 200.8	1-10-22	1-10-22	

Client ID:	COLM-20220106					
Laboratory ID:	01-042-13					
Copper	1.2	1.0	EPA 200.8	1-10-22	1-10-22	
Zinc	ND	5.0	EPA 200.8	1-10-22	1-10-22	

Client ID:	SEIMS-20220106					
Laboratory ID:	01-042-14					
Copper	1.9	1.0	EPA 200.8	1-10-22	1-10-22	
Zinc	ND	5.0	EPA 200.8	1-10-22	1-10-22	



Date of Report: January 21, 2022
 Samples Submitted: January 6, 2022
 Laboratory Reference: 2201-042
 Project: 14-05806-000

TOTAL METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	QA-114-20220106					
Laboratory ID:	01-042-15					
Copper	2.2	1.0	EPA 200.8	1-10-22	1-10-22	
Zinc	7.8	5.0	EPA 200.8	1-10-22	1-10-22	



Date of Report: January 21, 2022
 Samples Submitted: January 6, 2022
 Laboratory Reference: 2201-042
 Project: 14-05806-000

**TOTAL METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0110WH1					
Copper	ND	1.0	EPA 200.8	1-10-22	1-10-22	
Zinc	ND	5.0	EPA 200.8	1-10-22	1-10-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	01-042-10							
	ORIG	DUP						
Copper	1.68	1.72	NA	NA	NA	NA	2	20
Zinc	5.86	5.80	NA	NA	NA	NA	1	20

MATRIX SPIKES

Laboratory ID:	MS	MSD	MS	MSD	MS	MSD	MSD	RPD	RPD Limit
01-042-10									
Copper	106	105	100	100	1.68	104	103	75-125	1
Zinc	107	105	100	100	5.86	101	99	75-125	2



Date of Report: January 21, 2022
 Samples Submitted: January 6, 2022
 Laboratory Reference: 2201-042
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220106					
Laboratory ID:	01-042-01					
Copper	2.1	1.0	EPA 200.8		1-17-22	
Zinc	28	5.0	EPA 200.8		1-17-22	

Client ID:	COUMI-20220106					
Laboratory ID:	01-042-02					
Copper	1.9	1.0	EPA 200.8		1-17-22	
Zinc	16	5.0	EPA 200.8		1-17-22	

Client ID:	TOSMO-20220106					
Laboratory ID:	01-042-03					
Copper	1.9	1.0	EPA 200.8		1-17-22	
Zinc	54	5.0	EPA 200.8		1-17-22	

Client ID:	TYLMO-20220106					
Laboratory ID:	01-042-04					
Copper	2.4	1.0	EPA 200.8		1-17-22	
Zinc	16	5.0	EPA 200.8		1-17-22	

Client ID:	TYLMI-20220106					
Laboratory ID:	01-042-05					
Copper	1.8	1.0	EPA 200.8		1-17-22	
Zinc	12	5.0	EPA 200.8		1-17-22	

Client ID:	MONMN-20220106					
Laboratory ID:	01-042-06					
Copper	1.5	1.0	EPA 200.8		1-17-22	
Zinc	6.6	5.0	EPA 200.8		1-17-22	

Client ID:	MONMS-20220106					
Laboratory ID:	01-042-07					
Copper	2.0	1.0	EPA 200.8		1-17-22	
Zinc	6.7	5.0	EPA 200.8		1-17-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: January 21, 2022
 Samples Submitted: January 6, 2022
 Laboratory Reference: 2201-042
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20220106					
Laboratory ID:	01-042-08					
Copper	1.5	1.0	EPA 200.8		1-17-22	
Zinc	8.0	5.0	EPA 200.8		1-17-22	

Client ID:	TOSMI-20220106					
Laboratory ID:	01-042-09					
Copper	2.0	1.0	EPA 200.8		1-17-22	
Zinc	57	5.0	EPA 200.8		1-17-22	

Client ID:	EVAMS-20220106					
Laboratory ID:	01-042-10					
Copper	1.0	1.0	EPA 200.8		1-17-22	
Zinc	ND	5.0	EPA 200.8		1-17-22	

Client ID:	EVALSS-20220106					
Laboratory ID:	01-042-11					
Copper	1.3	1.0	EPA 200.8		1-17-22	
Zinc	ND	5.0	EPA 200.8		1-17-22	

Client ID:	SEIMN-20220106					
Laboratory ID:	01-042-12					
Copper	ND	1.0	EPA 200.8		1-17-22	
Zinc	ND	5.0	EPA 200.8		1-17-22	

Client ID:	COLM-20220106					
Laboratory ID:	01-042-13					
Copper	ND	1.0	EPA 200.8		1-17-22	
Zinc	ND	5.0	EPA 200.8		1-17-22	

Client ID:	SEIMS-20220106					
Laboratory ID:	01-042-14					
Copper	ND	1.0	EPA 200.8		1-17-22	
Zinc	ND	5.0	EPA 200.8		1-17-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: January 21, 2022
Samples Submitted: January 6, 2022
Laboratory Reference: 2201-042
Project: 14-05806-000

DISSOLVED METALS
EPA 200.8

Matrix: Water
Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	QA-114-20220106					
Laboratory ID:	01-042-15					
Copper	1.5	1.0	EPA 200.8		1-17-22	
Zinc	6.0	5.0	EPA 200.8		1-17-22	



Date of Report: January 21, 2022
 Samples Submitted: January 6, 2022
 Laboratory Reference: 2201-042
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0117D1					
Copper	ND	1.0	EPA 200.8		1-17-22	
Zinc	ND	5.0	EPA 200.8		1-17-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	01-042-15							
	ORIG	DUP						
Copper	1.52	1.51	NA	NA	NA	NA	1	20
Zinc	6.00	5.62	NA	NA	NA	NA	7	20

MATRIX SPIKES

Laboratory ID:	01-042-15									
	MS	MSD	MS	MSD		MS	MSD			
Copper	82.2	80.6	80.0	80.0	1.52	101	99	75-125	2	20
Zinc	84.6	82.8	80.0	80.0	6.00	98	96	75-125	2	20





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
 - B - The analyte indicated was also found in the blank sample.
 - C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
 - E - The value reported exceeds the quantitation range and is an estimate.
 - F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
 - H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
 - I - Compound recovery is outside of the control limits.
 - J - The value reported was below the practical quantitation limit. The value is an estimate.
 - K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
 - L - The RPD is outside of the control limits.
 - M - Hydrocarbons in the gasoline range are impacting the diesel range result.
 - M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
 - N - Hydrocarbons in the lube oil range are impacting the diesel range result.
 - N1 - Hydrocarbons in diesel range are impacting lube oil range results.
 - O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
 - P - The RPD of the detected concentrations between the two columns is greater than 40.
 - Q - Surrogate recovery is outside of the control limits.
 - S - Surrogate recovery data is not available due to the necessary dilution of the sample.
 - T - The sample chromatogram is not similar to a typical _____.
 - U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
 - U1 - The practical quantitation limit is elevated due to interferences present in the sample.
 - V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
 - W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
 - X - Sample extract treated with a mercury cleanup procedure.
 - X1 - Sample extract treated with a Sulfuric acid/Silica gel cleanup procedure.
 - Y - The calibration verification for this analyte exceeded the 20% drift specified in method 8260C, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
 - Z -
- ND - Not Detected at PQL
 PQL - Practical Quantitation Limit
 RPD - Relative Percent Difference





Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664

*Professional
Analytical
Services*

Jan 21 2022
On-Site Environmental
14648 NE 95th ST
Redmond, WA 98052
Attention: David Baumeister

Dear David Baumeister:

Enclosed please find the analytical data for your REDMOND PAIRED WATERSHED STUDY project.

The following is a cross correlation of client and laboratory identifications for your convenience.

CLIENT ID	MATRIX	AMTEST ID	TEST
COUMO-20220106	Water	22-A000168	Micro, NUT
COUMI-20220106	Water	22-A000169	Micro, NUT
TOSMO-20220106	Water	22-A000170	Micro, NUT
TYLMO-20220106	Water	22-A000171	Micro, NUT
TYLMI-20220106	Water	22-A000172	Micro, NUT
MONMN-20220106	Water	22-A000173	Micro, NUT
MONMS-20220106	Water	22-A000174	Micro, NUT
MONM-20220106	Water	22-A000175	Micro, NUT
TOSMI-20220106	Water	22-A000176	Micro, NUT
EVAMS-20220106	Water	22-A000177	Micro, NUT
EVALSS-20220106	Water	22-A000178	Micro, NUT
SEIMN-20220106	Water	22-A000179	Micro, NUT
COLM-20220106	Water	22-A000180	Micro, NUT
SEIMS-20220106	Water	22-A000181	Micro, NUT
QA114-20220106	Water	22-A000182	Micro, NUT

Your samples were received on Friday, January 7, 2022. At the time of receipt, the samples were logged in and properly maintained prior to the subsequent analysis.

The analytical procedures used at AmTest are well documented and are typically derived from the protocols of the EPA, USDA, FDA or the Army Corps of Engineers.

Following the analytical data you will find the Quality Control (QC) results.

Please note that the detection limits that are listed in the body of the report refer to the Practical Quantitation Limits (PQL's), as opposed to the Method Detection Limits (MDL's).


Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664

**Professional
Analytical
Services**

Jan 21 2022
On-Site Environmental
continued . . .

If you should have any questions pertaining to the data package, please feel free to contact me.

Sincerely,


Aaron W. Young
Vice President

Project #: 14-05806-000
SDG #: 2222340
PO Number: 01-042

BACT = Bacteriological
CONV = Conventional

MET = Metals
ORG = Organics

NUT=Nutrients
DEM=Demand

MIN=Minerals

Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664
www.amtestlab.com



**Professional
Analytical
Services**

ANALYSIS REPORT

On-Site Environmental
14648 NE 95th ST
Redmond, WA 98052
Attention: David Baumeister
Project Name: REDMOND PAIRED WATERSHED STUDY
SDG Number: 2222340
Project #: 14-05806-000
PO Number: 01-042
All results reported on an as received basis.

Date Received: 01/07/22
Date Reported: 1/21/22

AMTEST Identification Number 22-A000168
Client Identification COUMO-20220106
Sampling Date 01/06/22, 13:35

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	91.	CFU/100 ml		1	SM 9222D	OB	01/07/22
Total Nitrogen (NOX&TKN)	1.35	mg/l		0.1			
Total Nitrogen (TKN)	0.808	mg/l		0.2	SM4500N	KS	01/11/22
Total Nitrate + Nitrite	0.54	mg/l		0.02	SM4500NO3	KS	01/13/22

AMTEST Identification Number 22-A000169
Client Identification COUMI-20220106
Sampling Date 01/06/22, 14:00

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	72.	CFU/100 ml		1	SM 9222D	OB	01/07/22
Total Nitrogen (NOX&TKN)	1.46	mg/l		0.1			
Total Nitrogen (TKN)	0.871	mg/l		0.2	SM4500N	KS	01/11/22
Total Nitrate + Nitrite	0.59	mg/l		0.02	SM4500NO3	KS	01/13/22

AMTEST Identification Number 22-A000170
Client Identification TOSMO-20220106
Sampling Date 01/06/22, 14:10

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	330	CFU/100 ml		10	SM 9222D	OB	01/07/22
Total Nitrogen (NOX&TKN)	1.10	mg/l		0.1			
Total Nitrogen (TKN)	0.667	mg/l		0.2	SM4500N	KS	01/11/22
Total Nitrate + Nitrite	0.43	mg/l		0.02	SM4500NO3	KS	01/13/22

AMTEST Identification Number 22-A000171
Client Identification TYLMO-20220106
Sampling Date 01/06/22, 14:40

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	110	CFU/100 ml		1	SM 9222D	OB	01/07/22
Total Nitrogen (NOX&TKN)	1.39	mg/l		0.1			
Total Nitrogen (TKN)	0.769	mg/l		0.2	SM4500N	KS	01/11/22
Total Nitrate + Nitrite	0.62	mg/l		0.02	SM4500NO3	KS	01/13/22

AMTEST Identification Number 22-A000172
Client Identification TYLMI-20220106
Sampling Date 01/06/22, 15:00

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	75.	CFU/100 ml		1	SM 9222D	OB	01/07/22
Total Nitrogen (NOX&TKN)	1.55	mg/l		0.1			
Total Nitrogen (TKN)	0.796	mg/l		0.2	SM4500N	KS	01/11/22
Total Nitrate + Nitrite	0.75	mg/l		0.02	SM4500NO3	KS	01/13/22

AMTEST Identification Number 22-A000173
Client Identification MONMN-20220106
Sampling Date 01/06/22, 15:20

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	44.	CFU/100 ml		1	SM 9222D	OB	01/07/22
Total Nitrogen (NOX&TKN)	1.23	mg/l		0.1			
Total Nitrogen (TKN)	0.657	mg/l		0.2	SM4500N	KS	01/11/22
Total Nitrate + Nitrite	0.57	mg/l		0.02	SM4500NO3	KS	01/13/22

AMTEST Identification Number 22-A000174
Client Identification MONMS-20220106
Sampling Date 01/06/22, 15:50

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	32.	CFU/100 ml		1	SM 9222D	OB	01/07/22
Total Nitrogen (NOX&TKN)	1.50	mg/l		0.1			
Total Nitrogen (TKN)	0.704	mg/l		0.2	SM4500N	KS	01/11/22
Total Nitrate + Nitrite	0.80	mg/l		0.02	SM4500NO3	KS	01/13/22

AMTEST Identification Number 22-A000175
Client Identification MONM-20220106
Sampling Date 01/06/22, 16:35

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	52.	CFU/100 ml		1	SM 9222D	OB	01/07/22
Total Nitrogen (NOX&TKN)	1.27	mg/l		0.1			
Total Nitrogen (TKN)	0.724	mg/l		0.2	SM4500N	KS	01/11/22
Total Nitrate + Nitrite	0.55	mg/l		0.02	SM4500NO3	KS	01/13/22

AMTEST Identification Number 22-A000176
Client Identification TOSMI-20220106
Sampling Date 01/06/22, 13:45

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	280	CFU/100 ml		10	SM 9222D	OB	01/07/22
Total Nitrogen (NOX&TKN)	1.06	mg/l		0.1			
Total Nitrogen (TKN)	0.728	mg/l		0.2	SM4500N	KS	01/11/22
Total Nitrate + Nitrite	0.33	mg/l		0.02	SM4500NO3	KS	01/13/22

AMTEST Identification Number 22-A000177
Client Identification EVAMS-20220106
Sampling Date 01/06/22, 14:30

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	30.	CFU/100 ml		1	SM 9222D	OB	01/07/22
Total Nitrogen (NOX&TKN)	2.11	mg/l		0.1			
Total Nitrogen (TKN)	0.910	mg/l		0.2	SM4500N	KS	01/11/22
Total Nitrate + Nitrite	1.2	mg/l		0.02	SM4500NO3	KS	01/13/22

AMTEST Identification Number 22-A000178
Client Identification EVALSS-20220106
Sampling Date 01/06/22, 14:45

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	44.	CFU/100 ml		1	SM 9222D	OB	01/07/22
Total Nitrogen (NOX&TKN)	1.93	mg/l		0.1			
Total Nitrogen (TKN)	0.830	mg/l		0.2	SM4500N	KS	01/11/22
Total Nitrate + Nitrite	1.1	mg/l		0.02	SM4500NO3	KS	01/13/22

AMTEST Identification Number 22-A000179
Client Identification SEIMN-20220106
Sampling Date 01/06/22, 15:25

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	55.	CFU/100 ml		1	SM 9222D	OB	01/07/22
Total Nitrogen (NOX&TKN)	1.19	mg/l		0.1			
Total Nitrogen (TKN)	1.01	mg/l		0.2	SM4500N	KS	01/11/22
Total Nitrate + Nitrite	0.18	mg/l		0.02	SM4500NO3	KS	01/13/22

AMTEST Identification Number 22-A000180
Client Identification COLM-20220106
Sampling Date 01/06/22, 16:05

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	36.	CFU/100 ml		1	SM 9222D	OB	01/07/22
Total Nitrogen (NOX&TKN)	0.76	mg/l		0.1			
Total Nitrogen (TKN)	0.688	mg/l		0.2	SM4500N	KS	01/11/22
Total Nitrate + Nitrite	0.073	mg/l		0.02	SM4500NO3	KS	01/13/22

AMTEST Identification Number 22-A000181
Client Identification SEIMS-20220106
Sampling Date 01/06/22, 16:20


Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	20.	CFU/100 ml		1	SM 9222D	OB	01/07/22
Total Nitrogen (NOX&TKN)	1.08	mg/l		0.1			
Total Nitrogen (TKN)	0.838	mg/l		0.2	SM4500N	KS	01/11/22
Total Nitrate + Nitrite	0.24	mg/l		0.02	SM4500NO3	KS	01/13/22

AMTEST Identification Number 22-A000182
Client Identification QA114-20220106
Sampling Date 01/06/22, 15:20

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	48.	CFU/100 ml		1	SM 9222D	OB	01/07/22
Total Nitrogen (NOX&TKN)	1.22	mg/l		0.1			
Total Nitrogen (TKN)	0.642	mg/l		0.2	SM4500N	KS	01/11/22
Total Nitrate + Nitrite	0.58	mg/l		0.02	SM4500NO3	KS	01/13/22


Aaron W. Young
Vice President

QC Summary for sample numbers: 22-A000168 to 22-A000182

DUPLICATES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	DUP VALUE	RPD
22-A000168	Fecal Coliform	CFU/100 ml	91.	93.	2.2
22-A000182	Fecal Coliform	CFU/100 ml	48.	50.	4.1
22-A000165	Total Nitrogen (TKN)	mg/l	12.9	13.1	1.5
22-A000177	Total Nitrogen (TKN)	mg/l	0.910	0.711	25.
22-A000203	Total Nitrogen (TKN)	mg/l	58.3	59.6	2.2
22-A000214	Total Nitrogen (TKN)	mg/l	17.3	18.3	5.6
22-A000177	Total Nitrate + Nitrite	mg/l	1.2	1.2	0.00
22-A000189	Total Nitrate + Nitrite	mg/l	0.71	0.72	1.4
22-A000368	Total Nitrate + Nitrite	mg/l	0.54	0.55	1.8
22-A000401	Total Nitrate + Nitrite	mg/l	1.9	1.8	5.4
22-A000436	Total Nitrate + Nitrite	mg/l	0.66	1.6	83.

MATRIX SPIKES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	SMPL+ SPK	SPK AMT	RECOVERY
22-A000165	Total Nitrogen (TKN)	mg/l	12.9	32.9	20.0	100.00 %
22-A000177	Total Nitrogen (TKN)	mg/l	0.910	2.87	2.00	98.00 %
22-A000203	Total Nitrogen (TKN)	mg/l	58.3	98.5	40.0	100.50 %
22-A000214	Total Nitrogen (TKN)	mg/l	17.3	37.9	20.0	103.00 %
22-A000177	Total Nitrate + Nitrite	mg/l	1.2	2.2	1.0	100.00 %
22-A000189	Total Nitrate + Nitrite	mg/l	0.71	1.7	1.0	99.00 %
22-A000368	Total Nitrate + Nitrite	mg/l	0.54	1.6	1.0	106.00 %
22-A000401	Total Nitrate + Nitrite	mg/l	1.9	2.8	1.0	90.00 %

STANDARD REFERENCE MATERIALS

ANALYTE	UNITS	TRUE VALUE	MEASURED VALUE	RECOVERY
Total Nitrogen (TKN)	mg/l	1.00	1.01	101. %
Total Nitrogen (TKN)	mg/l	1.00	1.01	101. %
Total Nitrogen (TKN)	mg/l	1.00	1.01	101. %
Total Nitrogen (TKN)	mg/l	1.00	1.03	103. %
Total Nitrate + Nitrite	mg/l	1.0	1.0	100. %
Total Nitrate + Nitrite	mg/l	1.0	1.0	100. %

BLANKS

ANALYTE	UNITS	RESULT
Fecal Coliform	CFU/100 ml	< 1
Fecal Coliform	CFU/100 ml	< 1
Total Nitrogen (TKN)	mg/l	< 0.2
Total Nitrogen (TKN)	mg/l	< 0.2

QC Summary for sample numbers: 22-A000168 to 22-A000182...

BLANKS continued....

ANALYTE	UNITS	RESULT
Total Nitrogen (TKN)	mg/l	< 0.2
Total Nitrogen (TKN)	mg/l	< 0.2
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02



14648 NE 95th Street, Redmond, WA 98052 · (425) 883-3881

Laboratory: AmTest Laboratories

Attention: Aaron Young

13600 NE 126th PI Kirkland, WA 98034

Phone Number: (425) 885-1664

Turnaround Request

1 Day 2 Day 3 Day

Standard

Other: _____

Laboratory Reference #: 01-042

Project Manager: Blair Goodrow

email: bgoodrow@onsite-env.com

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Requested Analyses
1	COUMO-20220106 168	1/6/22	13:35	Water	1	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
2	COUMI-20220106 69	1/6/22	14:00	Water	1	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
3	TOSMO-20220106 70	1/6/22	14:10	Water	1	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
4	TYLMO-20220106 71	1/6/22	14:40	Water	1	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
5	TYLMI-20220106 72	1/6/22	15:00	Water	1	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
6	MONMN-20220106 73	1/6/22	15:20	Water	1	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
7	MONMS-20220106 74	1/6/22	15:50	Water	1	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
8	MONM-20220106 75	1/6/22	16:35	Water	1	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
9	TOSMI-20220106 76	1/6/22	13:45	Water	1	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
10	EVAMS-20220106 77	1/6/22	14:30	Water	1	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
Signature		Company		Date	Time	Comments/Special Instructions
Relinquished by:		OnSite Env		1/7/22	8:30	
Received by:		AmTest		1/7/22	8:30	
Relinquished by:						
Received by:						
Relinquished by:						EDDs - CSV Reporting Limits: Total Nitrogen - .10 mg/L
Received by:						

T=1.4

CHAIN OF CUSTODY

14648 NE 95th Street, Redmond, WA 98052
Telephone: 425.883.3881

Company: Herrera Environmental Consultants

Project No.: 14-05806-000

Project Name: Redmond Paired Watershed Study

Project Manager: George Iftner

Turnaround Requested:

- 1 Day
 2 Day
 3 Day
 Standard

Laboratory No. 01-042

Requested Analyses

	Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
--	--------------------------------------	-----------------------	------------------------------------	--	------------------------------	---------------------------------	---------------------------------	--------------------------------	--------------------------------------

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.									
1	COUMO-2021 <u>20220106</u>	<u>1/6/22</u>	<u>13:35</u>	Water	7	X	X	X	X	X	X	X	X	X
2	COUMI-2021		<u>14:00</u>	Water	7	X	X	X	X	X	X	X	X	X
3	TOSMO-2021		<u>14:10</u>	Water	7	X	X	X	X	X	X	X	X	X
4	TYLMO-2021		<u>14:40</u>	Water	7	X	X	X	X	X	X	X	X	X
5	TYLMI-2021		<u>15:00</u>	Water	7	X	X	X	X	X	X	X	X	X
6	MONMN-2021		<u>15:20</u>	Water	7	X	X	X	X	X	X	X	X	X
7	MONMS-2021		<u>15:50</u>	Water	7	X	X	X	X	X	X	X	X	X
8	MONM-2021		<u>16:35</u>	Water	7	X	X	X	X	X	X	X	X	X
9	TOSMI-2021		<u>13:45</u>	Water	7	X	X	X	X	X	X	X	X	X
10	EVAMS-2021		<u>14:30</u>	Water	7	X	X	X	X	X	X	X	X	X
11	EVALSS-2021		<u>14:45</u>	Water	7	X	X	X	X	X	X	X	X	X
12	SEIMN-2021		<u>15:25</u>	Water	7	X	X	X	X	X	X	X	X	X
13	COLM-2021		<u>16:05</u>	Water	7	X	X	X	X	X	X	X	X	X
14	SEIMS-2021		<u>16:20</u>	Water	7	X	X	X	X	X	X	X	X	X
15	QA- 104 <u>114</u>		<u>15:20</u>	Water	7	X	X	X	X	X	X	X	X	X

Relinquished by Alison Nichol Date 1/6/22 Received by [Signature] Date 1/6/22
 Firm Herrera Time _____ Firm OSEI Time 17:17
 Relinquished by _____ Date _____ Received by _____ Date _____
 Firm _____ Time _____ Firm _____ Time _____

Comments:
* - field filtered with 0.45 µm filter within 15 minutes of collecting sample

CHAIN OF CUSTODY

14648 NE 95th Street, Redmond, WA 98052
Telephone: 425.883.3881

Company: Herrera Environmental Consultants

Project No.: 14-05806-000

Project Name: Redmond Paired Watershed Study

Project Manager: George Itfner

Turnaround Requested:

- 1 Day
- 2 Day
- 3 Day
- Standard

Laboratory No. 01-042

Requested Analyses

Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
-----------------------------------	-----------------------	---------------------------------	-------------------------------------	---------------------------	------------------------------	------------------------------	-----------------------------	-----------------------------------

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
	COUMO-2021 <u>20220106</u>	<u>1/6/22</u>	<u>13:35</u>	Water	7	X	X	X	X	X	X	X	X	X
	COUMI-2021		<u>14:00</u>	Water	7	X	X	X	X	X	X	X	X	X
	TOSMO-2021		<u>14:10</u>	Water	7	X	X	X	X	X	X	X	X	X
	TYLMO-2021		<u>14:40</u>	Water	7	X	X	X	X	X	X	X	X	X
	TYLMI-2021		<u>15:00</u>	Water	7	X	X	X	X	X	X	X	X	X
	MONMN-2021		<u>15:20</u>	Water	7	X	X	X	X	X	X	X	X	X
	MONMS-2021		<u>15:50</u>	Water	7	X	X	X	X	X	X	X	X	X
	MONM-2021		<u>16:35</u>	Water	7	X	X	X	X	X	X	X	X	X
	TOSMI-2021		<u>13:45</u>	Water	7	X	X	X	X	X	X	X	X	X
	EVAMS-2021		<u>14:30</u>	Water	7	X	X	X	X	X	X	X	X	X
	EVALSS-2021		<u>14:45</u>	Water	7	X	X	X	X	X	X	X	X	X
	SEIMN-2021		<u>15:25</u>	Water	7	X	X	X	X	X	X	X	X	X
	COLM-2021		<u>16:05</u>	Water	7	X	X	X	X	X	X	X	X	X
	SEIMS-2021		<u>16:20</u>	Water	7	X	X	X	X	X	X	X	X	X
	QA-104.		<u>15:20</u>	Water	7	X	X	X	X	X	X	X	X	X

Relinquished by Allison Nichol Date 1/6/22 Received by [Signature] Date 1/6/22
 Firm Herrera Time _____ Firm OSEI Time 17:117
 Relinquished by _____ Date _____ Received by _____ Date _____
 Firm _____ Time _____ Firm _____ Time _____

Comments:
 * - field filtered with 0.45 µm filter within 15 minutes of collecting sample

METER CALIBRATION LOG - Redmond Paired Watershed Study

Project Number:	14-05806-000		
Personnel Performing Calibration:	N. Bartish		
Meter:	ProDSS 2		
Date/Time:	1/5/22	15:30	
Barometric Pressure Start of Day:	mmHg: 768.7	Time: 15:30	
Barometric Pressure End of Day:	mmHg:	Time:	

Calibration Procedures:
Rinse Multimeter Sonde Between Each Operation
Rinse 3 times with tap water, 3 times with deionized water, then 3 times with the solution to be used for calibrating or testing.
Conductivity Calibration Notes:



PRE Field Run CALIBRATION	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	2.0	0	19.6	
Conductivity (µS/cm)	1006	1,000	22.3	
Conductivity (µS/cm)	-	100	-	11
DO % Saturation	101.9	100	22.2	

1. Dry the conductivity probe with a lab tissue (e.g., KimWipes®) and DI water.
2. Fill calibration cup to within a centimeter of the top of the calibration cup with DI water (0 µS).
3. Fill the calibration cup with 1,000 µS standard so that the temperature/conductivity probe is submerged.
4. Make sure there are no bubbles in the cell; wait 2 minutes.
5. Enter the appropriate standard value (1,000 µS/cm or 1.0 mS/cm) for Sp Cond.
6. Check conductivity using 100 µS/cm standard.

POST Field Run CHECK	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	1.7	0	21.7	
Conductivity (µS/cm)	-	100	-	
DO % Saturation	109.2	100	21.3	4

- Dissolved Oxygen Calibration Notes:**
1. Fill the calibration cup with about 1/2 inch of DI; it should be below the sensor cap.
 2. Use KimWipes® to dry any droplets from the sensor cap.
 3. Invert calibration cup's cap and gently rest it on the cup.
 4. Wait 5 minutes, making sure that temperature stabilizes.
 5. Determine local barometric pressure (mm Hg) and enter this value into the meter.
 6. Click "Calibrate". "Calibrate Successful" will be displayed.
 7. To retain calibration accuracy between measurements, store with the sensor immersed in water or within a water-saturated air environment such as a sealed storage cup with at least 10 ml of water.
 8. It is important to have the water-saturated air and the sensor at the same temperature. Therefore, store a jar of DI in the same environment as the sonde and calibrate in a similar air temperature as the water and sonde.
 9. Keep probe out of direct sun or wind.

METER CALIBRATION LOG - Redmond Paired Watershed Study

Project Number:	14-05806-000		
Personnel Performing Calibration:	N. Battist		
Meter:	ProDSS1		
Date/Time:	1/15/22		15:30
Barometric Pressure Start of Day:	mmHg: 768.5	Time:	15:30
Barometric Pressure End of Day:	mmHg:	Time:	

Calibration Procedures:
Rinse Multimeter Sonde Between Each Operation
Rinse 3 times with tap water, 3 times with deionized water, then 3 times with the solution to be used for calibrating or testing.
Conductivity Calibration Notes:



PRE Field Run CALIBRATION	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	1.9	0	17.8	
Conductivity (µS/cm)	995	1,000	21.4	
Conductivity (µS/cm)	—	100	—	delay in shipment
DO % Saturation	101.1	100	20.4	
POST Field Run CHECK				
Conductivity (µS/cm)	6.1	0	22.7	
Conductivity (µS/cm)	—	100	—	"
DO % Saturation	99.4	100	20.4	

1. Dry the conductivity probe with a lab tissue (e.g., KimWipes®) and DI water.
 2. Fill calibration cup to within a centimeter of the top of the calibration cup with DI water (0 µS).
 3. Fill the calibration cup with 1,000 µS standard so that the temperature/conductivity probe is submerged.
 4. Make sure there are no bubbles in the cell; wait 2 minutes.
 5. Enter the appropriate standard value (1,000 µS/cm or 1.0 mS/cm) for Sp Cond.
 6. Check conductivity using 100 µS/cm standard.
- Dissolved Oxygen Calibration Notes:**
1. Fill the calibration cup with about 1/2 inch of DI; it should be below the sensor cap.
 2. Use KimWipes® to dry any droplets from the sensor cap.
 3. Invert calibration cup's cap and gently rest it on the cup.
 4. Wait 5 minutes, making sure that temperature stabilizes.
 5. Determine local barometric pressure (mm Hg) and enter this value into the meter.
 6. Click "Calibrate". "Calibrate Successful" will be displayed.
 7. To retain calibration accuracy between measurements, store with the sensor immersed in water or within a water-saturated air environment such as a sealed storage cup with at least 10 ml of water.
 8. It is important to have the water-saturated air and the sensor at the same temperature. Therefore, store a jar of DI in the same environment as the sonde and calibrate in a similar air temperature as the water and sonde.
 9. Keep probe out of direct sun or wind.

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: AN, DG

Sample Date: 1/6/24

Sample Time: 16:05

PDT:

SITE ID: COLM

Base Flow or Storm Event? (circled)

Field filtered 5 minutes later: Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: rain, 49° F

Water Quality Sampling

Sample ID: COLM-20220106

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>no</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	↓

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: clear

Color: ↓

Odor: ↓

Sheen: ↓

Floatables: ↓

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 6.62

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 10.0° 0.8°

Specific Conductivity (µs/cm) 12.9 32.9

Dissolved Oxygen (mg/L) 12.85 12.66

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NO, CS
 Sample Date: 11/6/22 Sample Time: 14:00 PDT:
 Base Flow or Storm Event? Field filtered 5 minutes later: N PST:
 (Must filter within 15 minutes of collection)

SITE ID: C2M1
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Windy 48°F

Water Quality Sampling

Sample ID: C0UM/2022d06

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	No
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	↓

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials:
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 _____
 YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 2.80
 Reference Point (description): 56

Water Quality Measurements

Temperature (°C) 6.3
 Specific Conductivity (µs/cm) 119.2
 Dissolved Oxygen (mg/L) 18.44

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NP, LS

Sample Date: 11/6/21

Sample Time: 18:25

PDT:

SITE

ID: CDMO

Base Flow or Storm Event? 0

Field filtered 5 minutes later: Y N

PST: K

Project Number: 14-05806-000



HERRERA

Water Quality Sampling

Sample ID: COUM020220106

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Ray, 45°F

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>No</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 μm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 1.65

Reference Point (description): 56

Water Quality Measurements

Temperature (°C) 6.6

Specific Conductivity (μs/cm) 115.2

Dissolved Oxygen (mg/L) 13.20

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: AN, DG
 Sample Date: 1/6/22 Sample Time: 14:30 PDT:
 Base Flow or Storm Event? 0 Field filtered 5 minutes later: Y N PST:
 (Must filter within 15 minutes of collection)

SITE ID: EVAMS
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study
 Current Weather and Temp: Rain, 49° F

Water Quality Sampling

Sample ID: EVAMS-20220106

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?	
TSS and Turbidity	HDPE	1L	1	NA	<u>N</u>	
DOC *	HDPE	250 ml	1	HCL	↓	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA		
T. Phosphorus	HDPE	250 ml	1	H ₂ SO ₄		
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄		
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃		
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃		<u>Y</u>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear
 Color: yellowish
 Odor: none
 Sheen: none
 Floatables: none

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials:
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 3.80
 Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 4.2°
 Specific Conductivity (µs/cm) 124.9
 Dissolved Oxygen (mg/L) 12.31

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: DN, AN
 Sample Date: 1/6/22 Sample Time: 14:45 PDT:
 Base Flow or Storm Event? Field filtered 5 minutes later? Y N PST:
 (Must filter within 15 minutes of collection)

SITE ID: EVALSS
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study
 Current Weather and Temp: rain, 49°F

Water Quality Sampling

Sample ID: EVALSS-20220106

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>no</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<u>↓</u>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: _____
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials:
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): 2.70
 Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 4.8°
 Specific Conductivity (µs/cm) 103.6
 Dissolved Oxygen (mg/L) 12.81

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NE, CS

Sample Date: 1/6/21

Sample Time: 15:20

PDT:

SITE

ID: MONMN

Base Flow or Storm Event?

Field filtered 5 minutes later: N

PST:

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 50°F, Rainy

Water Quality Sampling

Sample ID: MONMN20220106

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>Yes</u>
DOC *	HDPE	250 ml	1	HCL	<u>Yes</u>
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	<u>Yes</u>
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	<u>Yes</u>
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	<u>Yes</u>
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	<u>Yes</u>
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<u>Yes</u>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: QA-114-20220106

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: Clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO Initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 9.56

Reference Point (description): S6

Water Quality Measurements

Temperature (°C) 5.4

Specific Conductivity (µs/cm) 94.3

Dissolved Oxygen (mg/L) 13.3

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NE, CS
 Sample Date: 11/6/22 Sample Time: 15:11
 Base Flow or Storm Event? 0 Field filtered 5 minutes later? N
 (Must filter within 15 minutes of collection)

SITE ID: MONMS
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study
 Current Weather and Temp: Partly 45°F

Water Quality Sampling

Sample ID: MONMS22220106

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	N
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	Y
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): 6.39
 Reference Point (description): Mean low

Water Quality Measurements

Temperature (°C) 6.1
 Specific Conductivity (µs/cm) 179.5
 Dissolved Oxygen (mg/L) 11.87

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: AN, DG

Sample Date: 1/6/22

Sample Time: 15:25

PDT:

SITE

ID:

SEIMN

Base Flow or Storm Event? Storm

Field filtered 5 minutes later: Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: rain, 49°F

Water Quality Sampling

Sample ID: SEIMN-20220106

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>no</u>
DOC *	HDPE	250 ml	1	HCL	<u>↓</u>
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	<u>↓</u>
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: clear
 Color: yellowish
 Odor: none
 Sheen: -
 Floatables: -

LABORATORY DELIVERY

Date:

Time:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft):

Reference Point (description): culvert access

Water Quality Measurements

Temperature (°C) 2.7

Specific Conductivity (µs/cm) 33.4

Dissolved Oxygen (mg/L) 13.35

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB, CS
 Sample Date: 1/16/22 Sample Time: 16:20
 Base Flow or Storm Event? Storm Field filtered 5 minutes later N
 (Must filter within 15 minutes of collection)

SITE ID: SEMS
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study
 Current Weather and Temp: Rainy, 45°F

Water Quality Sampling

Sample ID: SEMS20220106

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	<u>✓</u>
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	<u>✓</u>
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	<u>✓</u>
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	<u>✓</u>
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	<u>✓</u>
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<u>✓</u>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: X
 Filter blank sample ID: X
 Transfer blank sample ID: X

Visual and Olfactory Conditions:
 Clarity: low
 Color: brown
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): 1.07
 Reference Point (description): 56

Water Quality Measurements

Temperature (°C) 4.8
 Specific Conductivity (µs/cm) 42.0
 Dissolved Oxygen (mg/L) 13.24

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: AN, DG
 Sample Date: 07/06/22 Sample Time: 13:45
 Base Flow or Storm Event? (Storm Event) Field filtered 5 minutes later (Y) N
(Must filter within 15 minutes of collection)

SITE ID: TOSMI
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study
 Current Weather and Temp: Rain, 50°F

Water Quality Sampling

Sample ID: TOSMI-20220106

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	No
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 μm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): 1.08
 Reference Point (description): S6

Water Quality Measurements

Temperature (°C) 5.3
 Specific Conductivity (μs/cm) 101.0
 Dissolved Oxygen (mg/L) 97.3

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NR, LS

Sample Date: 1/6/22

Sample Time: 14:10

PDT:

SITE ID:

TOSMO

Base Flow or Storm Event? 0

Field filtered 5 minutes later: 0 N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Partly, 45°F

Water Quality Sampling

Sample ID: TOSMO20220106

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>No</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 μm filter and vacuum hand pump

Duplicate sample ID:	<u>X</u>
Filter blank sample ID:	
Transfer blank sample ID:	

Visual and Olfactory Conditions:

Clarity:	<u>low</u>
Color:	<u>brown</u>
Odor:	
Sheen:	
Floatables:	

LABORATORY DELIVERY

Date:	Time:

Quality Assurance

Checked By:	Signature:
Date Checked:	Time:
Data Entered into Database?	YES NO initials:
Date Entered:	Time:
Notes:	

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 2.95

Reference Point (description): 56

Water Quality Measurements

Temperature (°C) 6.3

Specific Conductivity (μs/cm) 97.8

Dissolved Oxygen (mg/L) 13.42

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB, CS

Sample Date: 1/6/22

Sample Time: 15:00

PDT:

SITE

ID: TYLMI

Base Flow or Storm Event? 0

Field filtered 5 minutes later: N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 45° Sunny

Water Quality Sampling

Sample ID: TYLMI 20220100

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: X

Filter blank sample ID: X

Transfer blank sample ID: X

Visual and Olfactory Conditions:

Clarity: Clear

Color: _____

Odor: _____

Sheen: _____

Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 50.5

Reference Point (description): Top

Water Quality Measurements

Temperature (°C) 4.3

Specific Conductivity (µs/cm) 87.7

Dissolved Oxygen (mg/L) 13.46

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB, LS
 Sample Date: 1/6/22 Sample Time: 14:40
 Base Flow or Storm Event? ○ Field filtered 5 minutes later: Y N
 (Must filter within 15 minutes of collection)

SITE ID: TYLMO
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 50°F Rainy

Water Quality Sampling

Sample ID: TYLMO 20220106

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)
 YSI Pro DSS 1
 YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 30.5

Reference Point (description): Top

Water Quality Measurements

Temperature (°C) 5.5
 Specific Conductivity (µs/cm) 93.8
 Dissolved Oxygen (mg/L) 13.56



HERRERA

Data Quality Assurance Worksheet

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 1/6/22 /All locations, QA114 (MONMN) Lab Ref No 2201-042

By J. Brown

Date 3/1/22 Page 1 of 2

Checked: initials
JL

date 3/31/2022

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹		
TSS	OK / SM 2540D	NA	NA	6	≤7	≤1.0 mg/L 1.0 mg/L	NA	NA	92	±20	3	≤25	8	≤25	OK	NONE
Turbidity	OK / EPA 180.1	NA	NA	1	≤2	≤0.1 NTU 0.1 NTU	NA	NA	NA	±10	3	≤25	8	≤25	OK	NONE
Hardness	OK / SM 2340B	NA	NA	6	≤180	≤1.0 mg/L 1.0 mg/L	107, 104	±25	99	±15	1 MS 2	≤20	8	≤20	OK	NONE
DOC	OK / SM 5310B	≤15	≤15	5	≤28	≤1.0 mg/L 1.0 mg/L	103, 99	±25	108, 102	±15	3, 12	≤20	7	≤20	OK	NONE
Total Phosphorus	OK / EPA 365.1	NA	NA	7	≤28	≤0.01 mg/L 0.01 mg/L	92	±25	91	±20	12	≤20	D=0	≤20	OK	NONE
Total Nitrogen (TKN + N+N)	OK/ SM 4500 N-B	NA	NA	5, 7	≤28	≤0.1 mg/L 0.1 mg/L	90-106	±25	100-103	±20	<1-6, 83 D=0.2	≤20	5 D=0.08	≤20	OK	NO FLAG FOR HIGH LAB DUPE RPD, ALL OTHER DUPE OK AND BATCH SAMPLE

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.

NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported



HERRERA

Data Quality Assurance Worksheet

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 1/6/22 /All locations, QA114 (MONMN) Lab Ref No 2201-042

By J. Brown

Date 3/1/22 Page 2 of 2

Checked: initials JL

date 3/31/2022

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal	Reported	Goal ¹	Reported	Goal ¹		
Total Copper	OK/ EPA 200.8	NA	NA	4	≤180	≤1.0 µg/L 1.0 µg/L	104, 103	±25	NR	±15	D=0.04 MS 1	≤20	D=0.2	≤20	OK	NONE
Total Zinc	OK/ EPA 200.8	NA	NA	4	≤180	≤5.0 µg/L 5.0 µg/L	101, 99	±25	NR	±15	D=0.06 MS 1	≤20	D=0.8	≤20	OK	NONE
Dissolved Copper	OK/ EPA 200.8	≤15	≤15	11	≤180	≤1.0 µg/L 1.0 µg/L	101, 99	±25	NR	±15	D=0.01 MS 2	≤20	D=0	≤20	OK	NONE
Dissolved Zinc	OK/ EPA 200.8	≤15	≤15	11	≤180	≤5.0 µg/L 5.0 µg/L	98, 96	±25	NR	±15	D=0.4 MS 2	≤20	D=0.6	≤20	OK	NONE
Fecal Coliform	OK/ SM 9222D	NA	NA	1	≤1	≤1.0 cfu/ 100mL 10 cfu/ 100mL	NA	NA	NA	NA	2, 4	≤35	8	≤50	OK	NONE

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.

NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

March 3, 2022

Jess Brown
Herrera Environmental Consultants, Inc.
2200 6th Avenue, Suite 1100
Seattle, WA 98121

Re: Analytical Data for Project 14-05806-000
Laboratory Reference No. 2202-221

Dear Jess:

Enclosed are the analytical results and associated quality control data for samples submitted on February 17, 2022.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read "Blair Goodrow", enclosed within a large, loopy, circular scribble.

Blair Goodrow
Project Manager

Enclosures



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: March 3, 2022
Samples Submitted: February 17, 2022
Laboratory Reference: 2202-221
Project: 14-05806-000

Case Narrative

Samples were collected on February 17, 2022 and received by the laboratory on February 17, 2022. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.



Date of Report: March 3, 2022
 Samples Submitted: February 17, 2022
 Laboratory Reference: 2202-221
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220217					
Laboratory ID:	02-221-01					
Total Suspended Solids	2.8	1.0	SM 2540D	2-23-22	2-24-22	

Client ID:	COUMI-20220217					
Laboratory ID:	02-221-02					
Total Suspended Solids	7.2	1.0	SM 2540D	2-23-22	2-24-22	

Client ID:	TOSMO-20220217					
Laboratory ID:	02-221-03					
Total Suspended Solids	16	1.0	SM 2540D	2-23-22	2-24-22	

Client ID:	TYLMO-20220217					
Laboratory ID:	02-221-04					
Total Suspended Solids	1.8	1.0	SM 2540D	2-23-22	2-24-22	

Client ID:	TYLMI-20220217					
Laboratory ID:	02-221-05					
Total Suspended Solids	9.8	1.0	SM 2540D	2-23-22	2-24-22	

Client ID:	MONMN-20220217					
Laboratory ID:	02-221-06					
Total Suspended Solids	7.8	1.0	SM 2540D	2-23-22	2-24-22	

Client ID:	MONMS-20220217					
Laboratory ID:	02-221-07					
Total Suspended Solids	14	1.0	SM 2540D	2-23-22	2-24-22	

Client ID:	MONM-20220217					
Laboratory ID:	02-221-08					
Total Suspended Solids	10	1.0	SM 2540D	2-23-22	2-24-22	

Client ID:	TOSMI-20220217					
Laboratory ID:	02-221-09					
Total Suspended Solids	13	1.0	SM 2540D	2-23-22	2-24-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: March 3, 2022
 Samples Submitted: February 17, 2022
 Laboratory Reference: 2202-221
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-20220217					
Laboratory ID:	02-221-10					
Total Suspended Solids	110	1.7	SM 2540D	2-23-22	2-24-22	

Client ID:	COLM-20220217					
Laboratory ID:	02-221-11					
Total Suspended Solids	1.6	1.0	SM 2540D	2-23-22	2-24-22	

Client ID:	SEIMS-20220217					
Laboratory ID:	02-221-12					
Total Suspended Solids	5.8	1.0	SM 2540D	2-23-22	2-24-22	

Client ID:	QA-115-20220217					
Laboratory ID:	02-221-13					
Total Suspended Solids	12	1.0	SM 2540D	2-23-22	2-24-22	



Date of Report: March 3, 2022
 Samples Submitted: February 17, 2022
 Laboratory Reference: 2202-221
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0223W1					
Total Suspended Solids	ND	1.0	SM 2540D	2-23-22	2-24-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	02-221-10							
	ORIG	DUP						
Total Suspended Solids	109	119	NA	NA	NA	9	26	

SPIKE BLANK

Laboratory ID:	SB0223W1							
	SB	SB		SB				
Total Suspended Solids	90.0	100	NA	90	67-118	NA	NA	



Date of Report: March 3, 2022
 Samples Submitted: February 17, 2022
 Laboratory Reference: 2202-221
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220217					
Laboratory ID:	02-221-01					
Turbidity	1.8	0.10	EPA 180.1	2-17-22	2-17-22	

Client ID:	COUMI-20220217					
Laboratory ID:	02-221-02					
Turbidity	1.8	0.10	EPA 180.1	2-17-22	2-17-22	

Client ID:	TOSMO-20220217					
Laboratory ID:	02-221-03					
Turbidity	7.4	0.10	EPA 180.1	2-17-22	2-17-22	

Client ID:	TYLMO-20220217					
Laboratory ID:	02-221-04					
Turbidity	1.6	0.10	EPA 180.1	2-17-22	2-17-22	

Client ID:	TYLMI-20220217					
Laboratory ID:	02-221-05					
Turbidity	5.6	0.10	EPA 180.1	2-17-22	2-17-22	

Client ID:	MONMN-20220217					
Laboratory ID:	02-221-06					
Turbidity	2.4	0.10	EPA 180.1	2-17-22	2-17-22	

Client ID:	MONMS-20220217					
Laboratory ID:	02-221-07					
Turbidity	4.8	0.10	EPA 180.1	2-17-22	2-17-22	

Client ID:	MONM-20220217					
Laboratory ID:	02-221-08					
Turbidity	3.5	0.10	EPA 180.1	2-17-22	2-17-22	

Client ID:	TOSMI-20220217					
Laboratory ID:	02-221-09					
Turbidity	2.7	0.10	EPA 180.1	2-17-22	2-17-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: March 3, 2022
 Samples Submitted: February 17, 2022
 Laboratory Reference: 2202-221
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-20220217					
Laboratory ID:	02-221-10					
Turbidity	14	0.10	EPA 180.1	2-17-22	2-17-22	

Client ID:	COLM-20220217					
Laboratory ID:	02-221-11					
Turbidity	0.56	0.10	EPA 180.1	2-17-22	2-17-22	

Client ID:	SEIMS-20220217					
Laboratory ID:	02-221-12					
Turbidity	3.4	0.10	EPA 180.1	2-17-22	2-17-22	

Client ID:	QA-115-20220217					
Laboratory ID:	02-221-13					
Turbidity	8.5	0.10	EPA 180.1	2-17-22	2-17-22	



Date of Report: March 3, 2022
 Samples Submitted: February 17, 2022
 Laboratory Reference: 2202-221
 Project: 14-05806-000

**TURBIDITY
 EPA 180.1
 QUALITY CONTROL**

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0217W1					
Turbidity	ND	0.10	EPA 180.1	2-17-22	2-17-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	02-221-03							
	ORIG	DUP						
Turbidity	7.43	7.30	NA	NA	NA	NA	2	13



Date of Report: March 3, 2022
 Samples Submitted: February 17, 2022
 Laboratory Reference: 2202-221
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220217					
Laboratory ID:	02-221-01					
Hardness	130	1.0	EPA 200.7/SM 2340B	2-25-22	2-25-22	

Client ID:	COUMI-20220217					
Laboratory ID:	02-221-02					
Hardness	150	1.0	EPA 200.7/SM 2340B	2-25-22	2-25-22	

Client ID:	TOSMO-20220217					
Laboratory ID:	02-221-03					
Hardness	120	1.0	EPA 200.7/SM 2340B	2-25-22	2-25-22	

Client ID:	TYLMO-20220217					
Laboratory ID:	02-221-04					
Hardness	78	1.0	EPA 200.7/SM 2340B	2-25-22	2-25-22	

Client ID:	TYLMI-20220217					
Laboratory ID:	02-221-05					
Hardness	77	1.0	EPA 200.7/SM 2340B	2-25-22	2-25-22	

Client ID:	MONMN-20220217					
Laboratory ID:	02-221-06					
Hardness	79	1.0	EPA 200.7/SM 2340B	2-25-22	2-25-22	

Client ID:	MONMS-20220217					
Laboratory ID:	02-221-07					
Hardness	120	1.0	EPA 200.7/SM 2340B	2-25-22	2-25-22	



Date of Report: March 3, 2022
 Samples Submitted: February 17, 2022
 Laboratory Reference: 2202-221
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20220217					
Laboratory ID:	02-221-08					
Hardness	94	1.0	EPA 200.7/SM 2340B	2-25-22	2-25-22	

Client ID:	TOSMI-20220217					
Laboratory ID:	02-221-09					
Hardness	130	1.0	EPA 200.7/SM 2340B	2-25-22	2-25-22	

Client ID:	SEIMN-20220217					
Laboratory ID:	02-221-10					
Hardness	28	1.0	EPA 200.7/SM 2340B	2-25-22	2-25-22	

Client ID:	COLM-20220217					
Laboratory ID:	02-221-11					
Hardness	13	1.0	EPA 200.7/SM 2340B	2-25-22	2-25-22	

Client ID:	SEIMS-20220217					
Laboratory ID:	02-221-12					
Hardness	47	1.0	EPA 200.7/SM 2340B	2-25-22	2-25-22	

Client ID:	QA-115-20220217					
Laboratory ID:	02-221-13					
Hardness	77	1.0	EPA 200.7/SM 2340B	2-25-22	2-25-22	



Date of Report: March 3, 2022
 Samples Submitted: February 17, 2022
 Laboratory Reference: 2202-221
 Project: 14-05806-000

**HARDNESS
 EPA 200.7/SM 2340B
 QUALITY CONTROL**

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0225WH1					
Hardness	ND	1.0	EPA 200.7/SM 2340B	2-25-22	2-25-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	02-221-01							
	ORIG	DUP						
Hardness	127	124	NA	NA	NA	2	20	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags		
MATRIX SPIKES										
Laboratory ID:	02-221-01									
	MS	MSD	MS	MSD	MS	MSD				
Hardness	253	261	132	132	127	95	102	75-125	3	20

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags	
SPIKE BLANK									
Laboratory ID:	SB0225WH1								
	SB		SB		SB				
Hardness	134		132		NA	102	85-115	NA	NA



Date of Report: March 3, 2022
 Samples Submitted: February 17, 2022
 Laboratory Reference: 2202-221
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220217					
Laboratory ID:	02-221-01					
Dissolved Organic Carbon	3.4	1.0	SM 5310B	2-24-22	2-24-22	

Client ID:	COUMI-20220217					
Laboratory ID:	02-221-02					
Dissolved Organic Carbon	3.1	1.0	SM 5310B	2-24-22	2-24-22	

Client ID:	TOSMO-20220217					
Laboratory ID:	02-221-03					
Dissolved Organic Carbon	2.6	1.0	SM 5310B	2-24-22	2-24-22	

Client ID:	TYLMO-20220217					
Laboratory ID:	02-221-04					
Dissolved Organic Carbon	3.9	1.0	SM 5310B	2-24-22	2-24-22	

Client ID:	TYLMI-20220217					
Laboratory ID:	02-221-05					
Dissolved Organic Carbon	3.8	1.0	SM 5310B	2-24-22	2-24-22	

Client ID:	MONMN-20220217					
Laboratory ID:	02-221-06					
Dissolved Organic Carbon	4.1	1.0	SM 5310B	2-24-22	2-24-22	

Client ID:	MONMS-20220217					
Laboratory ID:	02-221-07					
Dissolved Organic Carbon	5.1	1.0	SM 5310B	2-24-22	2-24-22	

Client ID:	MONM-20220217					
Laboratory ID:	02-221-08					
Dissolved Organic Carbon	3.6	1.0	SM 5310B	2-24-22	2-24-22	

Client ID:	TOSMI-20220217					
Laboratory ID:	02-221-09					
Dissolved Organic Carbon	2.9	1.0	SM 5310B	2-24-22	2-24-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: March 3, 2022
 Samples Submitted: February 17, 2022
 Laboratory Reference: 2202-221
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-20220217					
Laboratory ID:	02-221-10					
Dissolved Organic Carbon	5.9	1.0	SM 5310B	2-24-22	2-24-22	

Client ID:	COLM-20220217					
Laboratory ID:	02-221-11					
Dissolved Organic Carbon	9.2	1.0	SM 5310B	2-24-22	2-24-22	

Client ID:	SEIMS-20220217					
Laboratory ID:	02-221-12					
Dissolved Organic Carbon	3.4	1.0	SM 5310B	2-24-22	2-24-22	

Client ID:	QA-115-20220217					
Laboratory ID:	02-221-13					
Dissolved Organic Carbon	3.9	1.0	SM 5310B	2-24-22	2-24-22	



Date of Report: March 3, 2022
 Samples Submitted: February 17, 2022
 Laboratory Reference: 2202-221
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0224D1					
Dissolved Organic Carbon	ND	1.0	SM 5310B	2-24-22	2-24-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	02-221-02							
	ORIG	DUP						
Dissolved Organic Carbon	3.14	3.24	NA	NA	NA	3	15	

MATRIX SPIKE								
Laboratory ID:	02-221-02							
	MS	MS		MS				
Dissolved Organic Carbon	13.8	10.0	3.14	107	91-117	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0224D1							
	SB	SB		SB				
Dissolved Organic Carbon	11.0	10.0	NA	110	88-116	NA	NA	



Date of Report: March 3, 2022
 Samples Submitted: February 17, 2022
 Laboratory Reference: 2202-221
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220217					
Laboratory ID:	02-221-01					
Total Phosphorus	0.047	0.010	EPA 365.1	2-23-22	2-24-22	

Client ID:	COUMI-20220217					
Laboratory ID:	02-221-02					
Total Phosphorus	0.085	0.010	EPA 365.1	2-23-22	2-24-22	

Client ID:	TOSMO-20220217					
Laboratory ID:	02-221-03					
Total Phosphorus	0.048	0.010	EPA 365.1	2-23-22	2-24-22	

Client ID:	TYLMO-20220217					
Laboratory ID:	02-221-04					
Total Phosphorus	0.029	0.010	EPA 365.1	2-23-22	2-24-22	

Client ID:	TYLMI-20220217					
Laboratory ID:	02-221-05					
Total Phosphorus	0.017	0.010	EPA 365.1	2-23-22	2-24-22	

Client ID:	MONMN-20220217					
Laboratory ID:	02-221-06					
Total Phosphorus	0.043	0.010	EPA 365.1	2-23-22	2-24-22	

Client ID:	MONMS-20220217					
Laboratory ID:	02-221-07					
Total Phosphorus	0.076	0.010	EPA 365.1	2-23-22	2-24-22	

Client ID:	MONM-20220217					
Laboratory ID:	02-221-08					
Total Phosphorus	0.025	0.010	EPA 365.1	2-23-22	2-24-22	

Client ID:	TOSMI-20220217					
Laboratory ID:	02-221-09					
Total Phosphorus	0.052	0.010	EPA 365.1	2-23-22	2-24-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: March 3, 2022
 Samples Submitted: February 17, 2022
 Laboratory Reference: 2202-221
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-20220217					
Laboratory ID:	02-221-10					
Total Phosphorus	0.027	0.010	EPA 365.1	2-23-22	2-24-22	

Client ID:	COLM-20220217					
Laboratory ID:	02-221-11					
Total Phosphorus	ND	0.010	EPA 365.1	2-23-22	2-24-22	

Client ID:	SEIMS-20220217					
Laboratory ID:	02-221-12					
Total Phosphorus	0.030	0.010	EPA 365.1	2-23-22	2-24-22	

Client ID:	QA-115-20220217					
Laboratory ID:	02-221-13					
Total Phosphorus	0.021	0.010	EPA 365.1	2-23-22	2-24-22	



Date of Report: March 3, 2022
 Samples Submitted: February 17, 2022
 Laboratory Reference: 2202-221
 Project: 14-05806-000

**TOTAL PHOSPHORUS
 EPA 365.1
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0223W1					
Total Phosphorus	ND	0.010	EPA 365.1	2-23-22	2-24-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	02-221-01							
	ORIG	DUP						
Total Phosphorus	0.0465	0.0466	NA	NA	NA	0	19	

MATRIX SPIKE								
Laboratory ID:	02-221-01							
	MS	MS		MS				
Total Phosphorus	0.275	0.250	0.0465	91	83-110	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0223W1							
	SB	SB		SB				
Total Phosphorus	0.224	0.250	NA	90	83-110	NA	NA	



Date of Report: March 3, 2022
 Samples Submitted: February 17, 2022
 Laboratory Reference: 2202-221
 Project: 14-05806-000

**TOTAL METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220217					
Laboratory ID:	02-221-01					
Copper	1.1	1.0	EPA 200.8	2-22-22	2-24-22	
Zinc	10	5.0	EPA 200.8	2-22-22	2-24-22	

Client ID:	COUMI-20220217					
Laboratory ID:	02-221-02					
Copper	ND	1.0	EPA 200.8	2-22-22	2-24-22	
Zinc	7.1	5.0	EPA 200.8	2-22-22	2-24-22	

Client ID:	TOSMO-20220217					
Laboratory ID:	02-221-03					
Copper	1.3	1.0	EPA 200.8	2-22-22	2-24-22	
Zinc	31	5.0	EPA 200.8	2-22-22	2-24-22	

Client ID:	TYLMO-20220217					
Laboratory ID:	02-221-04					
Copper	1.4	1.0	EPA 200.8	2-22-22	2-24-22	
Zinc	10	5.0	EPA 200.8	2-22-22	2-24-22	

Client ID:	TYLMI-20220217					
Laboratory ID:	02-221-05					
Copper	2.1	1.0	EPA 200.8	2-22-22	2-24-22	
Zinc	11	5.0	EPA 200.8	2-22-22	2-24-22	

Client ID:	MONMN-20220217					
Laboratory ID:	02-221-06					
Copper	1.0	1.0	EPA 200.8	2-22-22	2-24-22	
Zinc	9.8	5.0	EPA 200.8	2-22-22	2-24-22	

Client ID:	MONMS-20220217					
Laboratory ID:	02-221-07					
Copper	1.7	1.0	EPA 200.8	2-22-22	2-24-22	
Zinc	9.3	5.0	EPA 200.8	2-22-22	2-24-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: March 3, 2022
 Samples Submitted: February 17, 2022
 Laboratory Reference: 2202-221
 Project: 14-05806-000

TOTAL METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20220217					
Laboratory ID:	02-221-08					
Copper	1.0	1.0	EPA 200.8	2-22-22	2-24-22	
Zinc	10	5.0	EPA 200.8	2-22-22	2-24-22	

Client ID:	TOSMI-20220217					
Laboratory ID:	02-221-09					
Copper	1.7	1.0	EPA 200.8	2-22-22	2-24-22	
Zinc	60	5.0	EPA 200.8	2-22-22	2-24-22	

Client ID:	SEIMN-20220217					
Laboratory ID:	02-221-10					
Copper	1.3	1.0	EPA 200.8	2-22-22	2-24-22	
Zinc	ND	5.0	EPA 200.8	2-22-22	2-24-22	

Client ID:	COLM-20220217					
Laboratory ID:	02-221-11					
Copper	ND	1.0	EPA 200.8	2-22-22	2-24-22	
Zinc	ND	5.0	EPA 200.8	2-22-22	2-24-22	

Client ID:	SEIMS-20220217					
Laboratory ID:	02-221-12					
Copper	ND	1.0	EPA 200.8	2-22-22	2-24-22	
Zinc	ND	5.0	EPA 200.8	2-22-22	2-24-22	

Client ID:	QA-115-20220217					
Laboratory ID:	02-221-13					
Copper	2.4	1.0	EPA 200.8	2-22-22	2-24-22	
Zinc	12	5.0	EPA 200.8	2-22-22	2-24-22	



Date of Report: March 3, 2022
 Samples Submitted: February 17, 2022
 Laboratory Reference: 2202-221
 Project: 14-05806-000

**TOTAL METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0222WH1					
Copper	ND	1.0	EPA 200.8	2-22-22	2-24-22	
Zinc	ND	5.0	EPA 200.8	2-22-22	2-24-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	02-221-12							
	ORIG	DUP						
Copper	ND	ND	NA	NA	NA	NA	NA	20
Zinc	ND	ND	NA	NA	NA	NA	NA	20

MATRIX SPIKES

Laboratory ID:	02-221-12									
	MS	MSD	MS	MSD		MS	MSD			
Copper	94.2	95.8	100	100	ND	94	96	75-125	2	20
Zinc	95.4	97.6	100	100	ND	95	98	75-125	2	20



Date of Report: March 3, 2022
 Samples Submitted: February 17, 2022
 Laboratory Reference: 2202-221
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220217					
Laboratory ID:	02-221-01					
Copper	ND	1.0	EPA 200.8		2-24-22	
Zinc	6.7	5.0	EPA 200.8		2-24-22	

Client ID:	COUMI-20220217					
Laboratory ID:	02-221-02					
Copper	ND	1.0	EPA 200.8		2-24-22	
Zinc	6.1	5.0	EPA 200.8		2-24-22	

Client ID:	TOSMO-20220217					
Laboratory ID:	02-221-03					
Copper	ND	1.0	EPA 200.8		2-24-22	
Zinc	20	5.0	EPA 200.8		2-24-22	

Client ID:	TYLMO-20220217					
Laboratory ID:	02-221-04					
Copper	1.4	1.0	EPA 200.8		2-24-22	
Zinc	9.8	5.0	EPA 200.8		2-24-22	

Client ID:	TYLMI-20220217					
Laboratory ID:	02-221-05					
Copper	2.0	1.0	EPA 200.8		2-24-22	
Zinc	7.8	5.0	EPA 200.8		2-24-22	

Client ID:	MONMN-20220217					
Laboratory ID:	02-221-06					
Copper	ND	1.0	EPA 200.8		2-24-22	
Zinc	5.4	5.0	EPA 200.8		2-24-22	

Client ID:	MONMS-20220217					
Laboratory ID:	02-221-07					
Copper	ND	1.0	EPA 200.8		2-24-22	
Zinc	ND	5.0	EPA 200.8		2-24-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: March 3, 2022
 Samples Submitted: February 17, 2022
 Laboratory Reference: 2202-221
 Project: 14-05806-000

DISSOLVED METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20220217					
Laboratory ID:	02-221-08					
Copper	ND	1.0	EPA 200.8		2-24-22	
Zinc	8.4	5.0	EPA 200.8		2-24-22	

Client ID:	TOSMI-20220217					
Laboratory ID:	02-221-09					
Copper	ND	1.0	EPA 200.8		2-24-22	
Zinc	37	5.0	EPA 200.8		2-24-22	

Client ID:	SEIMN-20220217					
Laboratory ID:	02-221-10					
Copper	ND	1.0	EPA 200.8		2-24-22	
Zinc	ND	5.0	EPA 200.8		2-24-22	

Client ID:	COLM-20220217					
Laboratory ID:	02-221-11					
Copper	1.5	1.0	EPA 200.8		2-24-22	
Zinc	ND	5.0	EPA 200.8		2-24-22	

Client ID:	SEIMS-20220217					
Laboratory ID:	02-221-12					
Copper	ND	1.0	EPA 200.8		2-24-22	
Zinc	ND	5.0	EPA 200.8		2-24-22	

Client ID:	QA-115-20220217					
Laboratory ID:	02-221-13					
Copper	1.8	1.0	EPA 200.8		2-24-22	
Zinc	8.0	5.0	EPA 200.8		2-24-22	



Date of Report: March 3, 2022
 Samples Submitted: February 17, 2022
 Laboratory Reference: 2202-221
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0224D1					
Copper	ND	1.0	EPA 200.8		2-24-22	
Zinc	ND	5.0	EPA 200.8		2-24-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	02-221-03							
	ORIG	DUP						
Copper	ND	ND	NA	NA	NA	NA	NA	20
Zinc	20.2	20.8	NA	NA	NA	NA	3	20

MATRIX SPIKES

Laboratory ID:	02-221-03									
	MS	MSD	MS	MSD		MS	MSD			
Copper	85.0	85.6	80.0	80.0	ND	106	107	75-125	1	20
Zinc	108	108	80.0	80.0	20.2	110	110	75-125	0	20





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
 - B - The analyte indicated was also found in the blank sample.
 - C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
 - E - The value reported exceeds the quantitation range and is an estimate.
 - F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
 - H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
 - I - Compound recovery is outside of the control limits.
 - J - The value reported was below the practical quantitation limit. The value is an estimate.
 - K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
 - L - The RPD is outside of the control limits.
 - M - Hydrocarbons in the gasoline range are impacting the diesel range result.
 - M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
 - N - Hydrocarbons in the lube oil range are impacting the diesel range result.
 - N1 - Hydrocarbons in diesel range are impacting lube oil range results.
 - O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
 - P - The RPD of the detected concentrations between the two columns is greater than 40.
 - Q - Surrogate recovery is outside of the control limits.
 - S - Surrogate recovery data is not available due to the necessary dilution of the sample.
 - T - The sample chromatogram is not similar to a typical _____.
 - U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
 - U1 - The practical quantitation limit is elevated due to interferences present in the sample.
 - V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
 - W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
 - X - Sample extract treated with a mercury cleanup procedure.
 - X1 - Sample extract treated with a Sulfuric acid/Silica gel cleanup procedure.
 - Y - The calibration verification for this analyte exceeded the 20% drift specified in method 8260C, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
 - Z -
- ND - Not Detected at PQL
 PQL - Practical Quantitation Limit
 RPD - Relative Percent Difference





Am Test Inc.
 13600 NE 126TH PL
 Suite C
 Kirkland, WA 98034
 (425) 885-1664

**Professional
 Analytical
 Services**

Mar 3 2022
 On-Site Environmental
 14648 NE 95th ST
 Redmond, WA 98052
 Attention: BLAIR GOODROW

Dear BLAIR GOODROW:

Enclosed please find the analytical data for your REDMOND PAIRED WATERSHED STUDY project.

The following is a cross correlation of client and laboratory identifications for your convenience.

CLIENT ID	MATRIX	AMTEST ID	TEST
COUMO-20220217	Water	22-A002241	Micro, NUT
COUMI-20220217	Water	22-A002242	Micro, NUT
TOSMO-20220217	Water	22-A002243	Micro, NUT
TYLMO-20220217	Water	22-A002244	Micro, NUT
TYLMI-20220217	Water	22-A002245	Micro, NUT
MONMN-20220217	Water	22-A002246	Micro, NUT
MONMS-20220217	Water	22-A002247	Micro, NUT
MONM-20220217	Water	22-A002248	Micro, NUT
TOSMI-20220217	Water	22-A002249	Micro, NUT
SEIMN-20220217	Water	22-A002250	Micro, NUT
COLM-20220217	Water	22-A002251	Micro, NUT
SEIMS-20220217	Water	22-A002252	Micro, NUT
QA-115-20220217	Water	22-A002253	Micro, NUT

Your samples were received on Thursday, February 17, 2022. At the time of receipt, the samples were logged in and properly maintained prior to the subsequent analysis.


The analytical procedures used at AmTest are well documented and are typically derived from the protocols of the EPA, USDA, FDA or the Army Corps of Engineers.

Following the analytical data you will find the Quality Control (QC) results.

Please note that the detection limits that are listed in the body of the report refer to the Practical Quantitation Limits (PQL's), as opposed to the Method Detection Limits (MDL's).

If you should have any questions pertaining to the data package, please feel free to contact me.

Sincerely,


 Aaron W. Young
 Vice President

Project #: 14-05806-000
 SDG #: 2222810

BACT = Bacteriological
 CONV = Conventionals

MET = Metals
 ORG = Organics

NUT=Nutrients
 DEM=Demand

MIN=Minerals 1

Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664
www.amtestlab.com



*Professional
Analytical
Services*

ANALYSIS REPORT

On-Site Environmental
14648 NE 95th ST
Redmond, WA 98052
Attention: BLAIR GOODROW
Project Name: REDMOND PAIRED WATERSHED STUDY
SDG Number: 2222810
Project #: 14-05806-000
All results reported on an as received basis.

Date Received: 02/17/22
Date Reported: 3/ 3/22

AMTEST Identification Number 22-A002241
Client Identification COUMO-20220217
Sampling Date 02/17/22, 10:25

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	56.	CFU/100 ml		1	SM 9222D	JM	02/18/22
Total Nitrogen (NOX&TKN)	0.81	mg/l		0.1			
Total Nitrogen (TKN)	0.429	mg/l		0.25	SM4500N	KS	02/23/22
Total Nitrate + Nitrite	0.378	mg/l		0.02	SM4500NO3	KS	02/24/22

AMTEST Identification Number 22-A002242
Client Identification COUMI-20220217
Sampling Date 02/17/22, 10:35

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	30.	CFU/100 ml		1	SM 9222D	JM	02/18/22
Total Nitrogen (NOX&TKN)	0.68	mg/l		0.1			
Total Nitrogen (TKN)	0.396	mg/l		0.25	SM4500N	KS	02/23/22
Total Nitrate + Nitrite	0.284	mg/l		0.02	SM4500NO3	KS	02/24/22

AMTEST Identification Number 22-A002243
Client Identification TOSMO-20220217
Sampling Date 02/17/22, 10:50

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	16.	CFU/100 ml		1	SM 9222D	JM	02/18/22
Total Nitrogen (NOX&TKN)	0.84	mg/l		0.1			
Total Nitrogen (TKN)	0.309	mg/l		0.25	SM4500N	KS	02/23/22
Total Nitrate + Nitrite	0.529	mg/l		0.02	SM4500NO3	KS	02/24/22

AMTEST Identification Number 22-A002244
Client Identification TYLMO-20220217
Sampling Date 02/17/22, 11:05

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	31.	CFU/100 ml		1	SM 9222D	JM	02/18/22
Total Nitrogen (NOX&TKN)	0.90	mg/l		0.1			
Total Nitrogen (TKN)	0.473	mg/l		0.25	SM4500N	KS	02/23/22
Total Nitrate + Nitrite	0.429	mg/l		0.02	SM4500NO3	KS	02/24/22

AMTEST Identification Number 22-A002245
Client Identification TYLMI-20220217
Sampling Date 02/17/22, 11:20

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	2.	CFU/100 ml		1	SM 9222D	JM	02/18/22
Total Nitrogen (NOX&TKN)	1.06	mg/l		0.1			
Total Nitrogen (TKN)	0.505	mg/l		0.25	SM4500N	KS	02/23/22
Total Nitrate + Nitrite	0.550	mg/l		0.02	SM4500NO3	KS	02/24/22

AMTEST Identification Number 22-A002246
Client Identification MONMN-20220217
Sampling Date 02/17/22, 12:25

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	1.	CFU/100 ml		1	SM 9222D	JM	02/18/22
Total Nitrogen (NOX&TKN)	0.57	mg/l		0.1			
Total Nitrogen (TKN)	0.413	mg/l		0.25	SM4500N	KS	02/23/22
Total Nitrate + Nitrite	0.157	mg/l		0.02	SM4500NO3	KS	02/24/22

AMTEST Identification Number 22-A002247
Client Identification MONMS-20220217
Sampling Date 02/17/22, 12:40

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	2.	CFU/100 ml		1	SM 9222D	JM	02/18/22
Total Nitrogen (NOX&TKN)	1.18	mg/l		0.1			
Total Nitrogen (TKN)	0.872	mg/l		0.25	SM4500N	KS	02/23/22
Total Nitrate + Nitrite	0.308	mg/l		0.02	SM4500NO3	KS	02/24/22

AMTEST Identification Number 22-A002248
Client Identification MONM-20220217
Sampling Date 02/17/22, 12:20

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	20.	CFU/100 ml		1	SM 9222D	JM	02/18/22
Total Nitrogen (NOX&TKN)	0.67	mg/l		0.1			
Total Nitrogen (TKN)	0.363	mg/l		0.25	SM4500N	KS	02/23/22
Total Nitrate + Nitrite	0.303	mg/l		0.02	SM4500NO3	KS	02/24/22

AMTEST Identification Number 22-A002249
Client Identification TOSMI-20220217
Sampling Date 02/17/22, 10:25

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	< 1	CFU/100 ml		1	SM 9222D	JM	02/18/22
Total Nitrogen (NOX&TKN)	1.21	mg/l		0.1			
Total Nitrogen (TKN)	0.473	mg/l		0.25	SM4500N	KS	02/23/22
Total Nitrate + Nitrite	0.740	mg/l		0.02	SM4500NO3	KS	02/24/22

AMTEST Identification Number 22-A002250
Client Identification SEIMN-20220217
Sampling Date 02/17/22, 11:15

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	2.	CFU/100 ml		1	SM 9222D	JM	02/18/22
Total Nitrogen (NOX&TKN)	0.64	mg/l		0.1			
Total Nitrogen (TKN)	0.494	mg/l		0.25	SM4500N	KS	02/23/22
Total Nitrate + Nitrite	0.148	mg/l		0.02	SM4500NO3	KS	02/24/22

AMTEST Identification Number 22-A002251
Client Identification COLM-20220217
Sampling Date 02/17/22, 11:50

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	< 1	CFU/100 ml		1	SM 9222D	JM	02/18/22
Total Nitrogen (NOX&TKN)	0.63	mg/l		0.1			
Total Nitrogen (TKN)	0.558	mg/l		0.25	SM4500N	KS	02/23/22
Total Nitrate + Nitrite	0.074	mg/l		0.02	SM4500NO3	KS	02/24/22

AMTEST Identification Number 22-A002252
Client Identification SEIMS-20220217
Sampling Date 02/17/22, 12:00


Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	1.	CFU/100 ml		1	SM 9222D	JM	02/18/22
Total Nitrogen (NOX&TKN)	0.82	mg/l		0.1			
Total Nitrogen (TKN)	0.551	mg/l		0.25	SM4500N	KS	02/23/22
Total Nitrate + Nitrite	0.269	mg/l		0.02	SM4500NO3	KS	02/24/22

AMTEST Identification Number 22-A002253
Client Identification QA-115-20220217
Sampling Date 02/17/22, 11:20

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	< 1	CFU/100 ml		1	SM 9222D	JM	02/18/22
Total Nitrogen (NOX&TKN)	1.18	mg/l		0.1			
Total Nitrogen (TKN)	0.638	mg/l		0.25	SM4500N	KS	02/23/22
Total Nitrate + Nitrite	0.543	mg/l		0.02	SM4500NO3	KS	02/24/22


 Aaron W. Young
 Vice President

QC Summary for sample numbers: 22-A002241 to 22-A002253

DUPLICATES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	DUP VALUE	RPD
22-A002241	Fecal Coliform	CFU/100 ml	56.	58.	3.5
22-A002246	Fecal Coliform	CFU/100 ml	1.	2.	67.
22-A002087	Total Nitrogen (TKN)	mg/l	0.384	0.350	9.3
22-A002243	Total Nitrogen (TKN)	mg/l	0.309	0.288	7.0
22-A002253	Total Nitrogen (TKN)	mg/l	0.638	0.688	7.5
22-A002285	Total Nitrogen (TKN)	mg/l	0.380	0.385	1.3
22-A002184	Total Nitrate + Nitrite	mg/l	2.34	2.31	1.3
22-A002241	Total Nitrate + Nitrite	mg/l	0.378	0.414	9.1
22-A002251	Total Nitrate + Nitrite	mg/l	0.074	0.074	0.00
22-A002253	Total Nitrate + Nitrite	mg/l	0.543	0.552	1.6

MATRIX SPIKES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	SMPL+ SPK	SPK AMT	RECOVERY
22-A002087	Total Nitrogen (TKN)	mg/l	0.384	2.52	2.00	106.80 %
22-A002243	Total Nitrogen (TKN)	mg/l	0.309	2.45	2.00	107.05 %
22-A002253	Total Nitrogen (TKN)	mg/l	0.638	2.78	2.00	107.10 %
22-A002285	Total Nitrogen (TKN)	mg/l	0.380	2.51	2.00	106.50 %
22-A002184	Total Nitrate + Nitrite	mg/l	2.34	3.36	1.00	102.00 %
22-A002241	Total Nitrate + Nitrite	mg/l	0.378	1.39	1.00	101.20 %
22-A002251	Total Nitrate + Nitrite	mg/l	0.074	1.03	1.00	95.60 %
22-A002253	Total Nitrate + Nitrite	mg/l	0.543	1.53	1.00	98.70 %

STANDARD REFERENCE MATERIALS

ANALYTE	UNITS	TRUE VALUE	MEASURED VALUE	RECOVERY
Total Nitrogen (TKN)	mg/l	1.00	1.04	104. %
Total Nitrogen (TKN)	mg/l	1.00	1.03	103. %
Total Nitrogen (TKN)	mg/l	1.00	1.04	104. %
Total Nitrogen (TKN)	mg/l	1.00	1.05	105. %
Total Nitrate + Nitrite	mg/l	1.00	1.06	106. %
Total Nitrate + Nitrite	mg/l	1.00	1.07	107. %

BLANKS

ANALYTE	UNITS	RESULT
Fecal Coliform	CFU/100 ml	< 1
Fecal Coliform	CFU/100 ml	< 1
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25

QC Summary for sample numbers: 22-A002241 to 22-A002253...

BLANKS continued....

ANALYTE	UNITS	RESULT
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02



14648 NE 95th Street, Redmond, WA 98052 · (425) 883-3881

Laboratory Reference #: 02-221

Laboratory: AmTest Laboratories

Turnaround Request

Project Manager: Blair Goodrow

Attention: Aaron Young

1 Day 2 Day 3 Day

email: bgoodrow@onsite-env.com

13600 NE 126th PI Kirkland, WA 98034

Standard

Project Number: 14-05806-000

Phone Number: (425) 885-1664

Other: _____

Project Name: Redmond Paired Watershed Study

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Requested Analyses
1	COUMO-20220217 2241	2/17/22	10:25	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
2	COUMI-20220217 42	2/17/22	10:35	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
3	TOSMO-20220217 43	2/17/22	10:50	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
4	TYLMO-20220217 44	2/17/22	11:05	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
5	TYLMI-20220217 45	2/17/22	11:20	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
6	MONMN-20220217 46	2/17/22	12:25	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
7	MONMS-20220217 47	2/17/22	12:40	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
8	MONM-20220217 48	2/17/22	12:20	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
9	TOSMI-20220217 49	2/17/22	10:25	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
10	SEIMN-20220217 50	2/17/22	11:15	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
Signature		Company		Date	Time	Comments/Special Instructions Please provide replacement bottles EDDs - CSV Reporting Limits: Fecal Coliform - 1.0 cfu/100ml Total Nitrogen - .10 mg/L
Relinquished by: <i>Aaron Young</i>		OnSite		2-17-22	1625	
Received by: <i>[Signature]</i>		AMTEST T=3-1		2/17/22	1625	
Relinquished by:						
Received by:						
Relinquished by:						
Received by:						

11



14648 NE 95th Street, Redmond, WA 98052 · (425) 883-3881

Laboratory: AmTest Laboratories

Attention: Aaron Young

13600 NE 126th Pl Kirkland, WA 98034

Phone Number: (425) 885-1664

Turnaround Request

1 Day 2 Day 3 Day

Standard

Other: _____

Laboratory Reference #: 02-221

Project Manager: Blair Goodrow

email: bgoodrow@onsite-env.com

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Requested Analyses
11	COLM-20220217 <u>2251</u>	2/17/22	11:50	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
12	SEIMS-20220217 <u>52</u>	2/17/22	12:00	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
13	QA-115-20220217 <u>53</u>	2/17/22	11:20	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
Signature	Company	Date	Time	Comments/Special Instructions		
Relinquished by: <i>Aaron Young</i>	<i>OnSite</i>	<i>2-17-22</i>	<i>1625</i>	EDDs - CSV Reporting Limits: Fecal Coliform - 1.0 cfu/100ml Total Nitrogen - .10 mg/L		
Received by: <i>AS</i>	<i>AMTEST T=3.1</i>	<i>2/17/22</i>	<i>1625</i>			
Relinquished by:						
Received by:						
Relinquished by:						
Received by:						

P.12

CHAIN OF CUSTODY

14648 NE 95th Street, Redmond, WA 98052
Telephone: 425.883.3881

Company: Herrera Environmental Consultants
Project No.: 14-05806-000
Project Name: Redmond Paired Watershed Study
Project Manager: George Iftner

Turnaround Requested:

- 1 Day
- 2 Day
- 3 Day
- Standard

Laboratory No. 02-221

Requested Analyses

Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
-----------------------------------	-----------------------	---------------------------------	-------------------------------------	---------------------------	------------------------------	------------------------------	-----------------------------	-----------------------------------

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.									
1	COUMO-2022 <u>0217</u>	<u>2/17/22</u>	<u>10:25</u>	Water	7	X	X	X	X	X	X	X	X	X
2	COUMI-2022		<u>10:35</u>	Water	7	X	X	X	X	X	X	X	X	X
3	TOSMO-2022		<u>10:50</u>	Water	7	X	X	X	X	X	X	X	X	X
4	TYLMO-2022		<u>11:05</u>	Water	7	X	X	X	X	X	X	X	X	X
5	TYLMI-2022		<u>11:20</u>	Water	7	X	X	X	X	X	X	X	X	X
6	MONMN-2022		<u>12:25</u>	Water	7	X	X	X	X	X	X	X	X	X
7	MONMS-2022		<u>12:40</u>	Water	7	X	X	X	X	X	X	X	X	X
8	MONM-2022		<u>12:20</u>	Water	7	X	X	X	X	X	X	X	X	X
9	TOSMI-2022		<u>10:25</u>	Water	7	X	X	X	X	X	X	X	X	X
10	SEIMN-2022		<u>11:15</u>	Water	7	X	X	X	X	X	X	X	X	X
11	COLM-2022		<u>11:50</u>	Water	7	X	X	X	X	X	X	X	X	X
12	SEIMS-2022		<u>12:00</u>	Water	7	X	X	X	X	X	X	X	X	X
13	QA-115-2022		<u>11:20</u>	Water	7	X	X	X	X	X	X	X	X	X

Relinquished by N. Bartok Date 2/17/22 Received by [Signature] Date 2/17/22
 Firm HEC Time 13:10 Firm OSE Time 1310

Relinquished by _____ Date _____ Received by _____ Date _____
 Firm _____ Time _____ Firm _____ Time _____

Comments:
 * - field filtered with 0.45 µm filter within 15 minutes of collecting sample

Sample/Cooler Receipt and Acceptance Checklist

Client: HEC

Client Project Name/Number: 14-05806-000

OnSite Project Number: 02-221

Initiated by: NB

Date Initiated: 2/17/22

1.0 Cooler Verification

1.1 Were there custody seals on the outside of the cooler?	Yes	<input checked="" type="radio"/> No	N/A	1 2 3 4
1.2 Were the custody seals intact?	Yes	No	<input checked="" type="radio"/> N/A	1 2 3 4
1.3 Were the custody seals signed and dated by last custodian?	Yes	No	<input checked="" type="radio"/> N/A	1 2 3 4
1.4 Were the samples delivered on ice or blue ice?	<input checked="" type="radio"/> Yes	No	N/A	1 2 3 4
1.5 Were samples received between 0-6 degrees Celsius?	<input checked="" type="radio"/> Yes	No	N/A	Temperature: <u>5, 3, 4</u>
1.6 Have shipping bills (if any) been attached to the back of this form?	Yes	<input checked="" type="radio"/> N/A		
1.7 How were the samples delivered?	<input checked="" type="radio"/> Client	<input type="radio"/> Courier	<input type="radio"/> UPS/FedEx	<input type="radio"/> OSE Pickup <input type="radio"/> Other

2.0 Chain of Custody Verification

2.1 Was a Chain of Custody submitted with the samples?	<input checked="" type="radio"/> Yes	No	1 2 3 4
2.2 Was the COC legible and written in permanent ink?	<input checked="" type="radio"/> Yes	No	1 2 3 4
2.3 Have samples been relinquished and accepted by each custodian?	<input checked="" type="radio"/> Yes	No	1 2 3 4
2.4 Did the sample labels (ID, date, time, preservative) agree with COC?	<input checked="" type="radio"/> Yes	No	1 2 3 4
2.5 Were all of the samples listed on the COC submitted?	<input checked="" type="radio"/> Yes	No	1 2 3 4
2.6 Were any of the samples submitted omitted from the COC?	Yes	<input checked="" type="radio"/> No	1 2 3 4

3.0 Sample Verification

3.1 Were any sample containers broken or compromised?	Yes	<input checked="" type="radio"/> No	1 2 3 4
3.2 Were any sample labels missing or illegible?	Yes	<input checked="" type="radio"/> No	1 2 3 4
3.3 Have the correct containers been used for each analysis requested?	<input checked="" type="radio"/> Yes	No	1 2 3 4
3.4 Have the samples been correctly preserved?	<input checked="" type="radio"/> Yes	No	<input checked="" type="radio"/> N/A 1 2 3 4
3.5 Are volatile samples free from headspace and bubbles greater than 6mm?	Yes	No	<input checked="" type="radio"/> N/A 1 2 3 4
3.6 Is there sufficient sample submitted to perform requested analyses?	<input checked="" type="radio"/> Yes	No	1 2 3 4
3.7 Have any holding times already expired or will expire in 24 hours?	<input checked="" type="radio"/> Yes	No	1 2 3 4
3.8 Was method 5035A used?	Yes	No	<input checked="" type="radio"/> N/A 1 2 3 4
3.9 If 5035A was used, which sampling option was used (#1, 2, or 3).	#		<input checked="" type="radio"/> N/A 1 2 3 4

Explain any discrepancies:

3.7) Fecals will expire.

1 - Discuss issue in Case Narrative

2 - Process Sample As-is

3 - Client contacted to discuss problem

4 - Sample cannot be analyzed or client does not wish to proceed

CHAIN OF CUSTODY

14648 NE 95th Street, Redmond, WA 98052
Telephone: 425.883.3881

Company: Herrera Environmental Consultants
Project No.: 14-05806-000
Project Name: Redmond Paired Watershed Study
Project Manager: George Iftner

Turnaround Requested:

 1 Day

 2 Day

 3 Day

 X Standard

Laboratory No. 02-221

Requested Analyses

Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
--------------------------------------	-----------------------	------------------------------------	--	------------------------------	---------------------------------	---------------------------------	--------------------------------	--------------------------------------

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
	COUMO-2022 <u>0217</u>	<u>2/17/22</u>	<u>10:25</u>	Water	7	X	X	X	X	X	X	X	X	X
	COUMI-2022		<u>10:30</u>	Water	7	X	X	X	X	X	X	X	X	X
	TOSMO-2022		<u>10:50</u>	Water	7	X	X	X	X	X	X	X	X	X
	TYLMO-2022		<u>11:05</u>	Water	7	X	X	X	X	X	X	X	X	X
	TYLMI-2022		<u>11:20</u>	Water	7	X	X	X	X	X	X	X	X	X
	MONMN-2022		<u>12:25</u>	Water	7	X	X	X	X	X	X	X	X	X
	MONMS-2022		<u>12:40</u>	Water	7	X	X	X	X	X	X	X	X	X
	MONM-2022		<u>12:20</u>	Water	7	X	X	X	X	X	X	X	X	X
	TOSMI-2022		<u>10:25</u>	Water	7	X	X	X	X	X	X	X	X	X
	SEIMN-2022		<u>11:15</u>	Water	7	X	X	X	X	X	X	X	X	X
	COLM-2022		<u>11:50</u>	Water	7	X	X	X	X	X	X	X	X	X
	SEIMS-2022		<u>11:00</u>	Water	7	X	X	X	X	X	X	X	X	X
	QA-115-2022		<u>11:20</u>	Water	7	X	X	X	X	X	X	X	X	X

Relinquished by N. Bartok Date 2/17/22 Received by [Signature] Date 2/17/22

Firm HEL Time 13:10 Firm OSE Time 13:10

Relinquished by _____ Date _____ Received by _____ Date _____

Firm _____ Time _____ Firm _____ Time _____

Comments:
* - field filtered with 0.45 µm filter within 15 minutes of collecting sample

METER CALIBRATION LOG - Redmond Paired Watershed Study

Project Number:	14-05806-000		
Personnel Performing Calibration:	N. Orlov		
Meter:	ProDSS #72		
Date/Time:	2/9/22 1400		
Barometric Pressure Start of Day:	mmHg: 779.8	Time: 1400	
Barometric Pressure End of Day:	mmHg: 779.8	Time: 14:25	

Calibration Procedures:

Rinse Multimeter Sonde Between Each Operation

Rinse 3 times with tap water, 3 times with deionized water, then 3 times with the solution to be used for calibrating or testing.

Conductivity Calibration Notes:

1. Dry the conductivity probe with a lab tissue (e.g., KimWipes®) and DI water.
2. Fill calibration cup to within a centimeter of the top of the calibration cup with DI water (0 µS).
3. Fill the calibration cup with 1,000 µS standard so that the temperature/conductivity probe is submerged.
4. Make sure there are no bubbles in the cell; wait 2 minutes.
5. Enter the appropriate standard value (1,000 µS/cm or 1.0 mS/cm) for Sp Cond.
6. Check conductivity using 100 µS/cm standard.

Dissolved Oxygen Calibration Notes:

1. Fill the calibration cup with about 1/2 inch of DI; it should be below the sensor cap.
2. Use KimWipes® to dry any droplets from the sensor cap.
3. Invert calibration cup's cap and gently rest it on the cup.
4. Wait 5 minutes, making sure that temperature stabilizes.
5. Determine local barometric pressure (mm Hg) and enter this value into the meter.
6. Click "Calibrate". "Calibrate Successful" will be displayed.
7. To retain calibration accuracy between measurements, store with the sensor immersed in water or within a water-saturated air environment such as a sealed storage cup with at least 10 ml of water.
8. It is important to have the water-saturated air and the sensor at the same temperature. Therefore, store a jar of DI in the same environment as the sonde and calibrate in a similar air temperature as the water and sonde.
9. Keep probe out of direct sun or wind.



PRE Field Run CALIBRATION	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	1.0	0	22.4	
Conductivity (µS/cm)	982	1,000	23.1	
Conductivity (µS/cm)	1424	1400 100	22.8	Calibrating to 1400 due to supply chain
DO % Saturation	106.1	100	23.4	
POST Field Run CHECK	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	1.4	0	21.4	
Conductivity (µS/cm)	1409	1400 100	22.4	"
DO % Saturation	100.1	100	22.0	

METER CALIBRATION LOG - Redmond Paired Watershed Study

Project Number:	14-05806-000		
Personnel Performing Calibration:	N. Garbosa		
Meter:	ProDSS #1		
Date/Time:	2/9/22		14:00
Barometric Pressure Start of Day:	mmHg: 779.7	Time:	14:00
Barometric Pressure End of Day:	mmHg: 779.7	Time:	14:10

Calibration Procedures:

Rinse Multimeter Sonde Between Each Operation

Rinse 3 times with tap water, 3 times with deionized water, then 3 times with the solution to be used for calibrating or testing.

Conductivity Calibration Notes:

1. Dry the conductivity probe with a lab tissue (e.g., KimWipes®) and DI water.
2. Fill calibration cup to within a centimeter of the top of the calibration cup with DI water (0 µS).
3. Fill the calibration cup with 1,000 µS standard so that the temperature/conductivity probe is submerged.
4. Make sure there are no bubbles in the cell; wait 2 minutes.
5. Enter the appropriate standard value (1,000 µS/cm or 1.0 mS/cm) for Sp Cond.
6. Check conductivity using 100 µS/cm standard.

Dissolved Oxygen Calibration Notes:

1. Fill the calibration cup with about 1/2 inch of DI; it should be below the sensor cap.
2. Use KimWipes® to dry any droplets from the sensor cap.
3. Invert calibration cup's cap and gently rest it on the cup.
4. Wait 5 minutes, making sure that temperature stabilizes.
5. Determine local barometric pressure (mm Hg) and enter this value into the meter.
6. Click "Calibrate". "Calibrate Successful" will be displayed.
7. To retain calibration accuracy between measurements, store with the sensor immersed in water or within a water-saturated air environment such as a sealed storage cup with at least 10 ml of water.
8. It is important to have the water-saturated air and the sensor at the same temperature. Therefore, store a jar of DI in the same environment as the sonde and calibrate in a similar air temperature as the water and sonde.
9. Keep probe out of direct sun or wind.



PRE Field Run CALIBRATION	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	5.3	0	21.6	
Conductivity (µS/cm)	937	1,000	22.5	
Conductivity (µS/cm)	1421	1400	21.8	calibrating to 1400 due to supply chain
DO % Saturation	98.1	100	21.6	
POST Field Run CHECK	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	3.3	0	22.3	
Conductivity (µS/cm)	1406	1400	21.4	u
DO % Saturation	100.5	100	21.2	

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: N. Maas, D. Garcia

Sample Date: 2/17/22

Sample Time: 1025

PDT:

SITE

ID:

COUMO

Base Flow or Storm Event?

Field filtered 5 minutes later Y N

PST: X

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Cloudy, 43°

Water Quality Sampling

Sample ID: COUMO-20220217

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓ <u>NO</u>
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear
 Color: note
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 1.3

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 6.3

Specific Conductivity (µs/cm) 287.3

Dissolved Oxygen (mg/L) 12.37

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: N. Maas, P. Garcia

Sample Date: 2/17/22

Sample Time: 1035

PDT:

SITE

ID: COUMI

Base Flow or Storm Event?

Field filtered 5 minutes later: N
(Must filter within 15 minutes of collection)

PST: X

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: cloudy, 43°

Water Quality Sampling

Sample ID: COUMI-2020217

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear
 Color: none
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 2.65

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 0.1

Specific Conductivity (µs/cm) 319.8

Dissolved Oxygen (mg/L) 12.40

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: N. Maas, D. Garcia

Sample Date: 2/17/12

Sample Time: 1050

PDT:

SITE

ID:

TOSMO

Base Flow or Storm Event?

Field filtered 5 minutes later: N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: cloudy, 43°

Water Quality Sampling

Sample ID:

TOSMO-1022017

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	<u>NO</u>
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	<u>NO</u>
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	<u>NO</u>
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	<u>NO</u>
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	<u>NO</u>
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<u>NO</u>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: —

Filter blank sample ID: —

Transfer blank sample ID: —

Visual and Olfactory Conditions:

Clarity: clear

Color: none

Odor: —

Sheen: —

Floatables: —

LABORATORY DELIVERY

Date:

Time:

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 6.58

Reference Point (description): SO

Water Quality Measurements

Temperature (°C) 6.4

Specific Conductivity (µs/cm) 266.4

Dissolved Oxygen (mg/L) 12.53

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: N. Maas, D. Garcia

Sample Date: 2/17/22

Sample Time: 1105

PDT:

SITE

ID:

TYLMO

Base Flow or Storm Event? (circled)

Field filtered 5 minutes later: Y N
(Must filter within 15 minutes of collection)

PST: X

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Cloudy, 43°

Water Quality Sampling

Sample ID:

TYLMO-2020217

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: —

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: none

Color: clear

Odor: ↓

Sheen: ↓

Floatables:

LABORATORY DELIVERY

Date:

Time:

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 35"

Reference Point (description): Top of culvert

Water Quality Measurements

Temperature (°C) 5.9°

Specific Conductivity (µs/cm) 181.1

Dissolved Oxygen (mg/L) 12.83

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: N. Maas, D. Garcia

Sample Date: 2/17/22

Sample Time: 1120

PDT:

SITE

ID:

TYLMI

Base Flow or Storm Event? (circled)

Field filtered 5 minutes later: Y N

PST: X

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: cloudy, 43°

Water Quality Sampling

Sample ID:

TYLMI-20220217

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>Y</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:

QA 115 - 20220217

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity:

Clear

Color:

none

Odor:

↓

Sheen:

Floatables:

LABORATORY DELIVERY

Date:

Time:

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Date Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft):

4' 5"

Reference Point (description):

Top of culvert

Water Quality Measurements

Temperature (°C)

6.7

Specific Conductivity (µs/cm)

178.6

Dissolved Oxygen (mg/L)

12.25

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB, EVO
 Sample Date: 2/17/22 Sample Time: 12:25
 Base Flow or Storm Event? Field filtered 5 minutes later: N
 (Must filter within 15 minutes of collection)

SITE ID: MONMN
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study
 Current Weather and Temp: Overcast 55°F

Water Quality Sampling

Sample ID: MONMN 20220217

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 9.13
 Reference Point (description): S6

Water Quality Measurements

Temperature (°C) 7.2
 Specific Conductivity (µs/cm) 182.5
 Dissolved Oxygen (mg/L) 11.77

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB, EVO

Sample Date: 21/7/22

Sample Time: 12:40

SITE

ID: MONM5

Base Flow or Storm Event?

Field filtered 5 minutes later: N
(Must filter within 15 minutes of collection)

PDT:

PST:

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp:

Water Quality Sampling

Sample ID: MONM5 2022.02 17

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>No</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear
 Color: light yellow
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 6.85

Reference Point (description): Measure dam

Water Quality Measurements

Temperature (°C) 7.2

Specific Conductivity (µs/cm) 288.1

Dissolved Oxygen (mg/L) 9.78

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: N. Maas, P. Garcia

Sample Date: 2/7/22 Sample Time: 1220

Base Flow or Storm Event? (circled) Field filtered 5 minutes later: Y N
 (Must filter within 15 minutes of collection)

SITE ID: MANM

Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Cloudy 43°

Water Quality Sampling

Sample ID: MANM-20220217

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: ✓
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear
 Color: none
 Odor: _____
 Sheen: _____
 Floatables: ↓

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft):

Reference Point (description):

Water Quality Measurements

Temperature (°C) 6.3

Specific Conductivity (µs/cm) 215.8

Dissolved Oxygen (mg/L) 12.47

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: N. Barbish, Emma van Orden
 Sample Date: 2/17/22 Sample Time: 10:25
 Base Flow or Storm Event? Field filtered 5 minutes later: N
 (Must filter within 15 minutes of collection)

SITE ID: TOSM1
 PDT:
 PST:
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study
 Current Weather and Temp: overcast, 50°F

Water Quality Sampling

Sample ID: TOSM120220217

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear
 Color: _____
 Odor: _____
 Sheen: I
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): 2.08
 Reference Point (description): 56

Water Quality Measurements

Temperature (°C) 7.5°C
 Specific Conductivity (µs/cm) 14 295.3
 Dissolved Oxygen (mg/L) 11.96

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB, EVO

Sample Date: 2/17/22

Sample Time: 11:15

PDT:

SITE

ID: SELMN

Base Flow or Storm Event?

Field filtered 5 minutes later N
(Must filter within 15 minutes of collection)

PST:

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Overcast, 55 F

Water Quality Sampling

Sample ID: SELMN20220217

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>No</u>
DOC *	HDPE	250 ml	1	HCL	<u>↓</u>
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	<u>↓</u>
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	<u>↓</u>
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	<u>↓</u>
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	<u>↓</u>
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<u>↓</u>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.72

Reference Point (description): Tyler

Water Quality Measurements

Temperature (°C) 6.7

Specific Conductivity (µs/cm) 70.5

Dissolved Oxygen (mg/L) 12.81

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB, EVO

Sample Date: 2/17/22

Sample Time: 11:50

PDT:

SITE

ID: COLM

Base Flow or Storm Event?

Field filtered 5 minutes later: N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: overcast, 55°F

Water Quality Sampling

Sample ID: COLM 20220217

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>No</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 μm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: low
 Color: yellow
 Odor: none
 Sheen: _____
 Floatables: ↓

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 5.8

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 6.0

Specific Conductivity (μs/cm) 56.1

Dissolved Oxygen (mg/L) 11.79

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: N. Maas, D. Garcia

Sample Date: 2/17/22 Sample Time: 1200

Base Flow or Storm Event? (circled) Field filtered 5 minutes later? Y N
(Must filter within 15 minutes of collection)

SITE ID: SEIMS

Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Cloudy, 43°

Water Quality Sampling

Sample ID: SEIMS-20220217

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: —
 Filter blank sample ID: —
 Transfer blank sample ID: —

Visual and Olfactory Conditions:

Clarity: no clear
 Color: none
 Odor: ↓
 Sheen: ↓
 Floatables: some bubbles/foam

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 _____
 YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.78
 Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 6.1
 Specific Conductivity (µs/cm) 110.4
 Dissolved Oxygen (mg/L) 12.19



HERRERA

Data Quality Assurance Worksheet

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 2/17/22 /All locations, QA115 (TYLMI) Lab Ref No 2202-221

By J. Brown

Date 3/4/22 Page 1 of 2

Checked: initials
JL

date 2/27/2022

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹		
TSS	OK / SM 2540D	NA	NA	7	≤7	≤1.0 mg/L 1.0 mg/L	NA	NA	90	±20	9	≤25	20	≤25	OK	NONE
Turbidity	OK / EPA 180.1	NA	NA	<1	≤2	≤0.1 NTU 0.1 NTU	NA	NA	NR	±10	2	≤25	41	≤25	OK	FLAG TYLMI J DUE TO FIELD DUPE RPD EXCEEDANCE
Hardness	OK / SM 2340B	NA	NA	8	≤180	≤1.0 mg/L 1.0 mg/L	95, 102	±25	102	±15	2 MS 3	≤20	<1	≤20	OK	NONE
DOC	OK / SM 5310B	≤15	≤15	7	≤28	≤1.0 mg/L 1.0 mg/L	107	±25	110	±15	3	≤20	D=0.1	≤20	OK	NONE
Total Phosphorus	OK / EPA 365.1	NA	NA	7	≤28	≤0.01 mg/L 0.01 mg/L	91	±25	90	±20	D= 0.0001	≤20	D=0.004	≤20	OK	NONE
Total Nitrogen (TKN + N+N)	OK/ SM 4500 N-B	NA	NA	6, 7	≤28	≤0.1 mg/L 0.1 mg/L	96-107	±25	103-107	±20	1-9 D=0-0.05	≤20	1 D=0.13	≤20	OK	NONE

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.

NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported



HERRERA

Data Quality Assurance Worksheet

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 2/17/22 /All locations, QA115 (TYLMI) Lab Ref No 2202-221

By J. Brown

Date 3/4/22 Page 2 of 2

Checked: initials JL

date 2/27/2022

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal	Reported	Goal ¹	Reported	Goal ¹		
Total Copper	OK/ EPA 200.8	NA	NA	7	≤180	≤1.0 µg/L 1.0 µg/L	94, 96	±25	NR	±15	NC MS 2	≤20	D=0.3	≤20	OK	NONE
Total Zinc	OK/ EPA 200.8	NA	NA	7	≤180	≤5.0 µg/L 5.0 µg/L	95, 96	±25	NR	±15	NC MS 2	≤20	D=1	≤20	OK	NONE
Dissolved Copper	OK/ EPA 200.8	≤15	≤15	7	≤180	≤1.0 µg/L 1.0 µg/L	106, 107	±25	NR	±15	NC MS 1	≤20	D=0.2	≤20	OK	NONE
Dissolved Zinc	OK/ EPA 200.8	≤15	≤15	7	≤180	≤5.0 µg/L 5.0 µg/L	110, 110	±25	NR	±15	3 MS <1	≤20	D=0.2	≤20	OK	NONE
Fecal Coliform	OK/ SM 9222D	NA	NA	1	≤1	≤1.0 cfu/ 100mL 10 cfu/ 100mL	NA	NA	NA	NA	4	≤35	NC	≤50	OK	NONE

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.

NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported

This page intentionally left blank



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

March 14, 2022

Jess Brown
Herrera Environmental Consultants, Inc.
2200 6th Avenue, Suite 1100
Seattle, WA 98121

Re: Analytical Data for Project 14-05806-000
Laboratory Reference No. 2202-387

Dear Jess:

Enclosed are the analytical results and associated quality control data for samples submitted on February 28, 2022.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read "Blair Goodrow", enclosed within a large, loopy, circular scribble.

Blair Goodrow
Project Manager

Enclosures



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: March 14, 2022
Samples Submitted: February 28, 2022
Laboratory Reference: 2202-387
Project: 14-05806-000

Case Narrative

Samples were collected on February 28, 2022 and received by the laboratory on February 28, 2022. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.



Date of Report: March 14, 2022
 Samples Submitted: February 28, 2022
 Laboratory Reference: 2202-387
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220228					
Laboratory ID:	02-387-01					
Total Suspended Solids	24	0.80	SM 2540D	3-1-22	3-2-22	

Client ID:	COUMI-20220228					
Laboratory ID:	02-387-02					
Total Suspended Solids	57	1.0	SM 2540D	3-1-22	3-2-22	

Client ID:	TOSMO-20220228					
Laboratory ID:	02-387-03					
Total Suspended Solids	110	2.0	SM 2540D	3-1-22	3-2-22	

Client ID:	TYLMO-20220228					
Laboratory ID:	02-387-04					
Total Suspended Solids	22	1.6	SM 2540D	3-1-22	3-2-22	

Client ID:	TYLMI-20220228					
Laboratory ID:	02-387-05					
Total Suspended Solids	9.0	0.80	SM 2540D	3-1-22	3-2-22	

Client ID:	MONMN-20220228					
Laboratory ID:	02-387-06					
Total Suspended Solids	16	0.80	SM 2540D	3-1-22	3-2-22	

Client ID:	MONMS-20220228					
Laboratory ID:	02-387-07					
Total Suspended Solids	6.8	0.80	SM 2540D	3-1-22	3-2-22	

Client ID:	MONM-20220228					
Laboratory ID:	02-387-08					
Total Suspended Solids	27	1.6	SM 2540D	3-1-22	3-2-22	

Client ID:	TOSMI-20220228					
Laboratory ID:	02-387-09					
Total Suspended Solids	71	1.6	SM 2540D	3-1-22	3-2-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: March 14, 2022
 Samples Submitted: February 28, 2022
 Laboratory Reference: 2202-387
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-20220228					
Laboratory ID:	02-387-10					
Total Suspended Solids	280	4.0	SM 2540D	3-1-22	3-2-22	

Client ID:	COLM-20220228					
Laboratory ID:	02-387-11					
Total Suspended Solids	10	0.80	SM 2540D	3-1-22	3-2-22	

Client ID:	SEIMS-20220228					
Laboratory ID:	02-387-12					
Total Suspended Solids	25	1.6	SM 2540D	3-1-22	3-2-22	

Client ID:	QA-116-20220228					
Laboratory ID:	02-387-13					
Total Suspended Solids	29	0.80	SM 2540D	3-1-22	3-2-22	



Date of Report: March 14, 2022
 Samples Submitted: February 28, 2022
 Laboratory Reference: 2202-387
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0301W1					
Total Suspended Solids	ND	0.80	SM 2540D	3-1-22	3-2-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	02-387-04							
	ORIG	DUP						
Total Suspended Solids	22.0	24.0	NA	NA	NA	9	26	

SPIKE BLANK								
Laboratory ID:	SB0301W1							
	SB	SB		SB				
Total Suspended Solids	83.0	100	NA	83	67-118	NA	NA	



Date of Report: March 14, 2022
 Samples Submitted: February 28, 2022
 Laboratory Reference: 2202-387
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220228					
Laboratory ID:	02-387-01					
Turbidity	18	0.10	EPA 180.1	3-1-22	3-1-22	

Client ID:	COUMI-20220228					
Laboratory ID:	02-387-02					
Turbidity	40	0.10	EPA 180.1	3-1-22	3-1-22	

Client ID:	TOSMO-20220228					
Laboratory ID:	02-387-03					
Turbidity	60	0.10	EPA 180.1	3-1-22	3-1-22	

Client ID:	TYLMO-20220228					
Laboratory ID:	02-387-04					
Turbidity	20	0.10	EPA 180.1	3-1-22	3-1-22	

Client ID:	TYLMI-20220228					
Laboratory ID:	02-387-05					
Turbidity	15	0.10	EPA 180.1	3-1-22	3-1-22	

Client ID:	MONMN-20220228					
Laboratory ID:	02-387-06					
Turbidity	11	0.10	EPA 180.1	3-1-22	3-1-22	

Client ID:	MONMS-20220228					
Laboratory ID:	02-387-07					
Turbidity	8.1	0.10	EPA 180.1	3-1-22	3-1-22	

Client ID:	MONM-20220228					
Laboratory ID:	02-387-08					
Turbidity	18	0.10	EPA 180.1	3-1-22	3-1-22	

Client ID:	TOSMI-20220228					
Laboratory ID:	02-387-09					
Turbidity	36	0.10	EPA 180.1	3-1-22	3-1-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: March 14, 2022
 Samples Submitted: February 28, 2022
 Laboratory Reference: 2202-387
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-20220228					
Laboratory ID:	02-387-10					
Turbidity	100	0.20	EPA 180.1	3-1-22	3-1-22	

Client ID:	COLM-20220228					
Laboratory ID:	02-387-11					
Turbidity	3.0	0.10	EPA 180.1	3-1-22	3-1-22	

Client ID:	SEIMS-20220228					
Laboratory ID:	02-387-12					
Turbidity	14	0.10	EPA 180.1	3-1-22	3-1-22	

Client ID:	QA-116-20220228					
Laboratory ID:	02-387-13					
Turbidity	16	0.10	EPA 180.1	3-1-22	3-1-22	



Date of Report: March 14, 2022
 Samples Submitted: February 28, 2022
 Laboratory Reference: 2202-387
 Project: 14-05806-000

**TURBIDITY
 EPA 180.1
 QUALITY CONTROL**

Matrix: Water

Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0301W1					
Turbidity	ND	0.10	EPA 180.1	3-1-22	3-1-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	02-387-01							
	ORIG	DUP						
Turbidity	17.9	16.9	NA	NA	NA	NA	6	13



Date of Report: March 14, 2022
 Samples Submitted: February 28, 2022
 Laboratory Reference: 2202-387
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220228					
Laboratory ID:	02-387-01					
Hardness	40	1.0	EPA 200.7/SM 2340B	3-1-22	3-1-22	

Client ID:	COUMI-20220228					
Laboratory ID:	02-387-02					
Hardness	49	1.0	EPA 200.7/SM 2340B	3-1-22	3-1-22	

Client ID:	TOSMO-20220228					
Laboratory ID:	02-387-03					
Hardness	42	1.0	EPA 200.7/SM 2340B	3-1-22	3-1-22	

Client ID:	TYLMO-20220228					
Laboratory ID:	02-387-04					
Hardness	28	1.0	EPA 200.7/SM 2340B	3-1-22	3-1-22	

Client ID:	TYLMI-20220228					
Laboratory ID:	02-387-05					
Hardness	35	1.0	EPA 200.7/SM 2340B	3-1-22	3-1-22	

Client ID:	MONMN-20220228					
Laboratory ID:	02-387-06					
Hardness	32	1.0	EPA 200.7/SM 2340B	3-1-22	3-1-22	

Client ID:	MONMS-20220228					
Laboratory ID:	02-387-07					
Hardness	53	1.0	EPA 200.7/SM 2340B	3-1-22	3-1-22	



Date of Report: March 14, 2022
 Samples Submitted: February 28, 2022
 Laboratory Reference: 2202-387
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20220228					
Laboratory ID:	02-387-08					
Hardness	38	1.0	EPA 200.7/SM 2340B	3-1-22	3-1-22	

Client ID:	TOSMI-20220228					
Laboratory ID:	02-387-09					
Hardness	36	1.0	EPA 200.7/SM 2340B	3-1-22	3-1-22	

Client ID:	SEIMN-20220228					
Laboratory ID:	02-387-10					
Hardness	25	1.0	EPA 200.7/SM 2340B	3-1-22	3-1-22	

Client ID:	COLM-20220228					
Laboratory ID:	02-387-11					
Hardness	9.8	1.0	EPA 200.7/SM 2340B	3-1-22	3-1-22	

Client ID:	SEIMS-20220228					
Laboratory ID:	02-387-12					
Hardness	24	1.0	EPA 200.7/SM 2340B	3-1-22	3-1-22	

Client ID:	QA-116-20220228					
Laboratory ID:	02-387-13					
Hardness	43	1.0	EPA 200.7/SM 2340B	3-1-22	3-1-22	



Date of Report: March 14, 2022
 Samples Submitted: February 28, 2022
 Laboratory Reference: 2202-387
 Project: 14-05806-000

**HARDNESS
 EPA 200.7/SM 2340B
 QUALITY CONTROL**

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0301WH1					
Hardness	ND	1.0	EPA 200.7/SM 2340B	3-1-22	3-1-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	02-387-01							
	ORIG	DUP						
Hardness	40.2	41.9	NA	NA	NA	4	20	

MATRIX SPIKES

Laboratory ID:	02-387-01									
	MS	MSD	MS	MSD	MS	MSD				
Hardness	186	184	132	132	40.2	110	109	75-125	1	20

SPIKE BLANK

Laboratory ID:	SB0301WH1									
	SB		SB		SB					
Hardness	140		132		106			85-115	NA	NA



Date of Report: March 14, 2022
 Samples Submitted: February 28, 2022
 Laboratory Reference: 2202-387
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220228					
Laboratory ID:	02-387-01					
Total Organic Carbon	7.2	1.0	SM 5310B	3-3-22	3-3-22	

Client ID:	COUMI-20220228					
Laboratory ID:	02-387-02					
Total Organic Carbon	7.2	1.0	SM 5310B	3-3-22	3-3-22	

Client ID:	TOSMO-20220228					
Laboratory ID:	02-387-03					
Total Organic Carbon	8.6	1.0	SM 5310B	3-3-22	3-3-22	

Client ID:	TYLMO-20220228					
Laboratory ID:	02-387-04					
Total Organic Carbon	5.4	1.0	SM 5310B	3-3-22	3-3-22	

Client ID:	TYLMI-20220228					
Laboratory ID:	02-387-05					
Total Organic Carbon	7.7	1.0	SM 5310B	3-3-22	3-3-22	

Client ID:	MONMN-20220228					
Laboratory ID:	02-387-06					
Total Organic Carbon	5.4	1.0	SM 5310B	3-3-22	3-3-22	

Client ID:	MONMS-20220228					
Laboratory ID:	02-387-07					
Total Organic Carbon	7.2	1.0	SM 5310B	3-3-22	3-3-22	

Client ID:	MONM-20220228					
Laboratory ID:	02-387-08					
Total Organic Carbon	5.9	1.0	SM 5310B	3-3-22	3-3-22	

Client ID:	TOSMI-20220228					
Laboratory ID:	02-387-09					
Total Organic Carbon	8.1	1.0	SM 5310B	3-3-22	3-3-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: March 14, 2022
 Samples Submitted: February 28, 2022
 Laboratory Reference: 2202-387
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-20220228					
Laboratory ID:	02-387-10					
Total Organic Carbon	12	1.0	SM 5310B	3-3-22	3-3-22	

Client ID:	COLM-20220228					
Laboratory ID:	02-387-11					
Total Organic Carbon	9.3	1.0	SM 5310B	3-3-22	3-3-22	

Client ID:	SEIMS-20220228					
Laboratory ID:	02-387-12					
Total Organic Carbon	12	1.0	SM 5310B	3-3-22	3-3-22	

Client ID:	QA-116-20220228					
Laboratory ID:	02-387-13					
Total Organic Carbon	7.3	1.0	SM 5310B	3-3-22	3-3-22	



Date of Report: March 14, 2022
 Samples Submitted: February 28, 2022
 Laboratory Reference: 2202-387
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0301F1					
Total Organic Carbon	ND	1.0	SM 5310B	3-3-22	3-3-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	02-387-06							
	ORIG	DUP						
Total Organic Carbon	5.45	5.69	NA	NA	NA	4	12	

MATRIX SPIKE

Laboratory ID:	02-387-06							
	MS	MS		MS				
Total Organic Carbon	16.8	10.0	5.45	114	80-125	NA	NA	

SPIKE BLANK

Laboratory ID:	SB0301F1							
	SB	SB		SB				
Total Organic Carbon	11.0	10.0	NA	110	80-119	NA	NA	



Date of Report: March 14, 2022
 Samples Submitted: February 28, 2022
 Laboratory Reference: 2202-387
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220228					
Laboratory ID:	02-387-01					
Total Phosphorus	0.085	0.010	EPA 365.1	3-1-22	3-2-22	

Client ID:	COUMI-20220228					
Laboratory ID:	02-387-02					
Total Phosphorus	0.14	0.010	EPA 365.1	3-1-22	3-2-22	

Client ID:	TOSMO-20220228					
Laboratory ID:	02-387-03					
Total Phosphorus	0.24	0.010	EPA 365.1	3-1-22	3-2-22	

Client ID:	TYLMO-20220228					
Laboratory ID:	02-387-04					
Total Phosphorus	0.068	0.010	EPA 365.1	3-1-22	3-2-22	

Client ID:	TYLMI-20220228					
Laboratory ID:	02-387-05					
Total Phosphorus	0.076	0.010	EPA 365.1	3-1-22	3-2-22	

Client ID:	MONMN-20220228					
Laboratory ID:	02-387-06					
Total Phosphorus	0.062	0.010	EPA 365.1	3-1-22	3-2-22	

Client ID:	MONMS-20220228					
Laboratory ID:	02-387-07					
Total Phosphorus	0.060	0.010	EPA 365.1	3-1-22	3-2-22	

Client ID:	MONM-20220228					
Laboratory ID:	02-387-08					
Total Phosphorus	0.085	0.010	EPA 365.1	3-1-22	3-2-22	

Client ID:	TOSMI-20220228					
Laboratory ID:	02-387-09					
Total Phosphorus	0.14	0.010	EPA 365.1	3-1-22	3-2-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: March 14, 2022
 Samples Submitted: February 28, 2022
 Laboratory Reference: 2202-387
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-20220228					
Laboratory ID:	02-387-10					
Total Phosphorus	0.30	0.010	EPA 365.1	3-1-22	3-2-22	

Client ID:	COLM-20220228					
Laboratory ID:	02-387-11					
Total Phosphorus	0.026	0.010	EPA 365.1	3-1-22	3-2-22	

Client ID:	SEIMS-20220228					
Laboratory ID:	02-387-12					
Total Phosphorus	0.071	0.010	EPA 365.1	3-1-22	3-2-22	

Client ID:	QA-116-20220228					
Laboratory ID:	02-387-13					
Total Phosphorus	0.088	0.010	EPA 365.1	3-1-22	3-2-22	



Date of Report: March 14, 2022
 Samples Submitted: February 28, 2022
 Laboratory Reference: 2202-387
 Project: 14-05806-000

**TOTAL PHOSPHORUS
 EPA 365.1
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0301W1					
Total Phosphorus	ND	0.010	EPA 365.1	3-1-22	3-2-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	02-387-01							
	ORIG	DUP						
Total Phosphorus	0.0846	0.0880	NA	NA	NA	4	19	

MATRIX SPIKE								
Laboratory ID:	02-387-01							
	MS	MS		MS				
Total Phosphorus	0.346	0.250	0.0846	105	83-110	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0301W1							
	SB	SB		SB				
Total Phosphorus	0.262	0.250	NA	105	83-110	NA	NA	



Date of Report: March 14, 2022
 Samples Submitted: February 28, 2022
 Laboratory Reference: 2202-387
 Project: 14-05806-000

**TOTAL METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220228					
Laboratory ID:	02-387-01					
Copper	4.1	1.0	EPA 200.8	3-2-22	3-3-22	
Zinc	32	5.0	EPA 200.8	3-2-22	3-3-22	

Client ID:	COUMI-20220228					
Laboratory ID:	02-387-02					
Copper	5.4	1.0	EPA 200.8	3-2-22	3-3-22	
Zinc	33	5.0	EPA 200.8	3-2-22	3-3-22	

Client ID:	TOSMO-20220228					
Laboratory ID:	02-387-03					
Copper	10	1.0	EPA 200.8	3-2-22	3-3-22	
Zinc	140	5.0	EPA 200.8	3-2-22	3-3-22	

Client ID:	TYLMO-20220228					
Laboratory ID:	02-387-04					
Copper	4.8	1.0	EPA 200.8	3-2-22	3-3-22	
Zinc	32	5.0	EPA 200.8	3-2-22	3-3-22	

Client ID:	TYLMI-20220228					
Laboratory ID:	02-387-05					
Copper	3.0	1.0	EPA 200.8	3-2-22	3-3-22	
Zinc	22	5.0	EPA 200.8	3-2-22	3-3-22	

Client ID:	MONMN-20220228					
Laboratory ID:	02-387-06					
Copper	3.3	1.0	EPA 200.8	3-2-22	3-3-22	
Zinc	15	5.0	EPA 200.8	3-2-22	3-3-22	

Client ID:	MONMS-20220228					
Laboratory ID:	02-387-07					
Copper	2.9	1.0	EPA 200.8	3-2-22	3-3-22	
Zinc	9.2	5.0	EPA 200.8	3-2-22	3-3-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: March 14, 2022
 Samples Submitted: February 28, 2022
 Laboratory Reference: 2202-387
 Project: 14-05806-000

TOTAL METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20220228					
Laboratory ID:	02-387-08					
Copper	3.3	1.0	EPA 200.8	3-2-22	3-3-22	
Zinc	24	5.0	EPA 200.8	3-2-22	3-3-22	

Client ID:	TOSMI-20220228					
Laboratory ID:	02-387-09					
Copper	6.1	1.0	EPA 200.8	3-2-22	3-3-22	
Zinc	88	5.0	EPA 200.8	3-2-22	3-3-22	

Client ID:	SEIMN-20220228					
Laboratory ID:	02-387-10					
Copper	8.8	1.0	EPA 200.8	3-2-22	3-3-22	
Zinc	16	5.0	EPA 200.8	3-2-22	3-3-22	

Client ID:	COLM-20220228					
Laboratory ID:	02-387-11					
Copper	ND	1.0	EPA 200.8	3-2-22	3-2-22	
Zinc	ND	5.0	EPA 200.8	3-2-22	3-2-22	

Client ID:	SEIMS-20220228					
Laboratory ID:	02-387-12					
Copper	1.5	1.0	EPA 200.8	3-2-22	3-3-22	
Zinc	6.1	5.0	EPA 200.8	3-2-22	3-3-22	

Client ID:	QA-116-20220228					
Laboratory ID:	02-387-13					
Copper	4.0	1.0	EPA 200.8	3-2-22	3-3-22	
Zinc	31	5.0	EPA 200.8	3-2-22	3-3-22	



Date of Report: March 14, 2022
 Samples Submitted: February 28, 2022
 Laboratory Reference: 2202-387
 Project: 14-05806-000

**TOTAL METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0302WH1					
Copper	ND	1.0	EPA 200.8	3-2-22	3-2-22	
Zinc	ND	5.0	EPA 200.8	3-2-22	3-2-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	02-387-11							
	ORIG	DUP						
Copper	ND	ND	NA	NA	NA	NA	NA	20
Zinc	ND	ND	NA	NA	NA	NA	NA	20

MATRIX SPIKES

Laboratory ID:	02-387-11									
	MS	MSD	MS	MSD		MS	MSD			
Copper	91.8	95.2	100	100	ND	92	95	75-125	4	20
Zinc	91.6	94.0	100	100	ND	92	94	75-125	3	20



Date of Report: March 14, 2022
 Samples Submitted: February 28, 2022
 Laboratory Reference: 2202-387
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220228					
Laboratory ID:	02-387-01					
Copper	2.5	1.0	EPA 200.8		3-3-22	
Zinc	21	5.0	EPA 200.8		3-3-22	

Client ID:	COUMI-20220228					
Laboratory ID:	02-387-02					
Copper	2.1	1.0	EPA 200.8		3-3-22	
Zinc	12	5.0	EPA 200.8		3-3-22	

Client ID:	TOSMO-20220228					
Laboratory ID:	02-387-03					
Copper	2.3	1.0	EPA 200.8		3-3-22	
Zinc	32	5.0	EPA 200.8		3-3-22	

Client ID:	TYLMO-20220228					
Laboratory ID:	02-387-04					
Copper	2.7	1.0	EPA 200.8		3-3-22	
Zinc	17	5.0	EPA 200.8		3-3-22	

Client ID:	TYLMI-20220228					
Laboratory ID:	02-387-05					
Copper	1.9	1.0	EPA 200.8		3-3-22	
Zinc	16	5.0	EPA 200.8		3-3-22	

Client ID:	MONMN-20220228					
Laboratory ID:	02-387-06					
Copper	2.4	1.0	EPA 200.8		3-3-22	
Zinc	9.4	5.0	EPA 200.8		3-3-22	

Client ID:	MONMS-20220228					
Laboratory ID:	02-387-07					
Copper	2.2	1.0	EPA 200.8		3-3-22	
Zinc	6.8	5.0	EPA 200.8		3-3-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: March 14, 2022
 Samples Submitted: February 28, 2022
 Laboratory Reference: 2202-387
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20220228					
Laboratory ID:	02-387-08					
Copper	2.1	1.0	EPA 200.8		3-3-22	
Zinc	11	5.0	EPA 200.8		3-3-22	

Client ID:	TOSMI-20220228					
Laboratory ID:	02-387-09					
Copper	2.4	1.0	EPA 200.8		3-3-22	
Zinc	40	5.0	EPA 200.8		3-3-22	

Client ID:	SEIMN-20220228					
Laboratory ID:	02-387-10					
Copper	1.0	1.0	EPA 200.8		3-3-22	
Zinc	5.5	5.0	EPA 200.8		3-3-22	

Client ID:	COLM-20220228					
Laboratory ID:	02-387-11					
Copper	ND	1.0	EPA 200.8		3-3-22	
Zinc	ND	5.0	EPA 200.8		3-3-22	

Client ID:	SEIMS-20220228					
Laboratory ID:	02-387-12					
Copper	ND	1.0	EPA 200.8		3-3-22	
Zinc	ND	5.0	EPA 200.8		3-3-22	

Client ID:	QA-116-20220228					
Laboratory ID:	02-387-13					
Copper	2.4	1.0	EPA 200.8		3-3-22	
Zinc	20	5.0	EPA 200.8		3-3-22	



Date of Report: March 14, 2022
 Samples Submitted: February 28, 2022
 Laboratory Reference: 2202-387
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0303D1					
Copper	ND	1.0	EPA 200.8		3-3-22	
Zinc	ND	5.0	EPA 200.8		3-3-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	02-387-03							
	ORIG	DUP						
Copper	2.28	2.44	NA	NA	NA	NA	7	20
Zinc	31.6	32.4	NA	NA	NA	NA	2	20

MATRIX SPIKES

Laboratory ID:	02-387-03									
	MS	MSD	MS	MSD		MS	MSD			
Copper	83.2	85.8	80.0	80.0	2.28	101	104	75-125	3	20
Zinc	112	114	80.0	80.0	31.6	100	103	75-125	2	20





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
 - B - The analyte indicated was also found in the blank sample.
 - C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
 - E - The value reported exceeds the quantitation range and is an estimate.
 - F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
 - H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
 - I - Compound recovery is outside of the control limits.
 - J - The value reported was below the practical quantitation limit. The value is an estimate.
 - K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
 - L - The RPD is outside of the control limits.
 - M - Hydrocarbons in the gasoline range are impacting the diesel range result.
 - M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
 - N - Hydrocarbons in the lube oil range are impacting the diesel range result.
 - N1 - Hydrocarbons in diesel range are impacting lube oil range results.
 - O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
 - P - The RPD of the detected concentrations between the two columns is greater than 40.
 - Q - Surrogate recovery is outside of the control limits.
 - S - Surrogate recovery data is not available due to the necessary dilution of the sample.
 - T - The sample chromatogram is not similar to a typical _____.
 - U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
 - U1 - The practical quantitation limit is elevated due to interferences present in the sample.
 - V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
 - W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
 - X - Sample extract treated with a mercury cleanup procedure.
 - X1 - Sample extract treated with a Sulfuric acid/Silica gel cleanup procedure.
 - Y - The calibration verification for this analyte exceeded the 20% drift specified in method 8260C, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
 - Z -
- ND - Not Detected at PQL
 PQL - Practical Quantitation Limit
 RPD - Relative Percent Difference





Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664

Professional
Analytical
Services

Mar 14 2022
On-Site Environmental
14648 NE 95th ST
Redmond, WA 98052
Attention: David Baumeister

Dear David Baumeister:

Enclosed please find the analytical data for your REDMOND PAIRED WATERSHED STUDY project.

The following is a cross correlation of client and laboratory identifications for your convenience.

CLIENT ID	MATRIX	AMTEST ID	TEST
COUMO-20220228	Water	22-A002749	Micro, NUT
COUMI-20220228	Water	22-A002750	Micro, NUT
TOSMO-20220228	Water	22-A002751	Micro, NUT
TYLMO-20220228	Water	22-A002752	Micro, NUT
TYLMI-20220228	Water	22-A002753	Micro, NUT
MONMN-20220228	Water	22-A002754	Micro, NUT
MONMS-20220228	Water	22-A002755	Micro, NUT
MONM-20220228	Water	22-A002756	Micro, NUT
TOSMI-20220228	Water	22-A002757	Micro, NUT
SEIMN-20220228	Water	22-A002758	Micro, NUT
COLM-20220228	Water	22-A002759	Micro, NUT
SEIMS-20220228	Water	22-A002760	Micro, NUT
QA116-20220228	Water	22-A002761	Micro, NUT

Your samples were received on Tuesday, March 1, 2022. At the time of receipt, the samples were logged in and properly maintained prior to the subsequent analysis.


The analytical procedures used at AmTest are well documented and are typically derived from the protocols of the EPA, USDA, FDA or the Army Corps of Engineers.

Following the analytical data you will find the Quality Control (QC) results.

Please note that the detection limits that are listed in the body of the report refer to the Practical Quantitation Limits (PQL's), as opposed to the Method Detection Limits (MDL's).

If you should have any questions pertaining to the data package, please feel free to contact me.

Sincerely,


Aaron W. Young
Vice President

Project #: 14-05806-000
SDG #: 2222930
PO Number: 02-387

BACT = Bacteriological
CONV = Conventionals

MET = Metals
ORG = Organics

NUT=Nutrients
DEM=Demand

P.1
MIN=Minerals

Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664
www.amtestlab.com



**Professional
Analytical
Services**

ANALYSIS REPORT

On-Site Environmental
14648 NE 95th ST
Redmond, WA 98052
Attention: David Baumeister
Project Name: REDMOND PAIRED WATERSHED STUDY
SDG Number: 2222930
Project #: 14-05806-000
PO Number: 02-387
All results reported on an as received basis.

Date Received: 03/01/22
Date Reported: 3/14/22

AMTEST Identification Number 22-A002749
Client Identification COUMO-20220228
Sampling Date 02/28/22, 11:30

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	< 2	CFU/100 ml		2	SM 9222D	OB	03/01/22
Total Nitrogen (NOX&TKN)	1.40	mg/l		0.1			
Total Nitrogen (TKN)	0.727	mg/l		0.25	SM4500N	KS	03/03/22
Total Nitrate + Nitrite	0.674	mg/l		0.02	SM4500NO3	KS	03/04/22

AMTEST Identification Number 22-A002750
Client Identification COUMI-20220228
Sampling Date 02/28/22, 12:00

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	80.	CFU/100 ml		1	SM 9222D	OB	03/01/22
Total Nitrogen (NOX&TKN)	1.37	mg/l		0.1			
Total Nitrogen (TKN)	0.820	mg/l		0.25	SM4500N	KS	03/03/22
Total Nitrate + Nitrite	0.549	mg/l		0.02	SM4500NO3	KS	03/04/22

AMTEST Identification Number 22-A002751
Client Identification TOSMO-20220228
Sampling Date 02/28/22, 12:25

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	440	CFU/100 ml		1	SM 9222D	OB	03/01/22
Total Nitrogen (NOX&TKN)	1.30	mg/l		0.1			
Total Nitrogen (TKN)	0.929	mg/l		0.25	SM4500N	KS	03/03/22
Total Nitrate + Nitrite	0.376	mg/l		0.02	SM4500NO3	KS	03/04/22

AMTEST Identification Number 22-A002752
Client Identification TYLMO-20220228
Sampling Date 02/28/22, 13:00

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	300	CFU/100 ml		1	SM 9222D	OB	03/01/22
Total Nitrogen (NOX&TKN)	1.03	mg/l		0.1			
Total Nitrogen (TKN)	0.567	mg/l		0.25	SM4500N	KS	03/03/22
Total Nitrate + Nitrite	0.462	mg/l		0.02	SM4500NO3	KS	03/04/22

AMTEST Identification Number 22-A002753
Client Identification TYLMI-20220228
Sampling Date 02/28/22, 13:20

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	60.	CFU/100 ml		1	SM 9222D	OB	03/01/22
Total Nitrogen (NOX&TKN)	1.47	mg/l		0.1			
Total Nitrogen (TKN)	0.812	mg/l		0.25	SM4500N	KS	03/03/22
Total Nitrate + Nitrite	0.654	mg/l		0.02	SM4500NO3	KS	03/04/22

AMTEST Identification Number 22-A002754
Client Identification MONMN-20220228
Sampling Date 02/28/22, 16:15

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	76.	CFU/100 ml		1	SM 9222D	OB	03/01/22
Total Nitrogen (NOX&TKN)	1.20	mg/l		0.1			
Total Nitrogen (TKN)	0.696	mg/l		0.25	SM4500N	KS	03/03/22
Total Nitrate + Nitrite	0.500	mg/l		0.02	SM4500NO3	KS	03/04/22

AMTEST Identification Number 22-A002755
Client Identification MONMS-20220228
Sampling Date 02/28/22, 16:35

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	100	CFU/100 ml		1	SM 9222D	OB	03/01/22
Total Nitrogen (NOX&TKN)	1.47	mg/l		0.1			
Total Nitrogen (TKN)	0.764	mg/l		0.25	SM4500N	KS	03/03/22
Total Nitrate + Nitrite	0.710	mg/l		0.02	SM4500NO3	KS	03/04/22

AMTEST Identification Number 22-A002756
Client Identification MONM-20220228
Sampling Date 02/28/22, 16:55

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	20.	CFU/100 ml		1	SM 9222D	OB	03/01/22
Total Nitrogen (NOX&TKN)	1.38	mg/l		0.1			
Total Nitrogen (TKN)	0.841	mg/l		0.25	SM4500N	KS	03/03/22
Total Nitrate + Nitrite	0.536	mg/l		0.02	SM4500NO3	KS	03/04/22

AMTEST Identification Number 22-A002757
Client Identification TOSMI-20220228
Sampling Date 02/28/22, 10:55

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	140	CFU/100 ml		1	SM 9222D	OB	03/01/22
Total Nitrogen (NOX&TKN)	1.31	mg/l		0.1			
Total Nitrogen (TKN)	0.917	mg/l		0.25	SM4500N	KS	03/03/22
Total Nitrate + Nitrite	0.396	mg/l		0.02	SM4500NO3	KS	03/04/22

AMTEST Identification Number 22-A002758
Client Identification SEIMN-20220228
Sampling Date 02/28/22, 14:15

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	36.	CFU/100 ml		1	SM 9222D	OB	03/01/22
Total Nitrogen (NOX&TKN)	1.47	mg/l		0.1			
Total Nitrogen (TKN)	1.36	mg/l		0.25	SM4500N	KS	03/03/22
Total Nitrate + Nitrite	0.113	mg/l		0.02	SM4500NO3	KS	03/04/22

AMTEST Identification Number 22-A002759
Client Identification COLM-20220228
Sampling Date 02/28/22, 15:00

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	16.	CFU/100 ml		1	SM 9222D	OB	03/01/22
Total Nitrogen (NOX&TKN)	0.78	mg/l		0.1			
Total Nitrogen (TKN)	0.685	mg/l		0.25	SM4500N	KS	03/03/22
Total Nitrate + Nitrite	0.095	mg/l		0.02	SM4500NO3	KS	03/04/22

AMTEST Identification Number 22-A002760
Client Identification SEIMS-20220228
Sampling Date 02/28/22, 15:50


Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	36.	CFU/100 ml		1	SM 9222D	OB	03/01/22
Total Nitrogen (NOX&TKN)	1.22	mg/l		0.1			
Total Nitrogen (TKN)	0.974	mg/l		0.25	SM4500N	KS	03/03/22
Total Nitrate + Nitrite	0.246	mg/l		0.02	SM4500NO3	KS	03/04/22

AMTEST Identification Number 22-A002761
Client Identification QA116-20220228
Sampling Date 02/28/22, 11:30

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	< 2	CFU/100 ml		2	SM 9222D	OB	03/01/22
Total Nitrogen (NOX&TKN)	1.38	mg/l		0.1			
Total Nitrogen (TKN)	0.690	mg/l		0.25	SM4500N	KS	03/03/22
Total Nitrate + Nitrite	0.692	mg/l		0.02	SM4500NO3	KS	03/04/22


Aaron W. Young
Vice President

QC Summary for sample numbers: 22-A002749 to 22-A002761

DUPLICATES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	DUP VALUE	RPD
22-A002675	Fecal Coliform	CFU/100 ml	4000	4000	0.00
22-A002753	Fecal Coliform	CFU/100 ml	60.	60.	0.00
22-A002545	Total Nitrogen (TKN)	mg/l	0.258	0.252	2.4
22-A002619	Total Nitrogen (TKN)	mg/l	0.483	0.528	8.9
22-A002758	Total Nitrogen (TKN)	mg/l	1.36	1.32	3.0
22-A002773	Total Nitrogen (TKN)	mg/l	27.2	28.3	4.0
22-A002818	Total Nitrogen (TKN)	mg/l	< 0.25	< 0.25	
22-A002751	Total Nitrate + Nitrite	mg/l	0.376	0.379	0.79
22-A002761	Total Nitrate + Nitrite	mg/l	0.692	0.686	0.87
22-A002816	Total Nitrate + Nitrite	mg/l	0.620	0.589	5.1
22-A002883	Total Nitrate + Nitrite	mg/l	1.73	1.80	4.0

MATRIX SPIKES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	SMPL+ SPK	SPK AMT	RECOVERY
22-A002545	Total Nitrogen (TKN)	mg/l	0.258	2.28	2.00	101.10 %
22-A002619	Total Nitrogen (TKN)	mg/l	0.483	2.51	2.00	101.35 %
22-A002758	Total Nitrogen (TKN)	mg/l	1.36	3.40	2.00	102.00 %
22-A002773	Total Nitrogen (TKN)	mg/l	27.2	47.9	20.0	103.50 %
22-A002818	Total Nitrogen (TKN)	mg/l	0.176	2.19	2.00	100.70 %
22-A002751	Total Nitrate + Nitrite	mg/l	0.376	1.32	1.00	94.40 %
22-A002761	Total Nitrate + Nitrite	mg/l	0.692	1.63	1.00	93.80 %
22-A002816	Total Nitrate + Nitrite	mg/l	0.620	1.55	1.00	93.00 %
22-A002883	Total Nitrate + Nitrite	mg/l	1.73	2.67	1.00	94.00 %

STANDARD REFERENCE MATERIALS

ANALYTE	UNITS	TRUE VALUE	MEASURED VALUE	RECOVERY
Total Nitrogen (TKN)	mg/l	1.00	1.02	102. %
Total Nitrogen (TKN)	mg/l	1.00	1.02	102. %
Total Nitrogen (TKN)	mg/l	1.00	1.02	102. %
Total Nitrogen (TKN)	mg/l	1.00	1.02	102. %
Total Nitrogen (TKN)	mg/l	1.00	1.02	102. %
Total Nitrate + Nitrite	mg/l	1.00	0.964	96.4 %
Total Nitrate + Nitrite	mg/l	1.00	0.971	97.1 %
Total Nitrate + Nitrite	mg/l	1.00	0.942	94.2 %
Total Nitrate + Nitrite	mg/l	1.00	0.930	93.0 %

QC Summary for sample numbers: 22-A002749 to 22-A002761...

BLANKS

ANALYTE	UNITS	RESULT
Fecal Coliform	CFU/100 ml	< 1
Fecal Coliform	CFU/100 ml	< 1
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02



14648 NE 95th Street, Redmond, WA 98052 · (425) 883-3881

Laboratory Reference #: 02-387

Laboratory: AmTest Laboratories

Turnaround Request

Project Manager: Blair Goodrow

Attention: Aaron Young

1 Day 2 Day 3 Day

email: bgoodrow@onsite-env.com

13600 NE 126th PI Kirkland, WA 98034

Standard

Project Number: 14-05806-000

Phone Number: (425) 885-1664

Other: _____

Project Name: Redmond Paired Watershed Study

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Requested Analyses
1	COUMO-20220228 2749	2/28/22	1130	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
2	COUMI-20220228 50	2/28/22	1200	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
3	TOSMO-20220228 51	2/28/22	1225	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
4	TYLMO-20220228 52	2/28/22	1300	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
5	TYLMI-20220228 53	2/28/22	1320	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
6	MONMN-20220228 54	2/28/22	1615	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
7	MONMS-20220228 55	2/28/22	1635	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
8	MONM-20220228 56	2/28/22	1655	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
9	TOSMI-20220228 57	2/28/22	1055	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
10	SEIMN-20220228 2758	2/28/22	1415	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N

Signature	Company	Date	Time	Comments/Special Instructions
	OnSite Env	3/1/22	900	EDDs - CSV Reporting Limits: Fecal Coliform - 1.0 cfu/100ml Total Nitrogen - .10 mg/L
Relinquished by:				
Received by:		3/1/22	900	
Relinquished by:				
Received by:				
Relinquished by:				
Received by:				



14648 NE 95th Street, Redmond, WA 98052 · (425) 883-3881

Laboratory: AmTest Laboratories

Attention: Aaron Young

13600 NE 126th PI Kirkland, WA 98034

Phone Number: (425) 885-1664

Turnaround Request

1 Day 2 Day 3 Day

Standard

Other: _____

Laboratory Reference #: 02-387

Project Manager: Blair Goodrow

email: bgoodrow@onsite-env.com

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Requested Analyses
11	COLM-20220228 2759	2/28/22	1500	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
12	SEIMS-20220228 2760	2/28/22	1550	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
13	QA116-20220228 2761	2/28/22	1130	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N

Signature	Company	Date	Time	Comments/Special Instructions
Relinquished by:	OnSite Env	3/1/22	9:00	EDDs - CSV Reporting Limits: Fecal Coliform - 1.0 cfu/100ml Total Nitrogen - .10 mg/L
Received by:		3/1/22	09:00	
Relinquished by:				
Received by:				
Relinquished by:				
Received by:				

CHAIN OF CUSTODY

14648 NE 95th Street, Redmond, WA 98052
Telephone: 425.883.3881

Company: Herrera Environmental Consultants
Project No.: 14-05806-000
Project Name: Redmond Paired Watershed Study
Project Manager: George Iftner

Turnaround Requested:

- 1 Day
- 2 Day
- 3 Day
- Standard

Laboratory No. 02-387

Requested Analyses

Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
--------------------------------------	-----------------------	------------------------------------	--	------------------------------	---------------------------------	---------------------------------	--------------------------------	--------------------------------------

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
1	COUMO-2022 0228	2/28/22	11:30	Water	7	X	X	X	X	X	X	X	X	X
2	COUMI-2022		12:00	Water	7	X	X	X	X	X	X	X	X	X
3	TOSMO-2022		12:25	Water	7	X	X	X	X	X	X	X	X	X
4	TYLMO-2022		13:00	Water	7	X	X	X	X	X	X	X	X	X
5	TYLMI-2022		13:20	Water	7	X	X	X	X	X	X	X	X	X
6	MONMN-2022		16:15	Water	7	X	X	X	X	X	X	X	X	X
7	MONMS-2022		16:35	Water	7	X	X	X	X	X	X	X	X	X
8	MONM-2022		16:55	Water	7	X	X	X	X	X	X	X	X	X
9	TOSMI-2022		10:55	Water	7	X	X	X	X	X	X	X	X	X
10	SEIMN-2022		14:15	Water	7	X	X	X	X	X	X	X	X	X
11	COLM-2022		15:00	Water	7	X	X	X	X	X	X	X	X	X
12	SEIMS-2022		15:50	Water	7	X	X	X	X	X	X	X	X	X
13	QA - 1/16/2022		11:30	Water	7	X	X	X	X	X	X	X	X	X

Relinquished by Nick Barish Date 2/28/22 Received by [Signature] Date 2/28/22
 Firm HEL Time 17:30 Firm OSE Time 1730

Relinquished by _____ Date _____ Received by _____ Date _____
 Firm _____ Time _____ Firm _____ Time _____

Comments:
 * - field filtered with 0.45 µm filter within 15 minutes of collecting sample

Sample/Cooler Receipt and Acceptance Checklist

Client: HEC

Client Project Name/Number: 14-05806-000

OnSite Project Number: 02-387

Initiated by: AMV

Date Initiated: 2/28/22

1.0 Cooler Verification

1.1 Were there custody seals on the outside of the cooler?	Yes	<input checked="" type="radio"/> No	N/A	1 2 3 4
1.2 Were the custody seals intact?	Yes	No	<input checked="" type="radio"/> N/A	1 2 3 4
1.3 Were the custody seals signed and dated by last custodian?	Yes	No	<input checked="" type="radio"/> N/A	1 2 3 4
1.4 Were the samples delivered on ice or blue ice?	<input checked="" type="radio"/> Yes	No	N/A	1 2 3 4
1.5 Were samples received between 0-6 degrees Celsius?	<input checked="" type="radio"/> Yes	No	N/A	Temperature: <u>4, 3, 4</u>
1.6 Have shipping bills (if any) been attached to the back of this form?	Yes	<input checked="" type="radio"/> N/A		
1.7 How were the samples delivered?	<input checked="" type="radio"/> Client	<input type="radio"/> Courier	<input type="radio"/> UPS/FedEx	<input type="radio"/> OSE Pickup
				<input type="radio"/> Other

2.0 Chain of Custody Verification

2.1 Was a Chain of Custody submitted with the samples?	<input checked="" type="radio"/> Yes	No		1 2 3 4
2.2 Was the COC legible and written in permanent ink?	<input checked="" type="radio"/> Yes	No		1 2 3 4
2.3 Have samples been relinquished and accepted by each custodian?	<input checked="" type="radio"/> Yes	No		1 2 3 4
2.4 Did the sample labels (ID, date, time, preservative) agree with COC?	Yes	<input checked="" type="radio"/> No		1 2 3 4
2.5 Were all of the samples listed on the COC submitted?	<input checked="" type="radio"/> Yes	No		1 2 3 4
2.6 Were any of the samples submitted omitted from the COC?	Yes	<input checked="" type="radio"/> No		1 2 3 4

3.0 Sample Verification

3.1 Were any sample containers broken or compromised?	<input checked="" type="radio"/> Yes	No		1 2 3 4
3.2 Were any sample labels missing or illegible?	<input checked="" type="radio"/> Yes	No		1 2 3 4
3.3 Have the correct containers been used for each analysis requested?	Yes	<input checked="" type="radio"/> No		1 2 3 4
3.4 Have the samples been correctly preserved?	Yes	<input checked="" type="radio"/> No	N/A	1 2 3 4
3.5 Are volatile samples free from headspace and bubbles greater than 6mm?	Yes	No	<input checked="" type="radio"/> N/A	1 2 3 4
3.6 Is there sufficient sample submitted to perform requested analyses?	<input checked="" type="radio"/> Yes	No		1 2 3 4
3.7 Have any holding times already expired or will expire in 24 hours?	<input checked="" type="radio"/> Yes	No		1 2 3 4
3.8 Was method 5035A used?	Yes	<input checked="" type="radio"/> No	N/A	1 2 3 4
3.9 If 5035A was used, which sampling option was used (#1, 2, or 3).	#		<input checked="" type="radio"/> N/A	1 2 3 4

Explain any discrepancies:

2.4 & 3.2) #2, 4, 7, 9, 10, 13) ID illegible

3.1, 3.3, 3.4) DOC poly not submitted. 2 - Dissolved Cu & Zn submitted

3.7) Fe & Coliform will expire in 24 hrs

1 - Discuss issue in Case Narrative

2 - Process Sample As-is

3 - Client contacted to discuss problem

4 - Sample cannot be analyzed or client does not wish to proceed

CHAIN OF CUSTODY

14648 NE 95th Street, Redmond, WA 98052
Telephone: 425.883.3881

Company: Herrera Environmental Consultants

Project No.: 14-05806-000

Project Name: Redmond Paired Watershed Study

Project Manager: George Iftner

Turnaround Requested:

- 1 Day
- 2 Day
- 3 Day
- Standard

Page

Laboratory No. 02

Requested Analyis

Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 965.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.
1	COUMO-2022 0228	2/28/22	11:30	Water	7
2	COUMI-2022		12:00	Water	7
3	TOSMO-2022		12:25	Water	7
4	TYLMO-2022		13:00	Water	7
5	TYLMI-2022		13:20	Water	7
6	MONMN-2022		16:15	Water	7
7	MONMS-2022		16:35	Water	7
8	MONM-2022		16:55	Water	7
9	TOSMI-2022		10:55	Water	7
10	SEIMN-2022		14:15	Water	7
11	COLM-2022		15:00	Water	7
12	SEIMS-2022		15:50	Water	7
13	QA-116-2022		11:30	Water	7

Relinquished by Nick Barkish Date 2/28/22 Received by [Signature] Date 2/28/22
 Firm HEL Time 17:30 Firm OSE Time 1730

Relinquished by _____ Date _____ Received by _____ Date _____
 Firm _____ Time _____ Firm _____ Time _____

Comments:
 * - field filtered with 0.45 µm filter within 15 minutes of collecting sample

METER CALIBRATION LOG - Redmond Paired Watershed Study

Project Number:	14-05806-000		
Personnel Performing Calibration:	N. Bartol		
Meter:	ProDSS #2		
Date/Time:	2/28/22		
Barometric Pressure Start of Day:	mmHg: 766.4	Time: 10:00	
Barometric Pressure End of Day:	mmHg:	Time: 10:10	

Calibration Procedures:

Rinse Multimeter Sonde Between Each Operation

Rinse 3 times with tap water, 3 times with deionized water, then 3 times with the solution to be used for calibrating or testing.

Conductivity Calibration Notes:

1. Dry the conductivity probe with a lab tissue (e.g., KimWipes®) and DI water.
2. Fill calibration cup to within a centimeter of the top of the calibration cup with DI water (0 µS).
3. Fill the calibration cup with 1,000 µS standard so that the temperature/conductivity probe is submerged.
4. Make sure there are no bubbles in the cell; wait 2 minutes.
5. Enter the appropriate standard value (1,000 µS/cm or 1.0 mS/cm) for Sp Cond.
6. Check conductivity using 100 µS/cm standard.

Dissolved Oxygen Calibration Notes:

1. Fill the calibration cup with about 1/2 inch of DI; it should be below the sensor cap.
2. Use KimWipes® to dry any droplets from the sensor cap.
3. Invert calibration cup's cap and gently rest it on the cup.
4. Wait 5 minutes, making sure that temperature stabilizes.
5. Determine local barometric pressure (mm Hg) and enter this value into the meter.
6. Click "Calibrate". "Calibrate Successful" will be displayed.
7. To retain calibration accuracy between measurements, store with the sensor immersed in water or within a water-saturated air environment such as a sealed storage cup with at least 10 ml of water.
8. It is important to have the water-saturated air and the sensor at the same temperature. Therefore, store a jar of DI in the same environment as the sonde and calibrate in a similar air temperature as the water and sonde.
9. Keep probe out of direct sun or wind.



PRE Field Run CALIBRATION	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	3.9	0	26.1	
Conductivity (µS/cm)	1030	1,000	19.6	
Conductivity (µS/cm)	100.7	100	17.9	
DO % Saturation	100.1	100	22.2	
POST Field Run CHECK	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)		0		
Conductivity (µS/cm)		100		
DO % Saturation		100		

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NS

Sample Date: 2/28/22

Sample Time: 11:30

PDT:

SITE

ID: Coumo

Base Flow or Storm Event? (S)

Field filtered 5 minutes later: Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 51° F, rainy

Water Quality Sampling

Sample ID: Coumo20220228

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>Yes</u>
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: QA-116-20220228

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: Clear
 Color: none
 Odor: none
 Sheen: bubbles
 Floatables:

LABORATORY DELIVERY

Date:

Time:

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 1.75

Reference Point (description): 56

Water Quality Measurements

Temperature (°C) 8.0

Specific Conductivity (µs/cm) 85.8

Dissolved Oxygen (mg/L) 11.62

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB

Sample Date: 2/24/12

Sample Time: 12:00

PDT:

SITE

ID: COM1

Base Flow or Storm Event? S

Field filtered 5 minutes later: N
(Must filter within 15 minutes of collection)

PST:

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: rainy, 58°F

Water Quality Sampling

Sample ID: COM1 20120224

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	No ↓
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity:

Color:

Odor:

Sheen:

Floatables:

LABORATORY DELIVERY

Date:

Time:

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 2.76

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 7.5

Specific Conductivity (µs/cm) 93.9

Dissolved Oxygen (mg/L) 11.93

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB
 Sample Date: 2/28/22 Sample Time: 12:25 PDT:
 Base Flow or Storm Event? Field filtered 5 minutes later: N
 (Must filter within 15 minutes of collection) PST:

SITE ID: TOSMO
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Rainy, 55°F

Water Quality Sampling

Sample ID: TOSMO20220228

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: _____
 Color: low brown
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials:
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 _____
 YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 1.05
 Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 7.9
 Specific Conductivity (µs/cm) 71.3
 Dissolved Oxygen (mg/L) 11.79

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NO

Sample Date: 2/28/22

Sample Time: 13:00

PDT:

SITE ID:

TYLMO

Base Flow or Storm Event? Storm

Field filtered 5 minutes later Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Cloudy, 55°F

Water Quality Sampling

Sample ID:

TYLMO20220228

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	<u>NO</u>
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	<u>NO</u>
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	<u>NO</u>
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	<u>NO</u>
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	<u>NO</u>
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<u>NO</u>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: Clear

Color:

Odor:

Sheen:

Floatables:

LABORATORY DELIVERY

Date:

Time:

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 2.5 ft

Reference Point (description): Hy

Water Quality Measurements

Temperature (°C) 8.2

Specific Conductivity (µs/cm) 60.4

Dissolved Oxygen (mg/L) 11.60

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB

Sample Date: 2/28/22

Sample Time: 13:20

PDT:

SITE

ID: TYLMI

Base Flow or Storm Event?

Field filtered 5 minutes later: 0 N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Rainy, 55°F

Water Quality Sampling

Sample ID: TYLMI20220228

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>No</u>
DOC *	HDPE	250 ml	1	HCL	<u>↓</u>
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	<u>↓</u>
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	<u>↓</u>
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	<u>↓</u>
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	<u>↓</u>
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:	
Filter blank sample ID:	
Transfer blank sample ID:	

Visual and Olfactory Conditions:

Clarity:	<u>low</u>
Color:	<u>yellow</u>
Odor:	
Sheen:	
Floatables:	

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 4.25

Reference Point (description): Top

Water Quality Measurements

Temperature (°C) 6.9

Specific Conductivity (µs/cm) 78.8

Dissolved Oxygen (mg/L) 11.61

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB
 Sample Date: 2/28/22 Sample Time: 16:15 PDT:
 Base Flow or Storm Event? NO Field filtered 5 minutes later: Y N PST:
 (Must filter within 15 minutes of collection)

SITE ID: MONMN
 Project Number: 14-05806-000



Water Quality Sampling

Sample ID: MONMN20220228

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	↓

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials:
 Date Entered: _____ Time: _____
 Notes: _____

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Rainy, 58°F

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 9.82

 Reference Point (description): 56

Water Quality Measurements

Temperature (°C) 8.1

 Specific Conductivity (µs/cm) 73.6

 Dissolved Oxygen (mg/L) 11.41

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: N2

Sample Date: 2/28/22

Sample Time: 16:35

PDT:

SITE

ID: MONM5

Base Flow or Storm Event? ○

Field filtered 5 minutes later: Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Partly, 55°F

Water Quality Sampling

Sample ID: MONM52022022A

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: Clear

Color:

Odor:

Sheen:

Floatables:

LABORATORY DELIVERY

Date:

Time:

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 62.5

Reference Point (description): Measur down

Water Quality Measurements

Temperature (°C) 8.4

Specific Conductivity (µs/cm) 125.5

Dissolved Oxygen (mg/L) 10.21

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB
 Sample Date: 2/28/22 Sample Time: 16:55
 Base Flow or Storm Event? ○ Field filtered 5 minutes later: Y N
 (Must filter within 15 minutes of collection)

SITE ID: MONM
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study
 Current Weather and Temp: Rainy, 50°F

Water Quality Sampling

Sample ID: MONM20220228

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>No</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	↓

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: _____
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): _____
 Reference Point (description): NA

Water Quality Measurements

Temperature (°C) 8.1
 Specific Conductivity (µs/cm) 21.5
 Dissolved Oxygen (mg/L) 11.82

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB
 Sample Date: 2/28/22 Sample Time: 12:55 PDT:
 Base Flow or Storm Event? Field filtered 5 minutes later: Y N PST:
 (Must filter within 15 minutes of collection)

SITE ID: TOSM1
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study
 Current Weather and Temp: Rainy, 55°F

Water Quality Sampling

Sample ID: TOSM1 10220228

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>No</u>
DOC *	HDPE	250 ml	1	HCL	<u> </u>
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	<u> </u>
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	<u> </u>
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	<u> </u>
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	<u> </u>
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<u> </u>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:
 Filter blank sample ID:
 Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: low
 Color: brown
 Odor:
 Sheen:
 Floatables:

LABORATORY DELIVERY

Date: Time:

Quality Assurance

Checked By: Signature:
 Date Checked: Time:
 Data Entered into Database? YES NO initials:
 Date Entered: Time:
 Notes:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): 1.14
 Reference Point (description): 56

Water Quality Measurements

Temperature (°C) 7.6
 Specific Conductivity (µs/cm) 74.1
 Dissolved Oxygen (mg/L) 11.85

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: AB

Sample Date: 2/20/12

Sample Time: 14:15

PDT:

SITE

ID: SE1MN

Base Flow or Storm Event? ○

Field filtered 5 minutes later: ✓ N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Water Quality Sampling

Sample ID: SE1MN 20120224

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Rainy, 55°F

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: _____
 Color: low brown
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): _____

Water flowing over bolt

Reference Point (description): _____

Water Quality Measurements

Temperature (°C) 6.0

Specific Conductivity (µs/cm) 32.9

Dissolved Oxygen (mg/L) 12.34

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NB
 Sample Date: 2/24/22 Sample Time: 15:00
 Base Flow or Storm Event? (circled) Field filtered 5 minutes later: Y N
 (Must filter within 15 minutes of collection)

SITE ID: COLM
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study
 Current Weather and Temp: lang, 55F

Water Quality Sampling

Sample ID: COLM20220228

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: low
 Color: light brown
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials:
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2


Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): 0.30
 Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 6.5
 Specific Conductivity (µs/cm) 40.1
 Dissolved Oxygen (mg/L) 11.49

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: <u>NB</u>			SITE ID: <u>SEMS</u>	
Sample Date: <u>2/7/22</u>	Sample Time: <u>15:50</u>	PDT:	Project Number: <u>14-05806-000</u>	
Base Flow or Storm Event? <u>Storm</u>	Field filtered 5 minutes later: <u>Y</u> N (Must filter within 15 minutes of collection)	PST:		

Water Quality Sampling

Sample ID: SEMS20220228

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	10
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear
 Color: yellow
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Rainy, 55°F

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 _____
 YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 1.1

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 7.2

Specific Conductivity (µs/cm) 47.3

Dissolved Oxygen (mg/L) 11.33



HERRERA

Data Quality Assurance Worksheet

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 2/28/22 /All locations, QA116 (COUMO) Lab Ref No 2202-387

By J. Brown

Date 3/30/22 Page 1 of 2

Checked: initials
JL

date 4/27/2022

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹		
TSS	OK / SM 2540D	NA	NA	2	≤7	≤1.0 mg/L 1.0 mg/L	NA	NA	83	±20	9	≤25	19	≤25	OK	NONE
Turbidity	OK / EPA 180.1	NA	NA	1	≤2	≤0.1 NTU 0.1 NTU	NA	NA	NA	±10	6	≤25	12	≤25	OK	NONE
Hardness	OK / SM 2340B	NA	NA	1	≤180	≤1.0 mg/L 1.0 mg/L	110, 109	±25	106	±15	4 MS 1	≤20	7	≤20	OK	NONE
DOC	OK / SM 5310B	≤15	≤15	3	≤28	≤1.0 mg/L 1.0 mg/L	114	±25	110	±15	4	≤20	1	≤20	OK	TOTAL ORGANIC CARBON WAS ANALYZED INSTEAD OF DOC
Total Phosphorus	OK / EPA 365.1	NA	NA	2	≤28	≤0.01 mg/L 0.01 mg/L	105	±25	105	±20	4	≤20	4	≤20	OK	NONE
Total Nitrogen (TKN + N+N)	OK/ SM 4500 N-B	NA	NA	3, 4	≤28	≤0.1 mg/L 0.1 mg/L	93-104	±25	93-102	±20	NC, 1-5, D=0.01- 0.05	≤20	3 D=0.04	≤20	OK	NONE

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.

NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported



HERRERA

Data Quality Assurance Worksheet

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 2/28/22 /All locations, QA116 (COUMO) Lab Ref No 2202-387

By J. Brown

Date 3/30/22 Page 2 of 2

Checked: initials JL

date 4/27/2022

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal	Reported	Goal ¹	Reported	Goal ¹		
Total Copper	OK/ EPA 200.8	NA	NA	3	≤180	≤1.0 µg/L 1.0 µg/L	92, 95	±25	NR	±15	NC MS 4	≤20	D=0.1	≤20	OK	NONE
Total Zinc	OK/ EPA 200.8	NA	NA	3	≤180	≤5.0 µg/L 5.0 µg/L	92, 94	±25	NR	±15	NC MS 3	≤20	3	≤20	OK	NONE
Dissolved Copper	OK/ EPA 200.8	≤15	≤15	3	≤180	≤1.0 µg/L 1.0 µg/L	101, 104	±25	NR	±15	D=0.2 MS 3	≤20	D=0.1	≤20	OK	NONE
Dissolved Zinc	OK/ EPA 200.8	≤15	≤15	3	≤180	≤5.0 µg/L 5.0 µg/L	100, 103	±25	NR	±15	2 MS 2	≤20	D=1	≤20	OK	NONE
Fecal Coliform	OK/ SM 9222D	NA	NA	1	≤1	≤1.0 cfu/ 100mL 10 cfu/ 100mL	NA	NA	NA	NA	<1, <1	≤35	NC	≤50	OK	NONE

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.
 NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

March 28, 2022

Jess Brown
Herrera Environmental Consultants, Inc.
2200 6th Avenue, Suite 1100
Seattle, WA 98121

Re: Analytical Data for Project 14-05806-000
Laboratory Reference No. 2203-161

Dear Jess:

Enclosed are the analytical results and associated quality control data for samples submitted on March 14, 2022.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read "Blair Goodrow", enclosed within a large, loopy circular flourish.

Blair Goodrow
Project Manager

Enclosures



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: March 28, 2022
Samples Submitted: March 14, 2022
Laboratory Reference: 2203-161
Project: 14-05806-000

Case Narrative

Samples were collected on March 14, 2022 and received by the laboratory on March 14, 2022. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.



Date of Report: March 28, 2022
 Samples Submitted: March 14, 2022
 Laboratory Reference: 2203-161
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220314					
Laboratory ID:	03-161-01					
Total Suspended Solids	31	1.0	SM 2540D	3-15-22	3-16-22	

Client ID:	COUMI-20220314					
Laboratory ID:	03-161-02					
Total Suspended Solids	90	2.0	SM 2540D	3-15-22	3-16-22	

Client ID:	TOSMO-20220314					
Laboratory ID:	03-161-03					
Total Suspended Solids	97	2.0	SM 2540D	3-15-22	3-16-22	

Client ID:	TYLMO-20220314					
Laboratory ID:	03-161-04					
Total Suspended Solids	66	2.0	SM 2540D	3-15-22	3-16-22	

Client ID:	TYLMI-20220314					
Laboratory ID:	03-161-05					
Total Suspended Solids	17	1.0	SM 2540D	3-15-22	3-16-22	

Client ID:	MONMN-20220314					
Laboratory ID:	03-161-06					
Total Suspended Solids	31	1.0	SM 2540D	3-15-22	3-16-22	

Client ID:	MONMS-20220314					
Laboratory ID:	03-161-07					
Total Suspended Solids	6.8	1.0	SM 2540D	3-15-22	3-16-22	

Client ID:	MONM-20220314					
Laboratory ID:	03-161-08					
Total Suspended Solids	33	2.0	SM 2540D	3-15-22	3-16-22	

Client ID:	TOSMI-20220314					
Laboratory ID:	03-161-09					
Total Suspended Solids	92	2.0	SM 2540D	3-15-22	3-16-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: March 28, 2022
 Samples Submitted: March 14, 2022
 Laboratory Reference: 2203-161
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-20220314					
Laboratory ID:	03-161-10					
Total Suspended Solids	49	1.0	SM 2540D	3-15-22	3-16-22	

Client ID:	COLM-20220314					
Laboratory ID:	03-161-11					
Total Suspended Solids	5.2	1.0	SM 2540D	3-15-22	3-16-22	

Client ID:	SEIMS-20220314					
Laboratory ID:	03-161-12					
Total Suspended Solids	76	5.0	SM 2540D	3-15-22	3-16-22	

Client ID:	QA-117-20220314					
Laboratory ID:	03-161-13					
Total Suspended Solids	7.8	1.0	SM 2540D	3-15-22	3-16-22	



Date of Report: March 28, 2022
 Samples Submitted: March 14, 2022
 Laboratory Reference: 2203-161
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0315W1					
Total Suspended Solids	ND	1.0	SM 2540D	3-15-22	3-16-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	03-161-12							
	ORIG	DUP						
Total Suspended Solids	76.0	70.0	NA	NA	NA	NA	8	26

SPIKE BLANK								
Laboratory ID:	SB0315W1							
	SB	SB		SB				
Total Suspended Solids	97.0	100	NA	97	67-118	NA	NA	



Date of Report: March 28, 2022
 Samples Submitted: March 14, 2022
 Laboratory Reference: 2203-161
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220314					
Laboratory ID:	03-161-01					
Turbidity	18	0.10	EPA 180.1	3-15-22	3-15-22	

Client ID:	COUMI-20220314					
Laboratory ID:	03-161-02					
Turbidity	13	0.10	EPA 180.1	3-15-22	3-15-22	

Client ID:	TOSMO-20220314					
Laboratory ID:	03-161-03					
Turbidity	43	0.20	EPA 180.1	3-15-22	3-15-22	

Client ID:	TYLMO-20220314					
Laboratory ID:	03-161-04					
Turbidity	30	0.10	EPA 180.1	3-15-22	3-15-22	

Client ID:	TYLMI-20220314					
Laboratory ID:	03-161-05					
Turbidity	10	0.10	EPA 180.1	3-15-22	3-15-22	

Client ID:	MONMN-20220314					
Laboratory ID:	03-161-06					
Turbidity	17	0.10	EPA 180.1	3-15-22	3-15-22	

Client ID:	MONMS-20220314					
Laboratory ID:	03-161-07					
Turbidity	6.4	0.10	EPA 180.1	3-15-22	3-15-22	

Client ID:	MONM-20220314					
Laboratory ID:	03-161-08					
Turbidity	16	0.10	EPA 180.1	3-15-22	3-15-22	

Client ID:	TOSMI-20220314					
Laboratory ID:	03-161-09					
Turbidity	29	0.10	EPA 180.1	3-15-22	3-15-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: March 28, 2022
 Samples Submitted: March 14, 2022
 Laboratory Reference: 2203-161
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-20220314					
Laboratory ID:	03-161-10					
Turbidity	21	0.10	EPA 180.1	3-15-22	3-15-22	

Client ID:	COLM-20220314					
Laboratory ID:	03-161-11					
Turbidity	0.79	0.10	EPA 180.1	3-15-22	3-15-22	

Client ID:	SEIMS-20220314					
Laboratory ID:	03-161-12					
Turbidity	25	0.10	EPA 180.1	3-15-22	3-15-22	

Client ID:	QA-117-20220314					
Laboratory ID:	03-161-13					
Turbidity	5.5	0.10	EPA 180.1	3-15-22	3-15-22	



Date of Report: March 28, 2022
 Samples Submitted: March 14, 2022
 Laboratory Reference: 2203-161
 Project: 14-05806-000

**TURBIDITY
 EPA 180.1
 QUALITY CONTROL**

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0315W1					
Turbidity	ND	0.10	EPA 180.1	3-15-22	3-15-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	03-157-01							
	ORIG	DUP						
Turbidity	59.4	59.4	NA	NA	NA	NA	0	13



Date of Report: March 28, 2022
 Samples Submitted: March 14, 2022
 Laboratory Reference: 2203-161
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220314					
Laboratory ID:	03-161-01					
Hardness	55	1.0	EPA 200.7/SM 2340B	3-16-22	3-16-22	

Client ID:	COUMI-20220314					
Laboratory ID:	03-161-02					
Hardness	79	1.0	EPA 200.7/SM 2340B	3-16-22	3-16-22	

Client ID:	TOSMO-20220314					
Laboratory ID:	03-161-03					
Hardness	77	1.0	EPA 200.7/SM 2340B	3-16-22	3-16-22	

Client ID:	TYLMO-20220314					
Laboratory ID:	03-161-04					
Hardness	26	1.0	EPA 200.7/SM 2340B	3-16-22	3-18-22	

Client ID:	TYLMI-20220314					
Laboratory ID:	03-161-05					
Hardness	63	1.0	EPA 200.7/SM 2340B	3-16-22	3-18-22	

Client ID:	MONMN-20220314					
Laboratory ID:	03-161-06					
Hardness	62	1.0	EPA 200.7/SM 2340B	3-16-22	3-18-22	

Client ID:	MONMS-20220314					
Laboratory ID:	03-161-07					
Hardness	76	1.0	EPA 200.7/SM 2340B	3-16-22	3-18-22	



Date of Report: March 28, 2022
 Samples Submitted: March 14, 2022
 Laboratory Reference: 2203-161
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20220314					
Laboratory ID:	03-161-08					
Hardness	69	1.0	EPA 200.7/SM 2340B	3-16-22	3-18-22	

Client ID:	TOSMI-20220314					
Laboratory ID:	03-161-09					
Hardness	33	1.0	EPA 200.7/SM 2340B	3-16-22	3-18-22	

Client ID:	SEIMN-20220314					
Laboratory ID:	03-161-10					
Hardness	23	1.0	EPA 200.7/SM 2340B	3-16-22	3-18-22	

Client ID:	COLM-20220314					
Laboratory ID:	03-161-11					
Hardness	11	1.0	EPA 200.7/SM 2340B	3-16-22	3-18-22	

Client ID:	SEIMS-20220314					
Laboratory ID:	03-161-12					
Hardness	42	1.0	EPA 200.7/SM 2340B	3-16-22	3-18-22	

Client ID:	QA-117-20220314					
Laboratory ID:	03-161-13					
Hardness	76	1.0	EPA 200.7/SM 2340B	3-16-22	3-18-22	



Date of Report: March 28, 2022
 Samples Submitted: March 14, 2022
 Laboratory Reference: 2203-161
 Project: 14-05806-000

**HARDNESS
 EPA 200.7/SM 2340B
 QUALITY CONTROL**

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0316WH1					
Hardness	ND	1.0	EPA 200.7/SM 2340B	3-16-22	3-16-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	03-165-01							
	ORIG	DUP						
Hardness	546	530	NA	NA	NA	3	20	

MATRIX SPIKES										
Laboratory ID:	03-165-01									
	MS	MSD	MS	MSD	MS	MSD				
Hardness	704	683	132	132	546	120	104	75-125	3	20

SPIKE BLANK										
Laboratory ID:	SB0316WH1									
	SB		SB		SB					
Hardness	152		132		115		85-115	NA	NA	



Date of Report: March 28, 2022
 Samples Submitted: March 14, 2022
 Laboratory Reference: 2203-161
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220314					
Laboratory ID:	03-161-01					
Dissolved Organic Carbon	3.8	1.0	SM 5310B	3-21-22	3-21-22	

Client ID:	COUMI-20220314					
Laboratory ID:	03-161-02					
Dissolved Organic Carbon	4.2	1.0	SM 5310B	3-21-22	3-21-22	

Client ID:	TOSMO-20220314					
Laboratory ID:	03-161-03					
Dissolved Organic Carbon	5.1	1.0	SM 5310B	3-21-22	3-21-22	

Client ID:	TYLMO-20220314					
Laboratory ID:	03-161-04					
Dissolved Organic Carbon	3.6	1.0	SM 5310B	3-21-22	3-21-22	

Client ID:	TYLMI-20220314					
Laboratory ID:	03-161-05					
Dissolved Organic Carbon	7.3	1.0	SM 5310B	3-21-22	3-21-22	

Client ID:	MONMN-20220314					
Laboratory ID:	03-161-06					
Dissolved Organic Carbon	6.3	1.0	SM 5310B	3-21-22	3-21-22	

Client ID:	MONMS-20220314					
Laboratory ID:	03-161-07					
Dissolved Organic Carbon	5.9	1.0	SM 5310B	3-21-22	3-21-22	

Client ID:	MONM-20220314					
Laboratory ID:	03-161-08					
Dissolved Organic Carbon	4.7	1.0	SM 5310B	3-21-22	3-21-22	

Client ID:	TOSMI-20220314					
Laboratory ID:	03-161-09					
Dissolved Organic Carbon	3.5	1.0	SM 5310B	3-21-22	3-21-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: March 28, 2022
 Samples Submitted: March 14, 2022
 Laboratory Reference: 2203-161
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-20220314					
Laboratory ID:	03-161-10					
Dissolved Organic Carbon	7.3	1.0	SM 5310B	3-21-22	3-21-22	

Client ID:	COLM-20220314					
Laboratory ID:	03-161-11					
Dissolved Organic Carbon	9.4	1.0	SM 5310B	3-21-22	3-21-22	

Client ID:	SEIMS-20220314					
Laboratory ID:	03-161-12					
Dissolved Organic Carbon	7.1	1.0	SM 5310B	3-21-22	3-21-22	

Client ID:	QA-117-20220314					
Laboratory ID:	03-161-13					
Dissolved Organic Carbon	6.0	1.0	SM 5310B	3-21-22	3-21-22	



Date of Report: March 28, 2022
 Samples Submitted: March 14, 2022
 Laboratory Reference: 2203-161
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0321D1					
Dissolved Organic Carbon	ND	1.0	SM 5310B	3-21-22	3-21-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	03-161-01							
	ORIG	DUP						
Dissolved Organic Carbon	3.84	3.55	NA	NA	NA	NA	8	15

MATRIX SPIKE								
Laboratory ID:	03-161-01							
	MS	MS		MS				
Dissolved Organic Carbon	15.4	10.0	3.84	116	91-117	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0321D1							
	SB	SB		SB				
Dissolved Organic Carbon	11.1	10.0	NA	111	88-116	NA	NA	



Date of Report: March 28, 2022
 Samples Submitted: March 14, 2022
 Laboratory Reference: 2203-161
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220314					
Laboratory ID:	03-161-01					
Total Phosphorus	0.087	0.010	EPA 365.1	3-18-22	3-23-22	

Client ID:	COUMI-20220314					
Laboratory ID:	03-161-02					
Total Phosphorus	0.099	0.010	EPA 365.1	3-18-22	3-23-22	

Client ID:	TOSMO-20220314					
Laboratory ID:	03-161-03					
Total Phosphorus	0.17	0.010	EPA 365.1	3-18-22	3-23-22	

Client ID:	TYLMO-20220314					
Laboratory ID:	03-161-04					
Total Phosphorus	0.13	0.010	EPA 365.1	3-18-22	3-23-22	

Client ID:	TYLMI-20220314					
Laboratory ID:	03-161-05					
Total Phosphorus	0.081	0.010	EPA 365.1	3-18-22	3-23-22	

Client ID:	MONMN-20220314					
Laboratory ID:	03-161-06					
Total Phosphorus	0.10	0.010	EPA 365.1	3-18-22	3-23-22	

Client ID:	MONMS-20220314					
Laboratory ID:	03-161-07					
Total Phosphorus	0.060	0.010	EPA 365.1	3-18-22	3-23-22	

Client ID:	MONM-20220314					
Laboratory ID:	03-161-08					
Total Phosphorus	0.090	0.010	EPA 365.1	3-18-22	3-23-22	

Client ID:	TOSMI-20220314					
Laboratory ID:	03-161-09					
Total Phosphorus	0.11	0.010	EPA 365.1	3-18-22	3-23-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: March 28, 2022
 Samples Submitted: March 14, 2022
 Laboratory Reference: 2203-161
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-20220314					
Laboratory ID:	03-161-10					
Total Phosphorus	0.088	0.010	EPA 365.1	3-18-22	3-23-22	

Client ID:	COLM-20220314					
Laboratory ID:	03-161-11					
Total Phosphorus	0.012	0.010	EPA 365.1	3-18-22	3-23-22	

Client ID:	SEIMS-20220314					
Laboratory ID:	03-161-12					
Total Phosphorus	0.14	0.010	EPA 365.1	3-18-22	3-23-22	

Client ID:	QA-117-20220314					
Laboratory ID:	03-161-13					
Total Phosphorus	0.064	0.010	EPA 365.1	3-18-22	3-23-22	



Date of Report: March 28, 2022
 Samples Submitted: March 14, 2022
 Laboratory Reference: 2203-161
 Project: 14-05806-000

**TOTAL PHOSPHORUS
 EPA 365.1
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0318W1					
Total Phosphorus	ND	0.010	EPA 365.1	3-18-22	3-23-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	03-161-01							
	ORIG	DUP						
Total Phosphorus	0.0870	0.0905	NA	NA	NA	NA	4	19

MATRIX SPIKE

Laboratory ID:	03-161-01							
	MS	MS		MS				
Total Phosphorus	0.345	0.250	0.0870	103	83-110	NA	NA	

SPIKE BLANK

Laboratory ID:	SB0318W1							
	SB	SB		SB				
Total Phosphorus	0.247	0.250	NA	99	83-110	NA	NA	



Date of Report: March 28, 2022
 Samples Submitted: March 14, 2022
 Laboratory Reference: 2203-161
 Project: 14-05806-000

TOTAL METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220314					
Laboratory ID:	03-161-01					
Copper	4.2	1.0	EPA 200.8	3-15-22	3-15-22	
Zinc	87	5.0	EPA 200.8	3-15-22	3-15-22	

Client ID:	COUMI-20220314					
Laboratory ID:	03-161-02					
Copper	3.2	1.0	EPA 200.8	3-15-22	3-15-22	
Zinc	19	5.0	EPA 200.8	3-15-22	3-15-22	

Client ID:	TOSMO-20220314					
Laboratory ID:	03-161-03					
Copper	6.1	1.0	EPA 200.8	3-15-22	3-15-22	
Zinc	94	5.0	EPA 200.8	3-15-22	3-15-22	

Client ID:	TYLMO-20220314					
Laboratory ID:	03-161-04					
Copper	7.1	1.0	EPA 200.8	3-15-22	3-15-22	
Zinc	46	5.0	EPA 200.8	3-15-22	3-15-22	

Client ID:	TYLMI-20220314					
Laboratory ID:	03-161-05					
Copper	4.0	1.0	EPA 200.8	3-15-22	3-15-22	
Zinc	22	5.0	EPA 200.8	3-15-22	3-15-22	

Client ID:	MONMN-20220314					
Laboratory ID:	03-161-06					
Copper	3.1	1.0	EPA 200.8	3-15-22	3-15-22	
Zinc	29	5.0	EPA 200.8	3-15-22	3-15-22	

Client ID:	MONMS-20220314					
Laboratory ID:	03-161-07					
Copper	2.9	1.0	EPA 200.8	3-15-22	3-15-22	
Zinc	12	5.0	EPA 200.8	3-15-22	3-15-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: March 28, 2022
 Samples Submitted: March 14, 2022
 Laboratory Reference: 2203-161
 Project: 14-05806-000

TOTAL METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20220314					
Laboratory ID:	03-161-08					
Copper	2.7	1.0	EPA 200.8	3-15-22	3-15-22	
Zinc	29	5.0	EPA 200.8	3-15-22	3-15-22	

Client ID:	TOSMI-20220314					
Laboratory ID:	03-161-09					
Copper	6.4	1.0	EPA 200.8	3-15-22	3-15-22	
Zinc	120	5.0	EPA 200.8	3-15-22	3-15-22	

Client ID:	SEIMN-20220314					
Laboratory ID:	03-161-10					
Copper	2.4	1.0	EPA 200.8	3-15-22	3-15-22	
Zinc	ND	5.0	EPA 200.8	3-15-22	3-15-22	

Client ID:	COLM-20220314					
Laboratory ID:	03-161-11					
Copper	ND	1.0	EPA 200.8	3-15-22	3-15-22	
Zinc	ND	5.0	EPA 200.8	3-15-22	3-15-22	

Client ID:	SEIMS-20220314					
Laboratory ID:	03-161-12					
Copper	1.9	1.0	EPA 200.8	3-15-22	3-15-22	
Zinc	8.1	5.0	EPA 200.8	3-15-22	3-15-22	

Client ID:	QA-117-20220314					
Laboratory ID:	03-161-13					
Copper	3.0	1.0	EPA 200.8	3-15-22	3-15-22	
Zinc	12	5.0	EPA 200.8	3-15-22	3-15-22	



Date of Report: March 28, 2022
 Samples Submitted: March 14, 2022
 Laboratory Reference: 2203-161
 Project: 14-05806-000

**TOTAL METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0315WH1					
Copper	ND	1.0	EPA 200.8	3-15-22	3-15-22	
Zinc	ND	5.0	EPA 200.8	3-15-22	3-15-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	03-161-06							
	ORIG	DUP						
Copper	3.10	2.90	NA	NA	NA	NA	7	20
Zinc	28.6	26.8	NA	NA	NA	NA	6	20

MATRIX SPIKES

Laboratory ID:	MS	MSD	MS	MSD	MS	MSD	MSD	RPD	RPD Limit
03-161-06									
Copper	102	99.2	100	100	3.10	99	96	75-125	3
Zinc	128	123	100	100	28.6	99	94	75-125	4



Date of Report: March 28, 2022
 Samples Submitted: March 14, 2022
 Laboratory Reference: 2203-161
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220314					
Laboratory ID:	03-161-01					
Copper	2.2	1.0	EPA 200.8		3-15-22	
Zinc	54	5.0	EPA 200.8		3-15-22	

Client ID:	COUMI-20220314					
Laboratory ID:	03-161-02					
Copper	1.7	1.0	EPA 200.8		3-15-22	
Zinc	6.8	5.0	EPA 200.8		3-15-22	

Client ID:	TOSMO-20220314					
Laboratory ID:	03-161-03					
Copper	1.9	1.0	EPA 200.8		3-15-22	
Zinc	17	5.0	EPA 200.8		3-15-22	

Client ID:	TYLMO-20220314					
Laboratory ID:	03-161-04					
Copper	2.6	1.0	EPA 200.8		3-15-22	
Zinc	7.5	5.0	EPA 200.8		3-15-22	

Client ID:	TYLMI-20220314					
Laboratory ID:	03-161-05					
Copper	2.3	1.0	EPA 200.8		3-15-22	
Zinc	9.4	5.0	EPA 200.8		3-15-22	

Client ID:	MONMN-20220314					
Laboratory ID:	03-161-06					
Copper	1.2	1.0	EPA 200.8		3-15-22	
Zinc	9.4	5.0	EPA 200.8		3-15-22	

Client ID:	MONMS-20220314					
Laboratory ID:	03-161-07					
Copper	1.8	1.0	EPA 200.8		3-15-22	
Zinc	ND	5.0	EPA 200.8		3-15-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: March 28, 2022
 Samples Submitted: March 14, 2022
 Laboratory Reference: 2203-161
 Project: 14-05806-000

DISSOLVED METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20220314					
Laboratory ID:	03-161-08					
Copper	1.3	1.0	EPA 200.8		3-15-22	
Zinc	9.4	5.0	EPA 200.8		3-15-22	

Client ID:	TOSMI-20220314					
Laboratory ID:	03-161-09					
Copper	2.0	1.0	EPA 200.8		3-15-22	
Zinc	35	5.0	EPA 200.8		3-15-22	

Client ID:	SEIMN-20220314					
Laboratory ID:	03-161-10					
Copper	ND	1.0	EPA 200.8		3-15-22	
Zinc	ND	5.0	EPA 200.8		3-15-22	

Client ID:	COLM-20220314					
Laboratory ID:	03-161-11					
Copper	ND	1.0	EPA 200.8		3-15-22	
Zinc	ND	5.0	EPA 200.8		3-15-22	

Client ID:	SEIMS-20220314					
Laboratory ID:	03-161-12					
Copper	ND	1.0	EPA 200.8		3-15-22	
Zinc	ND	5.0	EPA 200.8		3-15-22	

Client ID:	QA-117-20220314					
Laboratory ID:	03-161-13					
Copper	1.7	1.0	EPA 200.8		3-15-22	
Zinc	ND	5.0	EPA 200.8		3-15-22	



Date of Report: March 28, 2022
 Samples Submitted: March 14, 2022
 Laboratory Reference: 2203-161
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0315D1					
Copper	ND	1.0	EPA 200.8		3-15-22	
Zinc	ND	5.0	EPA 200.8		3-15-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	03-161-13							
	ORIG	DUP						
Copper	1.66	1.60	NA	NA	NA	NA	3	20
Zinc	ND	ND	NA	NA	NA	NA	NA	20

MATRIX SPIKES

Laboratory ID:	03-161-13									
	MS	MSD	MS	MSD		MS	MSD			
Copper	79.6	80.6	80.0	80.0	1.66	97	99	75-125	1	20
Zinc	87.0	86.6	80.0	80.0	ND	109	108	75-125	0	20





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
 - B - The analyte indicated was also found in the blank sample.
 - C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
 - E - The value reported exceeds the quantitation range and is an estimate.
 - F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
 - H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
 - I - Compound recovery is outside of the control limits.
 - J - The value reported was below the practical quantitation limit. The value is an estimate.
 - K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
 - L - The RPD is outside of the control limits.
 - M - Hydrocarbons in the gasoline range are impacting the diesel range result.
 - M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
 - N - Hydrocarbons in the lube oil range are impacting the diesel range result.
 - N1 - Hydrocarbons in diesel range are impacting lube oil range results.
 - O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
 - P - The RPD of the detected concentrations between the two columns is greater than 40.
 - Q - Surrogate recovery is outside of the control limits.
 - S - Surrogate recovery data is not available due to the necessary dilution of the sample.
 - T - The sample chromatogram is not similar to a typical _____.
 - U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
 - U1 - The practical quantitation limit is elevated due to interferences present in the sample.
 - V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
 - W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
 - X - Sample extract treated with a mercury cleanup procedure.
 - X1 - Sample extract treated with a Sulfuric acid/Silica gel cleanup procedure.
 - Y - The calibration verification for this analyte exceeded the 20% drift specified in method 8260C, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
 - Z -
- ND - Not Detected at PQL
 PQL - Practical Quantitation Limit
 RPD - Relative Percent Difference



Am Test Inc.
 13600 NE 126TH PL
 Suite C
 Kirkland, WA 98034
 (425) 885-1664

*Professional
 Analytical
 Services*

Mar 28 2022
 On-Site Environmental
 14648 NE 95th ST
 Redmond, WA 98052
 Attention: David Baumeister

Dear David Baumeister:

Enclosed please find the analytical data for your REDMOND PAIRED WATERSHED STUDY project.

The following is a cross correlation of client and laboratory identifications for your convenience.

CLIENT ID	MATRIX	AMTEST ID	TEST
COUMO-20220314	Water	22-A003578	Micro, NUT
COUMI-20220314	Water	22-A003579	Micro, NUT
TOSMO-20220314	Water	22-A003580	Micro, NUT
TYLMO-20220314	Water	22-A003581	Micro, NUT
TYLMI-20220314	Water	22-A003582	Micro, NUT
MONMN-20220314	Water	22-A003583	Micro, NUT
MONMS-20220314	Water	22-A003584	Micro, NUT
MONM-20220314	Water	22-A003585	Micro, NUT
TOSMI-20220314	Water	22-A003586	Micro, NUT
SEIMN-20220314	Water	22-A003587	Micro, NUT
COLM-20220314	Water	22-A003588	Micro, NUT
SEIMS-20220314	Water	22-A003589	Micro, NUT
QA117-20220314	Water	22-A003590	Micro, NUT

Your samples were received on Tuesday, March 15, 2022. At the time of receipt, the samples were logged in and properly maintained prior to the subsequent analysis.


The analytical procedures used at AmTest are well documented and are typically derived from the protocols of the EPA, USDA, FDA or the Army Corps of Engineers.

Following the analytical data you will find the Quality Control (QC) results.

Please note that the detection limits that are listed in the body of the report refer to the Practical Quantitation Limits (PQL's), as opposed to the Method Detection Limits (MDL's).

If you should have any questions pertaining to the data package, please feel free to contact me.

Sincerely,



Aaron W. Young
 Vice President

Project #: 14-05806-000
 SDG #: 2223120
 PO Number: 03-161

BACT = Bacteriological
 CONV = Conventionals

MET = Metals
 ORG = Organics

NUT=Nutrients
 DEM=Demand

P.1
 MIN=Minerals

Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664
www.amtestlab.com



**Professional
Analytical
Services**

ANALYSIS REPORT

On-Site Environmental
14648 NE 95th ST
Redmond, WA 98052
Attention: David Baumeister
Project Name: REDMOND PAIRED WATERSHED STUDY
SDG Number: 2223120
Project #: 14-05806-000
PO Number: 03-161
All results reported on an as received basis.

Date Received: 03/15/22
Date Reported: 3/28/22

AMTEST Identification Number 22-A003578
Client Identification COUMO-20220314
Sampling Date 03/14/22, 15:10

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	210	CFU/100 ml		1	SM 9222D	OB	03/15/22
Total Nitrogen (NOX&TKN)	0.85	mg/l		0.1			
Total Nitrogen (TKN)	0.664	mg/l		0.25	SM4500N	KS	03/24/22
Total Nitrate + Nitrite	0.189	mg/l		0.02	SM4500NO3	KS	03/16/22

AMTEST Identification Number 22-A003579
Client Identification COUMI-20220314
Sampling Date 03/14/22, 15:30

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	23.	CFU/100 ml		1	SM 9222D	OB	03/15/22
Total Nitrogen (NOX&TKN)	0.80	mg/l		0.1			
Total Nitrogen (TKN)	0.611	mg/l		0.25	SM4500N	KS	03/24/22
Total Nitrate + Nitrite	0.192	mg/l		0.02	SM4500NO3	KS	03/16/22

AMTEST Identification Number 22-A003580
Client Identification TOSMO-20220314
Sampling Date 03/14/22, 15:45

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	27.	CFU/100 ml		1	SM 9222D	OB	03/15/22
Total Nitrogen (NOX&TKN)	1.14	mg/l		0.1			
Total Nitrogen (TKN)	0.869	mg/l		0.25	SM4500N	KS	03/24/22
Total Nitrate + Nitrite	0.273	mg/l		0.02	SM4500NO3	KS	03/16/22

AMTEST Identification Number 22-A003581
Client Identification TYLMO-20220314
Sampling Date 03/14/22, 16:10

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	280	CFU/100 ml		1	SM 9222D	OB	03/15/22
Total Nitrogen (NOX&TKN)	0.95	mg/l		0.1			
Total Nitrogen (TKN)	0.819	mg/l		0.25	SM4500N	KS	03/24/22
Total Nitrate + Nitrite	0.127	mg/l		0.02	SM4500NO3	KS	03/16/22

AMTEST Identification Number 22-A003582
Client Identification TYLMI-20220314
Sampling Date 03/14/22, 16:30

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	8.	CFU/100 ml		1	SM 9222D	OB	03/15/22
Total Nitrogen (NOX&TKN)	1.16	mg/l		0.1			
Total Nitrogen (TKN)	0.927	mg/l		0.25	SM4500N	KS	03/24/22
Total Nitrate + Nitrite	0.230	mg/l		0.02	SM4500NO3	KS	03/16/22

AMTEST Identification Number 22-A003583
Client Identification MONMN-20220314
Sampling Date 03/14/22, 17:00

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	14.	CFU/100 ml		1	SM 9222D	OB	03/15/22
Total Nitrogen (NOX&TKN)	0.86	mg/l		0.1			
Total Nitrogen (TKN)	0.727	mg/l		0.25	SM4500N	KS	03/24/22
Total Nitrate + Nitrite	0.137	mg/l		0.02	SM4500NO3	KS	03/16/22

AMTEST Identification Number 22-A003584
Client Identification MONMS-20220314
Sampling Date 03/14/22, 17:15

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	260	CFU/100 ml		1	SM 9222D	OB	03/15/22
Total Nitrogen (NOX&TKN)	0.85	mg/l		0.1			
Total Nitrogen (TKN)	0.614	mg/l		0.25	SM4500N	KS	03/24/22
Total Nitrate + Nitrite	0.234	mg/l		0.02	SM4500NO3	KS	03/16/22

AMTEST Identification Number 22-A003585
Client Identification MONM-20220314
Sampling Date 03/14/22, 17:20

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	30.	CFU/100 ml		1	SM 9222D	OB	03/15/22
Total Nitrogen (NOX&TKN)	0.93	mg/l		0.1			
Total Nitrogen (TKN)	0.689	mg/l		0.25	SM4500N	KS	03/24/22
Total Nitrate + Nitrite	0.243	mg/l		0.02	SM4500NO3	KS	03/16/22

AMTEST Identification Number 22-A003586
Client Identification TOSMI-20220314
Sampling Date 03/14/22, 15:15

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	250	CFU/100 ml		1	SM 9222D	OB	03/15/22
Total Nitrogen (NOX&TKN)	0.72	mg/l		0.1			
Total Nitrogen (TKN)	0.524	mg/l		0.25	SM4500N	KS	03/24/22
Total Nitrate + Nitrite	0.194	mg/l		0.02	SM4500NO3	KS	03/16/22

AMTEST Identification Number 22-A003587
Client Identification SEIMN-20220314
Sampling Date 03/14/22, 15:55

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	5.	CFU/100 ml		1	SM 9222D	OB	03/15/22
Total Nitrogen (NOX&TKN)	0.65	mg/l		0.1			
Total Nitrogen (TKN)	0.546	mg/l		0.25	SM4500N	KS	03/24/22
Total Nitrate + Nitrite	0.106	mg/l		0.02	SM4500NO3	KS	03/16/22

AMTEST Identification Number 22-A003588
Client Identification COLM-20220314
Sampling Date 03/14/22, 16:25

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	3.	CFU/100 ml		1	SM 9222D	OB	03/15/22
Total Nitrogen (NOX&TKN)	0.54	mg/l		0.1			
Total Nitrogen (TKN)	0.509	mg/l		0.25	SM4500N	KS	03/24/22
Total Nitrate + Nitrite	0.026	mg/l		0.02	SM4500NO3	KS	03/16/22

AMTEST Identification Number 22-A003589
Client Identification SEIMS-20220314
Sampling Date 03/14/22, 17:00


Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	70.	CFU/100 ml		1	SM 9222D	OB	03/15/22
Total Nitrogen (NOX&TKN)	1.42	mg/l		0.1			
Total Nitrogen (TKN)	1.27	mg/l		0.25	SM4500N	KS	03/24/22
Total Nitrate + Nitrite	0.152	mg/l		0.02	SM4500NO3	KS	03/16/22

AMTEST Identification Number 22-A003590
Client Identification QA117-20220314
Sampling Date 03/14/22, 17:15

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	310	CFU/100 ml		1	SM 9222D	OB	03/15/22
Total Nitrogen (NOX&TKN)	0.84	mg/l		0.1			
Total Nitrogen (TKN)	0.618	mg/l		0.25	SM4500N	KS	03/24/22
Total Nitrate + Nitrite	0.225	mg/l		0.02	SM4500NO3	KS	03/16/22


Aaron W. Young
Vice President

QC Summary for sample numbers: 22-A003578 to 22-A003590

DUPLICATES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	DUP VALUE	RPD
22-A003577	Fecal Coliform	CFU/100 ml	50.	52.	3.9
22-A003604	Fecal Coliform	CFU/100 ml	5.	6.	18.
22-A003585	Total Nitrogen (TKN)	mg/l	0.689	0.750	8.5
22-A003618	Total Nitrogen (TKN)	mg/l	18.4	18.3	0.54
22-A003722	Total Nitrogen (TKN)	mg/l	0.309	0.270	13.
22-A003732	Total Nitrogen (TKN)	mg/l	0.603	0.512	16.
22-A003747	Total Nitrogen (TKN)	mg/l	< 0.25	< 0.25	
22-A003820	Total Nitrogen (TKN)	mg/l	0.482	0.519	7.4
22-A003821	Total Nitrogen (TKN)	mg/l	0.261	0.226	14.
22-A003522	Total Nitrate + Nitrite	mg/l	< 0.02	< 0.02	
22-A003585	Total Nitrate + Nitrite	mg/l	0.243	0.242	0.41
22-A003596	Total Nitrate + Nitrite	mg/l	0.324	0.329	1.5
22-A003618	Total Nitrate + Nitrite	mg/l	1.73	1.72	0.58
22-A003681	Total Nitrate + Nitrite	mg/l	0.050	0.050	0.00

MATRIX SPIKES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	SMPL+ SPK	SPK AMT	RECOVERY
22-A003585	Total Nitrogen (TKN)	mg/l	0.689	2.63	2.00	97.05 %
22-A003618	Total Nitrogen (TKN)	mg/l	18.4	38.3	20.0	99.50 %
22-A003722	Total Nitrogen (TKN)	mg/l	0.309	2.35	2.00	102.05 %
22-A003732	Total Nitrogen (TKN)	mg/l	0.603	2.65	2.00	102.35 %
22-A003747	Total Nitrogen (TKN)	mg/l	< 0.25	2.12	2.00	106.00 %
22-A003820	Total Nitrogen (TKN)	mg/l	0.482	2.48	2.00	99.90 %
22-A003821	Total Nitrogen (TKN)	mg/l	0.261	2.21	2.00	97.45 %
22-A003522	Total Nitrate + Nitrite	mg/l	< 0.02	0.619	1.00	61.90 %
22-A003585	Total Nitrate + Nitrite	mg/l	0.243	1.24	1.00	99.70 %
22-A003596	Total Nitrate + Nitrite	mg/l	0.324	1.32	1.00	99.60 %
22-A003618	Total Nitrate + Nitrite	mg/l	1.73	11.7	10.0	99.70 %
22-A003681	Total Nitrate + Nitrite	mg/l	0.050	1.02	1.00	97.00 %

STANDARD REFERENCE MATERIALS

ANALYTE	UNITS	TRUE VALUE	MEASURED VALUE	RECOVERY
Total Nitrogen (TKN)	mg/l	1.00	1.00	100. %
Total Nitrogen (TKN)	mg/l	1.00	0.994	99.4 %
Total Nitrogen (TKN)	mg/l	1.00	0.997	99.7 %
Total Nitrogen (TKN)	mg/l	1.00	1.00	100. %
Total Nitrogen (TKN)	mg/l	1.00	1.00	100. %
Total Nitrogen (TKN)	mg/l	1.00	1.01	101. %

QC Summary for sample numbers: 22-A003578 to 22-A003590...

STANDARD REFERENCE MATERIALS continued....

ANALYTE	UNITS	TRUE VALUE	MEASURED VALUE	RECOVERY
Total Nitrogen (TKN)	mg/l	1.00	1.00	100. %
Total Nitrate + Nitrite	mg/l	1.00	0.997	99.7 %
Total Nitrate + Nitrite	mg/l	1.00	0.993	99.3 %
Total Nitrate + Nitrite	mg/l	1.00	0.988	98.8 %
Total Nitrate + Nitrite	mg/l	1.00	0.982	98.2 %
Total Nitrate + Nitrite	mg/l	1.00	0.981	98.1 %

BLANKS

ANALYTE	UNITS	RESULT
Fecal Coliform	CFU/100 ml	< 1
Fecal Coliform	CFU/100 ml	< 1
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.02
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02



14648 NE 95th Street, Redmond, WA 98052 · (425) 883-3881

Laboratory: AmTest Laboratories

Attention: Aaron Young

13600 NE 126th Pl Kirkland, WA 98034

Phone Number: (425) 885-1664

Turnaround Request
 1 Day 2 Day 3 Day
 Standard
 Other: _____

Laboratory Reference #: 03-161

Project Manager: Blair Goodrow

email: bgoodrow@onsite-env.com

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Requested Analyses
1	COUMO-20220314 3578	3/14/22	1510	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
2	COUMI-20220314 79	3/14/22	1530	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
3	TOSMO-20220314 80	3/14/22	1545	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
4	TYLMO-20220314 81	3/14/22	1610	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
5	TYLMI-20220314 82	3/14/22	1630	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
6	MONMN-20220314 83	3/14/22	1700	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
7	MONMS-20220314 84	3/14/22	1715	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
8	MONM-20220314 85	3/14/22	1720	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
9	TOSMI-20220314 86	3/14/22	1515	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
10	SEIMN-20220314 87	3/14/22	1555	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
Signature		Company		Date	Time	Comments/Special Instructions EDDs - CSV Reporting Limits: Fecal Coliform - 1.0 cfu/100ml Total Nitrogen - .10 mg/L
Relinquished by:		OnSite Env		3/15/22	930	
Received by:		AmTest		3/15/22	930	
Relinquished by:						
Received by:						
Relinquished by:						
Received by:						

4.6°C

CHAIN OF CUSTODY

14648 NE 95th Street, Redmond, WA 98052
Telephone: 425.883.3881

Company: Herrera Environmental Consultants
Project No.: 14-05806-000
Project Name: Redmond Paired Watershed Study
Project Manager: George Iftner

Turnaround Requested:

- 1 Day
 2 Day
 3 Day
 Standard

Laboratory No.

03-161

Requested Analyses

Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
-----------------------------------	-----------------------	---------------------------------	-------------------------------------	---------------------------	------------------------------	------------------------------	-----------------------------	-----------------------------------

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
1	COUMO-2022 (* labels are wrong) 0314	3/14	15:10	Water	7	X	X	X	X	X	X	X	X	X
2	COUMI-2022 0314		15:30	Water	7	X	X	X	X	X	X	X	X	X
3	TOSMO-2022		15:45	Water	7	X	X	X	X	X	X	X	X	X
4	TYLMO-2022		16:10	Water	7	X	X	X	X	X	X	X	X	X
5	TYLMI-2022		16:30	Water	7	X	X	X	X	X	X	X	X	X
6	MONMN-2022		17:00	Water	7	X	X	X	X	X	X	X	X	X
7	MONMS-2022		17:15	Water	7	X	X	X	X	X	X	X	X	X
8	MONM-2022		17:20	Water	7	X	X	X	X	X	X	X	X	X
9	TOSMI-2022		15:15	Water	7	X	X	X	X	X	X	X	X	X
10	SEIMN-2022		15:55	Water	7	X	X	X	X	X	X	X	X	X
11	COLM-2022		16:25	Water	7	X	X	X	X	X	X	X	X	X
12	SEIMS-2022		17:00	Water	7	X	X	X	X	X	X	X	X	X
13	QA - 2022 117-20220314		17:15	Water	7	X	X	X	X	X	X	X	X	X

Relinquished by David Garcia Date 3/14/22 Received by [Signature] Date 3/14/22
 Firm Herrera Env. Time 6:00 Firm OGE Time 1810
 Relinquished by _____ Date _____ Received by _____ Date _____
 Firm _____ Time _____ Firm _____ Time _____

Comments:
* - field filtered with 0.45 µm filter within 15 minutes of collecting sample

CHAIN OF CUSTODY

14648 NE 95th Street, Redmond, WA 98052
Telephone: 425.883.3881

Company: Herrera Environmental Consultants
Project No.: 14-05806-000
Project Name: Redmond Paired Watershed Study
Project Manager: George Iftner

Turnaround Requested:
 1 Day
 2 Day
 3 Day
 Standard

Laboratory No. _____
 Requested Analyses _____

Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
-----------------------------------	-----------------------	---------------------------------	-------------------------------------	---------------------------	------------------------------	------------------------------	-----------------------------	-----------------------------------

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
1	COUMO-2022 * labels are wrong	3/14	15:10	Water	7	X	X	X	X	X	X	X	X	X
2	CQUMI-2022	↓	15:30	Water	7	X	X	X	X	X	X	X	X	X
3	TOSMO-2022		15:45	Water	7	X	X	X	X	X	X	X	X	X
4	TYLMO-2022		16:10	Water	7	X	X	X	X	X	X	X	X	X
5	TYLMI-2022		16:30	Water	7	X	X	X	X	X	X	X	X	X
6	MONMN-2022		17:00	Water	7	X	X	X	X	X	X	X	X	X
7	MONMS-2022		17:15	Water	7	X	X	X	X	X	X	X	X	X
8	MONM-2022		17:20	Water	7	X	X	X	X	X	X	X	X	X
9	TOSMI-2022		15:15	Water	7	X	X	X	X	X	X	X	X	X
10	SEIMN-2022		15:55	Water	7	X	X	X	X	X	X	X	X	X
11	COLM-2022		16:25	Water	7	X	X	X	X	X	X	X	X	X
12	SEIMS-2022		17:00	Water	7	X	X	X	X	X	X	X	X	X
13	QA-2022-117		↓	17:15	Water	7	X	X	X	X	X	X	X	X

Relinquished by David Garcia Date 3/14/22 Received by [Signature] Date 3/14/22
 Firm Herrera Env. Time 6:00 Firm [Signature] Time 18:00

Relinquished by _____ Date _____ Received by _____ Date _____
 Firm _____ Time _____ Firm _____ Time _____

Comments:
 * - field filtered with 0.45 µm filter within 15 minutes of collecting sample

METER CALIBRATION LOG - Redmond Paired Watershed Study

Project Number:	14-05806-000		
Personnel Performing Calibration:	David G.		
Meter:	FroDOJ #2		
Date/Time:	3/14/22 1:45		
Barometric Pressure Start of Day:	mmHg: 766.8	Time:	1:45
Barometric Pressure End of Day:	mmHg:	Time:	

PRE Field Run CALIBRATION	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	6.3	0	21.5	
Conductivity (µS/cm)	985	1,000	21.9	
Conductivity (µS/cm)	98.4	100	21.8	
DO % Saturation	102	100	21.9	

POST Field Run CHECK	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)		0		
Conductivity (µS/cm)		100		
DO % Saturation		100		

Calibration Procedures:
Rinse Multimeter Sonde Between Each Operation
Rinse 3 times with tap water, 3 times with deionized water, then 3 times with the solution to be used for calibrating or testing.
Conductivity Calibration Notes:



1. Dry the conductivity probe with a lab tissue (e.g., KimWipes®) and DI water.
2. Fill calibration cup to within a centimeter of the top of the calibration cup with DI water (0 µS).
3. Fill the calibration cup with 1,000 µS standard so that the temperature/conductivity probe is submerged.
4. Make sure there are no bubbles in the cell; wait 2 minutes.
5. Enter the appropriate standard value (1,000 µS/cm or 1.0 mS/cm) for Sp Cond.
6. Check conductivity using 100 µS/cm standard.

- Dissolved Oxygen Calibration Notes:**
1. Fill the calibration cup with about 1/2 inch of DI; it should be below the sensor cap.
 2. Use KimWipes® to dry any droplets from the sensor cap.
 3. Invert calibration cup's cap and gently rest it on the cup.
 4. Wait 5 minutes, making sure that temperature stabilizes.
 5. Determine local barometric pressure (mm Hg) and enter this value into the meter.
 6. Click "Calibrate". "Calibrate Successful" will be displayed.
 7. To retain calibration accuracy between measurements, store with the sensor immersed in water or within a water-saturated air environment such as a sealed storage cup with at least 10 ml of water.
 8. It is important to have the water-saturated air and the sensor at the same temperature. Therefore, store a jar of DI in the same environment as the sonde and calibrate in a similar air temperature as the water and sonde.
 9. Keep probe out of direct sun or wind.

METER CALIBRATION LOG - Redmond Paired Watershed Study

Project Number:	14-05806-000		
Personnel Performing Calibration:	Daniel G		
Meter:	Pro DSI #1		
Date/Time:	5/19/22 1:48		
Barometric Pressure Start of Day:	mmHg: 766.6	Time: 1:48	
Barometric Pressure End of Day:	mmHg:	Time:	

PRE Field Run CALIBRATION	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	16.2	0	20.5	
Conductivity (µS/cm)	1027	1,000	20.8	
Conductivity (µS/cm)	101.9	100	20.8	
DO % Saturation	102.4	100	20.8	

POST Field Run CHECK	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)		0		
Conductivity (µS/cm)		100		
DO % Saturation		100		

Calibration Procedures:

Rinse Multimetric Sonde Between Each Operation

Rinse 3 times with tap water, 3 times with deionized water, then 3 times with the solution to be used for calibrating or testing.

Conductivity Calibration Notes:

1. Dry the conductivity probe with a lab tissue (e.g., KimWipes®) and DI water.
2. Fill calibration cup to within a centimeter of the top of the calibration cup with DI water (0 µS).
3. Fill the calibration cup with 1,000 µS standard so that the temperature/conductivity probe is submerged.
4. Make sure there are no bubbles in the cell; wait 2 minutes.
5. Enter the appropriate standard value (1,000 µS/cm or 1.0 mS/cm) for Sp Cond.
6. Check conductivity using 100 µS/cm standard.

Dissolved Oxygen Calibration Notes:

1. Fill the calibration cup with about 1/2 inch of DI; it should be below the sensor cap.
2. Use KimWipes® to dry any droplets from the sensor cap.
3. Invert calibration cup's cap and gently rest it on the cup.
4. Wait 5 minutes, making sure that temperature stabilizes.
5. Determine local barometric pressure (mm Hg) and enter this value into the meter.
6. Click "Calibrate". "Calibrate Successful" will be displayed.
7. To retain calibration accuracy between measurements, store with the sensor immersed in water or within a water-saturated air environment such as a sealed storage cup with at least 10 ml of water.
8. It is important to have the water-saturated air and the sensor at the same temperature. Therefore, store a jar of DI in the same environment as the sonde and calibrate in a similar air temperature as the water and sonde.
9. Keep probe out of direct sun or wind.



FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: D. Garcia M. O'Connor Lenth

Sample Date: 03/14/22 Sample Time: 15:10

Base Flow or Storm Event? Field filtered 5 minutes later: Y/N
 (Must filter within 15 minutes of collection)

SITE ID: COUMO

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 48° raining

Water Quality Sampling

Sample ID: COUMO-20220314

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:
 Filter blank sample ID:
 Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: clear
 Color: N/A
 Odor: none
 Sheen:
 Floatables:

LABORATORY DELIVERY

Date: Time:

Quality Assurance

Checked By: Signature:
 Date Checked: Time:
 Data Entered into Database? YES NO initials:
 Date Entered: Time:
 Notes:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 4.6

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 9.3 °C

Specific Conductivity (µs/cm) 108.4

Dissolved Oxygen (mg/L) 97.8

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: D. GARCIA M. OCONNOR LENTH

Sample Date: 03/14/22 Sample Time: 19:30

Base Flow or Storm Event? Storm Field filtered 5 minutes later: DN
 (Must filter within 15 minutes of collection)

SITE ID: COUMI

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 48° raining

Water Quality Sampling

Sample ID: COUMI-20220314

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear
 Color: none
 Odor: none
 Sheen: none
 Floatables: none

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 7.8

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 8.5

Specific Conductivity (µs/cm) 108.3

Dissolved Oxygen (mg/L) 11.96

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: D. GARGA, M. O'CONNOR LENTH

Sample Date: 03/14/22

Sample Time: 15:49

SITE ID: TOSMO

Base Flow or Storm Event

Field filtered 5 minutes later: Y
(Must filter within 15 minutes of collection)

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 48 raining

Water Quality Sampling

Sample ID: TOSMO-20220314

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	
DOC*	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:	
Filter blank sample ID:	
Transfer blank sample ID:	

Visual and Olfactory Conditions:

Clarity: slightly turbid
 Color: light brown
 Odor: none
 Sheen: none
 Floatables: none

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 7.6

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 8.8

Specific Conductivity (µs/cm) 147.9

Dissolved Oxygen (mg/L) 11.59

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: D. GARCIA M. O'CONNOR LENTH

Sample Date: 03/14/22

Sample Time: 16:10

PDT:

SITE

ID: TYLMD

Base Flow or Storm Event? (Storm Event)

Field filtered 5 minutes later: YN

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 48° raining

Water Quality Sampling

Sample ID: TYLMD-20220314

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: slightly turbid
 Color: clear
 Odor: none
 Sheen: none
 Floatables: none

LABORATORY DELIVERY

Date:

Time:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 2' 8"

Reference Point (description): top of culvert

Water Quality Measurements

Temperature (°C) 9.1°

Specific Conductivity (µs/cm) 54.5

Dissolved Oxygen (mg/L) 11.37

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: D. GARCIA, M. O'CONNOR LENTH

Sample Date: 03/14/22 Sample Time: 16:30

Base Flow or Storm Event? (circled) Field filtered 5 minutes later (Y) N
 (Must filter within 15 minutes of collection)

SITE ID: TYLMI

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 47° weather

Water Quality Sampling

Sample ID: TYLMI-20220314

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: turbid
 Color: clear
 Odor: slight garbage odor
 Sheen: none
 Floatables: none

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 4'4"

Reference Point (description): top of culvert

Water Quality Measurements

Temperature (°C) 8.4

Specific Conductivity (µs/cm) 139.0

Dissolved Oxygen (mg/L) 11.20

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: N. Maas, E. Van Orden
 Sample Date: 3/14/22 Sample Time: 17:00 PDT:
 Base Flow or Storm Event? Storm Field filtered 5 minutes later? N
 (Must filter within 15 minutes of collection) PST:

SITE ID: MONMN
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Rainy, 47°F

Water Quality Sampling

Sample ID: ~~MONMN-20220314~~ MONMN-20220314

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	NO ↓
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear
 Color: None
 Odor: None
 Sheen: None
 Floatables: None

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.31
 Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 7.3
 Specific Conductivity (µs/cm) 139
 Dissolved Oxygen (mg/L) 11.76

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: N. Maas, E. Van Gorden
 Sample Date: 03/14/2022 Sample Time: 17:15
 Base Flow or Storm Event? Storm Field filtered 5 minutes later? Y N
 (Must filter within 15 minutes of collection)

SITE ID: MOJNS
 PDT: X
 PST:
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 67°F, Rainy

Water Quality Sampling

Sample ID: MOJNS-20220314

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>Yes</u>
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: CA - 20220314
 Filter blank sample ID: 20
 Transfer blank sample ID: -

Visual and Olfactory Conditions:

Clarity: Clear
 Color: None
 Odor: None
 Sheen: None
 Floatables: None

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials:
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): _____
 Reference Point (description): _____

Water Quality Measurements

Temperature (°C) 7.9
 Specific Conductivity (µs/cm) 172
 Dissolved Oxygen (mg/L) 10.27

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: D. GARCIA, M. O'CONNOR LENTH

Sample Date: 03/14/22

Sample Time: 17:20

Base Flow or Storm Event? (circled)

Field filtered 5 minutes later: Y N

(Must filter within 15 minutes of collection)

SITE ID: MONM

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 45°C raining

Water Quality Sampling

Sample ID: MONM-20220314

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>2</u>
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	<u>2</u>
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____

Filter blank sample ID: _____

Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: _____

Color: _____

Odor: _____

Sheen: _____

Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): N/A

Reference Point (description): N/A

Water Quality Measurements

Temperature (°C) 8.5°

Specific Conductivity (µs/cm) 167.8

Dissolved Oxygen (mg/L) 11.70

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: N. Maas, E. Van Orden
 Sample Date: 3/14/22 Sample Time: 8:28 15:15 PDT: X
 Base Flow or Storm Event? Storm Field filtered 5 minutes later: Y N
 (Must filter within 15 minutes of collection) PST:

SITE ID: TOSMI
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study
 Current Weather and Temp: 47° F, rainy

Water Quality Sampling

Sample ID: TOSMI-20220314

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	No ↓
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Slightly turbid
 Color: None
 Odor: None
 Sheen: None
 Floatables: None

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): 0.95
 Reference Point (description): Top SG

Water Quality Measurements

Temperature (°C) 8.8
 Specific Conductivity (µs/cm) 64.2
 Dissolved Oxygen (mg/L) 11.68

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: W. Maas, E. Van Orden

Sample Date: 3/14/22 Sample Time: 15:55

Base Flow or Storm Event? Storm Field filtered 5 minutes later: Y N
 (Must filter within 15 minutes of collection)

SITE ID: SEIMN

PDT: X

PST:

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Rainy, 47°F

Water Quality Sampling

Sample ID: SEIMN-20220314

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: -
 Filter blank sample ID: -
 Transfer blank sample ID: -

Visual and Olfactory Conditions:

Clarity: Clear
 Color: None
 Odor: None
 Sheen: None
 Floatables: None

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 6.25" @ top of bolt

Reference Point (description): top of bolt

Water Quality Measurements

Temperature (°C) 6.4

Specific Conductivity (µs/cm) 53.2

Dissolved Oxygen (mg/L) 100

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: N. Maas, E. Van Orden
 Sample Date: 3/14/22 Sample Time: 16:25
 Base Flow or Storm Event? Storm Field filtered 5 minutes later: Y N
 (Must filter within 15 minutes of collection)

SITE ID: COLM
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study
 Current Weather and Temp: Rainy, ~~47~~ 47°F

Water Quality Sampling

Sample ID: COLM-20220314

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: -
 Filter blank sample ID: -
 Transfer blank sample ID: -

Visual and Olfactory Conditions:

Clarity: Clear
 Color: Slightly red
 Odor: None
 Sheen: None
 Floatables: None

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): 5.68 in
 Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 6.7
 Specific Conductivity (µs/cm) 47.5
 Dissolved Oxygen (mg/L) 11.67

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: D. GARCIA M. O'CONNOR LENTH

Sample Date: 03/14/22 Sample Time: 17:00

Base Flow or Storm Event? (Storm Event?) Field filtered 5 minutes later: (Y) N
 (Must filter within 15 minutes of collection)

SITE ID: SEIMS

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 45° raining

Water Quality Sampling

Sample ID: SEIMS-20220314

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: very slightly turbid
 Color: clear
 Odor: none
 Sheen: none
 Floatables: none

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 8.6
 Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 7.6
 Specific Conductivity (µs/cm) 83.2
 Dissolved Oxygen (mg/L) 11.42



HERRERA

Data Quality Assurance Worksheet

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 3/14/22 /All locations, QA117 (MONMS) Lab Ref No 2203-161

By J. Brown

Date 3/30/22 Page 1 of 2

Checked: initials JL

date 4/27/2022

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹		
TSS	OK / SM 2540D	NA	NA	2	≤7	≤1.0 mg/L 1.0 mg/L	NA	NA	97	±20	8	≤25	14	≤25	OK	NONE
Turbidity	OK / EPA 180.1	NA	NA	1	≤2	≤0.1 NTU 0.1 NTU	NA	NA	NA	±10	<1	≤25	15	≤25	OK	NONE
Hardness	OK / SM 2340B	NA	NA	2	≤180	≤1.0 mg/L 1.0 mg/L	120, 104	±25	115	±15	3 MS 3	≤20	<1	≤20	OK	NONE
DOC	OK / SM 5310B	≤15	≤15	7	≤28	≤1.0 mg/L 1.0 mg/L	116	±25	111	±15	D=0.3	≤20	2	≤20	OK	NONE
Total Phosphorus	OK / EPA 365.1	NA	NA	9	≤28	≤0.01 mg/L 0.01 mg/L	103	±25	99	±20	4	≤20	6	≤20	OK	NONE
Total Nitrogen (TKN + N+N)	OK/ SM 4500 N-B	NA	NA	1, 10	≤28	≤0.1 mg/L 0.1 mg/L	62, 97-106	±25	99-101	±20	<1-2, D=0-0.1	≤20	4, D=0.004	≤20	OK	NO FLAG FOR LOW MS, BATCH SAMPLE AND ALL OTHER QA OK

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.

NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported



HERRERA

Data Quality Assurance Worksheet

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 3/14/22 /All locations, QA117 (MONMS) Lab Ref No 2203-161

By J. Brown

Date 3/30/22 Page 2 of 2

Checked: initials JL

date 4/27/2022

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal	Reported	Goal ¹	Reported	Goal ¹		
Total Copper	OK/ EPA 200.8	NA	NA	1	≤180	≤1.0 µg/L 1.0 µg/L	99, 96	±25	NR	±15	7 MS 3	≤20	D=0.1	≤20	OK	NONE
Total Zinc	OK/ EPA 200.8	NA	NA	1	≤180	≤5.0 µg/L 5.0 µg/L	99, 94	±25	NR	±15	6 MS 4	≤20	D=0	≤20	OK	NONE
Dissolved Copper	OK/ EPA 200.8	≤15	≤15	1	≤180	≤1.0 µg/L 1.0 µg/L	97, 99	±25	NR	±15	D=0.06 MS 1	≤20	NC	≤20	OK	NONE
Dissolved Zinc	OK/ EPA 200.8	≤15	≤15	1	≤180	≤5.0 µg/L 5.0 µg/L	109, 108	±25	NR	±15	NC MS <1	≤20	NC	≤20	OK	NONE
Fecal Coliform	OK/ SM 9222D	NA	NA	1	≤1	≤1.0 cfu/ 100mL 10 cfu/ 100mL	NA	NA	NA	NA	4, 18	≤35	18	≤50	OK	NONE

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.
 NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

May 12, 2022

Jess Brown
Herrera Environmental Consultants, Inc.
2200 6th Avenue, Suite 1100
Seattle, WA 98121

Re: Analytical Data for Project 14-05806-000
Laboratory Reference No. 2204-205

Dear Jess:

Enclosed are the analytical results and associated quality control data for samples submitted on April 19, 2022.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read "Blair Goodrow", enclosed within a large, loopy circular flourish.

Blair Goodrow
Project Manager

Enclosures



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: May 12, 2022
Samples Submitted: April 19, 2022
Laboratory Reference: 2204-205
Project: 14-05806-000

Case Narrative

Samples were collected on April 18, 2022 and received by the laboratory on April 19, 2022. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.



Date of Report: May 12, 2022
 Samples Submitted: April 19, 2022
 Laboratory Reference: 2204-205
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220418					
Laboratory ID:	04-205-01					
Total Suspended Solids	11	1.7	SM 2540D	4-19-22	4-20-22	

Client ID:	COUMI-20220418					
Laboratory ID:	04-205-02					
Total Suspended Solids	4.4	1.0	SM 2540D	4-19-22	4-20-22	

Client ID:	TOSMO-20220418					
Laboratory ID:	04-205-03					
Total Suspended Solids	20	2.0	SM 2540D	4-19-22	4-20-22	

Client ID:	TYLMO-20220418					
Laboratory ID:	04-205-04					
Total Suspended Solids	5.4	1.0	SM 2540D	4-19-22	4-20-22	

Client ID:	TYLMI-20220418					
Laboratory ID:	04-205-05					
Total Suspended Solids	6.6	1.0	SM 2540D	4-19-22	4-20-22	

Client ID:	MONMN-20220418					
Laboratory ID:	04-205-06					
Total Suspended Solids	5.0	1.0	SM 2540D	4-19-22	4-20-22	

Client ID:	MONMS-20220418					
Laboratory ID:	04-205-07					
Total Suspended Solids	5.7	1.7	SM 2540D	4-19-22	4-20-22	

Client ID:	MONM-20220418					
Laboratory ID:	04-205-08					
Total Suspended Solids	9.2	2.0	SM 2540D	4-19-22	4-20-22	

Client ID:	TOSMI-20220418					
Laboratory ID:	04-205-09					
Total Suspended Solids	25	5.0	SM 2540D	4-19-22	4-20-22	



Date of Report: May 12, 2022
 Samples Submitted: April 19, 2022
 Laboratory Reference: 2204-205
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-20220418					
Laboratory ID:	04-205-10					
Total Suspended Solids	6.4	1.0	SM 2540D	4-19-22	4-20-22	

Client ID:	COLM-20220418					
Laboratory ID:	04-205-11					
Total Suspended Solids	1.2	1.0	SM 2540D	4-19-22	4-20-22	

Client ID:	SEIMS-20220418					
Laboratory ID:	04-205-12					
Total Suspended Solids	14	2.0	SM 2540D	4-19-22	4-20-22	

Client ID:	QA-118-20220418					
Laboratory ID:	04-205-13					
Total Suspended Solids	16	1.7	SM 2540D	4-19-22	4-20-22	



Date of Report: May 12, 2022
 Samples Submitted: April 19, 2022
 Laboratory Reference: 2204-205
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0419W1					
Total Suspended Solids	ND	1.0	SM 2540D	4-19-22	4-20-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	04-205-01							
	ORIG	DUP						
Total Suspended Solids	11.3	11.3	NA	NA	NA	NA	0	26

SPIKE BLANK

Laboratory ID:	SB0419W1							
	SB	SB		SB				
Total Suspended Solids	86.0	100	NA	86	67-118	NA	NA	



Date of Report: May 12, 2022
 Samples Submitted: April 19, 2022
 Laboratory Reference: 2204-205
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220418					
Laboratory ID:	04-205-01					
Turbidity	11	0.10	EPA 180.1	4-19-22	4-19-22	

Client ID:	COUMI-20220418					
Laboratory ID:	04-205-02					
Turbidity	2.8	0.10	EPA 180.1	4-19-22	4-19-22	

Client ID:	TOSMO-20220418					
Laboratory ID:	04-205-03					
Turbidity	14	0.10	EPA 180.1	4-19-22	4-19-22	

Client ID:	TYLMO-20220418					
Laboratory ID:	04-205-04					
Turbidity	3.9	0.10	EPA 180.1	4-19-22	4-19-22	

Client ID:	TYLMI-20220418					
Laboratory ID:	04-205-05					
Turbidity	2.7	0.10	EPA 180.1	4-19-22	4-19-22	

Client ID:	MONMN-20220418					
Laboratory ID:	04-205-06					
Turbidity	3.8	0.10	EPA 180.1	4-19-22	4-19-22	

Client ID:	MONMS-20220418					
Laboratory ID:	04-205-07					
Turbidity	3.6	0.10	EPA 180.1	4-19-22	4-19-22	

Client ID:	MONM-20220418					
Laboratory ID:	04-205-08					
Turbidity	3.4	0.10	EPA 180.1	4-19-22	4-19-22	

Client ID:	TOSMI-20220418					
Laboratory ID:	04-205-09					
Turbidity	16	0.10	EPA 180.1	4-19-22	4-19-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: May 12, 2022
 Samples Submitted: April 19, 2022
 Laboratory Reference: 2204-205
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-20220418					
Laboratory ID:	04-205-10					
Turbidity	3.9	0.10	EPA 180.1	4-19-22	4-19-22	

Client ID:	COLM-20220418					
Laboratory ID:	04-205-11					
Turbidity	1.2	0.10	EPA 180.1	4-19-22	4-19-22	

Client ID:	SEIMS-20220418					
Laboratory ID:	04-205-12					
Turbidity	9.2	0.10	EPA 180.1	4-19-22	4-19-22	

Client ID:	QA-118-20220418					
Laboratory ID:	04-205-13					
Turbidity	13	0.10	EPA 180.1	4-19-22	4-19-22	



Date of Report: May 12, 2022
 Samples Submitted: April 19, 2022
 Laboratory Reference: 2204-205
 Project: 14-05806-000

**TURBIDITY
 EPA 180.1
 QUALITY CONTROL**

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0419W1					
Turbidity	ND	0.10	EPA 180.1	4-19-22	4-19-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags	
DUPLICATE									
Laboratory ID:	04-203-01								
	ORIG	DUP							
Turbidity	0.190	0.140	NA	NA	NA	NA	30	13	C



Date of Report: May 12, 2022
 Samples Submitted: April 19, 2022
 Laboratory Reference: 2204-205
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220418					
Laboratory ID:	04-205-01					
Hardness	98	1.0	EPA 200.7/SM 2340B	4-25-22	4-25-22	

Client ID:	COUMI-20220418					
Laboratory ID:	04-205-02					
Hardness	150	1.0	EPA 200.7/SM 2340B	4-25-22	4-25-22	

Client ID:	TOSMO-20220418					
Laboratory ID:	04-205-03					
Hardness	91	1.0	EPA 200.7/SM 2340B	4-25-22	4-25-22	

Client ID:	TYLMO-20220418					
Laboratory ID:	04-205-04					
Hardness	61	1.0	EPA 200.7/SM 2340B	4-25-22	4-25-22	

Client ID:	TYLMI-20220418					
Laboratory ID:	04-205-05					
Hardness	98	1.0	EPA 200.7/SM 2340B	4-25-22	4-25-22	

Client ID:	MONMN-20220418					
Laboratory ID:	04-205-06					
Hardness	83	1.0	EPA 200.7/SM 2340B	4-25-22	4-25-22	

Client ID:	MONMS-20220418					
Laboratory ID:	04-205-07					
Hardness	120	1.0	EPA 200.7/SM 2340B	4-25-22	4-25-22	



Date of Report: May 12, 2022
 Samples Submitted: April 19, 2022
 Laboratory Reference: 2204-205
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO3/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20220418					
Laboratory ID:	04-205-08					
Hardness	100	1.0	EPA 200.7/SM 2340B	4-25-22	4-25-22	

Client ID:	TOSMI-20220418					
Laboratory ID:	04-205-09					
Hardness	64	1.0	EPA 200.7/SM 2340B	4-25-22	4-25-22	

Client ID:	SEIMN-20220418					
Laboratory ID:	04-205-10					
Hardness	25	1.0	EPA 200.7/SM 2340B	4-25-22	4-25-22	

Client ID:	COLM-20220418					
Laboratory ID:	04-205-11					
Hardness	12	1.0	EPA 200.7/SM 2340B	4-25-22	4-25-22	

Client ID:	SEIMS-20220418					
Laboratory ID:	04-205-12					
Hardness	50	1.0	EPA 200.7/SM 2340B	4-25-22	4-25-22	

Client ID:	QA-118-20220418					
Laboratory ID:	04-205-13					
Hardness	97	1.0	EPA 200.7/SM 2340B	4-25-22	4-25-22	



Date of Report: May 12, 2022
 Samples Submitted: April 19, 2022
 Laboratory Reference: 2204-205
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B
QUALITY CONTROL

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0422WH1					
Hardness	ND	1.0	EPA 200.7/SM 2340B	4-25-22	4-25-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	04-205-02							
	ORIG	DUP						
Hardness	145	146	NA	NA	NA	1	20	

MATRIX SPIKES

Laboratory ID:	04-205-02									
	MS	MSD	MS	MSD	MS	MSD				
Hardness	271	279	132	132	145	95	102	75-125	3	20

SPIKE BLANK

Laboratory ID:	SB0422WH1									
	SB		SB		SB					
Hardness	141		132		107			85-115	NA	NA



Date of Report: May 12, 2022
 Samples Submitted: April 19, 2022
 Laboratory Reference: 2204-205
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220418					
Laboratory ID:	04-205-01					
Dissolved Organic Carbon	8.9	1.0	SM 5310B	4-20-22	4-20-22	

Client ID:	COUMI-20220418					
Laboratory ID:	04-205-02					
Dissolved Organic Carbon	4.5	1.0	SM 5310B	4-20-22	4-20-22	

Client ID:	TOSMO-20220418					
Laboratory ID:	04-205-03					
Dissolved Organic Carbon	8.9	1.0	SM 5310B	4-20-22	4-20-22	

Client ID:	TYLMO-20220418					
Laboratory ID:	04-205-04					
Dissolved Organic Carbon	9.5	1.0	SM 5310B	4-20-22	4-20-22	

Client ID:	TYLMI-20220418					
Laboratory ID:	04-205-05					
Dissolved Organic Carbon	5.6	1.0	SM 5310B	4-20-22	4-20-22	

Client ID:	MONMN-20220418					
Laboratory ID:	04-205-06					
Dissolved Organic Carbon	4.5	1.0	SM 5310B	4-20-22	4-20-22	

Client ID:	MONMS-20220418					
Laboratory ID:	04-205-07					
Dissolved Organic Carbon	6.4	1.0	SM 5310B	4-20-22	4-20-22	

Client ID:	MONM-20220418					
Laboratory ID:	04-205-08					
Dissolved Organic Carbon	4.7	1.0	SM 5310B	4-20-22	4-20-22	

Client ID:	TOSMI-20220418					
Laboratory ID:	04-205-09					
Dissolved Organic Carbon	11	1.0	SM 5310B	4-20-22	4-20-22	



Date of Report: May 12, 2022
 Samples Submitted: April 19, 2022
 Laboratory Reference: 2204-205
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-20220418					
Laboratory ID:	04-205-10					
Dissolved Organic Carbon	7.1	1.0	SM 5310B	4-20-22	4-20-22	

Client ID:	COLM-20220418					
Laboratory ID:	04-205-11					
Dissolved Organic Carbon	12	1.0	SM 5310B	4-20-22	4-20-22	

Client ID:	SEIMS-20220418					
Laboratory ID:	04-205-12					
Dissolved Organic Carbon	4.8	1.0	SM 5310B	4-20-22	4-20-22	

Client ID:	QA-118-20220418					
Laboratory ID:	04-205-13					
Dissolved Organic Carbon	8.5	1.0	SM 5310B	4-20-22	4-20-22	



Date of Report: May 12, 2022
 Samples Submitted: April 19, 2022
 Laboratory Reference: 2204-205
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0420D1					
Dissolved Organic Carbon	ND	1.0	SM 5310B	4-20-22	4-20-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	04-205-02							
	ORIG	DUP						
Dissolved Organic Carbon	4.45	5.08	NA	NA	NA	13	15	

MATRIX SPIKE

Laboratory ID:	04-205-02							
	MS	MS		MS				
Dissolved Organic Carbon	16.0	10.0	4.45	116	91-117	NA	NA	

SPIKE BLANK

Laboratory ID:	SB0420D1							
	SB	SB		SB				
Dissolved Organic Carbon	11.4	10.0	NA	114	88-116	NA	NA	



Date of Report: May 12, 2022
 Samples Submitted: April 19, 2022
 Laboratory Reference: 2204-205
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220418					
Laboratory ID:	04-205-01					
Total Phosphorus	0.19	0.010	EPA 365.1	4-22-22	4-25-22	

Client ID:	COUMI-20220418					
Laboratory ID:	04-205-02					
Total Phosphorus	0.054	0.010	EPA 365.1	4-22-22	4-25-22	

Client ID:	TOSMO-20220418					
Laboratory ID:	04-205-03					
Total Phosphorus	0.073	0.010	EPA 365.1	4-22-22	4-25-22	

Client ID:	TYLMO-20220418					
Laboratory ID:	04-205-04					
Total Phosphorus	0.044	0.010	EPA 365.1	4-22-22	4-25-22	

Client ID:	TYLMI-20220418					
Laboratory ID:	04-205-05					
Total Phosphorus	0.017	0.010	EPA 365.1	4-22-22	4-25-22	

Client ID:	MONMN-20220418					
Laboratory ID:	04-205-06					
Total Phosphorus	0.031	0.010	EPA 365.1	4-22-22	4-25-22	

Client ID:	MONMS-20220418					
Laboratory ID:	04-205-07					
Total Phosphorus	0.051	0.010	EPA 365.1	4-22-22	4-25-22	

Client ID:	MONM-20220418					
Laboratory ID:	04-205-08					
Total Phosphorus	0.057	0.010	EPA 365.1	4-22-22	4-25-22	

Client ID:	TOSMI-20220418					
Laboratory ID:	04-205-09					
Total Phosphorus	0.080	0.010	EPA 365.1	4-22-22	4-25-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: May 12, 2022
 Samples Submitted: April 19, 2022
 Laboratory Reference: 2204-205
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-20220418					
Laboratory ID:	04-205-10					
Total Phosphorus	0.031	0.010	EPA 365.1	4-22-22	4-25-22	

Client ID:	COLM-20220418					
Laboratory ID:	04-205-11					
Total Phosphorus	ND	0.010	EPA 365.1	4-22-22	4-25-22	

Client ID:	SEIMS-20220418					
Laboratory ID:	04-205-12					
Total Phosphorus	0.038	0.010	EPA 365.1	4-22-22	4-25-22	

Client ID:	QA-118-20220418					
Laboratory ID:	04-205-13					
Total Phosphorus	0.20	0.010	EPA 365.1	4-22-22	4-25-22	



Date of Report: May 12, 2022
 Samples Submitted: April 19, 2022
 Laboratory Reference: 2204-205
 Project: 14-05806-000

**TOTAL PHOSPHORUS
 EPA 365.1
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0422W1					
Total Phosphorus	ND	0.010	EPA 365.1	4-22-22	4-25-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	04-205-01							
	ORIG	DUP						
Total Phosphorus	0.191	0.198	NA	NA	NA	4	19	

MATRIX SPIKE

Laboratory ID:	04-205-01							
	MS	MS		MS				
Total Phosphorus	0.446	0.250	0.191	102	83-110	NA	NA	

SPIKE BLANK

Laboratory ID:	SB0422W1							
	SB	SB		SB				
Total Phosphorus	0.263	0.250	NA	105	83-110	NA	NA	



Date of Report: May 12, 2022
 Samples Submitted: April 19, 2022
 Laboratory Reference: 2204-205
 Project: 14-05806-000

TOTAL METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220418					
Laboratory ID:	04-205-01					
Copper	6.1	1.0	EPA 200.8	4-21-22	4-26-22	
Zinc	28	5.0	EPA 200.8	4-21-22	4-26-22	

Client ID:	COUMI-20220418					
Laboratory ID:	04-205-02					
Copper	2.1	1.0	EPA 200.8	4-21-22	4-26-22	
Zinc	7.3	5.0	EPA 200.8	4-21-22	4-26-22	

Client ID:	TOSMO-20220418					
Laboratory ID:	04-205-03					
Copper	6.1	1.0	EPA 200.8	4-21-22	4-26-22	
Zinc	53	5.0	EPA 200.8	4-21-22	4-26-22	

Client ID:	TYLMO-20220418					
Laboratory ID:	04-205-04					
Copper	18	1.0	EPA 200.8	4-21-22	4-26-22	
Zinc	15	5.0	EPA 200.8	4-21-22	4-26-22	

Client ID:	TYLMI-20220418					
Laboratory ID:	04-205-05					
Copper	2.2	1.0	EPA 200.8	4-21-22	4-26-22	
Zinc	14	5.0	EPA 200.8	4-21-22	4-26-22	

Client ID:	MONMN-20220418					
Laboratory ID:	04-205-06					
Copper	1.3	1.0	EPA 200.8	4-21-22	4-26-22	
Zinc	10	5.0	EPA 200.8	4-21-22	4-26-22	

Client ID:	MONMS-20220418					
Laboratory ID:	04-205-07					
Copper	2.7	1.0	EPA 200.8	4-21-22	4-26-22	
Zinc	17	5.0	EPA 200.8	4-21-22	4-26-22	



Date of Report: May 12, 2022
 Samples Submitted: April 19, 2022
 Laboratory Reference: 2204-205
 Project: 14-05806-000

TOTAL METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20220418					
Laboratory ID:	04-205-08					
Copper	1.2	1.0	EPA 200.8	4-21-22	4-26-22	
Zinc	21	5.0	EPA 200.8	4-21-22	4-26-22	

Client ID:	TOSMI-20220418					
Laboratory ID:	04-205-09					
Copper	9.0	1.0	EPA 200.8	4-21-22	4-26-22	
Zinc	98	5.0	EPA 200.8	4-21-22	4-26-22	

Client ID:	SEIMN-20220418					
Laboratory ID:	04-205-10					
Copper	1.3	1.0	EPA 200.8	4-21-22	4-26-22	
Zinc	6.7	5.0	EPA 200.8	4-21-22	4-26-22	

Client ID:	COLM-20220418					
Laboratory ID:	04-205-11					
Copper	ND	1.0	EPA 200.8	4-21-22	4-26-22	
Zinc	ND	5.0	EPA 200.8	4-21-22	4-26-22	

Client ID:	SEIMS-20220418					
Laboratory ID:	04-205-12					
Copper	ND	1.0	EPA 200.8	4-21-22	4-26-22	
Zinc	7.0	5.0	EPA 200.8	4-21-22	4-26-22	

Client ID:	QA-118-20220418					
Laboratory ID:	04-205-13					
Copper	5.5	1.0	EPA 200.8	4-21-22	4-26-22	
Zinc	30	5.0	EPA 200.8	4-21-22	4-26-22	



Date of Report: May 12, 2022
 Samples Submitted: April 19, 2022
 Laboratory Reference: 2204-205
 Project: 14-05806-000

**TOTAL METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0421WH2					
Copper	ND	1.0	EPA 200.8	4-21-22	4-26-22	
Zinc	ND	5.0	EPA 200.8	4-21-22	4-26-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	04-205-11							
	ORIG	DUP						
Copper	ND	ND	NA	NA	NA	NA	NA	20
Zinc	ND	ND	NA	NA	NA	NA	NA	20

MATRIX SPIKES

Laboratory ID:	04-205-11									
	MS	MSD	MS	MSD		MS	MSD			
Copper	99.0	96.8	100	100	ND	99	97	75-125	2	20
Zinc	102	99.8	100	100	ND	102	100	75-125	2	20



Date of Report: May 12, 2022
 Samples Submitted: April 19, 2022
 Laboratory Reference: 2204-205
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220418					
Laboratory ID:	04-205-01					
Copper	4.5	1.0	EPA 200.8		4-26-22	
Zinc	22	5.0	EPA 200.8		4-26-22	

Client ID:	COUMI-20220418					
Laboratory ID:	04-205-02					
Copper	1.8	1.0	EPA 200.8		4-26-22	
Zinc	5.3	5.0	EPA 200.8		4-26-22	

Client ID:	TOSMO-20220418					
Laboratory ID:	04-205-03					
Copper	4.5	1.0	EPA 200.8		4-26-22	
Zinc	20	5.0	EPA 200.8		4-26-22	

Client ID:	TYLMO-20220418					
Laboratory ID:	04-205-04					
Copper	16	1.0	EPA 200.8		4-26-22	
Zinc	7.6	5.0	EPA 200.8		4-26-22	

Client ID:	TYLMI-20220418					
Laboratory ID:	04-205-05					
Copper	2.0	1.0	EPA 200.8		4-26-22	
Zinc	6.0	5.0	EPA 200.8		4-26-22	

Client ID:	MONMN-20220418					
Laboratory ID:	04-205-06					
Copper	ND	1.0	EPA 200.8		4-26-22	
Zinc	ND	5.0	EPA 200.8		4-26-22	

Client ID:	MONMS-20220418					
Laboratory ID:	04-205-07					
Copper	1.5	1.0	EPA 200.8		4-26-22	
Zinc	ND	5.0	EPA 200.8		4-26-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: May 12, 2022
 Samples Submitted: April 19, 2022
 Laboratory Reference: 2204-205
 Project: 14-05806-000

DISSOLVED METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID: MONM-20220418						
Laboratory ID: 04-205-08						
Copper	ND	1.0	EPA 200.8		4-26-22	
Zinc	9.1	5.0	EPA 200.8		4-26-22	
Client ID: TOSMI-20220418						
Laboratory ID: 04-205-09						
Copper	5.9	1.0	EPA 200.8		4-26-22	
Zinc	43	5.0	EPA 200.8		4-26-22	
Client ID: SEIMN-20220418						
Laboratory ID: 04-205-10						
Copper	ND	1.0	EPA 200.8		4-26-22	
Zinc	ND	5.0	EPA 200.8		4-26-22	
Client ID: COLM-20220418						
Laboratory ID: 04-205-11						
Copper	ND	1.0	EPA 200.8		4-26-22	
Zinc	ND	5.0	EPA 200.8		4-26-22	
Client ID: SEIMS-20220418						
Laboratory ID: 04-205-12						
Copper	ND	1.0	EPA 200.8		4-26-22	
Zinc	ND	5.0	EPA 200.8		4-26-22	
Client ID: QA-118-20220418						
Laboratory ID: 04-205-13						
Copper	4.7	1.0	EPA 200.8		4-26-22	
Zinc	15	5.0	EPA 200.8		4-26-22	



Date of Report: May 12, 2022
 Samples Submitted: April 19, 2022
 Laboratory Reference: 2204-205
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0426D1					
Copper	ND	1.0	EPA 200.8		4-26-22	
Zinc	ND	5.0	EPA 200.8		4-26-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	04-205-09							
	ORIG	DUP						
Copper	5.86	6.50	NA	NA	NA	NA	10	20
Zinc	43.4	48.0	NA	NA	NA	NA	10	20

Analyte	MS	MSD	MS	MSD	MS	MSD	Recovery Limits	RPD	RPD Limit	Flags
MATRIX SPIKES										
Laboratory ID:	04-205-09									
Copper	87.6	89.4	80.0	80.0	5.86	102	104	75-125	2	20
Zinc	131	132	80.0	80.0	43.4	110	111	75-125	1	20





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
 - B - The analyte indicated was also found in the blank sample.
 - C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
 - E - The value reported exceeds the quantitation range and is an estimate.
 - F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
 - H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
 - I - Compound recovery is outside of the control limits.
 - J - The value reported was below the practical quantitation limit. The value is an estimate.
 - K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
 - L - The RPD is outside of the control limits.
 - M - Hydrocarbons in the gasoline range are impacting the diesel range result.
 - M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
 - N - Hydrocarbons in the lube oil range are impacting the diesel range result.
 - N1 - Hydrocarbons in diesel range are impacting lube oil range results.
 - O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
 - P - The RPD of the detected concentrations between the two columns is greater than 40.
 - Q - Surrogate recovery is outside of the control limits.
 - S - Surrogate recovery data is not available due to the necessary dilution of the sample.
 - T - The sample chromatogram is not similar to a typical _____.
 - U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
 - U1 - The practical quantitation limit is elevated due to interferences present in the sample.
 - V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
 - W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
 - X - Sample extract treated with a mercury cleanup procedure.
 - X1 - Sample extract treated with a Sulfuric acid/Silica gel cleanup procedure.
 - Y - The calibration verification for this analyte exceeded the 20% drift specified in method 8260C, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
 - Z -
- ND - Not Detected at PQL
 PQL - Practical Quantitation Limit
 RPD - Relative Percent Difference





Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664

Professional
Analytical
Services

May 12 2022
ONSITE ENVIRONMENTAL
14648 NE 95TH ST
REDMOND, WA 98052
Attention: BLAIR GOODROW

Dear BLAIR GOODROW:

Enclosed please find the analytical data for your REDMOND PAIRED WATERSHED STUDY project.

The following is a cross correlation of client and laboratory identifications for your convenience.

CLIENT ID	MATRIX	AMTEST ID	TEST
COUMO-20220418	Water	22-A006008	Micro, NUT
COUMI-20220418	Water	22-A006009	Micro, NUT
TOSMO-20220418	Water	22-A006010	Micro, NUT
TYLMO-20220418	Water	22-A006011	Micro, NUT
TYLMI-20220418	Water	22-A006012	Micro, NUT
MONMN-20220418	Water	22-A006013	Micro, NUT
MONMS-20220418	Water	22-A006014	Micro, NUT
MONM-20220418	Water	22-A006015	Micro, NUT
TOSMI-20220418	Water	22-A006016	Micro, NUT
SEIMN-20220418	Water	22-A006017	Micro, NUT
COLM-20220418	Water	22-A006018	Micro, NUT
SEIMS-20220418	Water	22-A006019	Micro, NUT
QA118-20220418	Water	22-A006020	Micro, NUT

Your samples were received on Tuesday, April 19, 2022. At the time of receipt, the samples were logged in and properly maintained prior to the subsequent analysis.


The analytical procedures used at AmTest are well documented and are typically derived from the protocols of the EPA, USDA, FDA or the Army Corps of Engineers.

Following the analytical data you will find the Quality Control (QC) results.

Please note that the detection limits that are listed in the body of the report refer to the Practical Quantitation Limits (PQL's), as opposed to the Method Detection Limits (MDL's).

If you should have any questions pertaining to the data package, please feel free to contact me.

Sincerely,


Aaron W. Young
Vice President

Project #: 14-05806-000
PO Number: 04-205

BACT = Bacteriological
CONV = Conventionals

MET = Metals
ORG = Organics

NUT=Nutrients
DEM=Demand

MIN=Minerals 1

Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664
www.amtestlab.com



Professional
Analytical
Services

ANALYSIS REPORT

ONSITE ENVIRONMENTAL
14648 NE 95TH ST
REDMOND, WA 98052
Attention: BLAIR GOODROW
Project Name: REDMOND PAIRED WATERSHED STUDY
Project #: 14-05806-000
PO Number: 04-205
All results reported on an as received basis.

Date Received: 04/19/22
Date Reported: 5/12/22

AMTEST Identification Number 22-A006008
Client Identification COUMO-20220418
Sampling Date 04/18/22, 16:05

Microbiological

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE / TIME
Fecal Coliform	200	CFU/100 ml		1	SM 9222D	OB	04/19/22 10:45

Nutrients

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	1.36	mg/l		0.1			
Total Nitrogen (TKN)	1.11	mg/l		0.25	EPA 351.2	KS	04/28/22
Total Nitrate + Nitrite	0.245	mg/l		0.02	EPA 353.2	KS	04/21/22

AMTEST Identification Number 22-A006009
Client Identification COUMI-20220418
Sampling Date 04/18/22, 16:20

Microbiological

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE / TIME
Fecal Coliform	500	CFU/100 ml		1	SM 9222D	OB	04/19/22 10:45

Nutrients

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	0.65	mg/l		0.1			
Total Nitrogen (TKN)	0.461	mg/l		0.25	EPA 351.2	KS	04/28/22
Total Nitrate + Nitrite	0.187	mg/l		0.02	EPA 353.2	KS	04/21/22

AMTEST Identification Number 22-A006010
Client Identification TOSMO-20220418
Sampling Date 04/18/22, 16:35

Microbiological

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE / TIME
Fecal Coliform	150	CFU/100 ml		1	SM 9222D	OB	04/19/22 10:45

Nutrients

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	1.19	mg/l		0.1			
Total Nitrogen (TKN)	0.790	mg/l		0.25	EPA 351.2	KS	04/28/22
Total Nitrate + Nitrite	0.398	mg/l		0.02	EPA 353.2	KS	04/21/22

AMTEST Identification Number 22-A006011
Client Identification TYLMO-20220418
Sampling Date 04/18/22, 17:00

Microbiological

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE / TIME
Fecal Coliform	400	CFU/100 ml		1	SM 9222D	OB	04/19/22 10:45

Nutrients

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	1.04	mg/l		0.1			
Total Nitrogen (TKN)	0.820	mg/l		0.25	EPA 351.2	KS	04/28/22
Total Nitrate + Nitrite	0.219	mg/l		0.02	EPA 353.2	KS	04/21/22

AMTEST Identification Number 22-A006012
Client Identification TYLMI-20220418
Sampling Date 04/18/22, 17:05

Microbiological

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE / TIME
Fecal Coliform	< 1	CFU/100 ml		1	SM 9222D	OB	04/19/22 10:45

Nutrients

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	1.38	mg/l		0.1			
Total Nitrogen (TKN)	0.797	mg/l		0.25	EPA 351.2	KS	04/28/22
Total Nitrate + Nitrite	0.581	mg/l		0.02	EPA 353.2	KS	04/21/22

AMTEST Identification Number 22-A006013
Client Identification MONMN-20220418
Sampling Date 04/18/22, 18:05

Microbiological

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE / TIME
Fecal Coliform	6.	CFU/100 ml		1	SM 9222D	OB	04/19/22 10:45

Nutrients

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	0.90	mg/l		0.1			
Total Nitrogen (TKN)	0.792	mg/l		0.25	EPA 351.2	KS	04/28/22
Total Nitrate + Nitrite	0.112	mg/l		0.02	EPA 353.2	KS	04/21/22

AMTEST Identification Number 22-A006014
Client Identification MONMS-20220418
Sampling Date 04/18/22, 18:20

Microbiological

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE / TIME
Fecal Coliform	8.	CFU/100 ml		1	SM 9222D	OB	04/19/22 10:45

Nutrients

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	0.78	mg/l		0.1			
Total Nitrogen (TKN)	0.599	mg/l		0.25	EPA 351.2	KS	04/28/22
Total Nitrate + Nitrite	0.183	mg/l		0.02	EPA 353.2	KS	04/21/22

AMTEST Identification Number 22-A006015
Client Identification MONM-20220418
Sampling Date 04/18/22, 17:50

Microbiological

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE / TIME
Fecal Coliform	13.	CFU/100 ml		1	SM 9222D	OB	04/19/22 10:45

Nutrients

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	0.93	mg/l		0.1			
Total Nitrogen (TKN)	0.721	mg/l		0.25	EPA 351.2	KS	04/28/22
Total Nitrate + Nitrite	0.206	mg/l		0.02	EPA 353.2	KS	04/21/22

AMTEST Identification Number 22-A006016
Client Identification TOSMI-20220418
Sampling Date 04/18/22, 16:10

Microbiological

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE / TIME
Fecal Coliform	100	CFU/100 ml		1	SM 9222D	OB	04/19/22 10:45

Nutrients

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	1.24	mg/l		0.1			
Total Nitrogen (TKN)	0.875	mg/l		0.25	EPA 351.2	KS	04/28/22
Total Nitrate + Nitrite	0.361	mg/l		0.02	EPA 353.2	KS	04/21/22

AMTEST Identification Number 22-A006017
Client Identification SEIMN-20220418
Sampling Date 04/18/22, 17:10

Microbiological

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE / TIME
Fecal Coliform	1.	CFU/100 ml		1	SM 9222D	OB	04/19/22 10:45

Nutrients

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	0.53	mg/l		0.1			
Total Nitrogen (TKN)	0.422	mg/l		0.25	EPA 351.2	KS	04/28/22
Total Nitrate + Nitrite	0.105	mg/l		0.02	EPA 353.2	KS	04/21/22

AMTEST Identification Number 22-A006018
Client Identification COLM-20220418
Sampling Date 04/18/22, 17:30

Microbiological

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE / TIME
Fecal Coliform	2.	CFU/100 ml		1	SM 9222D	OB	04/19/22 10:45

Nutrients

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	0.57	mg/l		0.1			
Total Nitrogen (TKN)	0.573	mg/l		0.25	EPA 351.2	KS	04/28/22
Total Nitrate + Nitrite	< 0.02	mg/l		0.02	EPA 353.2	KS	04/21/22

AMTEST Identification Number 22-A006019
Client Identification SEIMS-20220418
Sampling Date 04/18/22, 17:30

Microbiological

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE / TIME
Fecal Coliform	7.	CFU/100 ml		1	SM 9222D	OB	04/19/22 10:45

Nutrients

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	0.71	mg/l		0.1			
Total Nitrogen (TKN)	0.520	mg/l		0.25	EPA 351.2	KS	04/28/22
Total Nitrate + Nitrite	0.192	mg/l		0.02	EPA 353.2	KS	04/21/22


AMTEST Identification Number 22-A006020
Client Identification QA118-20220418
Sampling Date 04/18/22, 16:05

Microbiological

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE / TIME
Fecal Coliform	30.	CFU/100 ml		1	SM 9222D	OB	04/19/22 10:45

Nutrients

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Nitrogen (NOX&TKN)	1.09	mg/l		0.1			
Total Nitrogen (TKN)	0.842	mg/l		0.25	EPA 351.2	KS	04/28/22
Total Nitrate + Nitrite	0.251	mg/l		0.02	EPA 353.2	KS	04/21/22


Aaron W. Young
Vice President

QC Summary for sample numbers: 22-A006008 to 22-A006020

DUPLICATES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	DUP VALUE	RPD
22-A006021	Fecal Coliform	CFU/100 ml	< 1	< 1	
22-A006017	Total Nitrogen (TKN)	mg/l	0.422	0.454	7.3
22-A006201	Total Nitrogen (TKN)	mg/l	1.09	1.39	24.
22-A006268	Total Nitrogen (TKN)	mg/l	1.13	1.07	5.5
22-A006344	Total Nitrogen (TKN)	mg/l	0.316	0.388	20.
22-A006354	Total Nitrogen (TKN)	mg/l	0.423	0.353	18.
22-A006531	Total Nitrogen (TKN)	mg/l	0.273	< 0.25	
22-A005867	Total Nitrate + Nitrite	mg/l	< 0.02	< 0.02	
22-A005891	Total Nitrate + Nitrite	mg/l	0.314	0.320	1.9
22-A005901	Total Nitrate + Nitrite	mg/l	0.420	0.429	2.1
22-A005913	Total Nitrate + Nitrite	mg/l	0.285	0.288	1.0
22-A005920	Total Nitrate + Nitrite	mg/l	0.464	0.460	0.87
22-A005996	Total Nitrate + Nitrite	mg/l	< 0.02	< 0.02	
22-A006015	Total Nitrate + Nitrite	mg/l	0.206	0.203	1.5
22-A006032	Total Nitrate + Nitrite	mg/l	0.278	0.272	2.2
22-A006086	Total Nitrate + Nitrite	mg/l	< 0.02	< 0.02	
22-A006172	Total Nitrate + Nitrite	mg/l	2.18	2.18	0.00
22-A006215	Total Nitrate + Nitrite	mg/l	2.66	2.67	0.38
22-A006220	Total Nitrate + Nitrite	mg/l	0.198	0.195	1.5

MATRIX SPIKES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	SMPL+ SPK	SPK AMT	RECOVERY
22-A006017	Total Nitrogen (TKN)	mg/l	0.422	2.30	2.00	93.90 %
22-A006201	Total Nitrogen (TKN)	mg/l	1.09	3.04	2.00	97.50 %
22-A006268	Total Nitrogen (TKN)	mg/l	1.13	3.10	2.00	98.50 %
22-A006344	Total Nitrogen (TKN)	mg/l	0.316	2.36	2.00	102.20 %
22-A006354	Total Nitrogen (TKN)	mg/l	0.423	2.48	2.00	102.85 %
22-A006531	Total Nitrogen (TKN)	mg/l	0.273	2.29	2.00	100.85 %
22-A005867	Total Nitrate + Nitrite	mg/l	< 0.02	0.967	1.00	96.70 %
22-A005891	Total Nitrate + Nitrite	mg/l	0.314	1.31	1.00	99.60 %
22-A005901	Total Nitrate + Nitrite	mg/l	0.420	1.42	1.00	100.00 %
22-A005913	Total Nitrate + Nitrite	mg/l	0.285	1.28	1.00	99.50 %
22-A005920	Total Nitrate + Nitrite	mg/l	0.464	1.48	1.00	101.60 %
22-A005996	Total Nitrate + Nitrite	mg/l	< 0.02	0.921	1.00	92.10 %
22-A006015	Total Nitrate + Nitrite	mg/l	0.206	1.20	1.00	99.40 %
22-A006032	Total Nitrate + Nitrite	mg/l	0.278	1.31	1.00	103.20 %
22-A006086	Total Nitrate + Nitrite	mg/l	< 0.02	0.991	1.00	99.10 %
22-A006172	Total Nitrate + Nitrite	mg/l	2.18	12.7	10.0	105.20 %
22-A006215	Total Nitrate + Nitrite	mg/l	2.66	3.66	1.00	100.00 %
22-A006220	Total Nitrate + Nitrite	mg/l	0.198	1.23	1.00	103.20 %

QC Summary for sample numbers: 22-A006008 to 22-A006020...

STANDARD REFERENCE MATERIALS

ANALYTE	UNITS	TRUE VALUE	MEASURED VALUE	RECOVERY
Total Nitrogen (TKN)	mg/l	1.00	0.991	99.1 %
Total Nitrogen (TKN)	mg/l	1.00	0.996	99.6 %
Total Nitrogen (TKN)	mg/l	1.00	0.993	99.3 %
Total Nitrogen (TKN)	mg/l	1.00	0.993	99.3 %
Total Nitrogen (TKN)	mg/l	1.00	1.02	102. %
Total Nitrogen (TKN)	mg/l	1.00	1.02	102. %
Total Nitrogen (TKN)	mg/l	1.00	1.01	101. %
Total Nitrate + Nitrite	mg/l	1.00	0.952	95.2 %
Total Nitrate + Nitrite	mg/l	1.00	1.03	103. %
Total Nitrate + Nitrite	mg/l	1.00	1.04	104. %
Total Nitrate + Nitrite	mg/l	1.00	1.02	102. %
Total Nitrate + Nitrite	mg/l	1.00	1.04	104. %
Total Nitrate + Nitrite	mg/l	1.00	1.03	103. %
Total Nitrate + Nitrite	mg/l	1.00	1.04	104. %
Total Nitrate + Nitrite	mg/l	1.00	1.03	103. %
Total Nitrate + Nitrite	mg/l	1.00	1.01	101. %
Total Nitrate + Nitrite	mg/l	1.00	1.02	102. %
Total Nitrate + Nitrite	mg/l	1.00	1.03	103. %
Total Nitrate + Nitrite	mg/l	1.00	1.01	101. %

BLANKS

ANALYTE	UNITS	RESULT
Fecal Coliform	CFU/100 ml	< 1
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02



T = 7.1°C

14648 NE 95th Street, Redmond, WA 98052 · (425) 883-3881

Laboratory: AmTest Laboratories

Attention: Aaron Young

13600 NE 126th Pl Kirkland, WA 98034

Phone Number: (425) 885-1664

Turnaround Request

1 Day 2 Day 3 Day

Standard

Other: _____

Laboratory Reference #: 04-205

Project Manager: Blair Goodrow

email: bgoodrow@onsite-env.com

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study

6008
09
10
11
12
13
14
15
16
17

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Requested Analyses
1	COUMO-20220418	4/18/22	16:05	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
2	COUMI-20220418	4/18/22	16:20	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
3	TOSMO-20220418	4/18/22	16:35	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
4	TYLMO-20220418	4/18/22	17:00	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
5	TYLMI-20220418	4/18/22	17:05	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
6	MONMN-20220418	4/18/22	18:05	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
7	MONMS-20220418	4/18/22	18:20	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
8	MONM-20220418	4/18/22	17:50	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
9	TOSMI-20220418	4/18/22	16:10	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
10	SEIMN-20220418	4/18/22	17:10	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
Signature		Company		Date	Time	Comments/Special Instructions
Relinquished by:		AmTest		4/19/22	9:50	
Received by:		AmTest		4/19/22	9:50	
Relinquished by:						
Received by:						
Relinquished by:						EDDs - CSV Reporting Limits: Fecal Coliform - 1.0 cfu/100ml Total Nitrogen - .10 mg/L
Received by:						

17

CHAIN OF CUSTODY

14648 NE 95th Street, Redmond, WA 98052
Telephone: 425.883.3881

Company: Herrera Environmental Consultants

Project No.: 14-05806-000

Project Name: Redmond Paired Watershed Study

Project Manager: George Iftner

Turnaround Requested:

- 1 Day
 2 Day
 3 Day
 Standard

Laboratory No. 04-205

Requested Analyses

Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	
1	COUMO-2022 0418	4/18/22	16:05	Water	7	
2	COUMI-2022 0418	↓	16:20	Water	7	
3	TOSMO-2022 0418		16:35	Water	7	
4	TYLMO-2022 0418		17:00	Water	7	
5	TYLMI-2022 0418		17:05	Water	7	
6	MONMN-2022 0418		18:05	Water	7	
7	MONMS-2022 0418		18:20	Water	7	
8	MONM-2022 0418		17:50	Water	7	
9	TOSMI-2022 0418		16:10	Water	7	
10	SEIMN-2022 0418		18:00	Water	7	
11	COLM-2022 0418		17:30	Water	7	
12	SEIMS-2022 0418		17:30	Water	7	
13	QA - 118 - 2022 0418		↓	16:05	Water	7

Relinquished by [Signature] Date 4/19/22 Received by [Signature] Date 4/19/22
 Firm _____ Time _____ Firm [Signature] Time 0835
 Relinquished by _____ Date _____ Received by _____ Date _____
 Firm _____ Time _____ Firm _____ Time _____

Comments:
* - field filtered with 0.45 µm filter within 15 minutes of collecting sample

Sample/Cooler Receipt and Acceptance Checklist

Client: HEC

Client Project Name/Number: 14-05806-000

Initiated by: NB

OnSite Project Number: 04-205

Date Initiated: 4/19/22

1.0 Cooler Verification

1.1 Were there custody seals on the outside of the cooler?	Yes	<input checked="" type="radio"/> No	N/A	1	2	3	4
1.2 Were the custody seals intact?	Yes	No	<input checked="" type="radio"/> N/A	1	2	3	4
1.3 Were the custody seals signed and dated by last custodian?	Yes	No	<input checked="" type="radio"/> N/A	1	2	3	4
1.4 Were the samples delivered on ice or blue ice?	<input checked="" type="radio"/> Yes	No	N/A	1	2	3	4
1.5 Were samples received between 0-6 degrees Celsius?	<input checked="" type="radio"/> Yes	No	N/A	Temperature: <u>5, 6, 4, 5</u>			
1.6 Have shipping bills (if any) been attached to the back of this form?	Yes	<input checked="" type="radio"/> N/A					
1.7 How were the samples delivered?	<input checked="" type="radio"/> Client	<input type="radio"/> Courier	<input type="radio"/> UPS/FedEx	<input type="radio"/> OSE Pickup	<input type="radio"/> Other		

2.0 Chain of Custody Verification

2.1 Was a Chain of Custody submitted with the samples?	<input checked="" type="radio"/> Yes	No		1	2	3	4
2.2 Was the COC legible and written in permanent ink?	<input checked="" type="radio"/> Yes	No		1	2	3	4
2.3 Have samples been relinquished and accepted by each custodian?	<input checked="" type="radio"/> Yes	No		1	2	3	4
2.4 Did the sample labels (ID, date, time, preservative) agree with COC?	Yes	<input checked="" type="radio"/> No		1	2	3	4
2.5 Were all of the samples listed on the COC submitted?	<input checked="" type="radio"/> Yes	No		1	2	3	4
2.6 Were any of the samples submitted omitted from the COC?	Yes	<input checked="" type="radio"/> No		1	2	3	4

3.0 Sample Verification

3.1 Were any sample containers broken or compromised?	Yes	<input checked="" type="radio"/> No		1	2	3	4
3.2 Were any sample labels missing or illegible?	Yes	<input checked="" type="radio"/> No		1	2	3	4
3.3 Have the correct containers been used for each analysis requested?	<input checked="" type="radio"/> Yes	No		1	2	3	4
3.4 Have the samples been correctly preserved?	<input checked="" type="radio"/> Yes	No	N/A	1	2	3	4
3.5 Are volatiles samples free from headspace and bubbles greater than 6mm?	Yes	No	<input checked="" type="radio"/> N/A	1	2	3	4
3.6 Is there sufficient sample submitted to perform requested analyses?	<input checked="" type="radio"/> Yes	No		1	2	3	4
3.7 Have any holding times already expired or will expire in 24 hours?	Yes	<input checked="" type="radio"/> No		1	2	3	4
3.8 Was method 5035A used?	Yes	No	<input checked="" type="radio"/> N/A	1	2	3	4
3.9 If 5035A was used, which sampling option was used (#1, 2, or 3).	#		<input checked="" type="radio"/> N/A	1	2	3	4

Explain any discrepancies:

2.4) #1 - All labels read 16:05.

1 - Discuss issue in Case Narrative

3 - Client contacted to discuss problem

2 - Process Sample As-is

4 - Sample cannot be analyzed or client does not wish to proceed

CHAIN OF CUSTODY

14648 NE 95th Street, Redmond, WA 98052
Telephone: 425.883.3881

Company: Herrera Environmental Consultants
Project No.: 14-05806-000
Project Name: Redmond Paired Watershed Study
Project Manager: George Iftner

Turnaround Requested:

- 1 Day
 2 Day
 3 Day
 Standard

Laboratory No. **04-205**

Requested Analyses

Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	
	COUMO-2022	4/18/22	16:05	Water	7	
	COUMI-2022	↓	16:20	Water	7	
	TOSMO-2022		16:35	Water	7	
	TYLMO-2022		17:00	Water	7	
	TYLMI-2022		17:05	Water	7	
	MONMN-2022		18:05	Water	7	
	MONMS-2022		18:20	Water	7	
	MONM-2022		17:50	Water	7	
	TOSMI-2022		16:10	Water	7	
	SEIMN-2022		18:00	Water	7	
	COLM-2022		17:30	Water	7	
	SEIMS-2022		17:30	Water	7	
	QA - 118 - 20220418			16:05	Water	7

Relinquished by *George Iftner* Date 4/19/22 Received by *[Signature]* Date 4/19/22
 Firm _____ Time _____ Firm *ESE* Time 0835
 Relinquished by _____ Date _____ Received by _____ Date _____
 Firm _____ Time _____ Firm _____ Time _____

Comments:
* - field filtered with 0.45 µm filter within 15 minutes of collecting sample

METER CALIBRATION LOG - Redmond Paired Watershed Study

Project Number:	14-05806-000		
Personnel Performing Calibration:	David Garcia		
Meter:	Pro QSS #2		
Date/Time:	4/10/22 11:50		
Barometric Pressure Start of Day:	mmHg: 756.4	Time: 11:50	
Barometric Pressure End of Day:	mmHg: 761.5	Time: 20:00	

Calibration Procedures:
Rinse Multimeter Sonde Between Each Operation
Rinse 3 times with tap water, 3 times with deionized water, then 3 times with the solution to be used for calibrating or testing.
Conductivity Calibration Notes:



PRE Field Run CALIBRATION	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	0.8	0	20.9	
Conductivity (µS/cm)	1040	1,000	21.3	
Conductivity (µS/cm)	96.2	100	21.4	
DO % Saturation	101.9	100	21.4	

1. Dry the conductivity probe with a lab tissue (e.g., KimWipes®) and DI water.
2. Fill calibration cup to within a centimeter of the top of the calibration cup with DI water (0 µS).
3. Fill the calibration cup with 1,000 µS standard so that the temperature/conductivity probe is submerged.
4. Make sure there are no bubbles in the cell; wait 2 minutes.
5. Enter the appropriate standard value (1,000 µS/cm or 1.0 mS/cm) for Sp Cond.
6. Check conductivity using 100 µS/cm standard.

POST Field Run CHECK	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	0.7	0	21.7	
Conductivity (µS/cm)	99.5	100	23.6	
DO % Saturation	103	100	23.5	

- Dissolved Oxygen Calibration Notes:**
1. Fill the calibration cup with about 1/2 inch of DI; it should be below the sensor cap.
 2. Use KimWipes® to dry any droplets from the sensor cap.
 3. Invert calibration cup's cap and gently rest it on the cup.
 4. Wait 5 minutes, making sure that temperature stabilizes.
 5. Determine local barometric pressure (mm Hg) and enter this value into the meter.
 6. Click "Calibrate". "Calibrate Successful" will be displayed.
 7. To retain calibration accuracy between measurements, store with the sensor immersed in water or within a water-saturated air environment such as a sealed storage cup with at least 10 ml of water.
 8. It is important to have the water-saturated air and the sensor at the same temperature. Therefore, store a jar of DI in the same environment as the sonde and calibrate in a similar air temperature as the water and sonde.
 9. Keep probe out of direct sun or wind.

METER CALIBRATION LOG - Redmond Paired Watershed Study

Project Number:	14-05806-000		
Personnel Performing Calibration:	David Garcia		
Meter:	Pro DSS #1		
Date/Time:	4/18/22	11:37	
Barometric Pressure Start of Day:	mmHg: 756	Time: 11:57	
Barometric Pressure End of Day:	mmHg: 761.3	Time: 20:00	

PRE Field Run CALIBRATION	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	1.7	0	20.3	
Conductivity (µS/cm)	1000 ^g	1,000	20.4	
Conductivity (µS/cm)	96.1	100	20.5	
DO % Saturation	102.5	100	20.5	

POST Field Run CHECK	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	1.0	0	20.9	
Conductivity (µS/cm)	100.5	100	22.6	
DO % Saturation	103.7	100	22.6	

Calibration Procedures:

Rinse Multimeter Sonde Between Each Operation

Rinse 3 times with tap water, 3 times with deionized water, then 3 times with the solution to be used for calibrating or testing.

Conductivity Calibration Notes:

1. Dry the conductivity probe with a lab tissue (e.g., KimWipes®) and DI water.
2. Fill calibration cup to within a centimeter of the top of the calibration cup with DI water (0 µS).
3. Fill the calibration cup with 1,000 µS standard so that the temperature/conductivity probe is submerged.
4. Make sure there are no bubbles in the cell; wait 2 minutes.
5. Enter the appropriate standard value (1,000 µS/cm or 1.0 mS/cm) for Sp Cond.
6. Check conductivity using 100 µS/cm standard.

Dissolved Oxygen Calibration Notes:

1. Fill the calibration cup with about 1/2 inch of DI; it should be below the sensor cap.
2. Use KimWipes® to dry any droplets from the sensor cap.
3. Invert calibration cup's cap and gently rest it on the cup.
4. Wait 5 minutes, making sure that temperature stabilizes.
5. Determine local barometric pressure (mm Hg) and enter this value into the meter.
6. Click "Calibrate". "Calibrate Successful" will be displayed.
7. To retain calibration accuracy between measurements, store with the sensor immersed in water or within a water-saturated air environment such as a sealed storage cup with at least 10 ml of water.
8. It is important to have the water-saturated air and the sensor at the same temperature. Therefore, store a jar of DI in the same environment as the sonde and calibrate in a similar air temperature as the water and sonde.
9. Keep probe out of direct sun or wind.



FIELD SAMPLING SHEET - Redmond Paired Watershed Study



HERRERA

Field Personnel: NM, MMH

Sample Date: 20220418

Sample Time: 17:00

PDT:

SITE

ID: TYLMO

Base Flow or Storm Event?

Field filtered 5 minutes later: YN

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)

Project Name: Redmond Paired Watershed Study

Water Quality Sampling

Sample ID: TYLMO-202204

Current Weather and Temp: RAIN, 47°F

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	↓
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	↓
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	↓
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	↓
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	↓

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: ---

Filter blank sample ID: ---

Transfer blank sample ID: ---

Visual and Olfactory Conditions:

Clarity: CLEAR
 Color: NONE
 Odor: NONE
 Sheen: NONE
 Floatables: NONE

LABORATORY DELIVERY

Date:

Time:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 2.83

Reference Point (description): BOTTOM OF ^{LIP} CULVERT

Water Quality Measurements

Temperature (°C) 8.6

Specific Conductivity (µs/cm) 131.2

Dissolved Oxygen (mg/L) ~~8.2~~ 97.6

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: PNM, MMH

Sample Date: 20220418

Sample Time: 17:05

PDT:

SITE

ID: TYLMI

Base Flow or Storm Event? Storm

Field filtered 5 minutes later N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: RAIN 47°F

Water Quality Sampling

Sample ID: TYLMI-20220418

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: —

Filter blank sample ID: —

Transfer blank sample ID: —

Visual and Olfactory Conditions:

Clarity: CLEAR
 Color: NONE
 Odor: NONE
 Sheen: NONE
 Floatables: SOME FOAM/BUBBLES

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 4.37

Reference Point (description): FROM BOTTOM WP OF CULVERT

Water Quality Measurements

Temperature (°C) 8.5

Specific Conductivity (µs/cm) 201.2

Dissolved Oxygen (mg/L) 10.93

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NM, MMH

Sample Date: 20220418

Sample Time: 6:35

PDT:

SITE

ID: TOSMO

Base Flow or Storm Event?

Field filtered 5 minutes later: Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: RAIN, 48°F

Water Quality Sampling

Sample ID: TOSMO-20220418

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:	<u>—</u>
Filter blank sample ID:	<u>—</u>
Transfer blank sample ID:	<u>—</u>

Visual and Olfactory Conditions:

Clarity: CLEAR
 Color: NONE
 Odor: NONE
 Sheen: NONE
 Floatables: NONE

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.64

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 8.5

Specific Conductivity (µs/cm) 189.7

Dissolved Oxygen (mg/L) 11.55

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: David Coates, Nick Bartish

Sample Date: 4/18/22

Sample Time: 16:10

PDT: X

SITE ID: TOSM1

Base Flow or Storm Event? (circled)

Field filtered 5 minutes later (Y/N)
(Must filter within 15 minutes of collection)

PST:

Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Partly, 55°F

Water Quality Sampling

Sample ID: TOSM120220418

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>No</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: Clear

Color:

Odor:

Sheen:

Floatables:

LABORATORY DELIVERY

Date:

Time:

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.88

Reference Point (description): SL

Water Quality Measurements

Temperature (°C) 10.0

Specific Conductivity (µs/cm) 145.1

Dissolved Oxygen (mg/L) 10.89

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



HERRERA

Field Personnel: MMH, NM

Sample Date: 20220418

Sample Time: 17:30

PDT:

SITE ID: SEIMS

Base Flow or Storm Event? Storm

Field filtered 5 minutes later Y N
(Must filter within 15 minutes of collection)

PST:

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: RAIN 47°F

Water Quality Sampling

Sample ID: SEIMS-20220418

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: —

Filter blank sample ID: —

Transfer blank sample ID: —

Visual and Olfactory Conditions:

Clarity: CLEAR
 Color: NONE
 Odor: NONE
 Sheen: NONE
 Floatables: SOME BUBBLES

LABORATORY DELIVERY

Date:

Time:

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.82

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 7.3

Specific Conductivity (µs/cm) 106.3

Dissolved Oxygen (mg/L) 11.60

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: 26, NO

Sample Date: 4/18/22

Sample Time: 17:00

PDT:

PST:

SITE ID: SELMN

Base Flow or Storm Event? ○

Field filtered 5 minutes later? Y N

(Must filter within 15 minutes of collection)

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Cloudy, 55°F

Water Quality Sampling

Sample ID: SELMN 20220418

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	<u>↓</u>
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	<u>↓</u>
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	<u>↓</u>
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	<u>↓</u>
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	<u>↓</u>
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<u>↓</u>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____

Filter blank sample ID: _____

Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear

Color: _____

Odor: _____

Sheen: _____

Floatables: _____

LABORATORY DELIVERY

Date: _____

Time: _____

Quality Assurance

Checked By: _____

Signature: _____

Date Checked: _____

Time: _____

Data Entered into Database? _____

YES

NO

initials: _____

Date Entered: _____

Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.75 ft

Reference Point (description): Top

Water Quality Measurements

Temperature (°C) 8.0

Specific Conductivity (µs/cm) 66.1

Dissolved Oxygen (mg/L) 12.52

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



HERRERA

Field Personnel: MMH, NM SITE ID: MONM
 Sample Date: 20220418 Sample Time: 17:50 PDT:
 Base Flow or Storm Event? Field filtered 5 minutes later Y N PST: Project Number: 14-05806-000
(Must filter within 15 minutes of collection)

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: RAIN 47°F

Water Quality Sampling

Sample ID: MONM-20220418

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: ---
 Filter blank sample ID: ---
 Transfer blank sample ID: ---

Visual and Olfactory Conditions:

Clarity: CLEAR
 Color: NONE
 Odor: NONE
 Sheen: NONE
 Floatables: NONE

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials:
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 ✓ _____
 YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft):
 Reference Point (description):

Water Quality Measurements

Temperature (°C) 9.4
 Specific Conductivity (µs/cm) 217.3
 Dissolved Oxygen (mg/L) 11.55

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: 06, NB
 Sample Date: 4/18/22 Sample Time: 18:20 PDT:
 Base Flow or Storm Event? Field filtered 5 minutes later: Y N
 (Must filter within 15 minutes of collection) PST:

SITE ID: MONMS
 Project Number: 14-05806-000



Water Quality Sampling

Sample ID: MONMS 20220418

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: some floatables

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Calny, 55°F

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 6.72
 Reference Point (description): Measure down

Water Quality Measurements

Temperature (°C) 9.5
 Specific Conductivity (µs/cm) 265.4
 Dissolved Oxygen (mg/L) 8.94

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: DG, NB

Sample Date: 4/18/22 Sample Time: 18:05 PDT: >

Base Flow or Storm Event? Field filtered 5 minutes later: N PST:

(Must filter within 15 minutes of collection)

SITE ID: NONMN

Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Cloudy, 55°F

Water Quality Sampling

Sample ID: NONMN 20220418

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	No
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	↓
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	↓
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	↓
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	↓
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____

Filter blank sample ID: _____

Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear

Color: _____

Odor: _____

Sheen: _____

Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 9.20

Reference Point (description): 56

Water Quality Measurements

Temperature (°C) 9.2

Specific Conductivity (µs/cm) 196.3

Dissolved Oxygen (mg/L) 10.72

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



HERRERA

Field Personnel: NM, NMH

Sample Date: 20220418

Sample Time: 16:05

PDT:

SITE

ID: Coumo

Base Flow or Storm Event? (circled)

Field filtered 5 minutes later: Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: LIGHT RAIN 48°F

Water Quality Sampling

Sample ID: Coumo-20220418

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	↓
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 μm filter and vacuum hand pump

Duplicate sample ID: QA 118-20220418

Filter blank sample ID: ---

Transfer blank sample ID: ---

Visual and Olfactory Conditions:

Clarity: Clear
 Color: None
 Odor: None
 Sheen: None
 Floatables: None

LABORATORY DELIVERY

Date: _____

Time: _____

Quality Assurance

Checked By: _____

Signature: _____

Date Checked: _____

Time: _____

Data Entered into Database? _____

YES

NO

initials: _____

Date Entered: _____

Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 1.39

Reference Point (description): S6

Water Quality Measurements

Temperature (°C) 8.6

Specific Conductivity (μs/cm) 219.4

Dissolved Oxygen (mg/L) 11.05

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: NM, MPH

Sample Date: 20220418

Sample Time: 16:20

PDT:

SITE ID: COUMI

Base Flow or Storm Event?

Field filtered 5 minutes later: Y N
(Must filter within 15 minutes of collection)

PST:

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: LIGHT RAIN 48° F

Water Quality Sampling

Sample ID: COUMI - 20220418

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: CLEAR
 Color: NONE
 Odor: NONE
 Sheen: NONE
 Floatables: NONE

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 2.65

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 7.8

Specific Conductivity (µs/cm) 286!

Dissolved Oxygen (mg/L) 11.63



HERRERA

Data Quality Assurance Worksheet

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 4/18/22 /All locations, QA118 (COUMO) Lab Ref No 2204-205

By J. Brown

Date 6/10/22 Page 1 of 2

Checked: initials
JL

date 6/30/2022

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹		
TSS	OK / SM 2540D	NA	NA	1	≤7	≤1.0 mg/L	NA	NA	86	±20	<1	≤25	37	≤25	OK	FLAG COUMO J DUE TO FIELD DUPE EXCEEDANCE
						1.0 mg/L										
Turbidity	OK / EPA 180.1	NA	NA	1	≤2	≤0.1 NTU	NA	NA	NA	±10	D=0.05	≤25	17	≤25	OK	NONE
						0.1 NTU										
Hardness	OK / SM 2340B	NA	NA	7	≤180	≤1.0 mg/L	95, 102	±25	107	±15	1 MS 3	≤20	1	≤20	OK	NONE
						1.0 mg/L										
DOC	OK / SM 5310B	≤15	≤15	2	≤28	≤1.0 mg/L	114	±25	116	±15	D=0.6	≤20	5	≤20	OK	NONE
						1.0 mg/L										
Total Phosphorus	OK / EPA 365.1	NA	NA	4	≤28	≤0.01 mg/L	105	±25	102	±20	4	≤20	5	≤20	OK	NONE
						0.01 mg/L										
Total Nitrogen (TKN + N+N)	OK/ SM 4500 N-B	NA	NA	3, 10	≤28	≤0.1 mg/L	92-105	±25	95-104	±20	NC <1-2 D=0.03- 0.07	≤20	D=0.27 2	≤20	OK	NO FLAG DUE TO ELEVATED REPORTING LIMIT (DIFFERENCE IS <2X THE RL)
						0.1 mg/L										

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.

NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported



HERRERA

Data Quality Assurance Worksheet

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 4/18/22 /All locations, QA118 (COUMO) Lab Ref No 2204-205

By J. Brown

Date 6/10/22 Page 2 of 2

Checked: initials JL

date 6/30/2022

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal	Reported	Goal ¹	Reported	Goal ¹		
Total Copper	OK/ EPA 200.8	NA	NA	3	≤180	≤1.0 µg/L 1.0 µg/L	99, 97	±25	NR	±15	NC MS 2	≤20	10	≤20	OK	NONE
Total Zinc	OK/ EPA 200.8	NA	NA	3	≤180	≤5.0 µg/L 5.0 µg/L	102, 100	±25	NR	±15	NC MS 2	≤20	7	≤20	OK	NONE
Dissolved Copper	OK/ EPA 200.8	≤15	≤15	8	≤180	≤1.0 µg/L 1.0 µg/L	102, 104	±25	NR	±15	10 MS 2	≤20	D=0.2	≤20	OK	NONE
Dissolved Zinc	OK/ EPA 200.8	≤15	≤15	8	≤180	≤5.0 µg/L 5.0 µg/L	110, 111	±25	NR	±15	10 MS 1	≤20	D=7.0	≤20	OK	NONE
Fecal Coliform	OK/ SM 9222D	NA	NA	<1	≤1	≤1.0 cfu/ 100mL 10 cfu/ 100mL	NA	NA	NA	NA	NC	≤35	148	≤50	OK	FLAG COUMO J DUE TO HIGH FIELD DUPE RPD

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.

NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

May 25, 2022

Jess Brown
Herrera Environmental Consultants, Inc.
2200 6th Avenue, Suite 1100
Seattle, WA 98121

Re: Analytical Data for Project 14-05806-000
Laboratory Reference No. 2205-063

Dear Jess:

Enclosed are the analytical results and associated quality control data for samples submitted on May 5, 2022.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read "Blair Goodrow", enclosed within a large, loopy circular flourish.

Blair Goodrow
Project Manager

Enclosures



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: May 25, 2022
Samples Submitted: May 5, 2022
Laboratory Reference: 2205-063
Project: 14-05806-000

Case Narrative

Samples were collected on May 5, 2022 and received by the laboratory on May 5, 2022. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.

Total Suspended Solids SM 2540D Analysis

The Method Blank inadvertently had a lesser amount of DI water filtered, causing a higher PQL. All the samples had the correct amount of sample filtered, giving the correct PQL.

Turbidity EPA 180.1 Analysis

The duplicate RPD is outside control limits due to sample inhomogeneity.

Please note that any other QA/QC issues associated with these extractions and analyses will be indicated with a footnote reference and discussed in detail on the Data Qualifier page.



Date of Report: May 25, 2022
 Samples Submitted: May 5, 2022
 Laboratory Reference: 2205-063
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220505					
Laboratory ID:	05-063-01					
Total Suspended Solids	8.4	1.0	SM 2540D	5-10-22	5-11-22	

Client ID:	COUMI-20220505					
Laboratory ID:	05-063-02					
Total Suspended Solids	14	1.0	SM 2540D	5-10-22	5-11-22	

Client ID:	TOSMO-20220505					
Laboratory ID:	05-063-03					
Total Suspended Solids	24	1.0	SM 2540D	5-10-22	5-11-22	

Client ID:	TYLMO-20220505					
Laboratory ID:	05-063-04					
Total Suspended Solids	10	1.0	SM 2540D	5-10-22	5-11-22	

Client ID:	TYLMI-20220505					
Laboratory ID:	05-063-05					
Total Suspended Solids	6.4	1.0	SM 2540D	5-10-22	5-11-22	

Client ID:	MONMN-20220505					
Laboratory ID:	05-063-06					
Total Suspended Solids	8.2	1.0	SM 2540D	5-10-22	5-11-22	

Client ID:	MONMS-20220505					
Laboratory ID:	05-063-07					
Total Suspended Solids	ND	1.0	SM 2540D	5-10-22	5-11-22	

Client ID:	MONM-20220505					
Laboratory ID:	05-063-08					
Total Suspended Solids	12	1.0	SM 2540D	5-10-22	5-11-22	

Client ID:	TOSMI-20220505					
Laboratory ID:	05-063-09					
Total Suspended Solids	23	1.0	SM 2540D	5-10-22	5-11-22	



Date of Report: May 25, 2022
 Samples Submitted: May 5, 2022
 Laboratory Reference: 2205-063
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-20220505					
Laboratory ID:	05-063-10					
Total Suspended Solids	10	1.0	SM 2540D	5-10-22	5-11-22	

Client ID:	COLM-20220505					
Laboratory ID:	05-063-11					
Total Suspended Solids	ND	1.0	SM 2540D	5-10-22	5-11-22	

Client ID:	SEIMS-20220505					
Laboratory ID:	05-063-12					
Total Suspended Solids	330	1.0	SM 2540D	5-10-22	5-11-22	

Client ID:	QA-119-20220505					
Laboratory ID:	05-063-13					
Total Suspended Solids	27	1.0	SM 2540D	5-10-22	5-11-22	



Date of Report: May 25, 2022
 Samples Submitted: May 5, 2022
 Laboratory Reference: 2205-063
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0510W2					
Total Suspended Solids	ND	1.6	SM 2540D	5-10-22	5-11-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	05-063-01							
	ORIG	DUP						
Total Suspended Solids	8.40	7.80	NA	NA	NA	7	25	

SPIKE BLANK								
Laboratory ID:	SB0510W2							
	SB	SB		SB				
Total Suspended Solids	83.2	100	NA	83	67-112	NA	NA	



Date of Report: May 25, 2022
 Samples Submitted: May 5, 2022
 Laboratory Reference: 2205-063
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220505					
Laboratory ID:	05-063-01					
Turbidity	4.3	0.10	EPA 180.1	5-6-22	5-6-22	

Client ID:	COUMI-20220505					
Laboratory ID:	05-063-02					
Turbidity	8.5	0.10	EPA 180.1	5-6-22	5-6-22	

Client ID:	TOSMO-20220505					
Laboratory ID:	05-063-03					
Turbidity	9.9	0.10	EPA 180.1	5-6-22	5-6-22	

Client ID:	TYLMO-20220505					
Laboratory ID:	05-063-04					
Turbidity	3.9	0.10	EPA 180.1	5-6-22	5-6-22	

Client ID:	TYLMI-20220505					
Laboratory ID:	05-063-05					
Turbidity	3.6	0.10	EPA 180.1	5-6-22	5-6-22	

Client ID:	MONMN-20220505					
Laboratory ID:	05-063-06					
Turbidity	3.7	0.10	EPA 180.1	5-6-22	5-6-22	

Client ID:	MONMS-20220505					
Laboratory ID:	05-063-07					
Turbidity	1.5	0.10	EPA 180.1	5-6-22	5-6-22	

Client ID:	MONM-20220505					
Laboratory ID:	05-063-08					
Turbidity	3.1	0.10	EPA 180.1	5-6-22	5-6-22	



Date of Report: May 25, 2022
 Samples Submitted: May 5, 2022
 Laboratory Reference: 2205-063
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	TOSMI-20220505					
Laboratory ID:	05-063-09					
Turbidity	17	0.10	EPA 180.1	5-6-22	5-6-22	

Client ID:	SEIMN-20220505					
Laboratory ID:	05-063-10					
Turbidity	4.2	0.10	EPA 180.1	5-6-22	5-6-22	

Client ID:	COLM-20220505					
Laboratory ID:	05-063-11					
Turbidity	1.6	0.10	EPA 180.1	5-6-22	5-6-22	

Client ID:	SEIMS-20220505					
Laboratory ID:	05-063-12					
Turbidity	30	0.10	EPA 180.1	5-6-22	5-6-22	

Client ID:	QA-119-20220505					
Laboratory ID:	05-063-13					
Turbidity	14	0.10	EPA 180.1	5-6-22	5-6-22	



Date of Report: May 25, 2022
 Samples Submitted: May 5, 2022
 Laboratory Reference: 2205-063
 Project: 14-05806-000

**TURBIDITY
 EPA 180.1
 QUALITY CONTROL**

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0506W1					
Turbidity	ND	0.10	EPA 180.1	5-6-22	5-6-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags	
DUPLICATE									
Laboratory ID:	05-063-01								
	ORIG	DUP							
Turbidity	4.30	6.20	NA	NA	NA	NA	36	18	L



Date of Report: May 25, 2022
 Samples Submitted: May 5, 2022
 Laboratory Reference: 2205-063
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220505					
Laboratory ID:	05-063-01					
Hardness	80	1.0	EPA 200.7/SM 2340B	5-9-22	5-9-22	

Client ID:	COUMI-20220505					
Laboratory ID:	05-063-02					
Hardness	120	1.0	EPA 200.7/SM 2340B	5-9-22	5-9-22	

Client ID:	TOSMO-20220505					
Laboratory ID:	05-063-03					
Hardness	65	1.0	EPA 200.7/SM 2340B	5-9-22	5-9-22	

Client ID:	TYLMO-20220505					
Laboratory ID:	05-063-04					
Hardness	53	1.0	EPA 200.7/SM 2340B	5-9-22	5-9-22	

Client ID:	TYLMI-20220505					
Laboratory ID:	05-063-05					
Hardness	80	1.0	EPA 200.7/SM 2340B	5-9-22	5-9-22	

Client ID:	MONMN-20220505					
Laboratory ID:	05-063-06					
Hardness	61	1.0	EPA 200.7/SM 2340B	5-9-22	5-9-22	

Client ID:	MONMS-20220505					
Laboratory ID:	05-063-07					
Hardness	91	1.0	EPA 200.7/SM 2340B	5-9-22	5-9-22	



Date of Report: May 25, 2022
 Samples Submitted: May 5, 2022
 Laboratory Reference: 2205-063
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO3/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20220505					
Laboratory ID:	05-063-08					
Hardness	90	1.0	EPA 200.7/SM 2340B	5-9-22	5-9-22	

Client ID:	TOSMI-20220505					
Laboratory ID:	05-063-09					
Hardness	48	1.0	EPA 200.7/SM 2340B	5-9-22	5-9-22	

Client ID:	SEIMN-20220505					
Laboratory ID:	05-063-10					
Hardness	25	1.0	EPA 200.7/SM 2340B	5-9-22	5-9-22	

Client ID:	COLM-20220505					
Laboratory ID:	05-063-11					
Hardness	12	1.0	EPA 200.7/SM 2340B	5-9-22	5-9-22	

Client ID:	SEIMS-20220505					
Laboratory ID:	05-063-12					
Hardness	55	1.0	EPA 200.7/SM 2340B	5-9-22	5-9-22	

Client ID:	QA-119-20220505					
Laboratory ID:	05-063-13					
Hardness	64	1.0	EPA 200.7/SM 2340B	5-9-22	5-9-22	



Date of Report: May 25, 2022
 Samples Submitted: May 5, 2022
 Laboratory Reference: 2205-063
 Project: 14-05806-000

**HARDNESS
 EPA 200.7/SM 2340B
 QUALITY CONTROL**

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0509WH1					
Hardness	ND	1.0	EPA 200.7/SM 2340B	5-9-22	5-9-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	05-063-01							
	ORIG	DUP						
Hardness	79.6	78.7	NA	NA	NA	1	20	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags		
MATRIX SPIKES										
Laboratory ID:	05-063-01									
	MS	MSD	MS	MSD	MS	MSD				
Hardness	208	205	132	132	79.6	97	95	75-125	1	20

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
SPIKE BLANK								
Laboratory ID:	SB0509WH1							
	SB	SB	SB	SB	SB			
Hardness	139	132	NA	105	85-115	NA	NA	



Date of Report: May 25, 2022
 Samples Submitted: May 5, 2022
 Laboratory Reference: 2205-063
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220505					
Laboratory ID:	05-063-01					
Dissolved Organic Carbon	4.7	1.0	SM 5310B	5-12-22	5-12-22	

Client ID:	COUMI-20220505					
Laboratory ID:	05-063-02					
Dissolved Organic Carbon	4.7	1.0	SM 5310B	5-12-22	5-12-22	

Client ID:	TOSMO-20220505					
Laboratory ID:	05-063-03					
Dissolved Organic Carbon	5.7	1.0	SM 5310B	5-12-22	5-12-22	

Client ID:	TYLMO-20220505					
Laboratory ID:	05-063-04					
Dissolved Organic Carbon	5.1	1.0	SM 5310B	5-12-22	5-12-22	

Client ID:	TYLMI-20220505					
Laboratory ID:	05-063-05					
Dissolved Organic Carbon	6.5	1.0	SM 5310B	5-12-22	5-12-22	

Client ID:	MONMN-20220505					
Laboratory ID:	05-063-06					
Dissolved Organic Carbon	5.3	1.0	SM 5310B	5-12-22	5-12-22	

Client ID:	MONMS-20220505					
Laboratory ID:	05-063-07					
Dissolved Organic Carbon	5.9	1.0	SM 5310B	5-12-22	5-12-22	

Client ID:	MONM-20220505					
Laboratory ID:	05-063-08					
Dissolved Organic Carbon	5.4	1.0	SM 5310B	5-12-22	5-12-22	

Client ID:	TOSMI-20220505					
Laboratory ID:	05-063-09					
Dissolved Organic Carbon	5.8	1.0	SM 5310B	5-12-22	5-12-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: May 25, 2022
 Samples Submitted: May 5, 2022
 Laboratory Reference: 2205-063
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-20220505					
Laboratory ID:	05-063-10					
Dissolved Organic Carbon	8.3	1.0	SM 5310B	5-12-22	5-12-22	

Client ID:	COLM-20220505					
Laboratory ID:	05-063-11					
Dissolved Organic Carbon	12	1.0	SM 5310B	5-12-22	5-12-22	

Client ID:	SEIMS-20220505					
Laboratory ID:	05-063-12					
Dissolved Organic Carbon	5.9	1.0	SM 5310B	5-12-22	5-12-22	

Client ID:	QA-119-20220505					
Laboratory ID:	05-063-13					
Dissolved Organic Carbon	6.2	1.0	SM 5310B	5-12-22	5-12-22	



Date of Report: May 25, 2022
 Samples Submitted: May 5, 2022
 Laboratory Reference: 2205-063
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0512D1					
Dissolved Organic Carbon	ND	1.0	SM 5310B	5-12-22	5-12-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	05-063-01							
	ORIG	DUP						
Dissolved Organic Carbon	4.72	5.03	NA	NA	NA	6	15	

MATRIX SPIKE								
Laboratory ID:	05-063-01							
	MS	MS		MS				
Dissolved Organic Carbon	16.4	10.0	4.72	117	87-118	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0512D1							
	SB	SB		SB				
Dissolved Organic Carbon	10.9	10.0	NA	109	88-118	NA	NA	



Date of Report: May 25, 2022
 Samples Submitted: May 5, 2022
 Laboratory Reference: 2205-063
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220505					
Laboratory ID:	05-063-01					
Total Phosphorus	0.058	0.010	EPA 365.1	5-11-22	5-13-22	

Client ID:	COUMI-20220505					
Laboratory ID:	05-063-02					
Total Phosphorus	0.082	0.010	EPA 365.1	5-11-22	5-13-22	

Client ID:	TOSMO-20220505					
Laboratory ID:	05-063-03					
Total Phosphorus	0.075	0.010	EPA 365.1	5-11-22	5-13-22	

Client ID:	TYLMO-20220505					
Laboratory ID:	05-063-04					
Total Phosphorus	0.041	0.010	EPA 365.1	5-11-22	5-13-22	

Client ID:	TYLMI-20220505					
Laboratory ID:	05-063-05					
Total Phosphorus	0.034	0.010	EPA 365.1	5-11-22	5-13-22	

Client ID:	MONMN-20220505					
Laboratory ID:	05-063-06					
Total Phosphorus	0.038	0.010	EPA 365.1	5-11-22	5-13-22	

Client ID:	MONMS-20220505					
Laboratory ID:	05-063-07					
Total Phosphorus	0.036	0.010	EPA 365.1	5-11-22	5-13-22	

Client ID:	MONM-20220505					
Laboratory ID:	05-063-08					
Total Phosphorus	0.041	0.010	EPA 365.1	5-11-22	5-13-22	

Client ID:	TOSMI-20220505					
Laboratory ID:	05-063-09					
Total Phosphorus	0.067	0.010	EPA 365.1	5-11-22	5-13-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: May 25, 2022
 Samples Submitted: May 5, 2022
 Laboratory Reference: 2205-063
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-20220505					
Laboratory ID:	05-063-10					
Total Phosphorus	0.039	0.010	EPA 365.1	5-11-22	5-13-22	

Client ID:	COLM-20220505					
Laboratory ID:	05-063-11					
Total Phosphorus	0.018	0.010	EPA 365.1	5-11-22	5-13-22	

Client ID:	SEIMS-20220505					
Laboratory ID:	05-063-12					
Total Phosphorus	0.22	0.010	EPA 365.1	5-11-22	5-13-22	

Client ID:	QA-119-20220505					
Laboratory ID:	05-063-13					
Total Phosphorus	0.080	0.010	EPA 365.1	5-11-22	5-13-22	



Date of Report: May 25, 2022
 Samples Submitted: May 5, 2022
 Laboratory Reference: 2205-063
 Project: 14-05806-000

**TOTAL PHOSPHORUS
 EPA 365.1
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0511W1					
Total Phosphorus	ND	0.010	EPA 365.1	5-11-22	5-13-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	04-333-02							
	ORIG	DUP						
Total Phosphorus	ND	ND	NA	NA	NA	NA	20	

MATRIX SPIKE								
Laboratory ID:	04-333-02							
	MS	MS		MS				
Total Phosphorus	0.241	0.250	ND	96	82-111	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0511W1							
	SB	SB		SB				
Total Phosphorus	0.251	0.250	NA	100	78-110	NA	NA	



Date of Report: May 25, 2022
 Samples Submitted: May 5, 2022
 Laboratory Reference: 2205-063
 Project: 14-05806-000

**TOTAL METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220505					
Laboratory ID:	05-063-01					
Copper	2.9	1.0	EPA 200.8	5-6-22	5-9-22	
Zinc	48	5.0	EPA 200.8	5-6-22	5-9-22	

Client ID:	COUMI-20220505					
Laboratory ID:	05-063-02					
Copper	1.8	1.0	EPA 200.8	5-6-22	5-9-22	
Zinc	11	5.0	EPA 200.8	5-6-22	5-9-22	

Client ID:	TOSMO-20220505					
Laboratory ID:	05-063-03					
Copper	4.0	1.0	EPA 200.8	5-6-22	5-9-22	
Zinc	180	5.0	EPA 200.8	5-6-22	5-9-22	

Client ID:	TYLMO-20220505					
Laboratory ID:	05-063-04					
Copper	3.9	1.0	EPA 200.8	5-6-22	5-9-22	
Zinc	19	5.0	EPA 200.8	5-6-22	5-9-22	

Client ID:	TYLMI-20220505					
Laboratory ID:	05-063-05					
Copper	3.0	1.0	EPA 200.8	5-6-22	5-9-22	
Zinc	9.6	5.0	EPA 200.8	5-6-22	5-9-22	

Client ID:	MONMN-20220505					
Laboratory ID:	05-063-06					
Copper	1.0	1.0	EPA 200.8	5-6-22	5-9-22	
Zinc	7.3	5.0	EPA 200.8	5-6-22	5-9-22	

Client ID:	MONMS-20220505					
Laboratory ID:	05-063-07					
Copper	1.5	1.0	EPA 200.8	5-6-22	5-9-22	
Zinc	ND	5.0	EPA 200.8	5-6-22	5-9-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: May 25, 2022
 Samples Submitted: May 5, 2022
 Laboratory Reference: 2205-063
 Project: 14-05806-000

TOTAL METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20220505					
Laboratory ID:	05-063-08					
Copper	1.5	1.0	EPA 200.8	5-6-22	5-9-22	
Zinc	24	5.0	EPA 200.8	5-6-22	5-9-22	

Client ID:	TOSMI-20220505					
Laboratory ID:	05-063-09					
Copper	4.7	1.0	EPA 200.8	5-6-22	5-9-22	
Zinc	180	5.0	EPA 200.8	5-6-22	5-9-22	

Client ID:	SEIMN-20220505					
Laboratory ID:	05-063-10					
Copper	ND	1.0	EPA 200.8	5-6-22	5-9-22	
Zinc	ND	5.0	EPA 200.8	5-6-22	5-9-22	

Client ID:	COLM-20220505					
Laboratory ID:	05-063-11					
Copper	ND	1.0	EPA 200.8	5-6-22	5-9-22	
Zinc	ND	5.0	EPA 200.8	5-6-22	5-9-22	

Client ID:	SEIMS-20220505					
Laboratory ID:	05-063-12					
Copper	3.0	1.0	EPA 200.8	5-6-22	5-9-22	
Zinc	15	5.0	EPA 200.8	5-6-22	5-9-22	

Client ID:	QA-119-20220505					
Laboratory ID:	05-063-13					
Copper	4.1	1.0	EPA 200.8	5-6-22	5-9-22	
Zinc	180	5.0	EPA 200.8	5-6-22	5-9-22	



Date of Report: May 25, 2022
 Samples Submitted: May 5, 2022
 Laboratory Reference: 2205-063
 Project: 14-05806-000

**TOTAL METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0506WH2					
Copper	ND	1.0	EPA 200.8	5-6-22	5-9-22	
Zinc	ND	5.0	EPA 200.8	5-6-22	5-9-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	05-063-11							
	ORIG	DUP						
Copper	ND	ND	NA	NA	NA	NA	20	
Zinc	ND	ND	NA	NA	NA	NA	20	

MATRIX SPIKES

Laboratory ID:	MS	MSD	MS	MSD	MS	MSD	RPD	RPD Limit	Flags	
	05-063-11									
Copper	95.8	95.8	100	100	ND	96	96	75-125	0	20
Zinc	97.2	98.4	100	100	ND	97	98	75-125	1	20



Date of Report: May 25, 2022
 Samples Submitted: May 5, 2022
 Laboratory Reference: 2205-063
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220505					
Laboratory ID:	05-063-01					
Copper	2.0	1.0	EPA 200.8		5-9-22	
Zinc	39	5.0	EPA 200.8		5-9-22	

Client ID:	COUMI-20220505					
Laboratory ID:	05-063-02					
Copper	1.1	1.0	EPA 200.8		5-9-22	
Zinc	ND	5.0	EPA 200.8		5-9-22	

Client ID:	TOSMO-20220505					
Laboratory ID:	05-063-03					
Copper	2.4	1.0	EPA 200.8		5-9-22	
Zinc	110	5.0	EPA 200.8		5-9-22	

Client ID:	TYLMO-20220505					
Laboratory ID:	05-063-04					
Copper	5.0	1.0	EPA 200.8		5-9-22	
Zinc	28	5.0	EPA 200.8		5-9-22	

Client ID:	TYLMI-20220505					
Laboratory ID:	05-063-05					
Copper	2.4	1.0	EPA 200.8		5-9-22	
Zinc	5.8	5.0	EPA 200.8		5-9-22	

Client ID:	MONMN-20220505					
Laboratory ID:	05-063-06					
Copper	ND	1.0	EPA 200.8		5-9-22	
Zinc	ND	5.0	EPA 200.8		5-9-22	

Client ID:	MONMS-20220505					
Laboratory ID:	05-063-07					
Copper	1.2	1.0	EPA 200.8		5-9-22	
Zinc	ND	5.0	EPA 200.8		5-9-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: May 25, 2022
 Samples Submitted: May 5, 2022
 Laboratory Reference: 2205-063
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20220505					
Laboratory ID:	05-063-08					
Copper	ND	1.0	EPA 200.8		5-9-22	
Zinc	8.1	5.0	EPA 200.8		5-9-22	

Client ID:	TOSMI-20220505					
Laboratory ID:	05-063-09					
Copper	2.7	1.0	EPA 200.8		5-9-22	
Zinc	120	5.0	EPA 200.8		5-9-22	

Client ID:	SEIMN-20220505					
Laboratory ID:	05-063-10					
Copper	ND	1.0	EPA 200.8		5-9-22	
Zinc	ND	5.0	EPA 200.8		5-9-22	

Client ID:	COLM-20220505					
Laboratory ID:	05-063-11					
Copper	ND	1.0	EPA 200.8		5-9-22	
Zinc	ND	5.0	EPA 200.8		5-9-22	

Client ID:	SEIMS-20220505					
Laboratory ID:	05-063-12					
Copper	ND	1.0	EPA 200.8		5-9-22	
Zinc	ND	5.0	EPA 200.8		5-9-22	

Client ID:	QA-119-20220505					
Laboratory ID:	05-063-13					
Copper	2.4	1.0	EPA 200.8		5-9-22	
Zinc	110	5.0	EPA 200.8		5-9-22	



Date of Report: May 25, 2022
 Samples Submitted: May 5, 2022
 Laboratory Reference: 2205-063
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0509D1					
Copper	ND	1.0	EPA 200.8		5-9-22	
Zinc	ND	5.0	EPA 200.8		5-9-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	05-063-13							
	ORIG	DUP						
Copper	2.36	2.36	NA	NA	NA	NA	0	20
Zinc	105	104	NA	NA	NA	NA	1	20

MATRIX SPIKES

Laboratory ID:	05-063-13									
	MS	MSD	MS	MSD		MS	MSD			
Copper	71.4	71.4	80.0	80.0	2.36	86	86	75-125	0	20
Zinc	180	184	80.0	80.0	105	94	99	75-125	2	20





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
 - B - The analyte indicated was also found in the blank sample.
 - C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
 - E - The value reported exceeds the quantitation range and is an estimate.
 - F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
 - H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
 - I - Compound recovery is outside of the control limits.
 - J - The value reported was below the practical quantitation limit. The value is an estimate.
 - K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
 - L - The RPD is outside of the control limits.
 - M - Hydrocarbons in the gasoline range are impacting the diesel range result.
 - M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
 - N - Hydrocarbons in the lube oil range are impacting the diesel range result.
 - N1 - Hydrocarbons in diesel range are impacting lube oil range results.
 - O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
 - P - The RPD of the detected concentrations between the two columns is greater than 40.
 - Q - Surrogate recovery is outside of the control limits.
 - S - Surrogate recovery data is not available due to the necessary dilution of the sample.
 - T - The sample chromatogram is not similar to a typical _____.
 - U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
 - U1 - The practical quantitation limit is elevated due to interferences present in the sample.
 - V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
 - W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
 - X - Sample extract treated with a mercury cleanup procedure.
 - X1 - Sample extract treated with a Sulfuric acid/Silica gel cleanup procedure.
 - Y - The calibration verification for this analyte exceeded the 20% drift specified in method 8260C, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
 - Z -
- ND - Not Detected at PQL
 PQL - Practical Quantitation Limit
 RPD - Relative Percent Difference



Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664

May 25 2022
On-Site Environmental
14648 NE 95th ST
Redmond, WA 98052
Attention: David Baumeister

Dear David Baumeister:

Enclosed please find the analytical data for your REDMOND PAIRED WATERSHED STUDY project.

The following is a cross correlation of client and laboratory identifications for your convenience.

CLIENT ID	MATRIX	AMTEST ID	TEST
COUMO-2022050	Water	22-A007260	Micro, NUT
COUMI-2022050	Water	22-A007261	Micro, NUT
TOSMO-2022050	Water	22-A007262	Micro, NUT
TYLMO-2022050	Water	22-A007263	Micro, NUT
TYLMI-2022050	Water	22-A007264	Micro, NUT
MONMN-2022050	Water	22-A007265	Micro, NUT
MONMS-2022050	Water	22-A007266	Micro, NUT
MONM-2022050	Water	22-A007267	Micro, NUT
TOSMI-2022050	Water	22-A007268	Micro, NUT
SEIMN-2022050	Water	22-A007269	Micro, NUT
COLM-2022050	Water	22-A007270	Micro, NUT
SEIMS-2022050	Water	22-A007271	Micro, NUT
QA-119-2022050	Water	22-A007272	Micro, NUT

Your samples were received on Friday, May 6, 2022. At the time of receipt, the samples were logged in and properly maintained prior to the subsequent analysis.


The analytical procedures used at AmTest are well documented and are typically derived from the protocols of the EPA, USDA, FDA or the Army Corps of Engineers.

Following the analytical data you will find the Quality Control (QC) results.

Please note that the detection limits that are listed in the body of the report refer to the Practical Quantitation Limits (PQL's), as opposed to the Method Detection Limits (MDL's).

If you should have any questions pertaining to the data package, please feel free to contact me.

Sincerely,



Aaron W. Young
Vice President

Project #: 14-05806-000
SDG #: 2223880
WO Number: 05-063

BACT = Bacteriological
CONV = Conventionals

MET = Metals
ORG = Organics

NUT=Nutrients
DEM=Demand

P.1
MIN=Minerals

Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664
www.amtestlab.com



**Professional
Analytical
Services**

ANALYSIS REPORT

On-Site Environmental
14648 NE 95th ST
Redmond, WA 98052
Attention: David Baumeister
Project Name: REDMOND PAIRED WATERSHED STUDY
SDG Number: 2223880
Project #: 14-05806-000
All results reported on an as received basis.

Date Received: 05/06/22
Date Reported: 5/25/22

AMTEST Identification Number 22-A007260
Client Identification COUMO-2022050
Sampling Date 05/05/22, 13:15

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	500	CFU/100 ml		1	SM 9222D	OB	05/06/22
Total Nitrogen (NOX&TKN)	0.91	mg/l		0.1			
Total Nitrogen (TKN)	0.556	mg/l		0.25	SM4500N	KS	05/17/22
Total Nitrate + Nitrite	0.352	mg/l		0.02	SM4500NO3	KS	05/19/22

AMTEST Identification Number 22-A007261
Client Identification COUMI-2022050
Sampling Date 05/05/22, 13:30

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	580	CFU/100 ml		1	SM 9222D	OB	05/06/22
Total Nitrogen (NOX&TKN)	0.73	mg/l		0.1			
Total Nitrogen (TKN)	0.534	mg/l		0.25	SM4500N	KS	05/17/22
Total Nitrate + Nitrite	0.200	mg/l		0.02	SM4500NO3	KS	05/19/22

AMTEST Identification Number 22-A007262
Client Identification TOSMO-2022050
Sampling Date 05/05/22, 13:45

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	790	CFU/100 ml		10	SM 9222D	OB	05/06/22
Total Nitrogen (NOX&TKN)	0.97	mg/l		0.1			
Total Nitrogen (TKN)	0.706	mg/l		0.25	SM4500N	KS	05/17/22
Total Nitrate + Nitrite	0.260	mg/l		0.02	SM4500NO3	KS	05/19/22

AMTEST Identification Number 22-A007263
Client Identification TYLMO-2022050
Sampling Date 05/05/22, 14:00

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	360	CFU/100 ml		1	SM 9222D	OB	05/06/22
Total Nitrogen (NOX&TKN)	0.75	mg/l		0.1			
Total Nitrogen (TKN)	0.570	mg/l		0.25	SM4500N	KS	05/17/22
Total Nitrate + Nitrite	0.184	mg/l		0.02	SM4500NO3	KS	05/19/22

AMTEST Identification Number 22-A007264
Client Identification TYLMI-2022050
Sampling Date 05/05/22, 14:20

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	24.	CFU/100 ml		1	SM 9222D	OB	05/06/22
Total Nitrogen (NOX&TKN)	1.06	mg/l		0.1			
Total Nitrogen (TKN)	0.667	mg/l		0.25	SM4500N	KS	05/17/22
Total Nitrate + Nitrite	0.392	mg/l		0.02	SM4500NO3	KS	05/19/22

AMTEST Identification Number 22-A007265
Client Identification MONMN-2022050
Sampling Date 05/05/22, 15:42

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	130	CFU/100 ml		1	SM 9222D	OB	05/06/22
Total Nitrogen (NOX&TKN)	0.67	mg/l		0.1			
Total Nitrogen (TKN)	0.617	mg/l		0.25	SM4500N	KS	05/17/22
Total Nitrate + Nitrite	0.054	mg/l		0.02	SM4500NO3	KS	05/19/22

AMTEST Identification Number 22-A007266
Client Identification MONMS-2022050
Sampling Date 05/05/22, 16:12

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	120	CFU/100 ml		1	SM 9222D	OB	05/06/22
Total Nitrogen (NOX&TKN)	0.60	mg/l		0.1			
Total Nitrogen (TKN)	0.548	mg/l		0.25	SM4500N	KS	05/17/22
Total Nitrate + Nitrite	0.055	mg/l		0.02	SM4500NO3	KS	05/19/22

AMTEST Identification Number 22-A007267
Client Identification MONM-2022050
Sampling Date 05/05/22, 15:05

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	71.	CFU/100 ml		1	SM 9222D	OB	05/06/22
Total Nitrogen (NOX&TKN)	0.72	mg/l		0.1			
Total Nitrogen (TKN)	0.564	mg/l		0.25	SM4500N	KS	05/17/22
Total Nitrate + Nitrite	0.156	mg/l		0.02	SM4500NO3	KS	05/19/22

AMTEST Identification Number 22-A007268
Client Identification TOSMI-2022050
Sampling Date 05/05/22, 13:20

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	1000	CFU/100 ml		10	SM 9222D	OB	05/06/22
Total Nitrogen (NOX&TKN)	1.01	mg/l		0.1			
Total Nitrogen (TKN)	0.690	mg/l		0.25	SM4500N	KS	05/17/22
Total Nitrate + Nitrite	0.321	mg/l		0.02	SM4500NO3	KS	05/19/22

AMTEST Identification Number 22-A007269
Client Identification SEIMN-2022050
Sampling Date 05/05/22, 14:20

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	1.	CFU/100 ml		1	SM 9222D	OB	05/06/22
Total Nitrogen (NOX&TKN)	0.70	mg/l		0.1			
Total Nitrogen (TKN)	0.622	mg/l		0.25	SM4500N	KS	05/17/22
Total Nitrate + Nitrite	0.081	mg/l		0.02	SM4500NO3	KS	05/19/22

AMTEST Identification Number 22-A007270
Client Identification COLM-2022050
Sampling Date 05/05/22, 14:55

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	11.	CFU/100 ml		1	SM 9222D	OB	05/06/22
Total Nitrogen (NOX&TKN)	0.67	mg/l		0.1			
Total Nitrogen (TKN)	0.640	mg/l		0.25	SM4500N	KS	05/17/22
Total Nitrate + Nitrite	0.030	mg/l		0.02	SM4500NO3	KS	05/19/22

AMTEST Identification Number 22-A007271
Client Identification SEIMS-2022050
Sampling Date 05/05/22, 14:45


Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	14.	CFU/100 ml		1	SM 9222D	OB	05/06/22
Total Nitrogen (NOX&TKN)	3.11	mg/l		0.1			
Total Nitrogen (TKN)	2.94	mg/l		0.25	SM4500N	KS	05/17/22
Total Nitrate + Nitrite	0.173	mg/l		0.02	SM4500NO3	KS	05/19/22

AMTEST Identification Number 22-A007272
Client Identification QA-119-2022050
Sampling Date 05/05/22, 13:45

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	420	CFU/100 ml		1	SM 9222D	OB	05/06/22
Total Nitrogen (NOX&TKN)	0.91	mg/l		0.1			
Total Nitrogen (TKN)	0.657	mg/l		0.25	SM4500N	KS	05/17/22
Total Nitrate + Nitrite	0.251	mg/l		0.02	SM4500NO3	KS	05/19/22


Aaron W. Young
Vice President

QC Summary for sample numbers: 22-A007260 to 22-A007272

DUPLICATES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	DUP VALUE	RPD
22-A007266	Fecal Coliform	CFU/100 ml	120	140	15.
22-A007335	Fecal Coliform	CFU/100 ml	2100	1800	15.
22-A007068	Total Nitrogen (TKN)	mg/l	0.283	0.299	5.5
22-A007134	Total Nitrogen (TKN)	mg/l	0.330	0.327	0.91
22-A007260	Total Nitrogen (TKN)	mg/l	0.556	0.574	3.2
22-A007270	Total Nitrogen (TKN)	mg/l	0.640	0.700	9.0
22-A007281	Total Nitrogen (TKN)	mg/l	90.7	91.1	0.44
22-A007378	Total Nitrogen (TKN)	mg/l	0.319	0.302	5.5
22-A007267	Total Nitrate + Nitrite	mg/l	0.156	0.156	0.00
22-A007278	Total Nitrate + Nitrite	mg/l	< 0.02	< 0.02	
22-A007541	Total Nitrate + Nitrite	mg/l	0.073	0.075	2.7
22-A007574	Total Nitrate + Nitrite	mg/l	0.044	0.045	2.2
22-A007701	Total Nitrate + Nitrite	mg/l	0.036	0.033	8.7
22-A007711	Total Nitrate + Nitrite	mg/l	0.059	0.059	0.00
22-A007859	Total Nitrate + Nitrite	mg/l	< 0.02	< 0.02	

MATRIX SPIKES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	SMPL+ SPK	SPK AMT	RECOVERY
22-A007068	Total Nitrogen (TKN)	mg/l	0.283	2.28	2.00	99.85 %
22-A007134	Total Nitrogen (TKN)	mg/l	0.330	2.33	2.00	100.00 %
22-A007260	Total Nitrogen (TKN)	mg/l	0.556	2.57	2.00	100.70 %
22-A007270	Total Nitrogen (TKN)	mg/l	0.640	2.64	2.00	100.00 %
22-A007281	Total Nitrogen (TKN)	mg/l	90.7	128.	40.0	93.25 %
22-A007378	Total Nitrogen (TKN)	mg/l	0.319	2.32	2.00	100.05 %
22-A007267	Total Nitrate + Nitrite	mg/l	0.156	1.14	1.00	98.40 %
22-A007278	Total Nitrate + Nitrite	mg/l	< 0.02	1.02	1.00	102.00 %
22-A007541	Total Nitrate + Nitrite	mg/l	0.073	1.06	1.00	98.70 %
22-A007574	Total Nitrate + Nitrite	mg/l	0.044	0.969	1.00	92.50 %
22-A007701	Total Nitrate + Nitrite	mg/l	0.036	1.01	1.00	97.40 %
22-A007711	Total Nitrate + Nitrite	mg/l	0.059	1.02	1.00	96.10 %
22-A007859	Total Nitrate + Nitrite	mg/l	< 0.02	0.961	1.00	96.10 %

QC Summary for sample numbers: 22-A007260 to 22-A007272...

STANDARD REFERENCE MATERIALS

ANALYTE	UNITS	TRUE VALUE	MEASURED VALUE	RECOVERY
Total Nitrogen (TKN)	mg/l	1.00	0.995	99.5 %
Total Nitrogen (TKN)	mg/l	1.00	0.995	99.5 %
Total Nitrogen (TKN)	mg/l	1.00	1.01	101. %
Total Nitrogen (TKN)	mg/l	1.00	1.01	101. %
Total Nitrogen (TKN)	mg/l	1.00	1.01	101. %
Total Nitrate + Nitrite	mg/l	1.00	1.01	101. %
Total Nitrate + Nitrite	mg/l	1.00	0.997	99.7 %
Total Nitrate + Nitrite	mg/l	1.00	1.00	100. %
Total Nitrate + Nitrite	mg/l	1.00	0.981	98.1 %
Total Nitrate + Nitrite	mg/l	1.00	0.975	97.5 %
Total Nitrate + Nitrite	mg/l	1.00	0.987	98.7 %
Total Nitrate + Nitrite	mg/l	1.00	0.968	96.8 %
Total Nitrate + Nitrite	mg/l	1.00	0.984	98.4 %

BLANKS

ANALYTE	UNITS	RESULT
Fecal Coliform	CFU/100 ml	< 1
Fecal Coliform	CFU/100 ml	< 1
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02



14648 NE 95th Street, Redmond, WA 98052 · (425) 883-3881

Laboratory: AmTest Laboratories
 Attention: Aaron Young
 13600 NE 126th PI Kirkland, WA 98034
 Phone Number: (425) 885-1664

Turnaround Request
 1 Day 2 Day 3 Day
 Standard
 Other: _____

Laboratory Reference #: 05-063

Project Manager: Blair Goodrow
 email: bgoodrow@onsite-env.com
 Project Number: 14-05806-000
 Project Name: Redmond Paired Watershed Study

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Requested Analyses
1	COUMO-2022050 7260	5/5/22	13:15	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
2	COUMI-2022050 61	5/5/22	13:30	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
3	TOSMO-2022050 62	5/5/22	13:45	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
4	TYLMO-2022050 63	5/5/22	14:00	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
5	TYLMI-2022050 64	5/5/22	14:20	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
6	MONMN-2022050 65	5/5/22	15:42	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
7	MONMS-2022050 66	5/5/22	16:12	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
8	MONM-2022050 67	5/5/22	15:05	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
9	TOSMI-2022050 68	5/5/22	13:20	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
10	SEIMN-2022050 69	5/5/22	14:20	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
Signature		Company		Date	Time	Comments/Special Instructions EDDs - CSV Reporting Limits: Fecal Coliform - 1.0 cfu/100ml Total Nitrogen - .10 mg/L
Relinquished by:						
Received by: SF		AmTest		5/6/22	700	
Relinquished by:						
Received by:						
Relinquished by:						
Received by:						

5.3°C

CHAIN OF CUSTODY

14648 NE 95th Street, Redmond, WA 98052
Telephone: 425.883.3881

Company: Herrera Environmental Consultants
Project No.: 14-05806-000
Project Name: Redmond Paired Watershed Study
Project Manager: George Iftner

Turnaround Requested:

- 1 Day
 2 Day
 3 Day
 Standard

Laboratory No.

05-063

Requested Analytes

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Requested Analytes									
						Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *	
1	COUMO-2022 0505	5/5/22	13:15	Water	7	X	X	X	X	X	X	X	X	X	
2	COUMI-2022 0505	↓	13:30	Water	7	X	X	X	X	X	X	X	X	X	
3	TOSMO-2022 0505		13:45	Water	7	X	X	X	X	X	X	X	X	X	
4	TYLMO-2022 0505		14:00	Water	7	X	X	X	X	X	X	X	X	X	
5	TYLMI-2022 0505		14:20	Water	7	X	X	X	X	X	X	X	X	X	
6	MONMN-2022 0505		15:42	Water	7	X	X	X	X	X	X	X	X	X	
7	MONMS-2022 0505		16:12	Water	7	X	X	X	X	X	X	X	X	X	
8	MONM-2022 0505		15:05	Water	7	X	X	X	X	X	X	X	X	X	
9	TOSMI-2022 0505		13:20	Water	7	X	X	X	X	X	X	X	X	X	
10	SEIMN-2022 0505		14:20	Water	7	X	X	X	X	X	X	X	X	X	
11	COLM-2022 0505		14:55	Water	7	X	X	X	X	X	X	X	X	X	
12	SEIMS-2022 0505		14:45	Water	7	X	X	X	X	X	X	X	X	X	
13	QA - 119 2022-0505		13:45	Water	7	X	X	X	X	X	X	X	X	X	

Relinquished by David Green Date 5/5/22 Received by [Signature] Date 5/5/22
 Firm Herrera Env. Time 17:05 Firm OBE Time 1705

Relinquished by _____ Date _____ Received by _____ Date _____
 Firm _____ Time _____ Firm _____ Time _____

Comments:
 * - field filtered with 0.45 µm filter within 15 minutes of collecting sample

CHAIN OF CUSTODY

14648 NE 95th Street, Redmond, WA 98052
Telephone: 425.883.3881

Turnaround Requested:

- 1 Day
 2 Day
 3 Day
 Standard

Company: Herrera Environmental Consultants
Project No.: 14-05806-000
Project Name: Redmond Paired Watershed Study
Project Manager: George Itfner

Laboratory No. 105-023

Requested Analyses

Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
-----------------------------------	-----------------------	---------------------------------	-------------------------------------	---------------------------	------------------------------	------------------------------	-----------------------------	-----------------------------------

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
1	COUMO-2022 0505	5/5/22	13:15	Water	7	X	X	X	X	X	X	X	X	X
2	COUMI-2022 0505	↓	13:30	Water	7	X	X	X	X	X	X	X	X	X
3	TOSMO-2022 0505		13:45	Water	7	X	X	X	X	X	X	X	X	X
4	TYLMO-2022 0505		14:00	Water	7	X	X	X	X	X	X	X	X	X
5	TYLMI-2022 0505		14:20	Water	7	X	X	X	X	X	X	X	X	X
6	MONMN-2022 0505		15:42	Water	7	X	X	X	X	X	X	X	X	X
7	MONMS-2022 0505		16:12	Water	7	X	X	X	X	X	X	X	X	X
8	MONM-2022 0505		15:05	Water	7	X	X	X	X	X	X	X	X	X
9	TOSMI-2022 0505		13:20	Water	7	X	X	X	X	X	X	X	X	X
10	SEIMN-2022 0505		14:20	Water	7	X	X	X	X	X	X	X	X	X
11	COLM-2022 0505		14:55	Water	7	X	X	X	X	X	X	X	X	X
12	SEIMS-2022 0505		14:45	Water	7	X	X	X	X	X	X	X	X	X
13	QA - 119 2022-0505		13:45	Water	7	X	X	X	X	X	X	X	X	X

Relinquished by David Garcia Date 5/5/22 Received by [Signature] Date 5/5/22
 Firm Herrera Env. Time 17:05 Firm OBE Time 1705

Relinquished by _____ Date _____ Received by _____ Date _____
 Firm _____ Time _____ Firm _____ Time _____

Comments:
 * - field filtered with 0.45 µm filter within 15 minutes of collecting sample

METER CALIBRATION LOG - Redmond Paired Watershed Study

Project Number:	14-05806-000		
Personnel Performing Calibration:	D. Garcia		
Meter:	PRODS #1		
Date/Time:	5/4/22	4:20	
Barometric Pressure Start of Day:	mmHg:	Time:	
Barometric Pressure End of Day:	mmHg: 757.0	Time: 15:55	

Calibration Procedures:
Rinse Multimeter Sonde Between Each Operation
Rinse 3 times with tap water, 3 times with deionized water, then 3 times with the solution to be used for calibrating or testing.
Conductivity Calibration Notes:



PRE Field Run CALIBRATION	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	2.9	0	21.7	
Conductivity (µS/cm)	1040	1,000	22.3	
Conductivity (µS/cm)	97.4	100	22.7	
DO % Saturation	100.7	100	22.7	
POST Field Run CHECK	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)		0		
Conductivity (µS/cm)		100		
DO % Saturation		100		

1. Dry the conductivity probe with a lab tissue (e.g., KimWipes®) and DI water.
 2. Fill calibration cup to within a centimeter of the top of the calibration cup with DI water (0 µS).
 3. Fill the calibration cup with 1,000 µS standard so that the temperature/conductivity probe is submerged.
 4. Make sure there are no bubbles in the cell; wait 2 minutes.
 5. Enter the appropriate standard value (1,000 µS/cm or 1.0 mS/cm) for Sp Cond.
 6. Check conductivity using 100 µS/cm standard.
- Dissolved Oxygen Calibration Notes:**
1. Fill the calibration cup with about 1/2 inch of DI; it should be below the sensor cap.
 2. Use KimWipes® to dry any droplets from the sensor cap.
 3. Invert calibration cup's cap and gently rest it on the cup.
 4. Wait 5 minutes, making sure that temperature stabilizes.
 5. Determine local barometric pressure (mm Hg) and enter this value into the meter.
 6. Click "Calibrate". "Calibrate Successful" will be displayed.
 7. To retain calibration accuracy between measurements, store with the sensor immersed in water or within a water-saturated air environment such as a sealed storage cup with at least 10 ml of water.
 8. It is important to have the water-saturated air and the sensor at the same temperature. Therefore, store a jar of DI in the same environment as the sonde and calibrate in a similar air temperature as the water and sonde.
 9. Keep probe out of direct sun or wind.

METER CALIBRATION LOG - Redmond Paired Watershed Study

Project Number:	14-05806-000		
Personnel Performing Calibration:	D. Garcia		
Meter:	Pro DSS #2		
Date/Time:	5/4/22	4:33	
Barometric Pressure Start of Day:	mmHg: 7	Time:	
Barometric Pressure End of Day:	mmHg: 757.3	Time: 15:45	

PRE Field Run CALIBRATION	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	0.6	0	22.0	
Conductivity (µS/cm)	1013	1,000	23.1	
Conductivity (µS/cm)	95.6	100	23.6	
DO % Saturation	101.9	100	23.6	

POST Field Run CHECK	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)		0		
Conductivity (µS/cm)		100		
DO % Saturation		100		

Calibration Procedures:
Rinse Multimter Sonde Between Each Operation
Rinse 3 times with tap water, 3 times with deionized water, then 3 times with the solution to be used for calibrating or testing.
Conductivity Calibration Notes:



1. Dry the conductivity probe with a lab tissue (e.g., KimWipes®) and DI water.
2. Fill calibration cup to within a centimeter of the top of the calibration cup with DI water (0 µS).
3. Fill the calibration cup with 1,000 µS standard so that the temperature/conductivity probe is submerged.
4. Make sure there are no bubbles in the cell; wait 2 minutes.
5. Enter the appropriate standard value (1,000 µS/cm or 1.0 mS/cm) for Sp Cond.
6. Check conductivity using 100 µS/cm standard.

- Dissolved Oxygen Calibration Notes:**
1. Fill the calibration cup with about 1/2 inch of DI; it should be below the sensor cap.
 2. Use KimWipes® to dry any droplets from the sensor cap.
 3. Invert calibration cup's cap and gently rest it on the cup.
 4. Wait 5 minutes, making sure that temperature stabilizes.
 5. Determine local barometric pressure (mm Hg) and enter this value into the meter.
 6. Click "Calibrate". "Calibrate Successful" will be displayed.
 7. To retain calibration accuracy between measurements, store with the sensor immersed in water or within a water-saturated air environment such as a sealed storage cup with at least 10 ml of water.
 8. It is important to have the water-saturated air and the sensor at the same temperature. Therefore, store a jar of DI in the same environment as the sonde and calibrate in a similar air temperature as the water and sonde.
 9. Keep probe out of direct sun or wind.

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



HERRERA

Field Personnel: O. Garcia

Sample Date: 5/5/22

Sample Time: 14:55

PDT:

SITE ID: COLM

Base Flow or Storm Event? (circled)

Field filtered 5 minutes later Y/N
(Must filter within 15 minutes of collection)

PST:

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: light rain / 40°

Water Quality Sampling

Sample ID: COLM-2022 0505

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>✓</u>
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<u>✓</u>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: ~~yellowish~~ clear
 Color: yellowish tint
 Odor: none
 Sheen: none
 Floatables: none/minimal

LABORATORY DELIVERY

Date:

Time:

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) ✓

YSI Pro DSS 1 ✓

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 5.52

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 9.5

Specific Conductivity (µs/cm) 47.1

Dissolved Oxygen (mg/L) 10.57

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



HERRERA

Field Personnel: TF, MMH

Sample Date: 5/5/2022 Sample Time: 13:30 PDT: _____

Base Flow or Storm Event? _____ Field filtered 5 minutes later: Y N PST:

(Must filter within 15 minutes of collection)

SITE ID: CUMI

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: RAIN 48°

Water Quality Sampling

Sample ID: CUMI-20220505

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	NA
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	↓

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: NA

Filter blank sample ID: _____

Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: CLEAR

Color: CLEAR

Odor: NONE

Sheen: _____

Floatables: SOME BUBBLES NONE

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 2.66

Reference Point (description): STAFF GAUGE

Water Quality Measurements

Temperature (°C) 9.7°

Specific Conductivity (µs/cm) 257.9

Dissolved Oxygen (mg/L) 11.2

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



HERRERA

Field Personnel: TF, MMH

Sample Date: 5/5/2022

Base Flow or Storm Event? (circled)

Sample Time: 13:15

Field filtered 5 minutes later: Y N
(Must filter within 15 minutes of collection)

SITE ID: COUMO

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: RAIN, 48°

Water Quality Sampling

Sample ID: COUMD-20220505

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	↓
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	↓
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	↓
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	↓
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	↓

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: NO

Filter blank sample ID: NO

Transfer blank sample ID: NO

Visual and Olfactory Conditions:

Clarity: CLEAR
 Color: NONE
 Odor: ↓
 Sheen: ↓
 Floatables: ↓

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials:
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 1.38

Reference Point (description): STAFF GAUGE

Water Quality Measurements

Temperature (°C) 10.8

Specific Conductivity (µs/cm) 178.8

Dissolved Oxygen (mg/L) 10.51

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



HERRERA

Field Personnel: D Garcia

Sample Date: 5/5/22 Sample Time: 15:42 PDT:

Base Flow or Storm Event? Field filtered 5 minutes later: Y N PST:
(Must filter within 15 minutes of collection)

SITE ID: MONMN

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: rain / 49°

Water Quality Sampling

Sample ID: MONMN-20220505

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>No</u>
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<u>✓</u>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____

Filter blank sample ID: _____

Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear

Color: none

Odor: none

Sheen: none

Floatables: minimal

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 9.28

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 10.4

Specific Conductivity (µs/cm) 139.5

Dissolved Oxygen (mg/L) 10.79

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



HERRERA

Field Personnel: D Garcia
 Sample Date: 5/5/22 Sample Time: 16:12 PDT:
 Base Flow or Storm Event? (Storm Event) Field filtered 5 minutes later? Y N PST:
(Must filter within 15 minutes of collection)

SITE ID: MONMS
 Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: rain / 50°

Water Quality Sampling

Sample ID: MONMS-2022-0505

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	no
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	↓

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear
 Color: none
 Odor: semi-strong ammonia
 Sheen: none
 Floatables: some

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials:
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)
 YSI Pro DSS 1
 YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 6.77

Reference Point (description): WL indicator

Water Quality Measurements

Temperature (°C) 10.1

Specific Conductivity (µs/cm) 218.3

Dissolved Oxygen (mg/L) 8.44

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



HERRERA

Field Personnel: TF, MM4

Sample Date: 5/5/2022 Sample Time: 15:05 PDT: PST:

Base Flow or Storm Event? Field filtered 5 minutes later: Y N (Must filter within 15 minutes of collection)

SITE ID: MONM

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: LIGHT RAIN, 49°

Water Quality Sampling

Sample ID: MONM-20220505

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NA</u>
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<u>✓</u>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: NA

Filter blank sample ID: NA

Transfer blank sample ID: NA

Visual and Olfactory Conditions:

Clarity: clear

Color: clear

Odor: slight burning chemical smell culvert

Sheen: none

Floatables: some bubbles

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 2.02

Reference Point (description): STAFF GAUGE

Water Quality Measurements

Temperature (°C) 10.7

Specific Conductivity (µs/cm) 194.8

Dissolved Oxygen (mg/L) 11.08

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: D. Garcia

Sample Date: 5/5/22

Sample Time: 14:20

PDT:

SITE ID: SEIMN

Base Flow or Storm Event? Storm

Field filtered 5 minutes later? Y N
(Must filter within 15 minutes of collection)

PST:

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: rain / 47°

Water Quality Sampling

Sample ID: SEIMN-2022-0505

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>no</u>
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	<u>no</u>
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____

Filter blank sample ID: _____

Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Yellow tint
 Color: more clear
 Odor: none
 Sheen: none
 Floatables: none

LABORATORY DELIVERY

Date: _____

Time: _____

Quality Assurance

Checked By: _____

Signature: _____

Date Checked: _____

Time: _____

Data Entered into Database? _____

YES

NO

initials: _____

Date Entered: _____

Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.62

Reference Point (description): pipe / bolt

Water Quality Measurements

Temperature (°C) 8.6

Specific Conductivity (µs/cm) 66.0

Dissolved Oxygen (mg/L) 11.54

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: JP, MMH

Sample Date: 05/05/2022

Sample Time: 14:45

PDT:

SITE ID: SEIMS

Base Flow or Storm Event? Base Flow

Field filtered 5 minutes later? Y, N
(Must filter within 15 minutes of collection)

PST:

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: SPRINKLING RAIN, 78°

Water Quality Sampling

Sample ID: SEIMS

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NA</u>
DOC *	HDPE	250 ml	1	HCL	↓ NA ↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: CLEAR

Color: CLEAR

Odor: NONE

Sheen: NONE

Floatables: SOME BUBBLES

LABORATORY DELIVERY

Date:

Time:

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.88

Reference Point (description): STAFF GAUGE

Water Quality Measurements

Temperature (°C) 9.3

Specific Conductivity (µs/cm) 106.9

Dissolved Oxygen (mg/L) 10.97

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



HERRERA

Field Personnel: D. Garcia

SITE ID: TOSM1

Sample Date: 5/5/22

Sample Time: 13:20

PDT:

Base Flow or Storm Event? (circled)

Field filtered 5 minutes later: Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)

Project Name: Redmond Paired Watershed Study

Water Quality Sampling

Sample ID: TOSM1-~~14-05806-000~~ 2022-0505

Current Weather and Temp: rainy, 48°

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>no</u>
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<u>✓</u>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: clear
 Color: Yellowish
 Odor: none
 Sheen: none
 Floatables: none

LABORATORY DELIVERY

Date:

Time:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.9

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 9.9

Specific Conductivity (µs/cm) 150.4

Dissolved Oxygen (mg/L) 11.08

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: TF, MM4
 Sample Date: 05/05/2022 Sample Time: 13:45
 Base Flow or Storm Event? (circled) Field filtered 5 minutes later: Y N
 (Must filter within 15 minutes of collection)

SITE ID: TOSMO
 Project Number: 14-05806-000



Water Quality Sampling

Sample ID: TOSMO - 20220505

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>YES</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: YES
 Filter blank sample ID: ↓
 Transfer blank sample ID: ↓

Visual and Olfactory Conditions:

Clarity: CLEAR
 Color: CLEAR
 Odor: NONE
 Sheen: NONE
 Floatables: SOME BUBBLES

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Project Name: Redmond Paired Watershed Study
 Current Weather and Temp: RAIN, 48°

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.66
 Reference Point (description): STAFF GAUGE

Water Quality Measurements

Temperature (°C) 10.4
 Specific Conductivity (µs/cm) 146.4
 Dissolved Oxygen (mg/L) 11.11

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: TF, MMH

Sample Date: 5/5/2022

Sample Time: 14:20

PDT:

SITE ID: TYLMI

Base Flow or Storm Event? Storm

Field filtered 5 minutes later: Y N
(Must filter within 15 minutes of collection)

PST:

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: RAIN, 48°

Water Quality Sampling

Sample ID: TYLMI-20220505

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NA</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	↓

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: NA

Filter blank sample ID: NA

Transfer blank sample ID: NA

Visual and Olfactory Conditions:

Clarity: CLEAR

Color: CLEAR

Odor: NONE

Sheen: NONE

Floatables: NONE

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____

YSI Pro DSS 1 _____

YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 4.34

Reference Point (description): TOP OF CULVERT

Water Quality Measurements

Temperature (°C) 10.9

Specific Conductivity (µs/cm) 118.4

Dissolved Oxygen (mg/L) ~~10.00~~ 11.1

FIELD SAMPLING SHEET - Redmond Paired Watershed Study



HERRERA

Field Personnel: MMH, TE

SITE ID: TYLMO

Sample Date: 05/05/2022

Sample Time: 12:00

PDT:

Base Flow or Storm Event? Base Flow

Field filtered 5 minutes later Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)

Project Name: Redmond Paired Watershed Study

Water Quality Sampling

Sample ID: TYLMO-20220505

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	NA
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:	NA
Filter blank sample ID:	↓
Transfer blank sample ID:	

Visual and Olfactory Conditions:

Clarity: CLEAR
 Color: ODOR STRONG BURNING PLASTIC/CHEMICAL FROM CULVERT
 Odor: NO COLOR - CLEAR
 Sheen: NONE
 Floatables: NONE

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

- YSI Pro Plus (15D100020)
- YSI Pro DSS 1
- YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 2.20

Reference Point (description): TOP OF CULVERT

Water Quality Measurements

Temperature (°C) 10.8

Specific Conductivity (µs/cm) 118.4

Dissolved Oxygen (mg/L) 10.88

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: DG. NIB
 Sample Date: 4/18/22 Sample Time: 18:30 PDT:
 Base Flow or Storm Event? Field filtered 5 minutes later: N
 (Must filter within 15 minutes of collection)

SITE ID: COLM
 Project Number: 14-05806-000



Water Quality Sampling

Sample ID: COLM20220418

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	NO
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	↓
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	↓
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	↓
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	↓
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: fair
 Color: yellow
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials:
 Date Entered: _____ Time: _____
 Notes: _____

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Rainy, 55F

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 _____
 YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 5.55
 Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 8.4
 Specific Conductivity (µs/cm) 48.0
 Dissolved Oxygen (mg/L) 10.74



HERRERA

Data Quality Assurance Worksheet

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 5/5/2022 /All locations, QA120 (TOSMO) Lab Ref No 2205-063

By J. Brown

Date 6/10/22 Page 1 of 2

Checked: initials
JL

date 6/30/2022

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹		
TSS	OK / SM 2540D	NA	NA	5	≤7	≤1.0 mg/L 1.0 mg/L	NA	NA	83	±20	7	≤25	12	≤25	OK	NONE
Turbidity	OK / EPA 180.1	NA	NA	1	≤2	≤0.1 NTU 0.1 NTU	NA	NA	NA	±10	36	≤25	34	≤25	OK	FLAG CUOMO AND TOSMO J DUE TO FIELD AND LAB DUPE RPD EXCEEDANCE RESPECTIVELY
Hardness	OK / SM 2340B	NA	NA	4	≤180	≤1.0 mg/L 1.0 mg/L	97, 95	±25	105	±15	1 MS 1	≤20	2	≤20	OK	NONE
DOC	OK / SM 5310B	≤15	≤15	7	≤28	≤1.0 mg/L 1.0 mg/L	117	±25	109	±15	D=0.3	≤20	8	≤20	OK	NONE
Total Phosphorus	OK / EPA 365.1	NA	NA	6	≤28	≤0.01 mg/L 0.01 mg/L	96	±25	100	±20	NC	≤20	6	≤20	OK	NONE
Total Nitrogen (TKN + N+N)	OK/ SM 4500 N-B	NA	NA	12, 14	≤28	≤0.1 mg/L 0.1 mg/L	97-101	±25	93-102	±20	NC D=0-0.06	≤20	4, D=0.05	≤20	OK	NONE

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.

NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported



HERRERA

Data Quality Assurance Worksheet

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 5/5/2022 /All locations, QA120 (TOSMO) Lab Ref No 2205-063

By J. Brown

Date 6/10/22 Page 2 of 2

Checked: initials
JL

date 6/30/2022

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal	Reported	Goal ¹	Reported	Goal ¹		
Total Copper	OK/ EPA 200.8	NA	NA	1	≤180	≤1.0 µg/L 1.0 µg/L	96, 96	±25	NR	±15	NC MS <1	≤20	D=0.6	≤20	OK	NONE
Total Zinc	OK/ EPA 200.8	NA	NA	1	≤180	≤5.0 µg/L 5.0 µg/L	97, 98	±25	NR	±15	NC MS 1	≤20	<1	≤20	OK	NONE
Dissolved Copper	OK/ EPA 200.8	≤15	≤15	4	≤180	≤1.0 µg/L 1.0 µg/L	71, 71	±25	NR	±15	D=0 MS <1	≤20	D=0	≤20	OK	NONE
Dissolved Zinc	OK/ EPA 200.8	≤15	≤15	4	≤180	≤5.0 µg/L 5.0 µg/L	180, 184	±25	NR	±15	1 MS 2	≤20	<1	≤20	OK	NONE
Fecal Coliform	OK / SM 9222D	NA	NA		≤1	≤1.0 cfu/ 100mL 10 cfu/ 100mL	NA	NA	NA	NA	15, 15	≤35	61	≤50	OK	FLAG TOSMO J DUE TO LAB DUPE RPD EXCEEDANCE

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.

NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported

This page intentionally left blank



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

June 21, 2022

Jess Brown
Herrera Environmental Consultants, Inc.
2200 6th Avenue, Suite 1100
Seattle, WA 98121

Re: Analytical Data for Project 14-05806-000
Laboratory Reference No. 2205-263

Dear Jess:

Enclosed are the analytical results and associated quality control data for samples submitted on May 24, 2022.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read "Blair Goodrow", enclosed within a large, loopy circular flourish.

Blair Goodrow
Project Manager

Enclosures



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: June 21, 2022
Samples Submitted: May 24, 2022
Laboratory Reference: 2205-263
Project: 14-05806-000

Case Narrative

Samples were collected on May 24, 2022 and received by the laboratory on May 24, 2022. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.



Date of Report: June 21, 2022
 Samples Submitted: May 24, 2022
 Laboratory Reference: 2205-263
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220524					
Laboratory ID:	05-263-01					
Total Suspended Solids	6.2	0.80	SM 2540D	5-26-22	5-27-22	

Client ID:	COUMI-20220524					
Laboratory ID:	05-263-02					
Total Suspended Solids	18	0.80	SM 2540D	5-26-22	5-27-22	

Client ID:	TOSMO-20220524					
Laboratory ID:	05-263-03					
Total Suspended Solids	8.0	0.80	SM 2540D	5-26-22	5-27-22	

Client ID:	TYLMO-20220524					
Laboratory ID:	05-263-04					
Total Suspended Solids	ND	0.80	SM 2540D	5-26-22	5-27-22	

Client ID:	TYLMI-20220524					
Laboratory ID:	05-263-05					
Total Suspended Solids	30	0.80	SM 2540D	5-26-22	5-27-22	

Client ID:	MONMN-20220524					
Laboratory ID:	05-263-06					
Total Suspended Solids	8.2	0.80	SM 2540D	5-26-22	5-27-22	

Client ID:	MONMS-20220524					
Laboratory ID:	05-263-07					
Total Suspended Solids	4.2	0.80	SM 2540D	5-26-22	5-27-22	

Client ID:	MONM-20220524					
Laboratory ID:	05-263-08					
Total Suspended Solids	13	0.80	SM 2540D	5-26-22	5-27-22	

Client ID:	TOSMI-20220524					
Laboratory ID:	05-263-09					
Total Suspended Solids	11	0.80	SM 2540D	5-26-22	5-27-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: June 21, 2022
 Samples Submitted: May 24, 2022
 Laboratory Reference: 2205-263
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-20220524					
Laboratory ID:	05-263-10					
Total Suspended Solids	5.6	0.80	SM 2540D	5-26-22	5-27-22	

Client ID:	COLM-20220524					
Laboratory ID:	05-263-11					
Total Suspended Solids	ND	0.80	SM 2540D	5-26-22	5-27-22	

Client ID:	SEIMS-20220524					
Laboratory ID:	05-263-12					
Total Suspended Solids	24	0.80	SM 2540D	5-26-22	5-27-22	

Client ID:	QA120-20220524					
Laboratory ID:	05-263-13					
Total Suspended Solids	9.0	0.80	SM 2540D	5-26-22	5-27-22	



Date of Report: June 21, 2022
 Samples Submitted: May 24, 2022
 Laboratory Reference: 2205-263
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0526W1					
Total Suspended Solids	ND	0.80	SM 2540D	5-26-22	5-27-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	05-263-11							
	ORIG	DUP						
Total Suspended Solids	ND	ND	NA	NA	NA	NA	25	

SPIKE BLANK								
Laboratory ID:	SB0526W1							
	SB	SB		SB				
Total Suspended Solids	79.0	100	NA	79	67-112	NA	NA	



Date of Report: June 21, 2022
 Samples Submitted: May 24, 2022
 Laboratory Reference: 2205-263
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220524					
Laboratory ID:	05-263-01					
Turbidity	4.5	0.60	EPA 180.1	5-24-22	5-24-22	

Client ID:	COUMI-20220524					
Laboratory ID:	05-263-02					
Turbidity	5.3	0.60	EPA 180.1	5-24-22	5-24-22	

Client ID:	TOSMO-20220524					
Laboratory ID:	05-263-03					
Turbidity	2.9	0.60	EPA 180.1	5-24-22	5-24-22	

Client ID:	TYLMO-20220524					
Laboratory ID:	05-263-04					
Turbidity	2.1	0.60	EPA 180.1	5-24-22	5-24-22	

Client ID:	TYLMI-20220524					
Laboratory ID:	05-263-05					
Turbidity	16	0.60	EPA 180.1	5-24-22	5-24-22	

Client ID:	MONMN-20220524					
Laboratory ID:	05-263-06					
Turbidity	2.9	0.60	EPA 180.1	5-24-22	5-24-22	

Client ID:	MONMS-20220524					
Laboratory ID:	05-263-07					
Turbidity	1.2	0.60	EPA 180.1	5-24-22	5-24-22	

Client ID:	MONM-20220524					
Laboratory ID:	05-263-08					
Turbidity	5.8	0.60	EPA 180.1	5-24-22	5-24-22	

Client ID:	TOSMI-20220524					
Laboratory ID:	05-263-09					
Turbidity	3.6	0.60	EPA 180.1	5-24-22	5-24-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: June 21, 2022
 Samples Submitted: May 24, 2022
 Laboratory Reference: 2205-263
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-20220524					
Laboratory ID:	05-263-10					
Turbidity	3.5	0.60	EPA 180.1	5-24-22	5-24-22	

Client ID:	COLM-20220524					
Laboratory ID:	05-263-11					
Turbidity	1.7	0.60	EPA 180.1	5-24-22	5-24-22	

Client ID:	SEIMS-20220524					
Laboratory ID:	05-263-12					
Turbidity	7.1	0.60	EPA 180.1	5-24-22	5-24-22	

Client ID:	QA120-20220524					
Laboratory ID:	05-263-13					
Turbidity	3.3	0.60	EPA 180.1	5-24-22	5-24-22	



Date of Report: June 21, 2022
 Samples Submitted: May 24, 2022
 Laboratory Reference: 2205-263
 Project: 14-05806-000

**TURBIDITY
 EPA 180.1
 QUALITY CONTROL**

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0524W1					
Turbidity	ND	0.60	EPA 180.1	5-24-22	5-24-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	05-263-01							
	ORIG	DUP						
Turbidity	4.46	4.54	NA	NA	NA	NA	2	18



Date of Report: June 21, 2022
 Samples Submitted: May 24, 2022
 Laboratory Reference: 2205-263
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220524					
Laboratory ID:	05-263-01					
Hardness	140	1.0	EPA 200.7/SM 2340B	5-27-22	5-27-22	

Client ID:	COUMI-20220524					
Laboratory ID:	05-263-02					
Hardness	170	1.0	EPA 200.7/SM 2340B	5-27-22	5-27-22	

Client ID:	TOSMO-20220524					
Laboratory ID:	05-263-03					
Hardness	130	1.0	EPA 200.7/SM 2340B	5-27-22	5-27-22	

Client ID:	TYLMO-20220524					
Laboratory ID:	05-263-04					
Hardness	97	1.0	EPA 200.7/SM 2340B	5-27-22	5-27-22	

Client ID:	TYLMI-20220524					
Laboratory ID:	05-263-05					
Hardness	100	1.0	EPA 200.7/SM 2340B	5-27-22	5-27-22	

Client ID:	MONMN-20220524					
Laboratory ID:	05-263-06					
Hardness	96	1.0	EPA 200.7/SM 2340B	5-27-22	5-27-22	

Client ID:	MONMS-20220524					
Laboratory ID:	05-263-07					
Hardness	130	1.0	EPA 200.7/SM 2340B	5-27-22	5-27-22	



Date of Report: June 21, 2022
 Samples Submitted: May 24, 2022
 Laboratory Reference: 2205-263
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO3/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20220524					
Laboratory ID:	05-263-08					
Hardness	99	1.0	EPA 200.7/SM 2340B	5-27-22	5-27-22	

Client ID:	TOSMI-20220524					
Laboratory ID:	05-263-09					
Hardness	140	1.0	EPA 200.7/SM 2340B	5-27-22	5-27-22	

Client ID:	SEIMN-20220524					
Laboratory ID:	05-263-10					
Hardness	28	1.0	EPA 200.7/SM 2340B	5-27-22	5-27-22	

Client ID:	COLM-20220524					
Laboratory ID:	05-263-11					
Hardness	14	1.0	EPA 200.7/SM 2340B	5-27-22	5-27-22	

Client ID:	SEIMS-20220524					
Laboratory ID:	05-263-12					
Hardness	52	1.0	EPA 200.7/SM 2340B	5-27-22	5-27-22	

Client ID:	QA120-20220524					
Laboratory ID:	05-263-13					
Hardness	140	1.0	EPA 200.7/SM 2340B	5-27-22	5-27-22	



Date of Report: June 21, 2022
 Samples Submitted: May 24, 2022
 Laboratory Reference: 2205-263
 Project: 14-05806-000

**HARDNESS
 EPA 200.7/SM 2340B
 QUALITY CONTROL**

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0527WH1					
Hardness	ND	1.0	EPA 200.7/SM 2340B	5-27-22	5-27-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	05-263-11							
	ORIG	DUP						
Hardness	13.8	13.8	NA	NA	NA	0	20	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags		
MATRIX SPIKES										
Laboratory ID:	05-263-11									
	MS	MSD	MS	MSD	MS	MSD				
Hardness	168	155	132	132	13.8	117	107	75-125	8	20

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
SPIKE BLANK								
Laboratory ID:	SB0527WH1							
	SB	SB			SB			
Hardness	141	132	NA	107	85-115	NA	NA	



Date of Report: June 21, 2022
 Samples Submitted: May 24, 2022
 Laboratory Reference: 2205-263
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220524					
Laboratory ID:	05-263-01					
Dissolved Organic Carbon	4.2	1.0	SM 5310B	6-6-22	6-6-22	

Client ID:	COUMI-20220524					
Laboratory ID:	05-263-02					
Dissolved Organic Carbon	3.6	1.0	SM 5310B	6-6-22	6-6-22	

Client ID:	TOSMO-20220524					
Laboratory ID:	05-263-03					
Dissolved Organic Carbon	3.2	1.0	SM 5310B	6-6-22	6-6-22	

Client ID:	TYLMO-20220524					
Laboratory ID:	05-263-04					
Dissolved Organic Carbon	4.4	1.0	SM 5310B	6-6-22	6-6-22	

Client ID:	TYLMI-20220524					
Laboratory ID:	05-263-05					
Dissolved Organic Carbon	3.7	1.0	SM 5310B	6-6-22	6-6-22	

Client ID:	MONMN-20220524					
Laboratory ID:	05-263-06					
Dissolved Organic Carbon	4.8	1.0	SM 5310B	6-6-22	6-6-22	

Client ID:	MONMS-20220524					
Laboratory ID:	05-263-07					
Dissolved Organic Carbon	6.0	1.0	SM 5310B	6-6-22	6-6-22	

Client ID:	MONM-20220524					
Laboratory ID:	05-263-08					
Dissolved Organic Carbon	4.4	1.0	SM 5310B	6-6-22	6-6-22	

Client ID:	TOSMI-20220524					
Laboratory ID:	05-263-09					
Dissolved Organic Carbon	2.9	1.0	SM 5310B	6-6-22	6-6-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: June 21, 2022
 Samples Submitted: May 24, 2022
 Laboratory Reference: 2205-263
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-20220524					
Laboratory ID:	05-263-10					
Dissolved Organic Carbon	7.8	1.0	SM 5310B	6-6-22	6-6-22	

Client ID:	COLM-20220524					
Laboratory ID:	05-263-11					
Dissolved Organic Carbon	14	1.0	SM 5310B	6-6-22	6-6-22	

Client ID:	SEIMS-20220524					
Laboratory ID:	05-263-12					
Dissolved Organic Carbon	4.4	1.0	SM 5310B	6-6-22	6-6-22	

Client ID:	QA120-20220524					
Laboratory ID:	05-263-13					
Dissolved Organic Carbon	3.5	1.0	SM 5310B	6-6-22	6-6-22	



Date of Report: June 21, 2022
 Samples Submitted: May 24, 2022
 Laboratory Reference: 2205-263
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0606D1					
Dissolved Organic Carbon	ND	1.0	SM 5310B	6-6-22	6-6-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	05-263-01							
	ORIG	DUP						
Dissolved Organic Carbon	4.17	4.18	NA	NA	NA	0	15	

MATRIX SPIKE

Laboratory ID:	05-263-01							
	MS	MS		MS				
Dissolved Organic Carbon	14.4	10.0	4.17	102	87-118	NA	NA	

SPIKE BLANK

Laboratory ID:	SB0606D1							
	SB	SB		SB				
Dissolved Organic Carbon	10.8	10.0	NA	108	88-118	NA	NA	



Date of Report: June 21, 2022
 Samples Submitted: May 24, 2022
 Laboratory Reference: 2205-263
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220524					
Laboratory ID:	05-263-01					
Total Phosphorus	0.062	0.010	EPA 365.1	6-6-22	6-7-22	

Client ID:	COUMI-20220524					
Laboratory ID:	05-263-02					
Total Phosphorus	0.11	0.010	EPA 365.1	6-6-22	6-7-22	

Client ID:	TOSMO-20220524					
Laboratory ID:	05-263-03					
Total Phosphorus	0.059	0.010	EPA 365.1	6-6-22	6-7-22	

Client ID:	TYLMO-20220524					
Laboratory ID:	05-263-04					
Total Phosphorus	0.043	0.010	EPA 365.1	6-6-22	6-7-22	

Client ID:	TYLMI-20220524					
Laboratory ID:	05-263-05					
Total Phosphorus	0.033	0.010	EPA 365.1	6-6-22	6-7-22	

Client ID:	MONMN-20220524					
Laboratory ID:	05-263-06					
Total Phosphorus	0.078	0.010	EPA 365.1	6-6-22	6-7-22	

Client ID:	MONMS-20220524					
Laboratory ID:	05-263-07					
Total Phosphorus	0.017	0.010	EPA 365.1	6-6-22	6-7-22	

Client ID:	MONM-20220524					
Laboratory ID:	05-263-08					
Total Phosphorus	0.072	0.010	EPA 365.1	6-6-22	6-7-22	

Client ID:	TOSMI-20220524					
Laboratory ID:	05-263-09					
Total Phosphorus	0.057	0.010	EPA 365.1	6-6-22	6-7-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: June 21, 2022
 Samples Submitted: May 24, 2022
 Laboratory Reference: 2205-263
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-20220524					
Laboratory ID:	05-263-10					
Total Phosphorus	0.031	0.010	EPA 365.1	6-6-22	6-7-22	

Client ID:	COLM-20220524					
Laboratory ID:	05-263-11					
Total Phosphorus	0.017	0.010	EPA 365.1	6-6-22	6-7-22	

Client ID:	SEIMS-20220524					
Laboratory ID:	05-263-12					
Total Phosphorus	0.046	0.010	EPA 365.1	6-6-22	6-7-22	

Client ID:	QA120-20220524					
Laboratory ID:	05-263-13					
Total Phosphorus	0.058	0.010	EPA 365.1	6-6-22	6-7-22	



Date of Report: June 21, 2022
 Samples Submitted: May 24, 2022
 Laboratory Reference: 2205-263
 Project: 14-05806-000

**TOTAL PHOSPHORUS
 EPA 365.1
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0606W1					
Total Phosphorus	ND	0.010	EPA 365.1	6-6-22	6-7-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	05-263-01							
	ORIG	DUP						
Total Phosphorus	0.0623	0.0660	NA	NA	NA	6	20	

MATRIX SPIKE								
Laboratory ID:	05-263-01							
	MS	MS		MS				
Total Phosphorus	0.314	0.250	0.0623	101	82-111	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0606W1							
	SB	SB		SB				
Total Phosphorus	0.268	0.250	NA	107	78-110	NA	NA	



Date of Report: June 21, 2022
 Samples Submitted: May 24, 2022
 Laboratory Reference: 2205-263
 Project: 14-05806-000

TOTAL METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220524					
Laboratory ID:	05-263-01					
Copper	1.0	1.0	EPA 200.8	5-25-22	5-25-22	
Zinc	18	5.0	EPA 200.8	5-25-22	5-25-22	

Client ID:	COUMI-20220524					
Laboratory ID:	05-263-02					
Copper	6.0	1.0	EPA 200.8	5-25-22	5-25-22	
Zinc	110	5.0	EPA 200.8	5-25-22	5-25-22	

Client ID:	TOSMO-20220524					
Laboratory ID:	05-263-03					
Copper	1.0	1.0	EPA 200.8	5-25-22	5-25-22	
Zinc	44	5.0	EPA 200.8	5-25-22	5-25-22	

Client ID:	TYLMO-20220524					
Laboratory ID:	05-263-04					
Copper	1.5	1.0	EPA 200.8	5-25-22	5-25-22	
Zinc	14	5.0	EPA 200.8	5-25-22	5-25-22	

Client ID:	TYLMI-20220524					
Laboratory ID:	05-263-05					
Copper	2.4	1.0	EPA 200.8	5-25-22	5-25-22	
Zinc	21	5.0	EPA 200.8	5-25-22	5-25-22	

Client ID:	MONMN-20220524					
Laboratory ID:	05-263-06					
Copper	1.3	1.0	EPA 200.8	5-25-22	5-25-22	
Zinc	11	5.0	EPA 200.8	5-25-22	5-25-22	

Client ID:	MONMS-20220524					
Laboratory ID:	05-263-07					
Copper	ND	1.0	EPA 200.8	5-25-22	5-25-22	
Zinc	11	5.0	EPA 200.8	5-25-22	5-25-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: June 21, 2022
 Samples Submitted: May 24, 2022
 Laboratory Reference: 2205-263
 Project: 14-05806-000

TOTAL METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20220524					
Laboratory ID:	05-263-08					
Copper	1.2	1.0	EPA 200.8	5-25-22	5-25-22	
Zinc	18	5.0	EPA 200.8	5-25-22	5-25-22	

Client ID:	TOSMI-20220524					
Laboratory ID:	05-263-09					
Copper	3.6	1.0	EPA 200.8	5-25-22	5-25-22	
Zinc	150	5.0	EPA 200.8	5-25-22	5-25-22	

Client ID:	SEIMN-20220524					
Laboratory ID:	05-263-10					
Copper	1.1	1.0	EPA 200.8	5-25-22	5-25-22	
Zinc	ND	5.0	EPA 200.8	5-25-22	5-25-22	

Client ID:	COLM-20220524					
Laboratory ID:	05-263-11					
Copper	1.1	1.0	EPA 200.8	5-25-22	5-25-22	
Zinc	ND	5.0	EPA 200.8	5-25-22	5-25-22	

Client ID:	SEIMS-20220524					
Laboratory ID:	05-263-12					
Copper	1.1	1.0	EPA 200.8	5-25-22	5-25-22	
Zinc	ND	5.0	EPA 200.8	5-25-22	5-25-22	

Client ID:	QA120-20220524					
Laboratory ID:	05-263-13					
Copper	4.2	1.0	EPA 200.8	5-25-22	5-25-22	
Zinc	150	5.0	EPA 200.8	5-25-22	5-25-22	



Date of Report: June 21, 2022
 Samples Submitted: May 24, 2022
 Laboratory Reference: 2205-263
 Project: 14-05806-000

**TOTAL METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0525WH1					
Copper	ND	1.0	EPA 200.8	5-25-22	5-25-22	
Zinc	ND	5.0	EPA 200.8	5-25-22	5-25-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	05-263-10							
	ORIG	DUP						
Copper	1.05	ND	NA	NA	NA	NA	NA	20
Zinc	ND	ND	NA	NA	NA	NA	NA	20

MATRIX SPIKES

Laboratory ID:	05-263-10									
	MS	MSD	MS	MSD		MS	MSD			
Copper	99.4	96.2	100	100	1.05	98	95	75-125	3	20
Zinc	101	99.4	100	100	ND	101	99	75-125	2	20



Date of Report: June 21, 2022
 Samples Submitted: May 24, 2022
 Laboratory Reference: 2205-263
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-20220524					
Laboratory ID:	05-263-01					
Copper	ND	1.0	EPA 200.8		5-25-22	
Zinc	7.5	5.0	EPA 200.8		5-25-22	

Client ID:	COUMI-20220524					
Laboratory ID:	05-263-02					
Copper	ND	1.0	EPA 200.8		5-25-22	
Zinc	13	5.0	EPA 200.8		5-25-22	

Client ID:	TOSMO-20220524					
Laboratory ID:	05-263-03					
Copper	ND	1.0	EPA 200.8		5-25-22	
Zinc	31	5.0	EPA 200.8		5-25-22	

Client ID:	TYLMO-20220524					
Laboratory ID:	05-263-04					
Copper	1.2	1.0	EPA 200.8		5-25-22	
Zinc	14	5.0	EPA 200.8		5-25-22	

Client ID:	TYLMI-20220524					
Laboratory ID:	05-263-05					
Copper	1.7	1.0	EPA 200.8		5-25-22	
Zinc	13	5.0	EPA 200.8		5-25-22	

Client ID:	MONMN-20220524					
Laboratory ID:	05-263-06					
Copper	ND	1.0	EPA 200.8		5-25-22	
Zinc	ND	5.0	EPA 200.8		5-25-22	

Client ID:	MONMS-20220524					
Laboratory ID:	05-263-07					
Copper	ND	1.0	EPA 200.8		5-25-22	
Zinc	ND	5.0	EPA 200.8		5-25-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: June 21, 2022
 Samples Submitted: May 24, 2022
 Laboratory Reference: 2205-263
 Project: 14-05806-000

DISSOLVED METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-20220524					
Laboratory ID:	05-263-08					
Copper	ND	1.0	EPA 200.8		5-25-22	
Zinc	8.8	5.0	EPA 200.8		5-25-22	

Client ID:	TOSMI-20220524					
Laboratory ID:	05-263-09					
Copper	ND	1.0	EPA 200.8		5-25-22	
Zinc	53	5.0	EPA 200.8		5-25-22	

Client ID:	SEIMN-20220524					
Laboratory ID:	05-263-10					
Copper	ND	1.0	EPA 200.8		5-25-22	
Zinc	ND	5.0	EPA 200.8		5-25-22	

Client ID:	COLM-20220524					
Laboratory ID:	05-263-11					
Copper	ND	1.0	EPA 200.8		5-25-22	
Zinc	ND	5.0	EPA 200.8		5-25-22	

Client ID:	SEIMS-20220524					
Laboratory ID:	05-263-12					
Copper	ND	1.0	EPA 200.8		5-25-22	
Zinc	ND	5.0	EPA 200.8		5-25-22	

Client ID:	QA120-20220524					
Laboratory ID:	05-263-13					
Copper	ND	1.0	EPA 200.8		5-25-22	
Zinc	56	5.0	EPA 200.8		5-25-22	



Date of Report: June 21, 2022
 Samples Submitted: May 24, 2022
 Laboratory Reference: 2205-263
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0525D1					
Copper	ND	1.0	EPA 200.8		5-25-22	
Zinc	ND	5.0	EPA 200.8		5-25-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	05-263-13							
	ORIG	DUP						
Copper	ND	ND	NA	NA	NA	NA	NA	20
Zinc	56.4	55.4	NA	NA	NA	NA	2	20

MATRIX SPIKES

Laboratory ID:	05-263-13									
	MS	MSD	MS	MSD		MS	MSD			
Copper	80.0	79.6	80.0	80.0	ND	100	100	75-125	1	20
Zinc	138	136	80.0	80.0	56.4	103	100	75-125	2	20





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
 - B - The analyte indicated was also found in the blank sample.
 - C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
 - E - The value reported exceeds the quantitation range and is an estimate.
 - F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
 - H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
 - I - Compound recovery is outside of the control limits.
 - J - The value reported was below the practical quantitation limit. The value is an estimate.
 - K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
 - L - The RPD is outside of the control limits.
 - M - Hydrocarbons in the gasoline range are impacting the diesel range result.
 - M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
 - N - Hydrocarbons in the lube oil range are impacting the diesel range result.
 - N1 - Hydrocarbons in diesel range are impacting lube oil range results.
 - O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
 - P - The RPD of the detected concentrations between the two columns is greater than 40.
 - Q - Surrogate recovery is outside of the control limits.
 - S - Surrogate recovery data is not available due to the necessary dilution of the sample.
 - T - The sample chromatogram is not similar to a typical _____.
 - U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
 - U1 - The practical quantitation limit is elevated due to interferences present in the sample.
 - V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
 - W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
 - X - Sample extract treated with a mercury cleanup procedure.
 - X1 - Sample extract treated with a Sulfuric acid/Silica gel cleanup procedure.
 - Y - The calibration verification for this analyte exceeded the 20% drift specified in method 8260C, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
 - Z -
- ND - Not Detected at PQL
 PQL - Practical Quantitation Limit
 RPD - Relative Percent Difference





Am Test Inc.
 13600 NE 126TH PL
 Suite C
 Kirkland, WA 98034
 (425) 885-1664

**Professional
 Analytical
 Services**

Jun 21 2022
 On-Site Environmental
 14648 NE 95th ST
 Redmond, WA 98052
 Attention: David Baumeister

Dear David Baumeister:

Enclosed please find the analytical data for your REDMOND PAIRED WATERSHED STUDY project.

The following is a cross correlation of client and laboratory identifications for your convenience.

CLIENT ID	MATRIX	AMTEST ID	TEST
20220524-COUMO	Water	22-A008379	Micro, NUT
20220524-COUMI	Water	22-A008380	Micro, NUT
20220524-TOSMO	Water	22-A008381	Micro, NUT
20220524-TYLMO	Water	22-A008382	Micro, NUT
20220524-TYLM I	Water	22-A008383	Micro, NUT
20220524-MONMN	Water	22-A008384	Micro, NUT
20220524-MONMS	Water	22-A008385	Micro, NUT
20220524-MONM	Water	22-A008386	Micro, NUT
20220524-TOSMI	Water	22-A008387	Micro, NUT
20220524-SEIMN	Water	22-A008388	Micro, NUT
20220524-COLM	Water	22-A008389	Micro, NUT
20220524-SEIMS	Water	22-A008390	Micro, NUT
20220524-QA120	Water	22-A008391	Micro, NUT

Your samples were received on Tuesday, May 24, 2022. At the time of receipt, the samples were logged in and properly maintained prior to the subsequent analysis.


The analytical procedures used at AmTest are well documented and are typically derived from the protocols of the EPA, USDA, FDA or the Army Corps of Engineers.

Following the analytical data you will find the Quality Control (QC) results.

Please note that the detection limits that are listed in the body of the report refer to the Practical Quantitation Limits (PQL's), as opposed to the Method Detection Limits (MDL's).

If you should have any questions pertaining to the data package, please feel free to contact me.

Sincerely,


 Aaron W. Young
 Vice President

Project #: 14-05806-000
 SDG #: 2224150
 WO Number: 05-263

BACT = Bacteriological
 CONV = Conventionals

MET = Metals
 ORG = Organics

NUT=Nutrients
 DEM=Demand

P.1
 MIN=Minerals

Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664
www.amtestlab.com



**Professional
Analytical
Services**

ANALYSIS REPORT

On-Site Environmental
14648 NE 95th ST
Redmond, WA 98052
Attention: David Baumeister
Project Name: REDMOND PAIRED WATERSHED STUDY
SDG Number: 2224150
Project #: 14-05806-000
All results reported on an as received basis.

Date Received: 05/24/22
Date Reported: 6/21/22

AMTEST Identification Number 22-A008379
Client Identification 20220524-COUMO
Sampling Date 05/24/22, 09:10

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	250	CFU/100 ml		1	SM 9222D	OB	05/24/22
Total Nitrogen (NOX&TKN)	0.91	mg/l		0.1			
Total Nitrogen (TKN)	0.586	mg/l		0.25	SM4500N	KS	06/01/22
Total Nitrate + Nitrite	0.325	mg/l		0.02	SM4500NO3	KS	06/03/22

AMTEST Identification Number 22-A008380
Client Identification 20220524-COUMI
Sampling Date 05/24/22, 09:25

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	320	CFU/100 ml		1	SM 9222D	OB	05/24/22
Total Nitrogen (NOX&TKN)	1.57	mg/l		0.1			
Total Nitrogen (TKN)	1.37	mg/l		0.25	SM4500N	KS	06/01/22
Total Nitrate + Nitrite	0.199	mg/l		0.02	SM4500NO3	KS	06/03/22

AMTEST Identification Number 22-A008381
Client Identification 20220524-TOSMO
Sampling Date 05/24/22, 09:45

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	140	CFU/100 ml		1	SM 9222D	OB	05/24/22
Total Nitrogen (NOX&TKN)	0.95	mg/l		0.1			
Total Nitrogen (TKN)	0.429	mg/l		0.25	SM4500N	KS	06/01/22
Total Nitrate + Nitrite	0.518	mg/l		0.02	SM4500NO3	KS	06/03/22

AMTEST Identification Number 22-A008382
Client Identification 20220524-TYLMO
Sampling Date 05/24/22, 10:10

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	50.	CFU/100 ml		1	SM 9222D	OB	05/24/22
Total Nitrogen (NOX&TKN)	0.83	mg/l		0.1			
Total Nitrogen (TKN)	0.493	mg/l		0.25	SM4500N	KS	06/01/22
Total Nitrate + Nitrite	0.337	mg/l		0.02	SM4500NO3	KS	06/03/22

AMTEST Identification Number 22-A008383
Client Identification 20220524-TYLM1
Sampling Date 05/24/22, 10:30

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	120	CFU/100 ml		1	SM 9222D	OB	05/24/22
Total Nitrogen (NOX&TKN)	1.45	mg/l		0.1			
Total Nitrogen (TKN)	0.670	mg/l		0.25	SM4500N	KS	06/01/22
Total Nitrate + Nitrite	0.779	mg/l		0.02	SM4500NO3	KS	06/03/22

AMTEST Identification Number 22-A008384
Client Identification 20220524-MONMN
Sampling Date 05/24/22, 11:15

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	58.	CFU/100 ml		1	SM 9222D	OB	05/24/22
Total Nitrogen (NOX&TKN)	0.75	mg/l		0.1			
Total Nitrogen (TKN)	0.578	mg/l		0.25	SM4500N	KS	06/01/22
Total Nitrate + Nitrite	0.171	mg/l		0.02	SM4500NO3	KS	06/03/22

AMTEST Identification Number 22-A008385
Client Identification 20220524-MONMS
Sampling Date 05/24/22, 11:30

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	9.	CFU/100 ml		1	SM 9222D	OB	05/24/22
Total Nitrogen (NOX&TKN)	0.50	mg/l		0.1			
Total Nitrogen (TKN)	0.495	mg/l		0.25	SM4500N	KS	06/01/22
Total Nitrate + Nitrite	< 0.02	mg/l		0.02	SM4500NO3	KS	06/03/22

AMTEST Identification Number 22-A008386
Client Identification 20220524-MONM
Sampling Date 05/24/22, 11:30

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	25.	CFU/100 ml		1	SM 9222D	OB	05/24/22
Total Nitrogen (NOX&TKN)	0.88	mg/l		0.1			
Total Nitrogen (TKN)	0.626	mg/l		0.25	SM4500N	KS	06/01/22
Total Nitrate + Nitrite	0.252	mg/l		0.02	SM4500NO3	KS	06/03/22

AMTEST Identification Number 22-A008387
Client Identification 20220524-TOSMI
Sampling Date 05/24/22, 09:20

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	70.	CFU/100 ml		1	SM 9222D	OB	05/24/22
Total Nitrogen (NOX&TKN)	1.22	mg/l		0.1			
Total Nitrogen (TKN)	0.483	mg/l		0.25	SM4500N	KS	06/01/22
Total Nitrate + Nitrite	0.732	mg/l		0.02	SM4500NO3	KS	06/03/22

AMTEST Identification Number 22-A008388
Client Identification 20220524-SEIMN
Sampling Date 05/24/22, 10:15

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	10.	CFU/100 ml		1	SM 9222D	OB	05/24/22
Total Nitrogen (NOX&TKN)	0.81	mg/l		0.1			
Total Nitrogen (TKN)	0.581	mg/l		0.25	SM4500N	KS	06/01/22
Total Nitrate + Nitrite	0.227	mg/l		0.02	SM4500NO3	KS	06/03/22

AMTEST Identification Number 22-A008389
Client Identification 20220524-COLM
Sampling Date 05/24/22, 10:40

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	7.	CFU/100 ml		1	SM 9222D	OB	05/24/22
Total Nitrogen (NOX&TKN)	0.70	mg/l		0.1			
Total Nitrogen (TKN)	0.568	mg/l		0.25	SM4500N	KS	06/01/22
Total Nitrate + Nitrite	0.132	mg/l		0.02	SM4500NO3	KS	06/03/22

AMTEST Identification Number 22-A008390
Client Identification 20220524-SEIMS
Sampling Date 05/24/22, 11:00


Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	6.	CFU/100 ml		1	SM 9222D	OB	05/24/22
Total Nitrogen (NOX&TKN)	0.75	mg/l		0.1			
Total Nitrogen (TKN)	0.751	mg/l		0.25	SM4500N	KS	06/01/22
Total Nitrate + Nitrite	< 0.02	mg/l		0.02	SM4500NO3	KS	06/03/22

AMTEST Identification Number 22-A008391
Client Identification 20220524-QA120
Sampling Date 05/24/22, 09:20

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	45.	CFU/100 ml		1	SM 9222D	OB	05/24/22
Total Nitrogen (NOX&TKN)	1.28	mg/l		0.1			
Total Nitrogen (TKN)	0.526	mg/l		0.25	SM4500N	KS	06/01/22
Total Nitrate + Nitrite	0.752	mg/l		0.02	SM4500NO3	KS	06/03/22


 Aaron W. Young
 Vice President

QC Summary for sample numbers: 22-A008379 to 22-A008391

DUPLICATES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	DUP VALUE	RPD
22-A008382	Fecal Coliform	CFU/100 ml	50.	65.	26.
22-A008387	Fecal Coliform	CFU/100 ml	70.	70.	0.00
22-A007777	Total Nitrogen (TKN)	mg/l	9.11	8.59	5.9
22-A008389	Total Nitrogen (TKN)	mg/l	0.568	0.566	0.35
22-A008469	Total Nitrogen (TKN)	mg/l	0.520	0.522	0.38
22-A008635	Total Nitrogen (TKN)	mg/l	0.618	0.618	0.00
22-A008648	Total Nitrogen (TKN)	mg/l	0.615	0.661	7.2
22-A008650	Total Nitrogen (TKN)	mg/l	0.690	0.680	1.5
22-A008664	Total Nitrogen (TKN)	mg/l	0.307	0.311	1.3
22-A008286	Total Nitrate + Nitrite	mg/l	1.54	1.55	0.65
22-A008383	Total Nitrate + Nitrite	mg/l	0.779	0.785	0.77
22-A008420	Total Nitrate + Nitrite	mg/l	1.14	1.14	0.00
22-A008470	Total Nitrate + Nitrite	mg/l	0.021	0.021	0.00
22-A008631	Total Nitrate + Nitrite	mg/l	2.08	2.10	0.96

MATRIX SPIKES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	SMPL+ SPK	SPK AMT	RECOVERY
22-A007777	Total Nitrogen (TKN)	mg/l	8.59	18.9	10.0	103.10 %
22-A008389	Total Nitrogen (TKN)	mg/l	0.568	2.55	2.00	99.10 %
22-A008469	Total Nitrogen (TKN)	mg/l	0.520	2.52	2.00	100.00 %
22-A008635	Total Nitrogen (TKN)	mg/l	0.618	2.61	2.00	99.60 %
22-A008648	Total Nitrogen (TKN)	mg/l	0.615	2.71	2.00	104.75 %
22-A008650	Total Nitrogen (TKN)	mg/l	0.690	2.73	2.00	102.00 %
22-A008664	Total Nitrogen (TKN)	mg/l	0.307	2.34	2.00	101.65 %
22-A008286	Total Nitrate + Nitrite	mg/l	1.54	2.50	1.00	96.00 %
22-A008383	Total Nitrate + Nitrite	mg/l	0.779	1.80	1.00	102.10 %
22-A008420	Total Nitrate + Nitrite	mg/l	1.14	2.13	1.00	99.00 %
22-A008470	Total Nitrate + Nitrite	mg/l	0.021	0.964	1.00	94.30 %
22-A008631	Total Nitrate + Nitrite	mg/l	2.08	12.2	10.0	101.20 %

STANDARD REFERENCE MATERIALS

ANALYTE	UNITS	TRUE VALUE	MEASURED VALUE	RECOVERY
Total Nitrogen (TKN)	mg/l	1.00	0.978	97.8 %
Total Nitrogen (TKN)	mg/l	1.00	0.974	97.4 %
Total Nitrogen (TKN)	mg/l	1.00	0.992	99.2 %
Total Nitrogen (TKN)	mg/l	1.00	1.00	100. %
Total Nitrogen (TKN)	mg/l	1.00	0.985	98.5 %
Total Nitrogen (TKN)	mg/l	1.00	0.950	95.0 %

QC Summary for sample numbers: 22-A008379 to 22-A008391...

STANDARD REFERENCE MATERIALS continued....

ANALYTE	UNITS	TRUE VALUE	MEASURED VALUE	RECOVERY
Total Nitrogen (TKN)	mg/l	1.00	1.01	101. %
Total Nitrogen (TKN)	mg/l	1.00	1.03	103. %
Total Nitrogen (TKN)	mg/l	1.00	1.03	103. %
Total Nitrate + Nitrite	mg/l	1.00	0.993	99.3 %
Total Nitrate + Nitrite	mg/l	1.00	0.969	96.9 %
Total Nitrate + Nitrite	mg/l	1.00	1.00	100. %

BLANKS

ANALYTE	UNITS	RESULT
Fecal Coliform	CFU/100 ml	< 1
Fecal Coliform	CFU/100 ml	< 1
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02



14648 NE 95th Street, Redmond, WA 98052 · (425) 883-3881

Laboratory Reference #: 05-263

Laboratory: AmTest Laboratories

Turnaround Request

Project Manager: Blair Goodrow

Attention: Aaron Young

1 Day 2 Day 3 Day

email: bgoodrow@onsite-env.com

13600 NE 126th PI Kirkland, WA 98034

Standard

Project Number: 14-05806-000

Phone Number: (425) 885-1664

Other: _____

Project Name: Redmond Paired Watershed Study

8379
80
81
82
83
84
85
86
87
88

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Requested Analyses
1	COUMO-20220524	5/24/22	9:10	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
2	COUMI-20220524	5/24/22	9:25	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
3	TOSMO-20220524	5/24/22	9:45	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
4	TYLMO-20220524	5/24/22	10:10	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
5	TYLMI-20220524	5/24/22	10:30	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
6	MONMN-20220524	5/24/22	11:15	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
7	MONMS-20220524	5/24/22	11:30	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
8	MONM-20220524	5/24/22	11:30	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
9	TOSMI-20220524	5/24/22	9:20	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
10	SEIMN-20220524	5/24/22	10:15	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
Signature		Company		Date	Time	Comments/Special Instructions
Relinquished by: <i>Nick...</i>		OSE		5/24/22	1337	EDDs - CSV Reporting Limits: Fecal Coliform - 1.0 cfu/100ml Total Nitrogen - .10 mg/L 9.3°C
Received by: <i>F.G.</i>		AmTest		5/24	1337	
Relinquished by:						
Received by:						
Relinquished by:						
Received by:						

CHAIN OF CUSTODY

05-263 Page 1 of 1

14648 NE 95th Street, Redmond, WA 98052
Telephone: 425.883.3881

Company: Herrera Environmental Consultants
Project No.: 14-05806-000
Project Name: Redmond Paired Watershed Study
Project Manager: George Iftner

Turnaround Requested:

- 1 Day
- 2 Day
- 3 Day
- Standard

Laboratory No.

Requested Analyses

Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.
1	COUMO-2022-0524	5/24/22	9:10	Water	7
2	COUMI-2022	↓	9:25	Water	7
3	TOSMO-2022		9:45	Water	7
4	TYLMO-2022		10:10	Water	7
5	TYLMI-2022		10:30	Water	7
6	MONMN-2022		11:15	Water	7
7	MONMS-2022		11:30	Water	7
8	MONM-2022		11:30	Water	7
9	TOSMI-2022		9:20	Water	7
10	SEIMN-2022		10:15	Water	7
11	COLM-2022		10:40	Water	7
12	SEIMS-2022		11:00	Water	7
13	QA-170-2022-0524		9:20	Water	7

Relinquished by David Garcia Date 5/24/22 Received by Nicholas [Signature] Date 5/24/22
 Firm Herrera Environmental Time 12:12 Firm OSE Time 12:12

Relinquished by _____ Date _____ Received by _____ Date _____
 Firm _____ Time _____ Firm _____ Time _____

Comments:
* - field filtered with 0.45 µm filter within 15 minutes of collecting sample

METER CALIBRATION LOG - Redmond Paired Watershed Study

Project Number:	14-05806-000		
Personnel Performing Calibration:	D. Conroy		
Meter:	Pro QSS #1		
Date/Time:	5/24/22 8:12 am		
Barometric Pressure Start of Day:	mmHg: 772.7	Time:	8:16
Barometric Pressure End of Day:	mmHg: 772.2	Time:	12:17

Calibration Procedures:
Rinse Multimetric Sonde Between Each Operation
Rinse 3 times with tap water, 3 times with deionized water, then 3 times with the solution to be used for calibrating or testing.
Conductivity Calibration Notes:



PRE Field Run CALIBRATION	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	1.7	0	22.5	
Conductivity (µS/cm)	1053	1,000	23.0	
Conductivity (µS/cm)	97.1	100	22.8	
DO % Saturation	102.3	100	22.8	

POST Field Run CHECK	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)		0		forgot to do
Conductivity (µS/cm)		100		post check
DO % Saturation		100		

1. Dry the conductivity probe with a lab tissue (e.g., KimWipes®) and DI water.
2. Fill calibration cup to within a centimeter of the top of the calibration cup with DI water (0 µS).
3. Fill the calibration cup with 1,000 µS standard so that the temperature/conductivity probe is submerged.
4. Make sure there are no bubbles in the cell; wait 2 minutes.
5. Enter the appropriate standard value (1,000 µS/cm or 1.0 mS/cm) for Sp Cond.
6. Check conductivity using 100 µS/cm standard.

- Dissolved Oxygen Calibration Notes:**
1. Fill the calibration cup with about 1/2 inch of DI; it should be below the sensor cap.
 2. Use KimWipes® to dry any droplets from the sensor cap.
 3. Invert calibration cup's cap and gently rest it on the cup.
 4. Wait 5 minutes, making sure that temperature stabilizes.
 5. Determine local barometric pressure (mm Hg) and enter this value into the meter.
 6. Click "Calibrate". "Calibrate Successful" will be displayed.
 7. To retain calibration accuracy between measurements, store with the sensor immersed in water or within a water-saturated air environment such as a sealed storage cup with at least 10 ml of water.
 8. It is important to have the water-saturated air and the sensor at the same temperature. Therefore, store a jar of DI in the same environment as the sonde and calibrate in a similar air temperature as the water and sonde.
 9. Keep probe out of direct sun or wind.

METER CALIBRATION LOG - Redmond Paired Watershed Study

Project Number:	14-05806-000		
Personnel Performing Calibration:	D Garcia		
Meter:	pro DSC #2 → 15:36		
Date/Time:	5/22/22		
Barometric Pressure Start of Day:	mmHg: 771.4	Time: 8:18	
Barometric Pressure End of Day:	mmHg: 768	Time: 12:15	

Calibration Procedures:
Rinse Multimeter Sonde Between Each Operation
Rinse 3 times with tap water, 3 times with deionized water, then 3 times with the solution to be used for calibrating or testing.
Conductivity Calibration Notes:



PRE Field Run CALIBRATION	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	1.3	0	22.3	
Conductivity (µS/cm)	1076	1,000	22.8	
Conductivity (µS/cm)	95.8	100	22.6	
DO % Saturation	101.8	100	22.6	

1. Dry the conductivity probe with a lab tissue (e.g., KimWipes®) and DI water.
2. Fill calibration cup to within a centimeter of the top of the calibration cup with DI water (0 µS).
3. Fill the calibration cup with 1,000 µS standard so that the temperature/conductivity probe is submerged.
4. Make sure there are no bubbles in the cell; wait 2 minutes.
5. Enter the appropriate standard value (1,000 µS/cm or 1.0 mS/cm) for Sp Cond.
6. Check conductivity using 100 µS/cm standard.

POST Field Run CHECK	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)		0		forget to do
Conductivity (µS/cm)		100		post check
DO % Saturation		100		

- Dissolved Oxygen Calibration Notes:**
1. Fill the calibration cup with about 1/2 inch of DI; it should be below the sensor cap.
 2. Use KimWipes® to dry any droplets from the sensor cap.
 3. Invert calibration cup's cap and gently rest it on the cup.
 4. Wait 5 minutes, making sure that temperature stabilizes.
 5. Determine local barometric pressure (mm Hg) and enter this value into the meter.
 6. Click "Calibrate". "Calibrate Successful" will be displayed.
 7. To retain calibration accuracy between measurements, store with the sensor immersed in water or within a water-saturated air environment such as a sealed storage cup with at least 10 ml of water.
 8. It is important to have the water-saturated air and the sensor at the same temperature. Therefore, store a jar of DI in the same environment as the sonde and calibrate in a similar air temperature as the water and sonde.
 9. Keep probe out of direct sun or wind.

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: DB, NB
 Sample Date: 5/26/22 Sample Time: 10:10 PDT
 Base Flow or Storm Event? Field filtered 5 minutes later: N
 (Must filter within 15 minutes of collection) PST:

SITE ID: COLM
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: partly, 65°F

Water Quality Sampling

Sample ID: COLM 2022 0524

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	<input checked="" type="checkbox"/>
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	<input checked="" type="checkbox"/>
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	<input checked="" type="checkbox"/>
T Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	<input checked="" type="checkbox"/>
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	<input checked="" type="checkbox"/>
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<input checked="" type="checkbox"/>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: low
 Color: brown
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials:
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 5.51
 Reference Point (description): 56

Water Quality Measurements

Temperature (°C) 11.0
 Specific Conductivity (µs/cm) 10.10
 Dissolved Oxygen (mg/L) 45.0

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Ma F, Allison N
 Sample Date: 5/24/22 Sample Time: 9:25
 Base Flow or Storm Event? Field filtered 5 minutes later: Y N
 (Must filter within 15 minutes of collection)

SITE ID: COUM1
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 55° cloudy

Water Quality Sampling

Sample ID: COUM1

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clean
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials:
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
 YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 _____
 YSI Pro DSS 2 _____

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): _____ below gage
 Reference Point (description): staff gage Lo sand David picture

Water Quality Measurements

Temperature (°C) 10.6
 Specific Conductivity (µs/cm) 251.0
 Dissolved Oxygen (mg/L) 10.99

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Tha F. Allison N

Sample Date: 5/24/22

Sample Time: 9:10

PDT:

SITE ID:

COUMO

Base Flow or Storm Event?

Field filtered 5 minutes later: Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 55° cloudy

Water Quality Sampling

Sample ID: COUMO

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>no</u>
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: clean

Color:

Odor:

Sheen:

Floatables:

LABORATORY DELIVERY

Date:

Time:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 1.56

Reference Point (description): staff gage

Water Quality Measurements

Temperature (°C) 11.2

Specific Conductivity (µs/cm) 231.9

Dissolved Oxygen (mg/L) 10.57

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

42

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: 176, NB
 Sample Date: 5/24/22 Sample Time: 11:15 PDT
 Base Flow or Storm Event? Field filtered 5 minutes later: Y N
 (Must filter within 15 minutes of collection) PST

SITE ID: MONMN
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: overcast, 65°F

Water Quality Sampling

Sample ID: MONMN20220524

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	<u>Y</u>
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	<u>Y</u>
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	<u>Y</u>
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	<u>Y</u>
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	<u>Y</u>
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<u>Y</u>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 9.16
 Reference Point (description): 56

Water Quality Measurements

Temperature (°C) 10.7
 Specific Conductivity (µs/cm) 2072
 Dissolved Oxygen (mg/L) 10.22

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: PG, NB

Sample Date: 5/24/22

Sample Time: 11:30

PDT:

SITE

ID: MONMS

Base Flow or Storm Event?

Field filtered 5 minutes later? N

PST:

(Must filter within 15 minutes of collection)

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: overcast, 65°F

Water Quality Sampling

Sample ID: MONMS 20220524

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<input checked="" type="checkbox"/>
DOC *	HDPE	250 ml	1	HCL	<input checked="" type="checkbox"/>
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	<input checked="" type="checkbox"/>
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	<input checked="" type="checkbox"/>
T Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	<input checked="" type="checkbox"/>
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	<input checked="" type="checkbox"/>
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<input checked="" type="checkbox"/>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: X
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 8.5

Reference Point (description): mainstem

Water Quality Measurements

Temperature (°C) 10.4

Specific Conductivity (µs/cm) 288.1

Dissolved Oxygen (mg/L) 7.52

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Dina F, Allison N
 Sample Date: 05/24/22 Sample Time: 11:30 PDT:
 Base Flow or Storm Event? Base Flow Field filtered 5 minutes later: Y N
 (Must filter within 15 minutes of collection) PST:

SITE ID: MONM
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study
 Current Weather and Temp: 55° cloudy

Water Quality Sampling

Sample ID: MONM

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>No</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clean
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials:
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot) → conduit reach
 Stream Stage (ft): 1.8
 Reference Point (description): staff gage

Water Quality Measurements

Temperature (°C) 11.1
 Specific Conductivity (µs/cm) 173.0
 Dissolved Oxygen (mg/L) 10.79

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: DG, NO

Sample Date: 5/24/22

Sample Time: 10:15

PDT:

SITE

ID: SEIMN

Base Flow or Storm Event? (S)

Field filtered 5 minutes later: Y N
(Must filter within 15 minutes of collection)

PST:

Project Number: 14-05806-000



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Overcast, 68°

Water Quality Sampling

Sample ID: SEIMN 20220524

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
<u>16</u> TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
<u>17</u> DOC	HDPE	250 ml	1	HCL	
<u>18</u> Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
<u>19</u> T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
<u>20</u> T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
<u>21</u> Diss. Cu and Zn*	HDPE	250 ml	1	HNO ₃	
<u>22</u> Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: 444

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: _____
Color: _____
Odor: _____
Sheen: _____
Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____

Date Checked: _____ Time: _____

Data Entered into Database? YES NO initials: _____

Date Entered: _____ Time: _____

Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.65

Reference Point (description): Top

Water Quality Measurements

Temperature (°C) 9.8

Specific Conductivity (µs/cm) 67.5

Dissolved Oxygen (mg/L) 11.12

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Thia F, Allison N
 Sample Date: 5/24/22 Sample Time: 11:00 PDT:
 Base Flow or Storm Event? Field filtered 5 minutes later Y N
 (Must filter within 15 minutes of collection) PST:

SITE ID: SEIMS
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study
 Current Weather and Temp: 55° cloudy

Water Quality Sampling

Sample ID: SEIMS

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<input checked="" type="checkbox"/>
DOC *	HDPE	250 ml	1	HCL	<input type="checkbox"/>
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	<input type="checkbox"/>
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	<input type="checkbox"/>
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	<input type="checkbox"/>
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	<input type="checkbox"/>
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<input type="checkbox"/>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials:
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
 YSI Pro Plus (15D100020) _____
 YSI Pro DSS 1 _____
 YSI-Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): Staff gage
 Reference Point (description): 0.74

Water Quality Measurements

Temperature (°C) 10.1
 Specific Conductivity (µs/cm) 89.2
 Dissolved Oxygen (mg/L) 10.93

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: OLB, NB
 Sample Date: 5/20/22 Sample Time: 09:20 PDT:
 (Base/Flow or Storm Event?) Field filtered 5 minutes later: N
 (Must filter within 15 minutes of collection) PST:

SITE ID: TOSM1
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Overcast, 65°F

Water Quality Sampling

Sample ID: TOSM120220524

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
<input checked="" type="checkbox"/> TSS and Turbidity	HDPE	1L	1	NA	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> DOC *	HDPE	250 ml	1	HCL	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> Fecal Col. Bact.	HDPE	250 ml	1	EDTA	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	<input checked="" type="checkbox"/>
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<input checked="" type="checkbox"/>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: QA 120.20220524
 Filter blank sample ID:
 Transfer blank sample ID:

Visual and Olfactory Conditions:
 Clarity: Clear
 Color:
 Odor:
 Sheen:
 Floatables:

LABORATORY DELIVERY

Date: Time:

Quality Assurance

Checked By: Signature:
 Date Checked: Time:
 Data Entered into Database? YES NO initials:
 Date Entered: Time:
 Notes:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
 YSI Pro Plus (15D100020)
 YSI Pro DSS 1
 YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): 0.78
 Reference Point (description): S6

Water Quality Measurements

Temperature (°C) 10.2
 Specific Conductivity (µs/cm) 291.3
 Dissolved Oxygen (mg/L) 11.02

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Theresa F. Allison N
 Sample Date: 5/24/22 Sample Time: 9:45 PDT
 Base Flow or Storm Event? Base Flow Field filtered 5 minutes later: Y N
 (Must filter within 15 minutes of collection) PST:

SITE ID: TOS MO

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study



Current Weather and Temp: 55° (cloudy)

Water Quality Sampling

Sample ID: TOS MO

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clean
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): 0.57
 Reference Point (description): Staff gage

Water Quality Measurements

Temperature (°C) 10.7
 Specific Conductivity (µs/cm) 210.8
 Dissolved Oxygen (mg/L) 11.00

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Mea F, Allison N
 Sample Date: 5/24/20 Sample Time: 10:30 PDE:
 Base Flow or Storm Event? Field filtered 5 minutes later: N
 (Must filter within 15 minutes of collection) PST:

SITE ID: TYLMI
 Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 55° cloudy

Water Quality Sampling

Sample ID: TYLMI

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	NO ↓
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials:
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): top of culvert
 Reference Point (description): 4.44

Water Quality Measurements

Temperature (°C) 11.5
 Specific Conductivity (µs/cm) 164.5
 Dissolved Oxygen (mg/L) 10.26

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: Thia F, Allison N
 Sample Date: 5/24/22 Sample Time: 10:10 PDT
 Base Flow or Storm Event? Field filtered 5 minutes later: Y N
 (Must filter within 15 minutes of collection) PST:

SITE ID: TYLMO

Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 55° Cloudy

Water Quality Sampling

Sample ID: TYLMO

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear
 Color: _____
 Odor: _____
 Sheen: _____
 Floatables: _____

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): 2.92
 Reference Point (description): top of culvert

Water Quality Measurements

Temperature (°C) 10.8
 Specific Conductivity (µs/cm) 154.9
 Dissolved Oxygen (mg/L) 10.89



HERRERA

Data Quality Assurance Worksheet

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 5/24/22 /All locations, QA120 (TOSMI) Lab Ref No 2205-263

By J. Brown

Date 7/12/22 Page 1 of 2

Checked: initials
JL

date 7/12/2022

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹		
TSS	OK / SM 2540D	NA	NA	3	≤7	≤1.0 mg/L 1.0 mg/L	NA	NA	79	±20	NC	≤25	20	≤25	OK	NONE
Turbidity	OK / EPA 180.1	NA	NA	<1	≤2	≤0.1 NTU 0.1 NTU	NA	NA	NA	±10	2	≤25	9	≤25	OK	NONE
Hardness	OK / SM 2340B	NA	NA	3	≤180	≤1.0 mg/L 1.0 mg/L	117, 107	±25	107	±15	<1 MS 8	≤20	<1	≤20	OK	NO FLAG FOR SLIGHT MS EXCEEDANCE
DOC	OK / SM 5310B	≤15	≤15	13	≤28	≤1.0 mg/L 1.0 mg/L	102	±25	108	±15	D=0.01	≤20	D=0.6	≤20	OK	NONE
Total Phosphorus	OK / EPA 365.1	NA	NA	13	≤28	≤0.01 mg/L 0.01 mg/L	101	±25	107	±20	6	≤20	2	≤20	OK	NONE
Total Nitrogen (TKN + N+N)	OK/ SM 4500 N-B	NA	NA	8, 10	≤28	≤0.1 mg/L 0.1 mg/L	94-105	±25	95-103	±20	<1-6 D=0-0.05	≤20	3, D=0.04	≤20	OK	NONE

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.

NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported



HERRERA

Data Quality Assurance Worksheet

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 5/24/22 /All locations, QA120 (TOSMI) Lab Ref No 2205-263

By J. Brown

Date 7/12/22 Page 2 of 2

Checked: initials JL

date 7/12/2022

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal	Reported	Goal ¹	Reported	Goal ¹		
Total Copper	OK/ EPA 200.8	NA	NA	1	≤180	≤1.0 µg/L 1.0 µg/L	98, 95	±25	NR	±15	NC MS 3	≤20	D=0.06	≤20	OK	NONE
Total Zinc	OK/ EPA 200.8	NA	NA	1	≤180	≤5.0 µg/L 5.0 µg/L	101, 99	±25	NR	±15	NC MS 2	≤20	<1	≤20	OK	NONE
Dissolved Copper	OK/ EPA 200.8	≤15	≤15	1	≤180	≤1.0 µg/L 1.0 µg/L	100, 100	±25	NR	±15	NC MS 1	≤20	NC	≤20	OK	NONE
Dissolved Zinc	OK/ EPA 200.8	≤15	≤15	1	≤180	≤5.0 µg/L 5.0 µg/L	103, 100	±25	NR	±15	2 MS 2	≤20	6	≤20	OK	NONE
Fecal Coliform	OK/ SM 9222D	NA	NA	<1	≤1	≤1.0 cfu/ 100mL 10 cfu/ 100mL	NA	NA	NA	NA	26, <1	≤35	43	≤50	OK	NONE

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.

NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

August 5, 2022

Jess Brown
Herrera Environmental Consultants, Inc.
2200 6th Avenue, Suite 1100
Seattle, WA 98121

Re: Analytical Data for Project 14-05806-000
Laboratory Reference No. 2207-069

Dear Jess:

Enclosed are the analytical results and associated quality control data for samples submitted on July 11, 2022.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read "Blair Goodrow", enclosed within a large, loopy circular flourish.

Blair Goodrow
Project Manager

Enclosures



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: August 5, 2022
Samples Submitted: July 11, 2022
Laboratory Reference: 2207-069
Project: 14-05806-000

Case Narrative

Samples were collected on July 11, 2022 and received by the laboratory on July 11, 2022. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.

Total Suspended Solids SM 2540D Analysis

The duplicate RPD is outside control limits due to sample inhomogeneity.

Any other QA/QC issues associated with this extraction and analysis will be indicated with a footnote reference and discussed in detail on the Data Qualifier page.



Date of Report: August 5, 2022
 Samples Submitted: July 11, 2022
 Laboratory Reference: 2207-069
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-2022-0711					
Laboratory ID:	07-069-01					
Total Suspended Solids	10	0.80	SM 2540D	7-13-22	7-14-22	

Client ID:	COUMI-2022-0711					
Laboratory ID:	07-069-02					
Total Suspended Solids	48	0.80	SM 2540D	7-13-22	7-14-22	

Client ID:	TOSMO-2022-0711					
Laboratory ID:	07-069-03					
Total Suspended Solids	11	0.80	SM 2540D	7-13-22	7-14-22	

Client ID:	TYLMO-2022-0711					
Laboratory ID:	07-069-04					
Total Suspended Solids	ND	0.80	SM 2540D	7-13-22	7-14-22	

Client ID:	TYLMI-2022-0711					
Laboratory ID:	07-069-05					
Total Suspended Solids	6.8	0.80	SM 2540D	7-13-22	7-14-22	

Client ID:	MONMN-2022-0711					
Laboratory ID:	07-069-06					
Total Suspended Solids	5.0	0.80	SM 2540D	7-13-22	7-14-22	

Client ID:	MONMS-2022-0711					
Laboratory ID:	07-069-07					
Total Suspended Solids	21	0.80	SM 2540D	7-13-22	7-14-22	

Client ID:	MONM-2022-0711					
Laboratory ID:	07-069-08					
Total Suspended Solids	5.8	0.80	SM 2540D	7-13-22	7-14-22	

Client ID:	TOSMI-2022-0711					
Laboratory ID:	07-069-09					
Total Suspended Solids	13	0.80	SM 2540D	7-13-22	7-14-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: August 5, 2022
 Samples Submitted: July 11, 2022
 Laboratory Reference: 2207-069
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-2022-0711					
Laboratory ID:	07-069-10					
Total Suspended Solids	9.0	0.80	SM 2540D	7-13-22	7-14-22	

Client ID:	COLM-2022-0711					
Laboratory ID:	07-069-11					
Total Suspended Solids	ND	0.80	SM 2540D	7-13-22	7-14-22	

Client ID:	SEIMS-2022-0711					
Laboratory ID:	07-069-12					
Total Suspended Solids	19	0.80	SM 2540D	7-13-22	7-14-22	

Client ID:	QA-121-2022-0711					
Laboratory ID:	07-069-13					
Total Suspended Solids	ND	0.80	SM 2540D	7-13-22	7-14-22	



Date of Report: August 5, 2022
 Samples Submitted: July 11, 2022
 Laboratory Reference: 2207-069
 Project: 14-05806-000

**TOTAL SUSPENDED SOLIDS
 SM 2540D
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0713W1					
Total Suspended Solids	ND	0.80	SM 2540D	7-13-22	7-14-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags	
DUPLICATE									
Laboratory ID:	07-069-02								
	ORIG	DUP							
Total Suspended Solids	48.2	70.0	NA	NA	NA	NA	37	25	L

SPIKE BLANK								
Laboratory ID:	SB0713W1							
	SB	SB		SB				
Total Suspended Solids	77.0	100	NA	77	67-112	NA	NA	



Date of Report: August 5, 2022
 Samples Submitted: July 11, 2022
 Laboratory Reference: 2207-069
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-2022-0711					
Laboratory ID:	07-069-01					
Turbidity	6.3	0.10	EPA 180.1	7-12-22	7-12-22	

Client ID:	COUMI-2022-0711					
Laboratory ID:	07-069-02					
Turbidity	10	0.10	EPA 180.1	7-12-22	7-12-22	

Client ID:	TOSMO-2022-0711					
Laboratory ID:	07-069-03					
Turbidity	5.0	0.10	EPA 180.1	7-12-22	7-12-22	

Client ID:	TYLMO-2022-0711					
Laboratory ID:	07-069-04					
Turbidity	2.1	0.10	EPA 180.1	7-12-22	7-12-22	

Client ID:	TYLMI-2022-0711					
Laboratory ID:	07-069-05					
Turbidity	2.6	0.10	EPA 180.1	7-12-22	7-12-22	

Client ID:	MONMN-2022-0711					
Laboratory ID:	07-069-06					
Turbidity	2.5	0.10	EPA 180.1	7-12-22	7-12-22	

Client ID:	MONMS-2022-0711					
Laboratory ID:	07-069-07					
Turbidity	5.2	0.10	EPA 180.1	7-12-22	7-12-22	

Client ID:	MONM-2022-0711					
Laboratory ID:	07-069-08					
Turbidity	2.9	0.10	EPA 180.1	7-12-22	7-12-22	

Client ID:	TOSMI-2022-0711					
Laboratory ID:	07-069-09					
Turbidity	4.6	0.10	EPA 180.1	7-12-22	7-12-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: August 5, 2022
 Samples Submitted: July 11, 2022
 Laboratory Reference: 2207-069
 Project: 14-05806-000

TURBIDITY
EPA 180.1

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-2022-0711					
Laboratory ID:	07-069-10					
Turbidity	4.2	0.10	EPA 180.1	7-12-22	7-12-22	

Client ID:	COLM-2022-0711					
Laboratory ID:	07-069-11					
Turbidity	1.0	0.10	EPA 180.1	7-12-22	7-12-22	

Client ID:	SEIMS-2022-0711					
Laboratory ID:	07-069-12					
Turbidity	8.6	0.10	EPA 180.1	7-12-22	7-12-22	

Client ID:	QA-121-2022-0711					
Laboratory ID:	07-069-13					
Turbidity	1.0	0.10	EPA 180.1	7-12-22	7-12-22	



Date of Report: August 5, 2022
 Samples Submitted: July 11, 2022
 Laboratory Reference: 2207-069
 Project: 14-05806-000

**TURBIDITY
 EPA 180.1
 QUALITY CONTROL**

Matrix: Water
 Units: NTU

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0712W1					
Turbidity	ND	0.10	EPA 180.1	7-12-22	7-12-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	07-069-01							
	ORIG	DUP						
Turbidity	6.29	6.18	NA	NA	NA	NA	2	18



Date of Report: August 5, 2022
 Samples Submitted: July 11, 2022
 Laboratory Reference: 2207-069
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-2022-0711					
Laboratory ID:	07-069-01					
Hardness	150	1.0	EPA 200.7/SM 2340B	7-14-22	7-14-22	

Client ID:	COUMI-2022-0711					
Laboratory ID:	07-069-02					
Hardness	180	1.0	EPA 200.7/SM 2340B	7-14-22	7-14-22	

Client ID:	TOSMO-2022-0711					
Laboratory ID:	07-069-03					
Hardness	130	1.0	EPA 200.7/SM 2340B	7-14-22	7-14-22	

Client ID:	TYLMO-2022-0711					
Laboratory ID:	07-069-04					
Hardness	100	1.0	EPA 200.7/SM 2340B	7-14-22	7-14-22	

Client ID:	TYLMI-2022-0711					
Laboratory ID:	07-069-05					
Hardness	110	1.0	EPA 200.7/SM 2340B	7-14-22	7-14-22	

Client ID:	MONMN-2022-0711					
Laboratory ID:	07-069-06					
Hardness	110	1.0	EPA 200.7/SM 2340B	7-14-22	7-14-22	

Client ID:	MONMS-2022-0711					
Laboratory ID:	07-069-07					
Hardness	160	1.0	EPA 200.7/SM 2340B	7-14-22	7-14-22	



Date of Report: August 5, 2022
 Samples Submitted: July 11, 2022
 Laboratory Reference: 2207-069
 Project: 14-05806-000

HARDNESS
EPA 200.7/SM 2340B

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-2022-0711					
Laboratory ID:	07-069-08					
Hardness	110	1.0	EPA 200.7/SM 2340B	7-14-22	7-14-22	

Client ID:	TOSMI-2022-0711					
Laboratory ID:	07-069-09					
Hardness	150	1.0	EPA 200.7/SM 2340B	7-14-22	7-14-22	

Client ID:	SEIMN-2022-0711					
Laboratory ID:	07-069-10					
Hardness	39	1.0	EPA 200.7/SM 2340B	7-14-22	7-14-22	

Client ID:	COLM-2022-0711					
Laboratory ID:	07-069-11					
Hardness	24	1.0	EPA 200.7/SM 2340B	7-14-22	7-14-22	

Client ID:	SEIMS-2022-0711					
Laboratory ID:	07-069-12					
Hardness	56	1.0	EPA 200.7/SM 2340B	7-14-22	7-14-22	

Client ID:	QA-121-2022-0711					
Laboratory ID:	07-069-13					
Hardness	23	1.0	EPA 200.7/SM 2340B	7-14-22	7-14-22	



Date of Report: August 5, 2022
 Samples Submitted: July 11, 2022
 Laboratory Reference: 2207-069
 Project: 14-05806-000

**HARDNESS
 EPA 200.7/SM 2340B
 QUALITY CONTROL**

Matrix: Water
 Units: mg eqt. CaCO₃/L (ppm)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0714WH1					
Hardness	ND	1.0	EPA 200.7/SM 2340B	7-14-22	7-14-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	07-069-11							
	ORIG	DUP						
Hardness	23.8	24.3	NA	NA	NA	2	20	

MATRIX SPIKES

Laboratory ID:	07-069-11									
	MS	MSD	MS	MSD	MS	MSD				
Hardness	170	168	132	132	23.8	111	109	75-125	1	20

SPIKE BLANK

Laboratory ID:	SB0714WH1									
	SB		SB		SB					
Hardness	139		132		NA	105		85-115	NA	NA



Date of Report: August 5, 2022
 Samples Submitted: July 11, 2022
 Laboratory Reference: 2207-069
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-2022-0711					
Laboratory ID:	07-069-01					
Dissolved Organic Carbon	3.1	1.0	SM 5310B	7-19-22	7-19-22	

Client ID:	COUMI-2022-0711					
Laboratory ID:	07-069-02					
Dissolved Organic Carbon	3.0	1.0	SM 5310B	7-19-22	7-19-22	

Client ID:	TOSMO-2022-0711					
Laboratory ID:	07-069-03					
Dissolved Organic Carbon	2.1	1.0	SM 5310B	7-19-22	7-19-22	

Client ID:	TYLMO-2022-0711					
Laboratory ID:	07-069-04					
Dissolved Organic Carbon	3.5	1.0	SM 5310B	7-19-22	7-19-22	

Client ID:	TYLMI-2022-0711					
Laboratory ID:	07-069-05					
Dissolved Organic Carbon	2.3	1.0	SM 5310B	7-19-22	7-19-22	

Client ID:	MONMN-2022-0711					
Laboratory ID:	07-069-06					
Dissolved Organic Carbon	3.6	1.0	SM 5310B	7-19-22	7-19-22	

Client ID:	MONMS-2022-0711					
Laboratory ID:	07-069-07					
Dissolved Organic Carbon	4.5	1.0	SM 5310B	7-19-22	7-19-22	

Client ID:	MONM-2022-0711					
Laboratory ID:	07-069-08					
Dissolved Organic Carbon	3.2	1.0	SM 5310B	7-19-22	7-19-22	

Client ID:	TOSMI-2022-0711					
Laboratory ID:	07-069-09					
Dissolved Organic Carbon	2.4	1.0	SM 5310B	7-19-22	7-19-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: August 5, 2022
 Samples Submitted: July 11, 2022
 Laboratory Reference: 2207-069
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-2022-0711					
Laboratory ID:	07-069-10					
Dissolved Organic Carbon	3.5	1.0	SM 5310B	7-19-22	7-19-22	

Client ID:	COLM-2022-0711					
Laboratory ID:	07-069-11					
Dissolved Organic Carbon	15	1.0	SM 5310B	7-19-22	7-19-22	

Client ID:	SEIMS-2022-0711					
Laboratory ID:	07-069-12					
Dissolved Organic Carbon	2.8	1.0	SM 5310B	7-19-22	7-19-22	

Client ID:	QA-121-2022-0711					
Laboratory ID:	07-069-13					
Dissolved Organic Carbon	16	1.0	SM 5310B	7-19-22	7-19-22	



Date of Report: August 5, 2022
 Samples Submitted: July 11, 2022
 Laboratory Reference: 2207-069
 Project: 14-05806-000

**DISSOLVED ORGANIC CARBON
 SM 5310B
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0719D1					
Dissolved Organic Carbon	ND	1.0	SM 5310B	7-19-22	7-19-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	07-069-03							
	ORIG	DUP						
Dissolved Organic Carbon	2.09	2.00	NA	NA	NA	4	15	

MATRIX SPIKE								
Laboratory ID:	07-069-03							
	MS	MS		MS				
Dissolved Organic Carbon	11.5	10.0	2.09	94	87-118	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0719D1							
	SB	SB		SB				
Dissolved Organic Carbon	9.64	10.0	NA	96	88-118	NA	NA	



Date of Report: August 5, 2022
 Samples Submitted: July 11, 2022
 Laboratory Reference: 2207-069
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-2022-0711					
Laboratory ID:	07-069-01					
Total Phosphorus	0.17	0.010	EPA 365.1	7-21-22	7-22-22	

Client ID:	COUMI-2022-0711					
Laboratory ID:	07-069-02					
Total Phosphorus	0.090	0.010	EPA 365.1	7-21-22	7-22-22	

Client ID:	TOSMO-2022-0711					
Laboratory ID:	07-069-03					
Total Phosphorus	0.078	0.010	EPA 365.1	7-21-22	7-22-22	

Client ID:	TYLMO-2022-0711					
Laboratory ID:	07-069-04					
Total Phosphorus	0.061	0.010	EPA 365.1	7-21-22	7-22-22	

Client ID:	TYLMI-2022-0711					
Laboratory ID:	07-069-05					
Total Phosphorus	0.033	0.010	EPA 365.1	7-21-22	7-22-22	

Client ID:	MONMN-2022-0711					
Laboratory ID:	07-069-06					
Total Phosphorus	0.072	0.010	EPA 365.1	7-21-22	7-22-22	

Client ID:	MONMS-2022-0711					
Laboratory ID:	07-069-07					
Total Phosphorus	0.067	0.010	EPA 365.1	7-21-22	7-22-22	

Client ID:	MONM-2022-0711					
Laboratory ID:	07-069-08					
Total Phosphorus	0.046	0.010	EPA 365.1	7-21-22	7-22-22	

Client ID:	TOSMI-2022-0711					
Laboratory ID:	07-069-09					
Total Phosphorus	0.069	0.010	EPA 365.1	7-21-22	7-22-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: August 5, 2022
 Samples Submitted: July 11, 2022
 Laboratory Reference: 2207-069
 Project: 14-05806-000

TOTAL PHOSPHORUS
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	SEIMN-2022-0711					
Laboratory ID:	07-069-10					
Total Phosphorus	0.041	0.010	EPA 365.1	7-21-22	7-22-22	

Client ID:	COLM-2022-0711					
Laboratory ID:	07-069-11					
Total Phosphorus	0.035	0.010	EPA 365.1	7-21-22	7-22-22	

Client ID:	SEIMS-2022-0711					
Laboratory ID:	07-069-12					
Total Phosphorus	0.055	0.010	EPA 365.1	7-21-22	7-22-22	

Client ID:	QA-121-2022-0711					
Laboratory ID:	07-069-13					
Total Phosphorus	0.030	0.010	EPA 365.1	7-21-22	7-22-22	



Date of Report: August 5, 2022
 Samples Submitted: July 11, 2022
 Laboratory Reference: 2207-069
 Project: 14-05806-000

**TOTAL PHOSPHORUS
 EPA 365.1
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0721W1					
Total Phosphorus	ND	0.010	EPA 365.1	7-21-22	7-22-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	07-069-01							
	ORIG	DUP						
Total Phosphorus	0.168	0.171	NA	NA	NA	2	20	

MATRIX SPIKE								
Laboratory ID:	07-069-01							
	MS	MS		MS				
Total Phosphorus	0.413	0.250	0.168	98	82-111	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0721W1							
	SB	SB		SB				
Total Phosphorus	0.245	0.250	NA	98	78-110	NA	NA	



Date of Report: August 5, 2022
 Samples Submitted: July 11, 2022
 Laboratory Reference: 2207-069
 Project: 14-05806-000

TOTAL METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-2022-0711					
Laboratory ID:	07-069-01					
Copper	ND	1.0	EPA 200.8	7-14-22	7-14-22	
Zinc	8.3	5.0	EPA 200.8	7-14-22	7-14-22	

Client ID:	COUMI-2022-0711					
Laboratory ID:	07-069-02					
Copper	8.0	1.0	EPA 200.8	7-14-22	7-14-22	
Zinc	160	5.0	EPA 200.8	7-14-22	7-14-22	

Client ID:	TOSMO-2022-0711					
Laboratory ID:	07-069-03					
Copper	ND	1.0	EPA 200.8	7-14-22	7-14-22	
Zinc	24	5.0	EPA 200.8	7-14-22	7-14-22	

Client ID:	TYLMO-2022-0711					
Laboratory ID:	07-069-04					
Copper	1.9	1.0	EPA 200.8	7-14-22	7-14-22	
Zinc	18	5.0	EPA 200.8	7-14-22	7-14-22	

Client ID:	TYLMI-2022-0711					
Laboratory ID:	07-069-05					
Copper	2.0	1.0	EPA 200.8	7-14-22	7-14-22	
Zinc	11	5.0	EPA 200.8	7-14-22	7-14-22	

Client ID:	MONMN-2022-0711					
Laboratory ID:	07-069-06					
Copper	ND	1.0	EPA 200.8	7-14-22	7-14-22	
Zinc	5.0	5.0	EPA 200.8	7-14-22	7-14-22	

Client ID:	MONMS-2022-0711					
Laboratory ID:	07-069-07					
Copper	ND	1.0	EPA 200.8	7-14-22	7-14-22	
Zinc	ND	5.0	EPA 200.8	7-14-22	7-14-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: August 5, 2022
 Samples Submitted: July 11, 2022
 Laboratory Reference: 2207-069
 Project: 14-05806-000

TOTAL METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-2022-0711					
Laboratory ID:	07-069-08					
Copper	ND	1.0	EPA 200.8	7-14-22	7-14-22	
Zinc	8.7	5.0	EPA 200.8	7-14-22	7-14-22	

Client ID:	TOSMI-2022-0711					
Laboratory ID:	07-069-09					
Copper	1.1	1.0	EPA 200.8	7-14-22	7-14-22	
Zinc	52	5.0	EPA 200.8	7-14-22	7-14-22	

Client ID:	SEIMN-2022-0711					
Laboratory ID:	07-069-10					
Copper	ND	1.0	EPA 200.8	7-14-22	7-14-22	
Zinc	ND	5.0	EPA 200.8	7-14-22	7-14-22	

Client ID:	COLM-2022-0711					
Laboratory ID:	07-069-11					
Copper	ND	1.0	EPA 200.8	7-14-22	7-14-22	
Zinc	ND	5.0	EPA 200.8	7-14-22	7-14-22	

Client ID:	SEIMS-2022-0711					
Laboratory ID:	07-069-12					
Copper	ND	1.0	EPA 200.8	7-14-22	7-14-22	
Zinc	ND	5.0	EPA 200.8	7-14-22	7-14-22	

Client ID:	QA-121-2022-0711					
Laboratory ID:	07-069-13					
Copper	ND	1.0	EPA 200.8	7-14-22	7-14-22	
Zinc	ND	5.0	EPA 200.8	7-14-22	7-14-22	



Date of Report: August 5, 2022
 Samples Submitted: July 11, 2022
 Laboratory Reference: 2207-069
 Project: 14-05806-000

**TOTAL METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0714WH2					
Copper	ND	1.0	EPA 200.8	7-14-22	7-14-22	
Zinc	ND	5.0	EPA 200.8	7-14-22	7-14-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	07-069-10							
	ORIG	DUP						
Copper	ND	ND	NA	NA	NA	NA	20	
Zinc	ND	ND	NA	NA	NA	NA	20	

MATRIX SPIKES

Analyte	07-069-10		MSD		MSD	MSD		RPD	RPD Limit	Flags
	MS	MSD	MS	MSD		MS	MSD			
Copper	101	101	100	100	ND	101	101	75-125	0	20
Zinc	103	101	100	100	ND	103	101	75-125	1	20



Date of Report: August 5, 2022
 Samples Submitted: July 11, 2022
 Laboratory Reference: 2207-069
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	COUMO-2022-0711					
Laboratory ID:	07-069-01					
Copper	ND	1.0	EPA 200.8		7-14-22	
Zinc	ND	5.0	EPA 200.8		7-14-22	

Client ID:	COUMI-2022-0711					
Laboratory ID:	07-069-02					
Copper	ND	1.0	EPA 200.8		7-14-22	
Zinc	ND	5.0	EPA 200.8		7-14-22	

Client ID:	TOSMO-2022-0711					
Laboratory ID:	07-069-03					
Copper	ND	1.0	EPA 200.8		7-14-22	
Zinc	14	5.0	EPA 200.8		7-14-22	

Client ID:	TYLMO-2022-0711					
Laboratory ID:	07-069-04					
Copper	ND	1.0	EPA 200.8		7-14-22	
Zinc	ND	5.0	EPA 200.8		7-14-22	

Client ID:	TYLMI-2022-0711					
Laboratory ID:	07-069-05					
Copper	ND	1.0	EPA 200.8		7-14-22	
Zinc	ND	5.0	EPA 200.8		7-14-22	

Client ID:	MONMN-2022-0711					
Laboratory ID:	07-069-06					
Copper	ND	1.0	EPA 200.8		7-14-22	
Zinc	ND	5.0	EPA 200.8		7-14-22	

Client ID:	MONMS-2022-0711					
Laboratory ID:	07-069-07					
Copper	ND	1.0	EPA 200.8		7-14-22	
Zinc	ND	5.0	EPA 200.8		7-14-22	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: August 5, 2022
 Samples Submitted: July 11, 2022
 Laboratory Reference: 2207-069
 Project: 14-05806-000

DISSOLVED METALS
EPA 200.8

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MONM-2022-0711					
Laboratory ID:	07-069-08					
Copper	ND	1.0	EPA 200.8		7-14-22	
Zinc	6.7	5.0	EPA 200.8		7-14-22	

Client ID:	TOSMI-2022-0711					
Laboratory ID:	07-069-09					
Copper	ND	1.0	EPA 200.8		7-14-22	
Zinc	29	5.0	EPA 200.8		7-14-22	

Client ID:	SEIMN-2022-0711					
Laboratory ID:	07-069-10					
Copper	ND	1.0	EPA 200.8		7-14-22	
Zinc	ND	5.0	EPA 200.8		7-14-22	

Client ID:	COLM-2022-0711					
Laboratory ID:	07-069-11					
Copper	ND	1.0	EPA 200.8		7-14-22	
Zinc	ND	5.0	EPA 200.8		7-14-22	

Client ID:	SEIMS-2022-0711					
Laboratory ID:	07-069-12					
Copper	ND	1.0	EPA 200.8		7-14-22	
Zinc	ND	5.0	EPA 200.8		7-14-22	

Client ID:	QA-121-2022-0711					
Laboratory ID:	07-069-13					
Copper	ND	1.0	EPA 200.8		7-14-22	
Zinc	ND	5.0	EPA 200.8		7-14-22	



Date of Report: August 5, 2022
 Samples Submitted: July 11, 2022
 Laboratory Reference: 2207-069
 Project: 14-05806-000

**DISSOLVED METALS
 EPA 200.8
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0714D1					
Copper	ND	1.0	EPA 200.8		7-14-22	
Zinc	ND	5.0	EPA 200.8		7-14-22	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	07-069-13							
	ORIG	DUP						
Copper	ND	ND	NA	NA	NA	NA	NA	20
Zinc	ND	ND	NA	NA	NA	NA	NA	20

MATRIX SPIKES

Laboratory ID:	07-069-13									
	MS	MSD	MS	MSD		MS	MSD			
Copper	78.2	77.8	80.0	80.0	ND	98	97	75-125	1	20
Zinc	82.6	83.4	80.0	80.0	ND	103	104	75-125	1	20





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
 - B - The analyte indicated was also found in the blank sample.
 - C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
 - E - The value reported exceeds the quantitation range and is an estimate.
 - F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
 - H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
 - I - Compound recovery is outside of the control limits.
 - J - The value reported was below the practical quantitation limit. The value is an estimate.
 - K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
 - L - The RPD is outside of the control limits.
 - M - Hydrocarbons in the gasoline range are impacting the diesel range result.
 - M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
 - N - Hydrocarbons in the lube oil range are impacting the diesel range result.
 - N1 - Hydrocarbons in diesel range are impacting lube oil range results.
 - O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
 - P - The RPD of the detected concentrations between the two columns is greater than 40.
 - Q - Surrogate recovery is outside of the control limits.
 - S - Surrogate recovery data is not available due to the necessary dilution of the sample.
 - T - The sample chromatogram is not similar to a typical _____.
 - U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
 - U1 - The practical quantitation limit is elevated due to interferences present in the sample.
 - V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
 - W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
 - X - Sample extract treated with a mercury cleanup procedure.
 - X1 - Sample extract treated with a Sulfuric acid/Silica gel cleanup procedure.
 - Y - The calibration verification for this analyte exceeded the 20% drift specified in method 8260C, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
 - Z -
- ND - Not Detected at PQL
 PQL - Practical Quantitation Limit
 RPD - Relative Percent Difference





Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664

Professional
Analytical
Services

Aug 4 2022
On-Site Environmental
14648 NE 95th ST
Redmond, WA 98052
Attention: David Baumeister

Dear David Baumeister:

Enclosed please find the analytical data for your REDMOND PAIRED WATERSHED STUDY project.

The following is a cross correlation of client and laboratory identifications for your convenience.

CLIENT ID	MATRIX	AMTEST ID	TEST
COLM-2022-0711	Water	22-A011507	Micro, NUT
SEIMS-2022-0711	Water	22-A011508	Micro, NUT
QA-121-2022-0711	Water	22-A011509	Micro, NUT
COUMO-2022-0711	Water	22-A011510	Micro, NUT
COUMI-2022-0711	Water	22-A011511	Micro, NUT
TOSMO-2022-0711	Water	22-A011512	Micro, NUT
TYLMO-2022-0711	Water	22-A011513	Micro, NUT
TYLMI-2022-0711	Water	22-A011514	Micro, NUT
MONMN-2022-0711	Water	22-A011515	Micro, NUT
MONMS-2022-0711	Water	22-A011516	Micro, NUT
MONM-2022-0711	Water	22-A011517	Micro, NUT
TOSMI-2022-0711	Water	22-A011518	Micro, NUT
SEIMN-2022-0711	Water	22-A011519	Micro, NUT

Your samples were received on Monday, July 11, 2022. At the time of receipt, the samples were logged in and properly maintained prior to the subsequent analysis.


The analytical procedures used at AmTest are well documented and are typically derived from the protocols of the EPA, USDA, FDA or the Army Corps of Engineers.

Following the analytical data you will find the Quality Control (QC) results.

Please note that the detection limits that are listed in the body of the report refer to the Practical Quantitation Limits (PQL's), as opposed to the Method Detection Limits (MDL's).

If you should have any questions pertaining to the data package, please feel free to contact me.

Sincerely,


Aaron W. Young
Vice President

Project #: 14-05806-000
SDG #: 2224900

BACT = Bacteriological
CONV = Conventionals

MET = Metals
ORG = Organics

NUT=Nutrients
DEM=Demand

MIN=Minerals 1

Am Test Inc.
13600 NE 126TH PL
Suite C
Kirkland, WA 98034
(425) 885-1664
www.amtestlab.com



**Professional
Analytical
Services**

ANALYSIS REPORT

On-Site Environmental
14648 NE 95th ST
Redmond, WA 98052
Attention: David Baumeister
Project Name: REDMOND PAIRED WATERSHED STUDY
SDG Number: 2224900
Project #: 14-05806-000
All results reported on an as received basis.

Date Received: 07/11/22
Date Reported: 8/ 4/22

AMTEST Identification Number 22-A011507
Client Identification COLM-2022-0711
Sampling Date 07/11/22, 10:55

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	36.	CFU/100 ml		1	SM 9222D	OB	07/12/22
Total Nitrogen (NOX&TKN)	0.95	mg/l		0.1			
Total Nitrogen (TKN)	0.950	mg/l		0.25	SM4500N	MD	07/27/22
Total Nitrate + Nitrite	< 0.02	mg/l		0.02	SM4500NO3	MD	07/15/22

AMTEST Identification Number 22-A011508
Client Identification SEIMS-2022-0711
Sampling Date 07/11/22, 11:15

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	100	CFU/100 ml		1	SM 9222D	OB	07/12/22
Total Nitrogen (NOX&TKN)	1.52	mg/l		0.1			
Total Nitrogen (TKN)	1.33	mg/l		0.25	SM4500N	MD	07/27/22
Total Nitrate + Nitrite	0.188	mg/l		0.02	SM4500NO3	MD	07/15/22

AMTEST Identification Number 22-A011509
Client Identification QA-121-2022-0711
Sampling Date 07/11/22, 10:55

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	39.	CFU/100 ml		1	SM 9222D	OB	07/12/22
Total Nitrogen (NOX&TKN)	1.43	mg/l		0.1			
Total Nitrogen (TKN)	1.43	mg/l		0.25	SM4500N	MD	07/27/22
Total Nitrate + Nitrite	< 0.02	mg/l		0.02	SM4500NO3	MD	07/15/22

AMTEST Identification Number 22-A011510
Client Identification COUMO-2022-0711
Sampling Date 07/11/22, 09:10

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	140	CFU/100 ml		1	SM 9222D	OB	07/12/22
Total Nitrogen (NOX&TKN)	1.54	mg/l		0.1			
Total Nitrogen (TKN)	1.17	mg/l		0.25	SM4500N	MD	07/27/22
Total Nitrate + Nitrite	0.368	mg/l		0.02	SM4500NO3	MD	07/15/22

AMTEST Identification Number 22-A011511
Client Identification COUMI-2022-0711
Sampling Date 07/11/22, 09:45

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	52.	CFU/100 ml		1	SM 9222D	OB	07/12/22
Total Nitrogen (NOX&TKN)	1.48	mg/l		0.1			
Total Nitrogen (TKN)	1.10	mg/l		0.25	SM4500N	MD	07/27/22
Total Nitrate + Nitrite	0.385	mg/l		0.02	SM4500NO3	MD	07/15/22

AMTEST Identification Number 22-A011512
Client Identification TOSMO-2022-0711
Sampling Date 07/11/22, 09:30

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	180	CFU/100 ml		1	SM 9222D	OB	07/12/22
Total Nitrogen (NOX&TKN)	1.83	mg/l		0.1			
Total Nitrogen (TKN)	1.25	mg/l		0.25	SM4500N	MD	07/27/22
Total Nitrate + Nitrite	0.580	mg/l		0.02	SM4500NO3	MD	07/15/22

AMTEST Identification Number 22-A011513
Client Identification TYLMO-2022-0711
Sampling Date 07/11/22, 10:15

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	440	CFU/100 ml		20	SM 9222D	OB	07/12/22
Total Nitrogen (NOX&TKN)	1.54	mg/l		0.1			
Total Nitrogen (TKN)	1.20	mg/l		0.25	SM4500N	MD	07/27/22
Total Nitrate + Nitrite	0.340	mg/l		0.02	SM4500NO3	MD	07/15/22

AMTEST Identification Number 22-A011514
Client Identification TYLMI-2022-0711
Sampling Date 07/11/22, 10:45

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	720	CFU/100 ml		1	SM 9222D	OB	07/12/22
Total Nitrogen (NOX&TKN)	2.14	mg/l		0.1			
Total Nitrogen (TKN)	1.23	mg/l		0.25	SM4500N	MD	07/27/22
Total Nitrate + Nitrite	0.913	mg/l		0.02	SM4500NO3	MD	07/15/22

AMTEST Identification Number 22-A011515
Client Identification MONMN-2022-0711
Sampling Date 07/11/22, 12:00

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	380	CFU/100 ml		1	SM 9222D	OB	07/12/22
Total Nitrogen (NOX&TKN)	1.20	mg/l		0.1			
Total Nitrogen (TKN)	1.04	mg/l		0.25	SM4500N	MD	07/27/22
Total Nitrate + Nitrite	0.164	mg/l		0.02	SM4500NO3	MD	07/15/22

AMTEST Identification Number 22-A011516
Client Identification MONMS-2022-0711
Sampling Date 07/11/22, 12:15

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	12.	CFU/100 ml		1	SM 9222D	OB	07/12/22
Total Nitrogen (NOX&TKN)	1.41	mg/l		0.1			
Total Nitrogen (TKN)	1.33	mg/l		0.25	SM4500N	MD	07/27/22
Total Nitrate + Nitrite	0.083	mg/l		0.02	SM4500NO3	MD	07/15/22

AMTEST Identification Number 22-A011517
Client Identification MONM-2022-0711
Sampling Date 07/11/22, 11:40

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	14.	CFU/100 ml		1	SM 9222D	OB	07/12/22
Total Nitrogen (NOX&TKN)	1.28	mg/l		0.1			
Total Nitrogen (TKN)	0.986	mg/l		0.25	SM4500N	MD	07/27/22
Total Nitrate + Nitrite	0.289	mg/l		0.02	SM4500NO3	MD	07/15/22

AMTEST Identification Number 22-A011518
Client Identification TOSMI-2022-0711
Sampling Date 07/11/22, 09:10


Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	1000	CFU/100 ml		20	SM 9222D	OB	07/12/22
Total Nitrogen (NOX&TKN)	2.11	mg/l		0.1			
Total Nitrogen (TKN)	1.36	mg/l		0.25	SM4500N	MD	07/27/22
Total Nitrate + Nitrite	0.750	mg/l		0.02	SM4500NO3	MD	07/15/22

AMTEST Identification Number 22-A011519
Client Identification SEIMN-2022-0711
Sampling Date 07/11/22, 10:15

Results

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliform	65.	CFU/100 ml		1	SM 9222D	OB	07/12/22
Total Nitrogen (NOX&TKN)	1.18	mg/l		0.1			
Total Nitrogen (TKN)	1.00	mg/l		0.25	SM4500N	MD	07/27/22
Total Nitrate + Nitrite	0.181	mg/l		0.02	SM4500NO3	MD	07/15/22


Aaron W. Young
Vice President

QC Summary for sample numbers: 22-A011507 to 22-A011519

DUPLICATES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	DUP VALUE	RPD
22-A011206	Total Nitrogen (TKN)	mg/l	23.0	23.1	0.43
22-A011266	Total Nitrogen (TKN)	mg/l	< 0.25	0.208	
22-A011340	Total Nitrogen (TKN)	mg/l	0.370	0.370	0.00
22-A011406	Total Nitrogen (TKN)	mg/l	17.2	17.2	0.00
22-A011511	Total Nitrogen (TKN)	mg/l	1.10	1.10	0.00
22-A011547	Total Nitrogen (TKN)	mg/l	13.8	13.7	0.73
22-A011770	Total Nitrogen (TKN)	mg/l	13.5	13.7	1.5
22-A011850	Total Nitrogen (TKN)	mg/l	1.18	1.17	0.85
22-A011896	Total Nitrogen (TKN)	mg/l	13.2	13.2	0.00
22-A010904	Total Nitrate + Nitrite	mg/l	< 0.02	< 0.02	
22-A010910	Total Nitrate + Nitrite	mg/l	< 0.02	< 0.02	
22-A010912	Total Nitrate + Nitrite	mg/l	< 0.02	< 0.02	
22-A011270	Total Nitrate + Nitrite	mg/l	0.064	0.062	3.2
22-A011287	Total Nitrate + Nitrite	mg/l	< 0.02	< 0.02	
22-A011361	Total Nitrate + Nitrite	mg/l	0.046	0.043	6.7
22-A011404	Total Nitrate + Nitrite	mg/l	0.284	0.282	0.71
22-A011515	Total Nitrate + Nitrite	mg/l	0.164	0.170	3.6
22-A011599	Total Nitrate + Nitrite	mg/l	< 0.02	< 0.02	
22-A011609	Total Nitrate + Nitrite	mg/l	0.360	0.351	2.5
22-A011692	Total Nitrate + Nitrite	mg/l	< 0.02	0.098	
22-A010922	Total Nitrate + Nitrite	mg/l	0.052	0.056	7.4
22-A010955	Total Nitrate + Nitrite	mg/l	0.084	0.084	0.00
22-A011105	Total Nitrate + Nitrite	mg/l	0.194	0.199	2.5

MATRIX SPIKES

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	SMPL+ SPK	SPK AMT	RECOVERY
22-A011206	Total Nitrogen (TKN)	mg/l	23.0	60.6	40.0	94.00 %
22-A011266	Total Nitrogen (TKN)	mg/l	< 0.25	2.17	2.00	108.50 %
22-A011340	Total Nitrogen (TKN)	mg/l	0.370	2.39	2.00	101.00 %
22-A011406	Total Nitrogen (TKN)	mg/l	17.2	58.2	40.0	102.50 %
22-A011511	Total Nitrogen (TKN)	mg/l	1.10	3.21	2.00	105.50 %
22-A011547	Total Nitrogen (TKN)	mg/l	13.8	33.7	20.0	99.50 %
22-A011770	Total Nitrogen (TKN)	mg/l	13.5	54.4	40.0	102.25 %
22-A011850	Total Nitrogen (TKN)	mg/l	1.18	3.04	2.00	93.00 %
22-A011896	Total Nitrogen (TKN)	mg/l	13.2	33.7	20.0	102.50 %
22-A010904	Total Nitrate + Nitrite	mg/l	< 0.02	0.899	1.00	89.90 %
22-A010910	Total Nitrate + Nitrite	mg/l	< 0.02	0.986	1.00	98.60 %
22-A010912	Total Nitrate + Nitrite	mg/l	< 0.02	0.992	1.00	99.20 %
22-A011270	Total Nitrate + Nitrite	mg/l	0.064	1.06	1.00	99.60 %
22-A011287	Total Nitrate + Nitrite	mg/l	< 0.02	1.02	1.00	102.00 %

QC Summary for sample numbers: 22-A011507 to 22-A011519...

MATRIX SPIKES continued....

SAMPLE #	ANALYTE	UNITS	SAMPLE VALUE	SMPL+ SPK	SPK AMT	RECOVERY
22-A011361	Total Nitrate + Nitrite	mg/l	0.046	0.856	1.00	81.00 %
22-A011404	Total Nitrate + Nitrite	mg/l	0.284	1.25	1.00	96.60 %
22-A011515	Total Nitrate + Nitrite	mg/l	0.164	0.879	1.00	71.50 %
22-A011599	Total Nitrate + Nitrite	mg/l	< 0.02	0.900	1.00	90.00 %
22-A011609	Total Nitrate + Nitrite	mg/l	0.360	1.30	1.00	94.00 %
22-A011692	Total Nitrate + Nitrite	mg/l	< 0.02	0.974	1.00	97.40 %
22-A010922	Total Nitrate + Nitrite	mg/l	0.052	1.04	1.00	98.80 %
22-A010955	Total Nitrate + Nitrite	mg/l	0.084	1.09	1.00	100.60 %
22-A011105	Total Nitrate + Nitrite	mg/l	0.194	1.23	1.00	103.60 %

STANDARD REFERENCE MATERIALS

ANALYTE	UNITS	TRUE VALUE	MEASURED VALUE	RECOVERY
Total Nitrogen (TKN)	mg/l	1.00	0.944	94.4 %
Total Nitrogen (TKN)	mg/l	1.00	0.939	93.9 %
Total Nitrogen (TKN)	mg/l	1.00	0.982	98.2 %
Total Nitrogen (TKN)	mg/l	1.00	0.981	98.1 %
Total Nitrogen (TKN)	mg/l	1.00	1.00	100. %
Total Nitrogen (TKN)	mg/l	1.00	1.00	100. %
Total Nitrogen (TKN)	mg/l	1.00	1.01	101. %
Total Nitrogen (TKN)	mg/l	1.00	0.924	92.4 %
Total Nitrogen (TKN)	mg/l	1.00	0.912	91.2 %
Total Nitrate + Nitrite	mg/l	1.00	1.01	101. %
Total Nitrate + Nitrite	mg/l	1.00	1.04	104. %
Total Nitrate + Nitrite	mg/l	1.00	0.988	98.8 %
Total Nitrate + Nitrite	mg/l	1.00	0.984	98.4 %
Total Nitrate + Nitrite	mg/l	1.00	1.02	102. %
Total Nitrate + Nitrite	mg/l	1.00	1.00	100. %
Total Nitrate + Nitrite	mg/l	1.00	1.01	101. %

BLANKS

ANALYTE	UNITS	RESULT
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrogen (TKN)	mg/l	< 0.25
Total Nitrate + Nitrite	mg/l	0.000
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02
Total Nitrate + Nitrite	mg/l	< 0.02



14648 NE 95th Street, Redmond, WA 98052 · (425) 883-3881

Laboratory: AmTest Laboratories

Attention: Aaron Young

13600 NE 126th PI Kirkland, WA 98034

Phone Number: (425) 885-1664

Turnaround Request

1 Day 2 Day 3 Day

Standard

Other: _____

Laboratory Reference #: 07-069

Project Manager: Nichelle Biffin

email: nbiffin@onsite-env.com

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study

11510
11511
11512
11513
11514
11515
11516
11517
11518
11519

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Requested Analyses
1	COUMO-2022-0711	7/11/22	9:10	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
2	COUMI-2022-0711	7/11/22	9:45	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
3	TOSMO-2022-0711	7/11/22	9:30	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
4	TYLMO-2022-0711	7/11/22	10:15	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
5	TYLMI-2022-0711	7/11/22	10:45	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
6	MONMN-2022-0711	7/11/22	12:00	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
7	MONMS-2022-0711	7/11/22	12:15	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
8	MONM-2022-0711	7/11/22	11:40	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
9	TOSMI-2022-0711	7/11/22	9:10	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
10	SEIMN-2022-0711	7/11/22	10:15	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N

Signature	Company	Date	Time	Comments/Special Instructions
Relinquished by: <i>Nichelle Biffin</i>	<i>OSE</i>	7/11/22	13:40	EDDs - CSV Reporting Limits: Fecal Coliform - 1.0 cfu/100ml Total Nitrogen - .10 mg/L
Received by: <i>Aaron Young</i>	<i>AMTOS</i>	7/11/22	13:40	
Relinquished by:				
Received by:				
Relinquished by:				
Received by:				

11.7⁰⁰

11



14648 NE 95th Street, Redmond, WA 98052 · (425) 883-3881

Laboratory: AmTest Laboratories

Attention: Aaron Young

13600 NE 126th PI Kirkland, WA 98034

Phone Number: (425) 885-1664

Turnaround Request

1 Day 2 Day 3 Day

Standard

Other: _____

Laboratory Reference #: 07-069

Project Manager: Nichelle Biffin

email: nbiffin@onsite-env.com

Project Number: 14-05806-000

Project Name: Redmond Paired Watershed Study

11507
11508
11509

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.	Requested Analyses
11	COLM-2022-0711	7/11/22	10:55	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
12	SEIMS-2022-0711	7/11/22	11:15	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N
13	QA-121-2022-0711	7/11/22	10:55	Water	2	Fecal Coliform SM 9222D, Total Nitrogen SM 4500-N

Signature	Company	Date	Time	Comments/Special Instructions
Relinquished by: <i>Nichelle Biffin</i>	<i>AS</i>	7/11/22	1340	EDDs - CSV Reporting Limits: Fecal Coliform - 1.0 cfu/100ml Total Nitrogen - .10 mg/L
Received by: <i>Nichi Biffin</i>	AmTest	7/11/22	1340	
Relinquished by:				
Received by:				
Relinquished by:				
Received by:				

P.12

11.70C

CHAIN OF CUSTODY

14648 NE 95th Street, Redmond, WA 98052
Telephone: 425.883.3881

Company: Herrera Environmental Consultants

Project No.: 14-05806-000

Project Name: Redmond Paired Watershed Study

Project Manager: George Iftner

Turnaround Requested:

- 1 Day
- 2 Day
- 3 Day
- Standard

Laboratory No.

07-069

Requested Analyses

Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.
1	COUMO-2022-0711	7/11/22	9:10	Water	7
2	COUMI-2022-0711	↓	9:45	Water	7
3	TOSMO-2022		9:30	Water	7
4	TYLMO-2022		10:15	Water	7
5	TYLMI-2022		10:45	Water	7
6	MONMN-2022		12:00	Water	7
7	MONMS-2022		12:15	Water	7
8	MONM-2022		11:40	Water	7
9	TOSMI-2022		9:10	Water	7
10	SEIMN-2022		10:15	Water	7
11	COLM-2022		10:55	Water	7
12	SEIMS-2022		11:15	Water	7
13	QA-121-2022-0711		10:55	Water	7

Relinquished by David Garcia Date 7/11/22 Received by [Signature] Date 7/11/22
 Firm Herrera Time 13:05 Firm O&E Time 1300

Relinquished by _____ Date _____ Received by _____ Date _____
 Firm _____ Time _____ Firm _____ Time _____

Comments:
 * - field filtered with 0.45 µm filter within 15 minutes of collecting sample

CHAIN OF CUSTODY

14648 NE 95th Street, Redmond, WA 98052
Telephone: 425.883.3881

Turnaround Requested:

- 1 Day
 2 Day
 3 Day
 Standard

Company: Herrera Environmental Consultants
Project No.: 14-05806-000
Project Name: Redmond Paired Watershed Study
Project Manager: George Iftner

Laboratory No. 07-069

Requested Analyses

Total Suspended Solids (SM 2540D)	Turbidity (EPA 181.1)	Hardness (EPA 200.7 / SM 2340B)	Dissolved Organ Carbon (SM 5310B) *	Fecal Coliform (SM 9222D)	Total Phosphorus (EPA 365.1)	Total Nitrogen (SM 4500 N-B)	Total Cu and Zn (EPA 200.8)	Dissolved Cu and Zn (EPA 200.8) *
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X
X	X	X	X	X	X	X	X	X

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	# of Cont.
	COUMO-2022-0711	7/11/22	9:10	Water	7
	COUMI-2022-0711		9:45	Water	7
	TOSMO-2022		9:50	Water	7
	TYLMO-2022		10:15	Water	7
	TYLMI-2022		10:45	Water	7
	MONMN-2022		12:00	Water	7
	MONMS-2022		12:15	Water	7
	MONM-2022		11:40	Water	7
	TOSMI-2022		9:10	Water	7
	SEIMN-2022		10:15	Water	7
	COLM-2022		10:55	Water	7
	SEIMS-2022		11:15	Water	7
	QA-121-2022-0711		10:55	Water	7

Relinquished by David Garcia Date 7/11/22 Received by [Signature] Date 7/11/22
 Firm Herrera Time 13:03 Firm [Signature] Time 1300
 Relinquished by _____ Date _____ Received by _____ Date _____
 Firm _____ Time _____ Firm _____ Time _____

Comments:
* - field filtered with 0.45 µm filter within 15 minutes of collecting sample

METER CALIBRATION LOG - Redmond Paired Watershed Study

Project Number:	14-05806-000		
Personnel Performing Calibration:	D. Garcia		
Meter:	Pro DSS #1		
Date/Time:	7/8/22	15:28	
Barometric Pressure Start of Day:	mmHg: 766.0	Time: 8:00	
Barometric Pressure End of Day:	mmHg: 767.2	Time: 13:35	

Calibration Procedures:
Rinse Multimeter Sonde Between Each Operation
Rinse 3 times with tap water, 3 times with deionized water, then 3 times with the solution to be used for calibrating or testing.
Conductivity Calibration Notes:



PRE Field Run CALIBRATION	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	1.0	0	22.6	
Conductivity (µS/cm)	11022	1,000	23.9	
Conductivity (µS/cm)	96	100	24.0	
DO % Saturation	103	100	24.0	

1. Dry the conductivity probe with a lab tissue (e.g., KimWipes®) and DI water.
2. Fill calibration cup to within a centimeter of the top of the calibration cup with DI water (0 µS).
3. Fill the calibration cup with 1,000 µS standard so that the temperature/conductivity probe is submerged.
4. Make sure there are no bubbles in the cell; wait 2 minutes.
5. Enter the appropriate standard value (1,000 µS/cm or 1.0 mS/cm) for Sp Cond.
6. Check conductivity using 100 µS/cm standard.

POST Field Run CHECK	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	0.2	0	22.5	
Conductivity (µS/cm)	96.4	100	22.6	
DO % Saturation	100.1	100		

- | |
|---|
| Dissolved Oxygen Calibration Notes: |
| 1. Fill the calibration cup with about 1/2 inch of DI; it should be below the sensor cap. |
| 2. Use KimWipes® to dry any droplets from the sensor cap. |
| 3. Invert calibration cup's cap and gently rest it on the cup. |
| 4. Wait 5 minutes, making sure that temperature stabilizes. |
| 5. Determine local barometric pressure (mm Hg) and enter this value into the meter. |
| 6. Click "Calibrate". "Calibrate Successful" will be displayed. |
| 7. To retain calibration accuracy between measurements, store with the sensor immersed in water or within a water-saturated air environment such as a sealed storage cup with at least 10 ml of water. |
| 8. It is important to have the water-saturated air and the sensor at the same temperature. Therefore, store a jar of DI in the same environment as the sonde and calibrate in a similar air temperature as the water and sonde. |
| 9. Keep probe out of direct sun or wind. |

METER CALIBRATION LOG - Redmond Paired Watershed Study

Project Number:	14-05806-000		
Personnel Performing Calibration:	D Garcia		
Meter:	Pro DSS #2		
Date/Time:	7/8/22 15:40		
Barometric Pressure Start of Day:	mmHg: 766.2	Time: 8:00	
Barometric Pressure End of Day:	mmHg: 767.3	Time: 15:35	

Calibration Procedures:

Rinse Multimeter Sonde Between Each Operation

Rinse 3 times with tap water, 3 times with deionized water, then 3 times with the solution to be used for calibrating or testing.

Conductivity Calibration Notes:

1. Dry the conductivity probe with a lab tissue (e.g., KimWipes®) and DI water.
2. Fill calibration cup to within a centimeter of the top of the calibration cup with DI water (0 µS).
3. Fill the calibration cup with 1,000 µS standard so that the temperature/conductivity probe is submerged.
4. Make sure there are no bubbles in the cell; wait 2 minutes.
5. Enter the appropriate standard value (1,000 µS/cm or 1.0 mS/cm) for Sp Cond.
6. Check conductivity using 100 µS/cm standard.

Dissolved Oxygen Calibration Notes:

1. Fill the calibration cup with about 1/2 inch of DI; it should be below the sensor cap.
2. Use KimWipes® to dry any droplets from the sensor cap.
3. Invert calibration cup's cap and gently rest it on the cup.
4. Wait 5 minutes, making sure that temperature stabilizes.
5. Determine local barometric pressure (mm Hg) and enter this value into the meter.
6. Click "Calibrate". "Calibrate Successful" will be displayed.
7. To retain calibration accuracy between measurements, store with the sensor immersed in water or within a water-saturated air environment such as a sealed storage cup with at least 10 ml of water.
8. It is important to have the water-saturated air and the sensor at the same temperature. Therefore, store a jar of DI in the same environment as the sonde and calibrate in a similar air temperature as the water and sonde.
9. Keep probe out of direct sun or wind.



PRE Field Run CALIBRATION	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	0.2	0	23.6	
Conductivity (µS/cm)	821	1,000	24.4	
Conductivity (µS/cm)	95.7	100	24.9	
DO % Saturation	100.6	100	24.9	

POST Field Run CHECK	Meter Reading	Buffer / Cal Std	Temp °C	Comments
Conductivity (µS/cm)	0.1	0	23.6	
Conductivity (µS/cm)	97.6	100	23.6	
DO % Saturation	100.7	100	23.6	

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: DG, XZ

Sample Date: 07/11/22

Sample Time: 10:55

PDT:

SITE ID: COLM

Base Flow or Storm Event? BF

Field filtered 5 minutes later: Y/N

PST:

Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Sunny, 80

Water Quality Sampling

Sample ID: COLM-2022-0711

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	Yes
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	↓

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: QA121-2022-0711
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: Clear
 Color: yellowish tint
 Odor: None
 Sheen: None
 Floatables: NO

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.91

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 15.4

Specific Conductivity (µs/cm) 63.1

Dissolved Oxygen (mg/L) 8.14

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: DG, XZ

Sample Date: 07/11/22

Sample Time: 12:00

PDT:

SITE ID: MONMN

Base Flow or Storm Event? BF

Field filtered 5 minutes later: Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Sunny, 82

Water Quality Sampling

Sample ID: MONMN-2022-0711

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<u>✓</u>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: Clear

Color: None

Odor: NO

Sheen: NO

Floatables: NO

LABORATORY DELIVERY

Date:

Time:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 9.16

Reference Point (description): SG

Water Quality Measurements

Temperature (°C) 15.3

Specific Conductivity (µs/cm) 247.9

Dissolved Oxygen (mg/L) 8.96

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: DB, XZ

Sample Date: 07/11/22

Sample Time: 12:15

PDT:

SITE ID: MONMS

Base Flow or Storm Event? BF

Field filtered 5 minutes later: Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Sunny, 82°F

Water Quality Sampling

Sample ID: MONMS-2022-0711

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<u>Y</u>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: Clear

Color: None

Odor: NO

Sheen: NO

Floatables: NO

LABORATORY DELIVERY

Date:

Time:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 6.78

Reference Point (description): Water level indicator

Water Quality Measurements

Temperature (°C) 14.9

Specific Conductivity (µs/cm) 337.5

Dissolved Oxygen (mg/L) 6.60

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: MLL, MMH

Sample Date: 20220711

Sample Time: 11:40

PDT:

SITE ID:

MONM - 20220711

Base Flow or Storm Event?

Field filtered 5 minutes later: YN

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Water Quality Sampling

Sample ID: MONM - 20220711

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NA</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:	<u>NA</u>
Filter blank sample ID:	↓
Transfer blank sample ID:	↓

Visual and Olfactory Conditions:

Clarity: Clear
 Color: No
 Odor: No
 Sheen: No
 Floatables: No

LABORATORY DELIVERY

Date:

Time:

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 75° SUNNY

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): ~~1.00~~ 1.75

Reference Point (description): ~~STAFF GAUGE~~ STAFF GAUGE

Water Quality Measurements

Temperature (°C) 13.0

Specific Conductivity (µs/cm) 248.1

Dissolved Oxygen (mg/L) 191.3

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: DG, KZ
 Sample Date: 07/11/2022 Sample Time: 09:10
 Base Flow or Storm Event? Base Flow Field filtered 5 minutes later? Y N
(Must filter within 15 minutes of collection)

SITE ID: TOSMI
 Project Number: 14-05806-000



Water Quality Sampling

Sample ID: TOSMI-2022-0711

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: _____
 Filter blank sample ID: _____
 Transfer blank sample ID: _____

Visual and Olfactory Conditions:

Clarity: clear
 Color: No color
 Odor: None
 Sheen: None
 Floatables: None

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Sunny, 67°F

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)
YSI Pro DSS 1
YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.8
 Reference Point (description): Staff gauge

Water Quality Measurements

Temperature (°C) 14.1
 Specific Conductivity (µs/cm) 309.0
 Dissolved Oxygen (mg/L) 10.15

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: DG, XZ

Sample Date: 07/11/22

Sample Time: 10:15

PDT:

SITE ID: SEIMN

Base Flow or Storm Event? BF

Field filtered 5 minutes later: Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: Sunny, 80

Water Quality Sampling

Sample ID: SEIMN-2022-0711

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NO</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: Clear

Color: None

Odor: None

Sheen: None

Floatables: No

LABORATORY DELIVERY

Date:

Time:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.7

Reference Point (description): measure down 1 foot

Water Quality Measurements

Temperature (°C) 12.8

Specific Conductivity (µs/cm) 98.2

Dissolved Oxygen (mg/L) 10.48

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: MMH, MLL

Sample Date: 20220711

Sample Time: 9:10

PDT

SITE ID: COUMO-20220711

Base Flow or Storm Event?

Field filtered 5 minutes later: Y N

PST

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 67° SUNNY

Water Quality Sampling

Sample ID: COUMO-20220711

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	NA ↓
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: NA

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: CLEAR
 Color: CLEAR
 Odor: NONE
 Sheen: NONE
 Floatables: NONE

LABORATORY DELIVERY

Date:

Time:

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 1.80

Reference Point (description): Stream GAUGE

Water Quality Measurements

Temperature (°C) 13.7

Specific Conductivity (µs/cm) 248.4

Dissolved Oxygen (mg/L) 10.19

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: MLL MMH

Sample Date: 20220711

Sample Time: 9:45

PDT:

SITE ID: COUMI-20220711

Base Flow or Storm Event?

Field filtered 5 minutes later: Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 67° SUNNY

Water Quality Sampling

Sample ID: COUMI-20220711

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NA</u>
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	<u>✓</u>

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: NA

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: CLEAR
 Color: CLEAR
 Odor: NONE
 Sheen: NONE
 Floatables: NONE

LABORATORY DELIVERY

Date:

Time:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): NOT VISIBLE DUE TO

Reference Point (description): STREAM GAUGE

HERE TAILS-PRIVATE PROPERTY w/ FENCE - NOT VISIBLE EVEN w/ BINOCULARS

Water Quality Measurements

Temperature (°C) 12.7

Specific Conductivity (µs/cm) ~~346.7~~ 346.7

Dissolved Oxygen (mg/L) ~~10.49~~ 10.49

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: MLL, MMH

Sample Date: 20220711

Sample Time: 9:30

PDT:

SITE

ID: TOSMO-20220711

Base Flow or Storm Event?

Field filtered 5 minutes later: Y N

PST: MM

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 68° SUNNY

Water Quality Sampling

Sample ID: TOSMO-20220711

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NA</u>
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID:

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity:

CLEAR

Color:

CLEAR

Odor:

NONE

Sheen:

NONE

Floatables:

NONE

LABORATORY DELIVERY

Date:

Time:

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

* WATER BELOW
STAFF GAUGE
SOIL

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft):

0.60*

Reference Point (description):

STAFF GAUGE

Water Quality Measurements

Temperature (°C)

12.2

Specific Conductivity (µs/cm)

278.8

Dissolved Oxygen (mg/L)

10.76

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: MLL, MMM

Sample Date: 20220711

Sample Time: ~~00:00~~ 10:15

PDT:

SITE ID: TYLMO-20220711

Base Flow or Storm Event?

Field filtered 5 minutes later: Y N
(Must filter within 15 minutes of collection)

PST: NA

Project Number: 14-05806-000



Project Name: Redmond Paired Watershed Study

Current Weather and Temp: 67° SUNNY

Water Quality Sampling

Sample ID: TYLMO-20220711

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NA</u> ↓
DOC *	HDPE	250 ml	1	HCL	
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: NA
 Filter blank sample ID: ↓
 Transfer blank sample ID: ↓

Visual and Olfactory Conditions:

Clarity: CLEAR
 Color: CLEAR
 Odor: PLASTIC BURN SMELL FROM CULVERT
 Sheen: NONE
 Floatables: NONE

LABORATORY DELIVERY

Date: _____ Time: _____

Quality Assurance

Checked By: _____ Signature: _____
 Date Checked: _____ Time: _____
 Data Entered into Database? YES NO initials: _____
 Date Entered: _____ Time: _____
 Notes: _____

Field Meter Calibration

Check which field meter was used and complete the meter calibration form
YSI Pro Plus (15D100020)
YSI Pro DSS 1
 YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)
 Stream Stage (ft): 3.01 ft
 Reference Point (description): Top of culvert

Water Quality Measurements

Temperature (°C) 13.2
 Specific Conductivity (µs/cm) 216.7
 Dissolved Oxygen (mg/L) 10.40

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: ML, MMH

Sample Date: 20220711

Sample Time: 11:15

PDT:

SITE ID:

SEIMS-20220711

Base Flow or Storm Event?

Field filtered 5 minutes later: N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Project Name: Redmond Paired Watershed Study

Water Quality Sampling

Sample ID: SEIMS-20220711

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	NA
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 µm filter and vacuum hand pump

Duplicate sample ID: NA

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: Clear

Color: NO

Odor: NO

Sheen: NO

Floatables: NO

LABORATORY DELIVERY

Date:

Time:

Current Weather and Temp: 67° SUNNY

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft): 0.35

Reference Point (description): STAFF GAUGE

Water Quality Measurements

Temperature (°C) 12.3

Specific Conductivity (µs/cm) 124.4

Dissolved Oxygen (mg/L) 10.43

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

FIELD SAMPLING SHEET - Redmond Paired Watershed Study

Field Personnel: ML, MMH

Sample Date: 20220711

Sample Time: 10:45

PDT:

SITE ID:

TYLMI-20220711

Base Flow or Storm Event?

Field filtered 5 minutes later: Y N

PST:

Project Number: 14-05806-000

(Must filter within 15 minutes of collection)



HERRERA

Water Quality Sampling

Sample ID: TYLMI-20220711

Parameter	Bottle Type	Bottle Volume	# Bottles	Preservative	Duplicated?
TSS and Turbidity	HDPE	1L	1	NA	<u>NA</u>
DOC *	HDPE	250 ml	1	HCL	↓
Fecal Col. Bact.	HDPE	250 ml	1	EDTA	
T. Phosphorous	HDPE	250 ml	1	H ₂ SO ₄	
T. Nitrogen	HDPE	250 ml	1	H ₂ SO ₄	
Diss. Cu and Zn *	HDPE	250 ml	1	HNO ₃	
Hardness, Total Cu and Zn	HDPE	500 ml	1	HNO ₃	

* - field filtered with Nalgene 250 ml SFCA 0.45 μm filter and vacuum hand pump

Duplicate sample ID: NA

Filter blank sample ID:

Transfer blank sample ID:

Visual and Olfactory Conditions:

Clarity: Clear

Color: No

Odor: No

Sheen: No

Floatables: No

LABORATORY DELIVERY

Date:

Time:

Quality Assurance

Checked By:

Signature:

Date Checked:

Time:

Data Entered into Database?

YES

NO

initials:

Date Entered:

Time:

Notes:

Project Name: Redmond Paired Watershed Study

Current Weather and Temp:

72°
SUNNY

Field Meter Calibration

Check which field meter was used and complete the meter calibration form

YSI Pro Plus (15D100020)

YSI Pro DSS 1

YSI Pro DSS 2

Stream Stage Measurement

Indicate reference point for measurement (to nearest 100th of a foot)

Stream Stage (ft):

4.10

Reference Point (description):

Top of culvert

Water Quality Measurements

Temperature (°C)

13.5

Specific Conductivity (μs/cm)

236.3

Dissolved Oxygen (mg/L)

10.05



HERRERA

Data Quality Assurance Worksheet

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 7/11/2022 /All locations, QA121 (COLM) Lab Ref No 2207-069

By J. Brown

Date 8/12/22 Page 1 of 2

Checked: initials
JL

date 8/25/2022

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹	Reported	Goal ¹		
TSS	OK / SM 2540D	NA	NA	3	≤7	≤1.0 mg/L 1.0 mg/L	NA	NA	77	±20	37	≤25	NC	≤25	OK	FLAG COUMIJ DUE TO LAB DUPLICATE RPD EXCEEDANCE
Turbidity	OK / EPA 180.1	NA	NA	1	≤2	≤0.1 NTU 0.1 NTU	NA	NA	NA	±10	2	≤25	<1	≤25	OK	NONE
Hardness	OK / SM 2340B	NA	NA	3	≤180	≤1.0 mg/L 1.0 mg/L	111, 109	±25	105	±15	2 MS 1	≤20	4	≤20	OK	NONE
DOC	OK / SM 5310B	≤15	≤15	8	≤28	≤1.0 mg/L 1.0 mg/L	94	±25	96	±15	D=0.09	≤20	1	≤20	OK	NONE
Total Phosphorus	OK / EPA 365.1	NA	NA	11	≤28	≤0.01 mg/L 0.01 mg/L	98	±25	98	±20	2	≤20	D=0.005	≤20	OK	NONE
Total Nitrogen (TKN + N+N)	OK/ SM 4500 N-B	NA	NA	4, 16	≤28	≤0.1 mg/L 0.1 mg/L	81-109	±25	91-102	±20	NC, <1-4, D=0-0.01	≤20	NC D=0.48	≤20	OK	NO FLAG FOR FIELD DUPLICATE DIFFERENCE, DIFFERENCE WAS LESS THAN 2 TIMES DL FOR TKN (0.25 MG/L)

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.

NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported



HERRERA

Data Quality Assurance Worksheet

Project Name/No./Client: Redmond Paired Watershed Study / 14-05806-000 / City of Redmond

Laboratory/Parameters: OnSite Environmental: TSS, turbidity, hardness, DOC, TP, Dissolved & Total Cu, Zn / AmTest: Total nitrogen, fecal coliform bacteria

Sample Date/Sample ID: 7/11/2022 /All locations, QA121 (COLM) Lab Ref No 2207-069

By J. Brown

Date 8/12/22 Page 2 of 2

Checked: initials JL

date 8/25/2022

Parameter	Completeness/ Methodology	Pre-preservation Holding Times (minutes)		Total Holding Times (days)		Method Blanks Reporting Limit	Matrix Spikes/ Surrogate Recovery (%)		Lab Control Samples Recovery (%)		Lab Duplicates RPD (%)		Field Duplicates RPD (%)		Instrument Calibration/ Performance	ACTION
		Reported	Goal	Reported	Goal		Reported	Goal ¹	Reported	Goal	Reported	Goal ¹	Reported	Goal ¹		
Total Copper	OK/ EPA 200.8	NA	NA	3	≤180	≤1.0 µg/L 1.0 µg/L	101, 101	±25	NR	±15	NC MS <1	≤20	NC	≤20	OK	NONE
Total Zinc	OK/ EPA 200.8	NA	NA	3	≤180	≤5.0 µg/L 5.0 µg/L	103, 101	±25	NR	±15	NC MS 1	≤20	NC	≤20	OK	NONE
Dissolved Copper	OK/ EPA 200.8	≤15	≤15	3	≤180	≤1.0 µg/L 1.0 µg/L	98, 97	±25	NR	±15	NC MS 1	≤20	NC	≤20	OK	NONE
Dissolved Zinc	OK/ EPA 200.8	≤15	≤15	3	≤180	≤5.0 µg/L 5.0 µg/L	103, 104	±25	NR	±15	NC MS 1	≤20	NC	≤20	OK	NONE
Fecal Coliform	OK/ SM 9222D	NA	NA	1	≤1	≤1.0 cfu/ 100mL 10 cfu/ 100mL	NA	NA	NA	NA	NA	≤35	8	≤50	OK	NONE

¹ If the sample or duplicate value is less than five times the reporting limit, the difference is calculated rather than the relative percent difference (RPD). The QA goal is a difference <2 times the detection limit instead of the number indicated in the goal column.

NA – not applicable or not available; NC – not calculable due to one or more values below the detection limit; NS – field duplicate not sampled; NR – not reported

APPENDIX G

Data Validation Memorandum for Water Quality Monitoring



This page intentionally left blank

TECHNICAL MEMORANDUM

Date: April 26, 2023
To: Project File
From: Jess Brown
Subject: Data Quality Assurance Review of the Redmond Paired Watershed Stormwater Retrofit Effectiveness Water Quality Monitoring Data – Water Year 2022

Data Quality Assurance Review

This memorandum presents a review of data quality for 166 water samples (including 12 field duplicates) collected for the Redmond Paired Watershed Stormwater Retrofit Effectiveness Study between October 21, 2021, and July 11, 2022. In addition, 15 samples were collected on September 27, 2022, including one field duplicate, one filter blank, and one transfer blank. While this data was collected for water year 2023, a quality assurance review of the filter blank and transfer blank are discussed herein.

OnSite Environmental, Inc., of Redmond, Washington, analyzed the samples for:

- Total suspended solids (TSS) by Standard Method 2540D
- Turbidity by EPA Method 180.1
- Hardness by Standard Method 2340B
- Dissolved organic carbon (DOC) by Standard Method 5310B
- Total phosphorus by EPA Method 365.1
- Total and dissolved metals (copper and zinc) by EPA Method 200.8.

In addition, AmTest Inc., of Kirkland, Washington, analyzed the samples for:

- Total nitrogen (total Kjeldahl nitrogen [TKN] and nitrate + nitrite nitrogen) by Standard Method 4500-N and 4500-NO₃, respectively
- Fecal coliform by Standard Method 9222D.

Results for the following samples (Table 1) were validated.

Table 1. Water Year 2022 Samples.			
Date Collected	Lab SDG	Samples Collected	QC Samples Collected
10/21/2021	2110-210	14 stations	1 field duplicate
10/28/2021	2110-282	14 stations	1 field duplicate
11/11/2021	2111-138	14 stations	1 field duplicate
12/29/2021	2112-270	14 stations	1 field duplicate
1/6/2022	2201-042	14 stations	1 field duplicate
2/17/2022	2202-221	12 stations	1 field duplicate
2/28/2022	2202-387	12 stations	1 field duplicate
3/14/2022	2203-161	12 stations	1 field duplicate
4/18/2022	2204-205	12 stations	1 field duplicate
5/5/2022	2205-063	12 stations	1 field duplicate
5/24/2022	2205-263	12 stations	1 field duplicate
7/11/2022	2207-069	12 stations	1 field duplicate
9/27/2022 ^a	2209-267	12 stations	1 field duplicate, 1 transfer blank, and 1 filter blank

^a This sample was collected as part of water year 2023, and this memorandum does not describe the quality assurance review of the data except for transfer blank and filter blanks.

The laboratory’s performance was reviewed in accordance with quality control (QC) criteria established in the *Redmond Paired Watershed Study Quality Assurance Project Plan (QAPP)* (Herrera 2015), by the laboratory, and in the specified methods.

Quality control data summaries submitted by the laboratory were reviewed; raw data were not submitted by the laboratory. Data Quality Assurance Worksheets were completed for each laboratory report. Data qualifiers (flags) were added to the sample results in the laboratory reports. Data validation results are summarized below, followed by definitions of data qualifiers.

Custody, Preservation, Holding Times, and Completeness – Acceptable with Qualification

The samples were properly preserved and sample custody was maintained from sample collection to receipt at the laboratory. Samples were analyzed within the required method holding times, with the exception noted below. The laboratory reports were complete and contained results for all samples and tests requested on the chain-of-custody (COC) forms.

The filtration holding time (15 minutes) was exceeded for dissolved metals and DOC by less than 1 day for all samples collected on November 11, 2021. Samples were not filtered at the time of collection and were qualified as estimated (flagged J) due to the filtration holding time exceedance (Table 2).

Table 2. Data Qualified due to Holding Time Exceedances.

Date Collected	Lab SDG	Sample Location	Parameter	Reason for Qualification	Flag
11/11/21	2111-138	All locations	Dissolved Organic Carbon Dissolved copper Dissolved zinc	Filtration holding time exceeded	J

Laboratory Reporting Limits – Acceptable

The laboratory reporting limits met those established in the QAPP with one exception. The reporting limits for total suspended solids (64 samples), turbidity (20 samples), total zinc (8 samples), and dissolved zinc (1 sample) were slightly elevated; however, data quality was not affected because the samples were detected above the reporting limit. No data were qualified based on laboratory reporting limits.

Method Blank Analysis – Acceptable

Method blanks were analyzed at the required frequency. Method blanks did not contain levels of target analytes above the laboratory reporting limits.

Filter Blank Analysis – Acceptable

A filter blank was collected on September 27, 2022, and analyzed for DOC and dissolved copper and zinc, as required by the QAPP. The filter blanks did not contain levels of target analytes above the laboratory reporting limits.

Transfer Blank Analysis – Acceptable with Discussion

A transfer blank was collected on September 27, 2022, and analyzed for all parameters, as required by the QAPP. With the exception noted below, the transfer blank did not contain levels of target analytes above the laboratory reporting limits.

The transfer blank had a reported result for TKN (0.348 mg/L) that exceeded the 0.20 reporting limit. However, because the reported result was less than 2 times the reporting limit, no data were qualified.

The transfer blank was undetected for TSS, but the laboratory control sample analysis had a low percent recovery indicating a potential low bias. The transfer blank result was qualified as estimated (J).

Laboratory Control Sample Analysis – Acceptable

Laboratory control samples (LCS) were analyzed with project samples for TSS, hardness, DOC, total phosphorus, and total nitrogen at the required frequency. The percent recovery values for all parameters met the criteria established in the QAPP.

Matrix Spike Analysis – Acceptable with Discussion

Matrix spike samples were analyzed for hardness, DOC, total phosphorus, total nitrogen, total copper and zinc, and dissolved copper and zinc. The percent recovery values for all parameters met the control limits established in the QAPP with one exception noted below.

The matrix spike recovery for nitrate + nitrite nitrogen (62 percent) exceeded the lower limit of the criterion (75 to 125 percent). However, no data were qualified because the matrix spike was applied to a batch sample and all other matrix spike recoveries for TKN and nitrate + nitrite nitrogen were in control.

Laboratory Duplicate Analysis – Acceptable with Qualification

Laboratory duplicate samples were analyzed for all parameters. For project samples, the relative percent difference (RPD) was calculated for each analyte where both duplicate values were greater than five times the reporting limit (RL). The difference between duplicate values was calculated if the detected compound concentration was less than five times the RL in either the sample or the duplicate. The RPD values or difference values met the control limits established by the laboratory or specified method, with the exceptions noted below.

A laboratory duplicate was analyzed for sample COUMO collected on November 11, 2021, for fecal coliform. The RPD between the sample and laboratory duplicate (36 percent) exceeded the less than 35 percent criterion. However, no data were qualified because the exceedance was marginal and the other laboratory duplicate for fecal coliform was in control.

A laboratory duplicate was analyzed for sample collected on January 6, 2022, for nitrate + nitrite nitrogen. The RPD between the sample and laboratory duplicate (83 percent) exceeded the less than 20 percent criterion. However, no data were qualified because the duplicate result applied to a laboratory batch sample and all other laboratory duplicates for TKN and nitrate + nitrite nitrogen were in control.

As shown in Table 3 below, two samples and associated duplicates were qualified as estimated (flagged J) due to the laboratory duplicate exceedance.

Table 3. Data Qualified due to Laboratory Duplicate Exceedance.

Date Collected	Lab SDG	Sample Location	Parameter	Reason for Qualification	Flag
5/5/2022	2205-063	CUOMO	Turbidity	Laboratory duplicate exceedance	J
7/11/2022	2207-069	COUMI	TSS	Laboratory duplicate exceedance	J

Field Duplicate Analysis – Acceptable with Qualification

Field duplicates were analyzed for all parameters at the required frequency (12 field duplicates analyzed for water year 2022 samples in total). The RPD was calculated for each analyte where both the values were greater than five times the RL. The difference between the duplicate values was calculated if the detected compound concentration was less than five times the RL in either the sample or the field

duplicate. With the exceptions noted below, the RPD values or difference values met the control limits established in the QAPP.

As shown in Table 4 below, several field duplicate values did not meet the criteria established in the QAPP. The sample and associated duplicate were qualified as estimated (flagged J) due to the field duplicate exceedance.

Table 4. Data Qualified Due to Field Duplicate Exceedances.					
Date Collected	Lab SDG	Sample Location	Parameter	Reason for Qualification	Flag
10/28/2021	2110-282	COUMI	Fecal coliform Turbidity	Field duplicate exceedance	J
11/11/2021	2111-138	EVALSS	Fecal coliform	Field duplicate exceedance	J
12/29/2021	2112-270	TOSMO	TSS Turbidity	Field duplicate exceedance	J
2/17/2022	2202-221	TYLMI	Turbidity	Field duplicate exceedance	J
4/18/2022	2204-205	COUMO	Fecal coliform TSS	Field duplicate exceedance	J
5/5/2022	2205-063	TOSMO	Fecal coliform Turbidity	Field duplicate exceedance	J

Definition of Data Qualifiers

The following are data qualifier definitions (Table 5) applied for this project.

Table 5. Data Qualifier Definitions.	
Data Qualifier	Definition
J	Value is an estimate based on analytical results
R	Value is rejected based on analytical results
U	Value is below the reporting limit
UJ	Value is below the reporting limit and is an estimate based on analytical results


References

Herrera. 2015. Redmond Paired Watershed Study Quality Assurance Project Plan. Prepared by Herrera Environmental Consultants, Inc., Seattle, Washington. December 31.

This page intentionally left blank

APPENDIX H

Summary Statistics for Pollutant Concentrations Measured in Storm Event and Base Flow Samples



This page intentionally left blank

Table H-1. Summary Statistics for Dissolved Oxygen Concentrations Measured in Storm Event and Base Flow Samples.

Station	n	Minimum (mg/L)	25th Percentile (mg/L)	Median (mg/L)	75th Percentile (mg/L)	Maximum (mg/L)	Interquartile Range (mg/L)	Percent Detected	Percent Violating Criteria ^a
Base Flow Samples									
MONM	3	10.3	11.4	12.5	13.1	13.8	1.7	100%	0%
MONMN	4	9.0	9.6	11.0	13.1	14.5	3.5	100%	25%
MONMS	4	6.6	7.1	8.7	11.2	12.7	4.2	100%	75%
TOSMO	4	10.8	10.9	11.8	13.8	15.1	2.9	100%	0%
TOSMI	4	10.2	10.6	11.5	12.8	13.7	2.3	100%	0%
COLM	4	8.2	9.2	11.0	13.0	14.2	3.8	100%	25%
SEIMN	4	10.5	10.8	11.7	13.2	14.1	2.4	100%	0%
SEIMS	4	10.4	10.7	11.6	13.6	14.9	2.9	100%	0%
COUMO	4	10.2	10.4	11.5	13.4	14.3	3.0	100%	0%
COUMI	4	10.5	10.7	11.7	14.2	15.8	3.4	100%	0%
TYLMO	4	10.4	10.6	11.9	14.0	15.2	3.4	100%	0%
TYLMI	4	10.1	10.2	11.3	13.2	14.1	3.0	100%	0%
Storm Event Samples									
MONM	8	10.6	10.9	11.4	11.8	12.8	0.9	100%	0%
MONMN	8	9.8	10.3	10.9	11.6	13.3	1.2	100%	25%
MONMS	8	7.2	8.1	8.9	10.3	11.8	2.2	100%	63%
TOSMO	8	10.4	10.8	11.5	11.7	13.4	0.9	100%	0%
TOSMI	8	10.4	10.7	11.1	11.8	12.2	1.1	100%	0%
COLM	8	8.7	10.2	11.1	11.6	12.7	1.4	100%	25%
SEIMN	8	10.9	11.2	11.5	12.2	13.4	1.0	100%	0%
SEIMS	8	9.7	10.5	11.2	11.5	13.2	1.0	100%	13%
COUMO	8	10.0	10.2	11.1	11.4	13.2	1.2	100%	25%
COUMI	8	10.4	10.8	11.5	11.8	13.4	1.0	100%	0%
TYLMO	8	10.0	10.5	11.3	11.8	13.6	1.3	100%	13%
TYLMI	8	7.3	10.1	11.0	11.4	13.5	1.3	100%	25%

mg/L: milligrams per liter

All summary statistics were calculated using values of half the reporting limit for non-detect values.

Table H-2. Summary Statistics for Specific Conductivity Measured in Storm Event and Base Flow Samples.

Station	n	Minimum ($\mu\text{S/cm}$)	25th Percentile ($\mu\text{S/cm}$)	Median ($\mu\text{S/cm}$)	75th Percentile ($\mu\text{S/cm}$)	Maximum ($\mu\text{S/cm}$)	Interquartile Range ($\mu\text{S/cm}$)	Percent Detected	Percent Violating Criteria ^a
Base Flow Samples									
MONM	4	173.0	186.7	208.1	232.0	248.1	45.3	100%	NA
MONMN	4	148.1	165.3	194.9	227.6	247.9	62.3	100%	NA
MONMS	4	288.1	288.3	310.6	335.1	337.5	46.9	100%	NA
TOSMO	4	210.8	238.6	272.6	297.7	316.5	59.1	100%	NA
TOSMI	4	291.3	293.3	302.2	347.5	386.0	54.2	100%	NA
COLM	4	10.1	23.5	46.5	59.6	63.1	36.2	100%	NA
SEIMN	4	55.9	61.7	69.0	84.4	98.2	22.7	100%	NA
SEIMS	4	89.2	93.9	104.5	117.4	124.4	23.5	100%	NA
COUMO	4	231.9	240.2	267.1	286.6	287.3	46.4	100%	NA
COUMI	4	40.7	145.9	285.4	333.3	346.7	187.4	100%	NA
TYLMO	4	154.9	168.0	189.0	206.8	216.7	38.8	100%	NA
TYLMI	4	164.5	171.6	185.0	213.8	236.3	42.3	100%	NA
Storm Event Samples									
MONM	8	91.5	118.5	146.2	195.6	217.3	77.1	100%	NA
MONMN	8	73.6	94.0	116.9	158.0	196.3	64.0	100%	NA
MONMS	8	125.5	149.8	175.8	229.2	265.4	79.4	100%	NA
TOSMO	8	71.3	89.5	128.2	168.8	193.1	79.3	100%	NA
TOSMI	8	42.5	69.2	92.5	115.9	145.1	46.7	100%	NA
COLM	8	32.9	43.6	47.8	52.5	61.6	8.9	100%	NA
SEIMN	8	32.9	43.3	63.8	78.6	105.7	35.3	100%	NA
SEIMS	8	0.8	44.7	83.9	101.4	106.9	56.7	100%	NA
COUMO	8	65.4	97.1	113.5	152.9	219.4	55.8	100%	NA
COUMI	8	93.9	113.8	135.9	211.9	286.1	98.2	100%	NA
TYLMO	8	47.9	57.5	66.2	106.1	131.2	48.7	100%	NA
TYLMI	8	78.8	90.7	114.9	152.1	201.2	61.4	100%	NA

$\mu\text{S/cm}$: microsiemens per centimeter

All summary statistics were calculated using values of half the reporting limit for non-detect values.

Table H-3. Summary Statistics for Water Temperature Measured in Storm Event and Base Flow Samples.

Station	n	Minimum (deg C)	25th Percentile (deg C)	Median (deg C)	75th Percentile (deg C)	Maximum (deg C)	Interquartile Range (deg C)	Percent Detected	Percent Violating Criteria ^a
Base Flow Samples									
MONM	4	2.0	4.2	8.7	12.1	13.0	7.9	100%	NA
MONMN	4	2.3	4.8	9.0	13.0	15.3	8.3	100%	NA
MONMS	4	2.3	4.8	8.8	12.7	14.9	7.9	100%	NA
TOSMO	4	2.2	4.3	8.6	11.5	12.2	7.2	100%	NA
TOSMI	4	1.9	4.7	8.9	12.2	14.1	7.5	100%	NA
COLM	4	-0.3	2.9	8.5	13.2	15.4	10.4	100%	NA
SEIMN	4	1.2	4.0	8.3	11.3	12.8	7.4	100%	NA
SEIMS	4	1.8	4.0	8.1	11.2	12.3	7.3	100%	NA
COUMO	4	3.0	4.7	8.8	12.5	13.7	7.8	100%	NA
COUMI	4	1.0	3.6	8.4	11.7	12.7	8.1	100%	NA
TYLMO	4	1.6	3.8	8.4	12.0	13.2	8.3	100%	NA
TYLMI	4	3.0	4.9	9.1	12.5	13.5	7.7	100%	NA
Storm Event Samples									
MONM	8	4.8	8.3	9.3	11.2	11.8	2.9	100%	NA
MONMN	8	5.4	7.7	9.2	11.3	12.3	3.6	100%	NA
MONMS	8	6.1	8.2	9.5	11.2	13.4	3.1	100%	NA
TOSMO	8	6.3	8.2	9.1	11.3	12.8	3.1	100%	NA
TOSMI	8	5.3	8.2	10.0	11.5	12.5	3.3	100%	NA
COLM	8	0.8	6.6	8.6	9.9	10.3	3.3	100%	NA
SEIMN	8	2.7	6.2	8.3	9.4	10.2	3.2	100%	NA
SEIMS	8	4.8	7.3	8.0	10.2	11.3	2.9	100%	NA
COUMO	8	6.6	8.3	9.6	12.1	13.4	3.8	100%	NA
COUMI	8	6.3	7.7	8.9	11.1	12.8	3.5	100%	NA
TYLMO	8	5.5	8.4	9.4	11.9	14.0	3.5	100%	NA
TYLMI	8	4.3	7.7	8.8	11.8	13.2	4.2	100%	NA

deg C: degrees Celsius

All summary statistics were calculated using values of half the reporting limit for non-detect values.

Table H-4. Summary Statistics for Total Suspended Solids Concentrations Measured in Storm Event and Base Flow Samples.

Station	n	Minimum (mg/L)	25th Percentile (mg/L)	Median (mg/L)	75th Percentile (mg/L)	Maximum (mg/L)	Interquartile Range (mg/L)	Percent Detected	Percent Violating Criteria ^a
Base Flow Samples									
MONM	4	5.8	7.9	11.5	26.0	39.0	18.1	100%	NA
MONMN	4	3.0	4.0	6.4	8.0	8.2	4.0	100%	NA
MONMS	4	1.2	2.7	9.1	17.5	21.0	14.8	100%	NA
TOSMO	4	8.0	9.5	12.0	14.5	16.0	5.0	100%	NA
TOSMI	4	5.0	8.0	12.0	13.0	13.0	5.0	100%	NA
COLM	4	0.4	0.4	0.8	1.4	1.6	1.0	50%	NA
SEIMN	4	3.4	4.5	7.3	59.5	110.0	55.0	100%	NA
SEIMS	4	5.8	8.9	15.5	21.5	24.0	12.6	100%	NA
COUMO	4	1.8	2.3	4.5	8.1	10.0	5.8	100%	NA
COUMI	4	4.4	5.8	12.6	33.0	48.0	27.2	100%	NA
TYLMO	4	0.4	0.4	1.1	1.8	1.8	1.4	50%	NA
TYLMI	4	4.2	5.5	8.3	19.9	30.0	14.4	100%	NA
Storm Event Samples									
MONM	8	9.2	15.0	24.5	48.0	170.0	33.0	100%	NA
MONMN	8	5.0	10.6	18.5	39.5	220.0	28.9	100%	NA
MONMS	8	0.5	3.9	6.3	8.9	11.0	5.0	88%	NA
TOSMO	8	20.0	60.5	110.0	185.0	240.0	124.5	100%	NA
TOSMI	8	23.0	27.5	59.5	106.0	230.0	78.5	100%	NA
COLM	8	0.5	2.5	5.1	8.0	31.0	5.5	88%	NA
SEIMN	8	6.4	24.0	54.5	185.0	280.0	161.0	100%	NA
SEIMS	8	14.0	21.5	64.0	120.0	330.0	98.5	100%	NA
COUMO	8	8.4	17.0	27.0	41.5	77.0	24.5	100%	NA
COUMI	8	4.4	28.0	58.5	82.0	240.0	54.0	100%	NA
TYLMO	8	5.4	10.5	19.5	46.0	340.0	35.5	100%	NA
TYLMI	8	4.8	6.5	12.0	35.5	57.0	29.0	100%	NA

mg/L: milligrams per liter

All summary statistics were calculated using values of half the reporting limit for non-detect values.

Table H-5. Summary Statistics for Total Turbidity Concentrations Measured in Storm Event and Base Flow Samples.

Station	n	Minimum (NTU)	25th Percentile (NTU)	Median (NTU)	75th Percentile (NTU)	Maximum (NTU)	Interquartile Range (NTU)	Percent Detected	Percent Violating Criteria ^a
Base Flow Samples									
MONM	4	2.9	3.2	4.7	8.4	11.0	5.2	100%	NA
MONMN	4	1.6	2.0	2.5	2.7	2.9	0.7	100%	NA
MONMS	4	0.9	1.1	3.0	5.0	5.2	3.9	100%	NA
TOSMO	4	2.4	2.7	4.0	6.2	7.4	3.6	100%	NA
TOSMI	4	2.3	2.5	3.2	4.1	4.6	1.6	100%	NA
COLM	4	0.6	0.7	1.0	1.4	1.7	0.6	100%	NA
SEIMN	4	1.7	2.6	3.9	9.1	14.0	6.5	100%	NA
SEIMS	4	3.4	3.5	5.3	7.9	8.6	4.4	100%	NA
COUMO	4	1.8	1.8	3.2	5.4	6.3	3.6	100%	NA
COUMI	4	1.8	2.2	3.9	7.7	10.0	5.5	100%	NA
TYLMO	4	1.6	1.7	1.9	2.1	2.1	0.5	100%	NA
TYLMI	4	2.3	2.5	4.1	10.8	16.0	8.4	100%	NA
Storm Event Samples									
MONM	8	3.1	4.0	9.6	17.0	29.0	13.0	100%	NA
MONMN	8	3.7	3.8	9.5	19.0	29.0	15.3	100%	NA
MONMS	8	1.5	3.7	4.3	5.7	8.1	2.1	100%	NA
TOSMO	8	9.9	10.0	28.5	78.0	100.0	68.0	100%	NA
TOSMI	8	6.8	12.6	23.0	37.5	74.0	25.0	100%	NA
COLM	8	0.8	1.0	1.4	1.9	3.0	0.9	100%	NA
SEIMN	8	3.9	6.1	18.0	36.5	100.0	30.4	100%	NA
SEIMS	8	5.0	6.8	11.6	27.5	60.0	20.8	100%	NA
COUMO	8	4.3	8.7	18.0	20.5	30.0	11.9	100%	NA
COUMI	8	2.8	7.0	21.0	36.0	100.0	29.0	100%	NA
TYLMO	8	3.9	4.3	9.0	16.0	30.0	11.8	100%	NA
TYLMI	8	2.7	3.5	7.7	12.5	22.0	9.1	100%	NA

NTU: Nephelometric Turbidity Unit

All summary statistics were calculated using values of half the reporting limit for non-detect values.

Table H-6. Summary Statistics for Total Hardness Concentrations Measured in Storm Event and Base Flow Samples.

Station	n	Minimum (mg/L)	25th Percentile (mg/L)	Median (mg/L)	75th Percentile (mg/L)	Maximum (mg/L)	Interquartile Range (mg/L)	Percent Detected	Percent Violating Criteria ^a
Base Flow Samples									
MONM	4	79	87	97	105	110	18	100%	NA
MONMN	4	58	69	88	103	110	35	100%	NA
MONMS	4	110	115	125	145	160	30	100%	NA
TOSMO	4	110	115	125	130	130	15	100%	NA
TOSMI	4	120	125	135	145	150	20	100%	NA
COLM	4	10	12	14	19	24	8	100%	NA
SEIMN	4	22	25	28	34	39	9	100%	NA
SEIMS	4	43	45	50	54	56	9	100%	NA
COUMO	4	100	115	135	145	150	30	100%	NA
COUMI	4	130	140	160	175	180	35	100%	NA
TYLMO	4	68	73	88	99	100	26	100%	NA
TYLMI	4	67	72	89	105	110	33	100%	NA
Storm Event Samples									
MONM	8	38	46	62	85	100	40	100%	NA
MONMN	8	32	36	54	72	83	36	100%	NA
MONMS	8	53	61	70	96	120	35	100%	NA
TOSMO	8	38	46	62	84	100	39	100%	NA
TOSMI	8	33	37	40	46	64	10	100%	NA
COLM	8	9	10	12	15	16	4	100%	NA
SEIMN	8	18	24	25	35	46	11	100%	NA
SEIMS	8	20	32	43	52	55	20	100%	NA
COUMO	8	32	40	51	68	98	28	100%	NA
COUMI	8	49	63	76	100	150	37	100%	NA
TYLMO	8	26	27	31	44	61	17	100%	NA
TYLMI	8	32	38	56	76	98	39	100%	NA

mg/L: milligrams per liter

All summary statistics were calculated using values of half the reporting limit for non-detect values.

Table H-7. Summary Statistics for Dissolved Organic Carbon Concentrations Measured in Storm Event and Base Flow Samples.

Station	n	Minimum (mg/L)	25th Percentile (mg/L)	Median (mg/L)	75th Percentile (mg/L)	Maximum (mg/L)	Interquartile Range (mg/L)	Percent Detected	Percent Violating Criteria ^a
Base Flow Samples									
MONM	4	3.2	3.3	3.5	4.0	4.4	0.8	100%	NA
MONMN	4	3.6	3.6	3.9	4.5	4.8	0.9	100%	NA
MONMS	4	4.5	4.8	5.2	5.7	6.0	0.9	100%	NA
TOSMO	4	2.1	2.4	2.6	2.9	3.2	0.6	100%	NA
TOSMI	4	2.4	2.7	2.9	3.1	3.2	0.4	100%	NA
COLM	4	9.2	11.1	13.5	14.5	15.0	3.4	100%	NA
SEIMN	4	3.5	4.7	6.4	7.4	7.8	2.7	100%	NA
SEIMS	4	2.8	3.1	3.9	4.9	5.3	1.8	100%	NA
COUMO	4	3.1	3.3	3.5	3.9	4.2	0.7	100%	NA
COUMI	4	3.0	3.1	3.4	3.6	3.6	0.6	100%	NA
TYLMO	4	3.5	3.7	3.9	4.2	4.4	0.5	100%	NA
TYLMI	4	2.3	3.0	3.8	4.4	4.9	1.4	100%	NA
Storm Event Samples									
MONM	8	4.7	5.1	5.9	8.1	12.0	3.0	100%	NA
MONMN	8	4.5	5.3	5.6	7.8	14.0	2.5	100%	NA
MONMS	8	5.9	6.2	6.7	7.4	8.8	1.2	100%	NA
TOSMO	8	5.1	6.0	7.4	8.9	11.0	3.0	100%	NA
TOSMI	8	3.5	5.1	8.0	10.2	15.0	5.2	100%	NA
COLM	8	9.3	10.2	12.0	13.0	16.0	2.8	100%	NA
SEIMN	8	5.5	7.2	7.9	10.7	12.0	3.5	100%	NA
SEIMS	8	4.8	6.5	11.0	13.0	21.0	6.5	100%	NA
COUMO	8	3.8	4.5	6.5	10.5	12.0	6.0	100%	NA
COUMI	8	4.2	4.6	7.2	12.0	18.0	7.4	100%	NA
TYLMO	8	3.6	4.9	5.7	7.5	9.5	2.6	100%	NA
TYLMI	8	5.6	6.4	7.4	8.1	9.7	1.7	100%	NA

mg/L: milligrams per liter

All summary statistics were calculated using values of half the reporting limit for non-detect values.

Table H-8. Summary Statistics for Fecal Coliform Concentrations Measured in Storm Event and Base Flow Samples.

Station	n	Minimum (CFU/100 mL)	25th Percentile (CFU/100 mL)	Median (CFU/100 mL)	75th Percentile (CFU/100 mL)	Maximum (CFU/100 mL)	Interquartile Range (CFU/100 mL)	Percent Detected	Percent Violating Criteria ^a
Base Flow Samples									
MONM	4	3	9	17	23	25	14	100%	0%
MONMN	4	1	2	30	219	380	218	100%	25%
MONMS	4	2	5	9	11	12	6	100%	0%
TOSMO	4	16	18	80	160	180	143	100%	0%
TOSMI	4	1	9	44	535	1,000	526	75%	25%
COLM	4	1	4	10	25	36	21	75%	0%
SEIMN	4	1	2	6	38	65	36	100%	0%
SEIMS	4	1	4	17	64	100	60	100%	0%
COUMO	4	13	35	98	195	250	161	100%	25%
COUMI	4	14	22	41	186	320	164	100%	25%
TYLMO	4	9	20	41	245	440	225	100%	25%
TYLMI	4	2	8	67	420	720	412	100%	25%
Storm Event Samples									
MONM	8	13	25	62	710	1,900	685	100%	38%
MONMN	8	6	29	85	225	2,100	196	100%	25%
MONMS	8	8	66	145	370	5,600	304	100%	38%
TOSMO	8	27	240	490	685	1,400	445	100%	75%
TOSMI	8	100	195	490	1,600	3,200	1,405	100%	75%
COLM	8	2	7	19	35	65	28	100%	0%
SEIMN	8	1	3	31	46	200	43	100%	0%
SEIMS	8	7	17	53	115	280	98	100%	13%
COUMO	8	1	146	355	755	1,600	610	88%	63%
COUMI	8	23	76	435	560	6,400	484	100%	63%
TYLMO	8	110	290	370	800	2,300	510	100%	88%
TYLMI	8	1	16	68	315	520	299	88%	38%

CFU/100 mL: Coliform forming units per 100 milliliters

All summary statistics were calculated using values of half the reporting limit for non-detect values.

^a Percentage of samples violating criteria (<=200 CFU/100 ml) for primary contact recreation in fresh water from Washington Administrative Code 173-201A.

Table H-9. Summary Statistics for Total Phosphorus Concentrations Measured in Storm Event and Base Flow Samples.

Station	n	Minimum (mg/L)	25th Percentile (mg/L)	Median (mg/L)	75th Percentile (mg/L)	Maximum (mg/L)	Interquartile Range (mg/L)	Percent Detected	Percent Violating Criteria ^a
Base Flow Samples									
MONM	4	0.025	0.028	0.039	0.059	0.072	0.031	100%	NA
MONMN	4	0.017	0.030	0.058	0.075	0.078	0.045	100%	NA
MONMS	4	0.016	0.017	0.042	0.072	0.076	0.055	100%	NA
TOSMO	4	0.048	0.050	0.055	0.069	0.078	0.019	100%	NA
TOSMI	4	0.048	0.050	0.055	0.063	0.069	0.013	100%	NA
COLM	4	0.005	0.005	0.011	0.026	0.035	0.021	50%	NA
SEIMN	4	0.020	0.024	0.029	0.036	0.041	0.013	100%	NA
SEIMS	4	0.030	0.033	0.041	0.051	0.055	0.018	100%	NA
COUMO	4	0.032	0.040	0.055	0.116	0.170	0.077	100%	NA
COUMI	4	0.052	0.069	0.088	0.100	0.110	0.032	100%	NA
TYLMO	4	0.023	0.026	0.036	0.052	0.061	0.026	100%	NA
TYLMI	4	0.017	0.025	0.033	0.049	0.065	0.024	100%	NA
Storm Event Samples									
MONM	8	0.041	0.050	0.076	0.150	0.420	0.100	100%	NA
MONMN	8	0.031	0.036	0.055	0.155	0.430	0.119	100%	NA
MONMS	8	0.035	0.044	0.060	0.076	0.110	0.033	100%	NA
TOSMO	8	0.073	0.093	0.200	0.285	0.440	0.193	100%	NA
TOSMI	8	0.067	0.080	0.115	0.210	0.400	0.130	100%	NA
COLM	8	0.005	0.013	0.019	0.026	0.039	0.013	88%	NA
SEIMN	8	0.031	0.059	0.134	0.280	0.360	0.222	100%	NA
SEIMS	8	0.038	0.064	0.106	0.190	0.360	0.126	100%	NA
COUMO	8	0.058	0.083	0.104	0.175	0.230	0.093	100%	NA
COUMI	8	0.054	0.077	0.120	0.295	0.410	0.218	100%	NA
TYLMO	8	0.039	0.043	0.061	0.140	0.470	0.098	100%	NA
TYLMI	8	0.017	0.037	0.069	0.106	0.280	0.069	100%	NA

mg/L: milligrams per liter

All summary statistics were calculated using values of half the reporting limit for non-detect values.

Table H-10. Summary Statistics for Total Nitrogen Concentrations Measured in Storm Event and Base Flow Samples.

Station	n	Minimum (mg/L)	25th Percentile (mg/L)	Median (mg/L)	75th Percentile (mg/L)	Maximum (mg/L)	Interquartile Range (mg/L)	Percent Detected	Percent Violating Criteria ^a
Base Flow Samples									
MONM	4	0.67	0.77	0.88	1.08	1.28	0.31	100%	NA
MONMN	4	0.57	0.66	0.78	1.00	1.20	0.34	100%	NA
MONMS	4	0.50	0.75	1.09	1.30	1.41	0.55	100%	NA
TOSMO	4	0.84	0.90	0.97	1.41	1.83	0.51	100%	NA
TOSMI	4	1.16	1.19	1.22	1.67	2.11	0.48	100%	NA
COLM	4	0.63	0.66	0.69	0.83	0.95	0.17	100%	NA
SEIMN	4	0.64	0.71	0.79	1.00	1.18	0.29	100%	NA
SEIMS	4	0.75	0.79	0.82	1.17	1.52	0.39	100%	NA
COUMO	4	0.81	0.86	0.93	1.24	1.54	0.38	100%	NA
COUMI	4	0.68	0.72	1.12	1.53	1.57	0.81	100%	NA
TYLMO	4	0.83	0.87	0.93	1.25	1.54	0.38	100%	NA
TYLMI	4	0.97	1.02	1.26	1.80	2.14	0.78	100%	NA
Storm Event Samples									
MONM	8	0.72	0.93	1.11	1.34	2.61	0.41	100%	NA
MONMN	8	0.67	0.84	1.05	1.26	2.00	0.42	100%	NA
MONMS	8	0.60	0.82	0.92	1.31	1.50	0.49	100%	NA
TOSMO	8	0.97	1.12	1.25	1.52	2.07	0.40	100%	NA
TOSMI	8	0.72	1.02	1.15	1.28	2.05	0.26	100%	NA
COLM	8	0.54	0.58	0.72	0.92	1.08	0.34	100%	NA
SEIMN	8	0.53	0.68	0.99	1.20	1.47	0.53	100%	NA
SEIMS	8	0.71	1.13	1.32	2.44	3.11	1.31	100%	NA
COUMO	8	0.85	1.10	1.36	1.38	1.40	0.28	100%	NA
COUMI	8	0.65	0.77	1.42	1.63	2.09	0.86	100%	NA
TYLMO	8	0.75	0.88	0.99	1.22	2.41	0.34	100%	NA
TYLMI	8	1.01	1.11	1.35	1.51	1.86	0.40	100%	NA

mg/L: milligrams per liter

All summary statistics were calculated using values of half the reporting limit for non-detect values.

Total Nitrogen values were calculated by adding the Total Nitrate + Nitrite and Total Kjeldahl Nitrogen values.

Table H-11. Summary Statistics for Nitrate + Nitrite (N+N) Concentrations Measured in Storm Event and Base Flow Samples.

Station	n	Minimum (mg/L)	25th Percentile (mg/L)	Median (mg/L)	75th Percentile (mg/L)	Maximum (mg/L)	Interquartile Range (mg/L)	Percent Detected	Percent Violating Criteria ^a
Base Flow Samples									
MONM	4	0.25	0.27	0.30	0.36	0.41	0.09	100%	NA
MONMN	4	0.16	0.16	0.17	0.25	0.32	0.09	100%	NA
MONMS	4	0.01	0.05	0.20	0.44	0.58	0.40	75%	NA
TOSMO	4	0.52	0.52	0.54	0.57	0.58	0.05	100%	NA
TOSMI	4	0.73	0.74	0.74	0.75	0.75	0.01	100%	NA
COLM	4	0.01	0.03	0.06	0.10	0.13	0.07	75%	NA
SEIMN	4	0.15	0.16	0.20	0.24	0.25	0.07	100%	NA
SEIMS	4	0.01	0.10	0.23	0.27	0.28	0.18	75%	NA
COUMO	4	0.33	0.35	0.37	0.43	0.49	0.09	100%	NA
COUMI	4	0.20	0.24	0.31	0.36	0.39	0.12	100%	NA
TYLMO	4	0.34	0.34	0.38	0.49	0.55	0.15	100%	NA
TYLMI	4	0.52	0.54	0.66	0.85	0.91	0.31	100%	NA
Storm Event Samples									
MONM	8	0.16	0.20	0.24	0.50	0.55	0.30	100%	NA
MONMN	8	0.05	0.09	0.15	0.38	0.57	0.28	100%	NA
MONMS	8	0.06	0.13	0.20	0.47	0.80	0.34	100%	NA
TOSMO	8	0.14	0.27	0.35	0.39	0.43	0.13	100%	NA
TOSMI	8	0.18	0.22	0.31	0.35	0.40	0.12	100%	NA
COLM	8	0.01	0.02	0.05	0.13	0.28	0.11	75%	NA
SEIMN	8	0.08	0.11	0.12	0.19	0.30	0.08	100%	NA
SEIMS	8	0.15	0.16	0.20	0.24	0.39	0.08	100%	NA
COUMO	8	0.19	0.23	0.31	0.54	0.67	0.31	100%	NA
COUMI	8	0.18	0.19	0.23	0.45	0.59	0.26	100%	NA
TYLMO	8	0.13	0.16	0.20	0.39	0.62	0.24	100%	NA
TYLMI	8	0.21	0.31	0.54	0.70	0.87	0.39	100%	NA

mg/L: milligrams per liter

All summary statistics were calculated using values of half the reporting limit for non-detect values.

Table H-12. Summary Statistics for Total Kjeldahl Nitrogen (TKN) Concentrations Measured in Storm Event and Base Flow Samples.

Station	n	Minimum (mg/L)	25th Percentile (mg/L)	Median (mg/L)	75th Percentile (mg/L)	Maximum (mg/L)	Interquartile Range (mg/L)	Percent Detected	Percent Violating Criteria ^a
Base Flow Samples									
MONM	4	0.36	0.41	0.54	0.81	0.99	0.39	100%	NA
MONMN	4	0.41	0.44	0.53	0.81	1.04	0.36	100%	NA
MONMS	4	0.42	0.46	0.68	1.10	1.33	0.64	100%	NA
TOSMO	4	0.31	0.36	0.42	0.84	1.25	0.48	100%	NA
TOSMI	4	0.42	0.45	0.48	0.92	1.36	0.47	100%	NA
COLM	4	0.56	0.56	0.60	0.79	0.95	0.23	100%	NA
SEIMN	4	0.49	0.51	0.55	0.79	1.00	0.28	100%	NA
SEIMS	4	0.55	0.55	0.65	1.04	1.33	0.49	100%	NA
COUMO	4	0.43	0.44	0.52	0.88	1.17	0.44	100%	NA
COUMI	4	0.40	0.41	0.76	1.24	1.37	0.83	100%	NA
TYLMO	4	0.40	0.44	0.48	0.85	1.20	0.41	100%	NA
TYLMI	4	0.45	0.48	0.59	0.95	1.23	0.47	100%	NA
Storm Event Samples									
MONM	8	0.56	0.71	0.73	0.96	2.15	0.25	100%	NA
MONMN	8	0.62	0.66	0.71	1.01	1.75	0.35	100%	NA
MONMS	8	0.55	0.61	0.72	0.79	0.96	0.18	100%	NA
TOSMO	8	0.67	0.75	0.90	1.29	1.68	0.54	100%	NA
TOSMI	8	0.52	0.71	0.80	0.99	1.80	0.28	100%	NA
COLM	8	0.51	0.58	0.66	0.73	0.92	0.15	100%	NA
SEIMN	8	0.42	0.58	0.78	1.02	1.36	0.43	100%	NA
SEIMS	8	0.52	0.91	1.12	2.17	2.94	1.26	100%	NA
COUMO	8	0.56	0.70	0.82	1.07	1.16	0.37	100%	NA
COUMI	8	0.46	0.57	0.85	1.36	1.84	0.79	100%	NA
TYLMO	8	0.57	0.60	0.79	0.82	2.09	0.22	100%	NA
TYLMI	8	0.67	0.80	0.81	0.88	0.99	0.08	100%	NA

mg/L: milligrams per liter

All summary statistics were calculated using values of half the reporting limit for non-detect values.

Table H-13. Summary Statistics for Dissolved Copper Concentrations Measured in Storm Event and Base Flow Samples.

Station	n	Minimum (ug/L)	25th Percentile (ug/L)	Median (ug/L)	75th Percentile (ug/L)	Maximum (ug/L)	Interquartile Range (ug/L)	Percent Detected	Percent Violating Criteria ^a
Base Flow Samples									
MONM	4	0.5	0.5	0.5	0.9	1.3	0.4	25%	0%
MONMN	4	0.5	0.5	0.5	0.5	0.5	0.0	0%	0%
MONMS	4	0.5	0.5	0.5	0.85	1.2	0.4	25%	0%
TOSMO	4	0.5	0.5	0.5	1.05	1.6	0.6	25%	0%
TOSMI	4	0.5	0.5	0.5	0.9	1.3	0.4	25%	0%
COLM	4	0.5	0.5	0.5	1	1.5	0.5	25%	0%
SEIMN	4	0.5	0.5	0.5	0.5	0.5	0.0	0%	0%
SEIMS	4	0.5	0.5	0.5	0.5	0.5	0.0	0%	0%
COUMO	4	0.5	0.5	0.5	0.5	0.5	0.0	0%	0%
COUMI	4	0.5	0.5	0.5	0.5	0.5	0.0	0%	0%
TYLMO	4	0.5	0.85	1.3	1.55	1.7	0.7	75%	0%
TYLMI	4	0.5	1.1	1.9	2.8	3.5	1.7	75%	0%
Storm Event Samples									
MONM	8	0.5	0.5	1.3	1.8	2.1	1.3	63%	0%
MONMN	8	0.5	0.8	1.2	1.8	2.4	1.0	75%	0%
MONMS	8	1.2	1.6	1.8	2.1	2.3	0.5	100%	0%
TOSMO	8	1.9	1.9	2.4	2.8	4.5	0.9	100%	0%
TOSMI	8	1.2	2.0	2.6	4.5	6.0	2.5	100%	0%
COLM	8	0.5	0.5	0.5	0.5	0.5	0.0	0%	0%
SEIMN	8	0.5	0.5	0.5	0.5	1.0	0.0	13%	0%
SEIMS	8	0.5	0.5	0.5	0.5	1.3	0.0	13%	0%
COUMO	8	1.4	2.1	2.4	3.1	4.5	1.0	100%	0%
COUMI	8	1.1	1.8	2.0	2.5	3.1	0.7	100%	0%
TYLMO	8	1.9	2.5	3.0	4.8	16.0	2.3	100%	13%
TYLMI	8	1.8	2.0	2.4	2.9	4.8	1.0	100%	0%

µg/L: micrograms per liter

All summary statistics were calculated using values of half the reporting limit for non-detect values.

^a Percentage of base flow and storm event samples violating chronic and acute criteria for fresh water aquatic life protection, respectively, from Washington Administrative Code 173-201A. Criterion were derived using measured hardness at each station (see Table H-6).

Table H-14. Summary Statistics for Total Copper Concentrations Measured in Storm Event and Base Flow Samples.

Station	n	Minimum (ug/L)	25th Percentile (ug/L)	Median (ug/L)	75th Percentile (ug/L)	Maximum (ug/L)	Interquartile Range (ug/L)	Percent Detected	Percent Violating Criteria ^a
Base Flow Samples									
MONM	4	0.5	0.8	1.1	1.3	1.4	0.6	75%	NA
MONMN	4	0.5	0.8	1.0	1.2	1.3	0.4	75%	NA
MONMS	4	0.5	0.5	1.0	1.6	1.7	1.1	50%	NA
TOSMO	4	0.5	0.8	1.2	1.6	1.9	0.9	75%	NA
TOSMI	4	1.1	1.4	1.7	2.7	3.6	1.3	100%	NA
COLM	4	0.5	0.5	0.5	0.8	1.1	0.3	25%	NA
SEIMN	4	0.5	0.5	0.8	1.2	1.3	0.7	50%	NA
SEIMS	4	0.5	0.5	0.5	0.8	1.1	0.3	25%	NA
COUMO	4	0.5	0.8	1.1	1.1	1.1	0.4	75%	NA
COUMI	4	0.5	0.5	3.3	7.0	8.0	6.5	50%	NA
TYLMO	4	1.4	1.5	1.6	1.8	1.9	0.4	100%	NA
TYLMI	4	2.0	2.1	2.3	3.0	3.6	1.0	100%	NA
Storm Event Samples									
MONM	8	1.2	1.8	2.5	3.6	7.4	1.8	100%	NA
MONMN	8	1.0	1.5	2.5	3.2	8.5	1.7	100%	NA
MONMS	8	1.5	2.2	2.7	2.9	2.9	0.7	100%	NA
TOSMO	8	4.0	6.0	7.3	10.5	14.0	4.5	100%	NA
TOSMI	8	4.7	5.6	6.5	10.5	13.0	5.0	100%	NA
COLM	8	0.5	0.5	0.5	0.8	1.2	0.3	25%	NA
SEIMN	8	0.5	1.6	2.5	5.9	8.8	4.3	88%	NA
SEIMS	8	0.5	1.0	1.9	3.0	4.9	2.0	75%	NA
COUMO	8	2.9	3.9	4.5	5.6	6.4	1.7	100%	NA
COUMI	8	1.8	2.7	4.4	5.7	8.8	3.1	100%	NA
TYLMO	8	3.5	3.7	6.0	12.8	19.0	9.1	100%	NA
TYLMI	8	2.2	2.7	3.5	7.1	12.0	4.5	100%	NA

µg/L: micrograms per liter

All summary statistics were calculated using values of half the reporting limit for non-detect values.

Table H-15. Summary Statistics for Dissolved Zinc Concentrations Measured in Storm Event and Base Flow Samples.

Station	n	Minimum (ug/L)	25th Percentile (ug/L)	Median (ug/L)	75th Percentile (ug/L)	Maximum (ug/L)	Interquartile Range (ug/L)	Percent Detected	Percent Violating Criteria ^a
Base Flow Samples									
MONM	4	6.4	6.6	7.6	8.6	8.8	2.1	100%	0%
MONMN	4	2.5	2.5	2.5	4.0	5.4	1.5	25%	0%
MONMS	4	2.5	2.5	2.5	2.5	2.5	0.0	0%	0%
TOSMO	4	14.0	17.0	25.5	75.5	120.0	58.5	100%	25%
TOSMI	4	29.0	33.0	45.0	116.5	180.0	83.5	100%	25%
COLM	4	2.5	2.5	2.5	2.5	2.5	0.0	0%	0%
SEIMN	4	2.5	2.5	2.5	2.5	2.5	0.0	0%	0%
SEIMS	4	2.5	2.5	2.5	2.5	2.5	0.0	0%	0%
COUMO	4	2.5	4.6	7.1	10.8	14.0	6.2	75%	0%
COUMI	4	2.5	4.3	9.6	13.5	14.0	9.2	75%	0%
TYLMO	4	2.5	6.2	11.9	16.0	18.0	9.9	75%	0%
TYLMI	4	2.5	5.2	10.4	15.5	18.0	10.4	75%	0%
Storm Event Samples									
MONM	8	6.4	8.1	9.3	12.0	16.0	4.0	100%	0%
MONMN	8	2.5	2.5	5.8	8.0	9.4	5.5	63%	0%
MONMS	8	2.5	2.5	2.5	4.6	6.8	2.1	25%	0%
TOSMO	8	17.0	22.0	29.0	43.0	110.0	21.0	100%	25%
TOSMI	8	35.0	38.0	46.5	54.5	120.0	16.5	100%	38%
COLM	8	2.5	2.5	2.5	2.5	2.5	0.0	0%	0%
SEIMN	8	2.5	2.5	2.5	2.5	5.5	0.0	13%	0%
SEIMS	8	2.5	2.5	2.5	2.5	2.5	0.0	0%	0%
COUMO	8	21.0	23.5	33.5	52.5	1500.0	29.0	100%	13%
COUMI	8	2.5	6.1	14.0	41.5	130.0	35.5	88%	13%
TYLMO	8	7.5	7.6	12.8	18.0	28.0	10.4	100%	0%
TYLMI	8	5.8	7.7	11.5	15.0	22.0	7.3	100%	0%

µg/L: micrograms per liter

All summary statistics were calculated using values of half the reporting limit for non-detect values.

^a Percentage of base flow and storm event samples violating chronic and acute criteria for fresh water aquatic life protection, respectively, from Washington Administrative Code 173-201A. Criterion were derived using measured hardness at each station (see Table H-6).

Table H-16. Summary Statistics for Total Zinc Concentrations Measured in Storm Event and Base Flow Samples.


Station	n	Minimum (ug/L)	25th Percentile (ug/L)	Median (ug/L)	75th Percentile (ug/L)	Maximum (ug/L)	Interquartile Range (ug/L)	Percent Detected	Percent Violating Criteria ^a
Base Flow Samples									
MONM	4	8.7	9.4	12.5	16.5	18.0	7.2	100%	NA
MONMN	4	2.5	3.8	7.4	10.4	11.0	6.7	75%	NA
MONMS	4	2.5	2.5	5.9	10.2	11.0	7.7	50%	NA
TOSMO	4	24.0	27.5	37.5	112.0	180.0	84.5	100%	NA
TOSMI	4	52.0	56.0	105.0	190.0	230.0	134.0	100%	NA
COLM	4	2.5	2.5	2.5	2.5	2.5	0.0	0%	NA
SEIMN	4	2.5	2.5	2.5	2.5	2.5	0.0	0%	NA
SEIMS	4	2.5	2.5	2.5	2.5	2.5	0.0	0%	NA
COUMO	4	8.3	9.2	14.0	18.0	18.0	8.9	100%	NA
COUMI	4	7.1	13.6	65.0	135.0	160.0	121.5	100%	NA
TYLMO	4	10.0	12.0	16.0	18.5	19.0	6.5	100%	NA
TYLMI	4	11.0	11.0	16.0	27.0	33.0	16.0	100%	NA
Storm Event Samples									
MONM	8	13.0	20.0	24.0	47.5	110.0	27.5	100%	NA
MONMN	8	7.0	7.8	12.5	28.5	73.0	20.7	100%	NA
MONMS	8	2.5	2.5	5.9	10.6	17.0	8.1	63%	NA
TOSMO	8	53.0	112.0	135.0	200.0	280.0	88.0	100%	NA
TOSMI	8	88.0	99.0	110.0	210.0	260.0	111.0	100%	NA
COLM	8	2.5	2.5	2.5	2.5	2.5	0.0	0%	NA
SEIMN	8	2.5	2.5	4.6	10.5	16.0	8.0	50%	NA
SEIMS	8	2.5	4.3	7.6	11.7	18.0	7.4	75%	NA
COUMO	8	28.0	34.5	62.5	86.5	1800.0	52.0	100%	NA
COUMI	8	7.3	15.0	31.5	185.0	250.0	170.0	100%	NA
TYLMO	8	15.0	19.0	27.5	44.5	150.0	25.5	100%	NA
TYLMI	8	9.6	14.0	22.0	49.0	96.0	35.0	100%	NA

µg/L: micrograms per liter

All summary statistics were calculated using values of half the reporting limit for non-detect values.


APPENDIX I

Box and Whisker Plots Showing Pollutant Concentrations Measured in Storm Event and Base Flow Samples




This page intentionally left blank


Base Flow




Storm Events




Base Flow




Storm Events




Base Flow




Storm Events




Base Flow




Storm Events




Base Flow




Storm Events




Base Flow




Storm Events




Base Flow




Storm Events




Base Flow




Storm Events




Base Flow




Storm Events




Base Flow




Storm Events




Base Flow




Storm Events




Base Flow




Storm Events




Base Flow




Storm Events




Base Flow




Storm Events




Base Flow




Storm Events



Base Flow




Storm Events



APPENDIX J

Line Plots Showing Continuous Temperature Data



This page intentionally left blank

Figure J-1. Continuous Temperature and 7-DADMAX Measured at the MONM Station.




Figure J-2. Continuous Temperature and 7-DADMAX Measured at the MONMN Station.




Figure J-3. Continuous Temperature and 7-DADMAX Measured at the MONMS Station.




Figure J-4. Continuous Temperature and 7-DADMAX Measured at the TOSMO Station.




Figure J-5. Continuous Temperature and 7-DADMAX Measured at the TOSMI Station.




Figure J-6. Continuous Temperature and 7-DADMAX Measured at the COLM Station.




Figure J-7. Continuous Temperature and 7-DADMAX Measured at the SEIMN Station.




Figure J-8. Continuous Temperature and 7-DADMAX Measured at the SEIMS Station.




Figure J-9. Continuous Temperature and 7-DADMAX Measured at the COUMO Station.




Figure J-10. Continuous Temperature and 7-DADMAX Measured at the COUMI Station.




Figure J-11. Continuous Temperature and 7-DADMAX Measured at the TYLMO Station.





Figure J-12. Continuous Temperature and 7-DADMAX Measured at the TYLMI Station.



APPENDIX K

Laboratory Report for Biological Monitoring



This page intentionally left blank

The contents of this appendix
are provided in a separate
electronic file.

This page intentionally left blank